

Alarcon-Segovia D; Caldiel MH; and Reyes E; [1989] :

Antiphospholipid arterial vasculopathy. J. Rheumatol; 16 : 762.

Alarcon-Segovia D ; and Sanchez-Gurrero J ; [1989-a] :

Primary antiphospholipid syndrome. J. Rheumatol ; 16 : 482-488.

Alarcon-Segovia D; and Sanchez-Guerrero J; [1989-b] :

Correction of thrombocytopenia with small dose aspirin in the primary Antiphospholipid syndrome. J. Rheumatol ; 16 : 1359.

American Diabetes Association [1989] :

Physician guide to type I diabetes.

Diabetes care, 12 : 13-20.

Amer L ; Kiesel W; Searles RP ; Williams RCJr; [1990] :

Impairment of the protein C anticoagulant pathway in a patient with systemic lupus erythematosus anticardiolipin antibodies and thrombosis Thromb. Res. Vol :57 (2). P. 247-58.

Anciaux M. L., Bosquet F., Chanson P., Lesobre B and Valensi P. [1993] :

Practical Dictionary of diabetes.

Medical publication of laboratories servier.

Angles - Cano E., Sultan Y., Clauvel JP. [1979] :

Predisposing factors to thrombosis in systemic lupus erythematosus

J. Clin. Lab. Med., 49 : 312-323.

Anzai K, Nahamura M, Nagafuchi S, Iwakiri R, Ichinose, Niho Y, Nakano S; [1993] :

Production of anti-cardiolipin antibody in AKR / J mice with streptozocin-induced insulinitis and diabetes.

Asherson RA ; Tikly M; Staub H; Wilmsllurs PT ; Coltari DJ; Khamashta M; and Hughes GRV; [1990] :

Infective endocarditis, rheumatoid factor and anticardiolipin antibodies. Ann. Rheum. Dis.; 49 : 107.

Bervers EM; Gallin M; and Barbui T; [1991] :

Lupus anticoagulant IgG (LA) are not directed to phospholipids only but to a complex of lipid bound human prothrombin. Thromb. Haemost ; 66 : 629-632.

Bick Rodner L., Baker Willian F. [1994] :

The antiphospholipid syndrome : a syndrome in evaluation
Ann, Rhoum, Dis, 51 : 147 - 150.

Bingley PJ; Bonifacio E, Gale EAM; [1993] :

Perspectives in diabetes : Can we really predict IDDM, Diabetes 42 : 213

Bingley PJ; and Hoffbrand BI; [1987] :

Antiphospholipid syndrome : a review. J.R. Soc. Med.; 80 : 445.

Blank Miri, Tincani Angella, Shoenfel Yehuda [1994]

Induction of experimental antiphospholipid syndrome in naive mice with purified IgG antiphosphotidylserine antibodies.

J. Rheumatol; 21 (1) : 100 - 104.

Bottazzo GF , Florin - Christensen A, Doniach D [1974] :

Islet cell antibodies in diabetes mellitus with autoimmune polyendocrine deficiency, lancet 2 : 12 - 79.

Brighton TA. & Chesterman NC. [1994]:

Antiphospholipid antibodies and thrombosis. Bailliere's clinical haematology, 7 (3) : 541-557.

Buchanan RRC; Wardlaw JR; Riglar AG ; Littlejohn GO; and Miller MH, [1989]:

Antiphospholipid antibodies in the connective tissue disease. Their relation to the Antiphospholipid syndrome and Forme Fruste Disease J. Rheumatol. 1989 ; 16 757.

Candelas S, Katz J, Benosit [1991]:

Islet specific T. cell clones from non obese diabetic mice express heterogenous T cell receptors, Proc. Natl Acad Sci USA 88 : 616,

Canoso RT ; Zon LI; and Groopman JE; [1987]:

Anticardiolipin antibodies associated with HTLV - III infection. Br. J. Haematol 65 : 495.

Caporali R, Ravelli A, De Gennaro F , Neirotti G , Montecucco C [1991]:

Prevalence of anticardiolipin antibodies in juvenile chronic arthritis. Ann Rheum Dis 50 : 599-601.

Carp HJ; Frenkel Y; Many A; Menashe Y; Mashiache S; Nebel Toder V; Ser DM; [1989]:

Foetal demise associated with LAC. Gynecol Obstet Invest; 28 (4) : 178 - 84.

Carreras Lo; and Vermeylen JG; [1982]:

Lupus anticoagulant and thrombosis. Possible role of inhibition of prostacyclin formation. Thromb. Haemost ; 48 : 38-40.

Casparie AF and Elving LD [1985] :

Severe hypoglycemia in diabetic patients : Frequency, causes, prevention. Diabetes care, 8 : 141.

Chase HP [1990] :

Cyclosporine A for the treatment of new onset insulin dependent diabetes mellitus, Pediatrics, 85 : 241.

Chu S. Y. Edney-parker, I. I [1985] :

Evaluation of the reliability of bed side glucose monitoring. Lab. Med., 20 : 93-95.

Cosgriff TM ; and Marlin BA; [1981] :

Low functional and high antigenic antithrombin III level in a patient with the lupus anticoagulant and recurrent thrombosis. Arthritis and Rheumatism, 24 : 94-96.

Couper RTL and Maxwell Fc [1994] :

Anticardiolipin and acquired protein S deficiency in early childhood. J. Pediatric Child Health 30 : 363-365.

Dagogo-Jack ES [1993] :

Hypoglycemia-associated autonomic failure in insulin dependent diabetes mellitus : Recent antecedent hypoglycemia reduces autonomic responses to symptoms of, and defense against subsequent hypoglycemia. J. Clin Invest., 91 : 819.

Deleze M; Oria CV; and Alarcon-Segovia D; [1988] :

Occurrence of both hemolytic anemia and thrombocytopenic purpura [Evan's Syndrome] in SLE Relationship to antiphospholipid antibodies. J. Rheumatol. 51 : 611.

Derksen RHW, De Groot G, Kater L [1993] :

Patients with antiphospholipid antibodies and venous thrombosis should receive long term anticoagulant treatment

Ann Rheum Dis 52 : 689-692.

Denubertis Frederick R., Craven Patricia A. [1994] :

Activation of protein Kinase C in glomerular cells in diabetes. Diabetes; 43 : 1-8.

Di Mario U, Dotta F, Crisal, Anastasi E, Andreani D, Dib SA, Eisenbarth GS [1988] :

Circulating anti-immunoglobulin antibodies in recent-onset type I diabetes mellitus. Diabetologia 37 : 62 - 66.

Dostal C; Paleckoa A; Trnavsky K; Novak M; John M; Dostal C; and Zvarova J; [1990] :

Anticardiolipin antibodies in infectious mononucleosis. J. Rheumatol. 17 : 1573.

Edginton TS; Machman N; Brand K; and Ruf wW; [1991] :

The structural biology of expression and function of tissue factor. Thromb. Haemost ; 66 : 67-79.

Ehrlich RM, Walsh LJ, Falk JA and Middleton PJ [1982] :

The incidence of type I (Insulin dependent diabetes in Toronto) Diabetologia, 22 : 289-291.

Eisenbarth GS [1987] :

Genes, generator of diveristy, glycoconjugates, and autoimmune beta-cell insufficiency in type I diabetes. Diabetes" 36 : 355.

El-Bayadi RZ [1983] :

Prevalence of IDDM among Egyptian school age children.
Msc Thesis Pediatrics, Faculty of Medicine, Cairo University.

El-Haddad H. [1995] :

Anticardiolipin in Diabetes Mellitus
M. D. Thesis internal medicine, Faculty of medicine, Cairo University.

Elliot Jofin F., Qin Hui-Ju, Bhatti Sunita, Smith Dean K, ;[1994] :

Immunization with the larger isoform of mouse glutamic acid decarboxylase (GAD67) prevents autoimmune diabetes in NOD mice. Diabetes; 43 : 1464-1499.

Elliotte RB ; [1993] :

The use of nicotinamide in the prevention of type I diabetes "Ann-N-Y-Acad-Sci" 696 : 331-41.

El-Taweel A [1981] :

Prevalence of IDDM among Egyptian school-age children.
Msc thesis, Pediatrics. Faculty of Medicine. Cairo University.

Escobar G; Font J; and Reverter JC; [1991] :

Plasma from systemic lupus erythematosus patients with antiphospholipid antibodies promotes platelet aggregation. Arterioscl. Thromb; 12 : 196-200.

Escobar G., Font J., Reverter J. C, [1992] :

Plasma from SLE patients with antiphospholipid antibodies promotes platelet aggregation.
Arterioscler. Thromb ; 12 : 196 - 200.

Esmon CT; [1987]:

The regulation of natural anticoagulant pathways. *Science*, 235 : 1348-1352.

Fajans S. Stefan [1990]:

Classification and diagnosis of diabetes.

In diabetes mellitus, theory and practice, 4th edition, ed by Rifkin H. and Porte D. Elsevier science publishing Co. Avenue of the Americas, New York, Inc, New York, Canada, Amsterdam.

Chap 22, p 346-356.

Feingold KR and Siperstein MD [1988]:

Diabetic vascular diseases. *Adv Intern Med.*, 31 : 309.

Fluckinger R., Woodtli T. and Berger W. [1987]:

Evaluation of the fructosamine test for measurement of plasma protein glycation. *Diabetologia*, 30 : 648-652.

Fong K and Boey MI; [1992]:

The antiphospholipid syndrome singapore

Med-J. Get, 33 (5) : 514-6

Forrester John V., Knott Rahel M., McIntosh Lesfey C. [1993]:

Pathogenesis of proliferative diabetic retinopathy and maculopathy. In the diabetes annual / 7, ed by Marshall, Elsevier Science Publishers, Amsterdam, London, New York, Tokyo [1993].

Foster DW [1994]:

Diabetes Mellitus In : "Harrison's principles of internal medicine". Wilson J, Braunwald E, Isselbacher KJ,

Petersdorf RG, Martin JB, Fauci AS and Poot RK (eds.) 13th ed., vol 2 McGraw-Hill, inc, New York Toronto, pp 1979-2000.

Friedewald; [1972]:

Clin chem. 18 : 499 (as coated in bunflete of the kito of stanbio).

Gaber M and Abdel-Salam E [1962]:

A clinical survey of cases admitted to the Monira Children Hospital during the years (1958-1961). The Gazzette of Egypt Ped. Accoc., 10 : 123-130.

Gafve E., Ordi J., Barquinero J., Evangefista A, [1992]:

Valvular heart disease in the primary antiphospholipid syndrome Ann. Intern. med.; 116 : 293-8.

Hajino Haruhiko, Shii Kozui, Yokono Koichi, Matsuba Hiroshi, [1994]:

Enzyme-linked immunosorbent assay method for human autophosphorylated insulin receptor.

Diabetes : 43 : 274-280.

Galli M; Comfarius P; and Maassen C; [1990]:

Anticardiolipin antibodies directed not to cardiolipin but to a plasma protein cofactor. Lancet, 335 : 1544-1547.

Gefiner M. E., Kapan S. A., Lippe B. M. and Scott H. L. [1983]:

Self monitoring of blood glucose levels and intensified insulin therapy : acceptability and efficacy in childhood diabetes.

JAMA 249 : 2913-1916.

Gepts W ; [1965]:

Pathology and anatomy of the pancreas in juvenile diabetes mellitus, Diabetes 14 : 619.

Glas-Greenwalt P; Kant KS; Allen C; and Pollak VE ; [1984] :

Fibrinolysis in health and disease : Severe abnormalities in SLE. J. Clin. Lab. Med; 104-962-976.

Gonen E, Rubenstein AH, [1978] :

Diabetologia 15 : 1 (as coated in bunfelete of the kite of stanbio)

Graf R. J., Halter J. B. and Porte D. Jr. [1988] :

Glycosylated hemoglobin in normal Subjects and subjects with maturity onset diabetes. Eidence for a saturable system in man.
Diabetes, 27 : 834.

Greaves M and Preston FE ; [1991] :

Recent advances in blood coagulation. 5th edition p. 136 Churchill Livingstone.

Hagino Haruhiko, Shii Kozui, Yokono Koichi, Matsuba Hiroshi, [1994]:

Enzyme-linked immunosorbent assay method for human autophosphorylated insulin receptor.
Diabetes : 43 : 274 - 280.

Hanninen A, Jalhanen S, Salmi M ; [1992] :

Macrophages, T cell receptor usage, and endothelial cell activation in the pancreas at hte onset of insulin-dependent diabetes meltetus, J. Clin Invest. 90 : 1901 .

Harris EN, Boey ML; Machworth-Yong CG ; Charavi AE; Patel BM; Loizou S; and Hughes GRV; [1983] :

Anti cordiolipin antibodies : Detection by radioimmunoassay and association with thrombosis in SLE. Lancet. II : 124

Harris En ; Hughes GV; and Gharavi AE; [1985] :

Antiphospholipid antibodies. Clin. Rheum. Dis; 11 : 591.

Hunt JE ; Simpson RJ; and Kirilis SA ; [1993] :

Identification of a region of b2-glycoprotein I critical for lipid binding and anticardiolipin antibody cofactor activity. Proceeding of the National Academy of Sciences, USA, 90 : 2141-2145.

Ichikawa K; Shimada K; Nawata Y. Ishii T; Tomioka H; Yoshida S; and Koike T; [1988] :

Monoclonal hybridoma anticardiolipin antibodies from SLE mic. Clin. Exp. Immunol; 74 : 110.

Jackson J; McDonald M; and Casey E; [1990] :

Mixed connective tissue disease with arterial thrombosis, antiphospholipid antibodies and heparin induced thrombocytopenia. J. Rheumatol ; 17 : 1523.

Jorgensen P. Hansen P. R. [1993] :

Antiphospholipid antibodies and ischaemic heart disease. J. Int Med ; 233 : 291-294.

Jos J., Ivatt R. J., Wajeman H. and Labie D. [1980] :

Glycosylated hemoglobin and metabolic control in Juvenile diabetes (abstract 198).

Diabetologia., 19 : 287.

Joslin's Diabetes Mellitus [1985] :

Textbook of D. M., P. 778. 780.

Jurado M; Paramo JA; Gutierrez-Pimentel M; and Rocha E; [1992] :

Fibrinolytic potential and antiphospholipid antibodies in SLE and other connective disorders. Thromb. Haemost ; 68 : 516-520.

Kaplan S. D., Chartash E. K, Pizzarello R A, [1992].
Cardiac manifestations of the antiphospholipid syndrome.
An. Heart Y.; 124 (5) : 1331-1337.

Karam J. [1985] :
Diabetes mellitus, hyperglycemia and lipoprotein disorders. In : Krupp M. and
chatton M. (ed) Current Medical diagnosis and treatment. Middle East Edition.
Lange, California, p. 741-763.

Karam John IL., Salber Patricia R., Forsham Peter H. [1991].
Pancreatic hormones and diabetes mellitus.
In basic and clinical endocrinology, 3rd edditio, ed by Greenspan F. S., Appleton
and lange, Norwalk, concecticut, Los Altos, California.

Karjalainen J [1992] :
Abovine albumin peptide as a possible trigger of insulin dependent diabetes
mellitus. N Engl J Med., 327 : 302.

*Karlsen AE, Hagopian WA, Petersen JS ; Boel E, Dyrberg T, Grubin CE,
Michelsen BK, Madsen OD [1992] :*
Recombinant glutamic acid decarboxylase (representing the singel isoform
expressed in human islets) detects IDDM. associated 64, 000 - Mr
autoantibodies, Diabetes 41 : 1355-1359.

Keeling DM; Willson AJ; and Mackie IJ ; [1992] :
Some antiphospholipid antibodies bind to b2-glycoprotein I in the absence of
phospholipid. Br. J. Haematol ; 82 : 571-574.

Keen Harry [1989] :
The nature of the diabetic state.
Medicine Int ; 65 : 2672-2675.

Kennedy, A. L. and Lyons T. J. [1989]:

Non-enzymatic glycosylation.

Br. Med. Bull., 45 : 174-190.

Khamashta M. A., Hughes G. R. V. [1993].

Detection and importance of anticardiolipin antibodies J Clin Path : 46 104-107.

King George L., Oliver F. Javier, Inoguchi Toyoshi, Shiba Teruo, Banskota Nirmal K [1993]

Abnormalities of the Vascular endothelium in diabetes.

In the diabetes annual 17, ed by Marshall, Elsevier science publishers, Amsterdam, London, New York Tokyo,

Chap 6. p 107-126.

Kitagawa Y., Okayasu H., Matsuoka Y., Mihara B., Koto A. [1991].

Anticardiolipin antibody in cerebral infarction Rinsho-Shin Keigaku; 31 (4). 391-5.

Klein R., Klein B., Moss S. E., Davis M. D. and DeMets, D. L. [1988]:

Glycosylated hemoglobin predicts the incidence and progression of diabetic retinopathy.

J. A. M. A., 260 : 2864-2871.

Kobberling J. [1971]:

Studies on the genetics heterogeneity of D. M.

Diabetologia, 7 : 64.

Koditschela, L. K, Umbreit, W. W., [1969]:

J. Bacterial., 98-1063-1068

(as coated in bunflete of the kite of stanbio).

Kennedy, A. L. and Lyons T. J. [1989] :

Non-enzymatic glycosylation.

Br. Med. Bull., 45 : 174-190.

Khamashta M. A., Hughes G. R. V. [1993].

Detection and importance of anticardiolipin antibodies J Clin Path : 46 104-107.

King George L., Oliver F. Javier, Inoguchi Toyoshi, Shiba Teruo, Banskota Nirmal K [1993]

Abnormalities of the Vascular endothelium in diabetes.

In the diabetes annual 17, ed by Marshall, Elsevier science publishers, Amsterdam, London, New York Tokyo,

Chap 6. p 107-126.

Kitagawa Y., Okayasu H., Matsuoka Y., Mihara B., Koto A. [1991].

Anticardiolipin antibody in cerebral infarction Rinsho-Shin Keigaku; 31 (4). 391-5.

Klein R., Klein B., Moss S. E., Davis M. D. and DeMets, D. L. [1988] :

Glycosylated hemoglobin predicts the incidence and progression of diabetic retinopathy.

J. A. M. A., 260 : 2864-2871.

Kobberling J. [1971] :

Studies on the genetic heterogeneity of D. M.

Diabetologia, 7 : 64.

Koditschela, L. K, Umbreit, W. W., [1969] :

J. Bacteriol., 98-1063-1068

(as coated in bunflete of the kite of stanbio).

Kumar PJ and Clark ML [1991] :

Diabetes mellitus and other disorders of metabolism in clinical medicine. 2nd ed.; 832-857 .

Laskin CA; and Soloninka C; [1988] :

Anticardiolipin antibodies, Smoking gun or smoke screen ?
(Editorial). J. Rheumatol ; 15 : 7.

Lebinger T. [1983] :

Bilateral cataract as the initial sign of IDDM in child. Am. J. Dis. Child. Vol. 137, June : p 602-603.

Lestradet H [1981] :

Long-term study of mortality and vascular complications in juvenile-onset (type-1) diabetes. Diabetes, 30 : 175.

Lie IT; [1989] :

Vasculopathy in antiophospholipid syndrome : Thrombosis or vasculitis or both ?(Editorial) J. Rheumatol ; 16 : 713.

Lockshin MD ; [1993] :

Which patients with aPL should be traeted and how ? Rheum. Dis. Clin. N. Am; 19 : 235-247.

Lopez L. R., Santos M. E., Espinoza L. A, La Rosa F. G. [1992] :

Clinical signifcane of IgA versus IgG and IgM anticardiolipin antibodies in patients with SLE.
Am J. Clin Path ; 98 : 449-454.

Lorenz R. A. [1990] :

Diabetes mellitus in children and adolescence. In : Con's current therapy. Rackel, Saunders, Philadelphia.

Lorini R, Massa M, d, Annunzio G, Cortona L, De Benedetti F [1993] :

CD₃-positive B cells in type 1 diabetic children. Diabetes Res Clin Pract 19 : 17-22.

Lorini R, Montecucco C, Caporal ; R, Vilali L, Pessinop., Severi F. [1995] :

Anticardiolipin antibodies in children and adolescents with insulin - dependent diabetes mellitus. Eur J. Pediatric 154 : 105-108.

Mackay, I. R.; Gerahwin, M. E. [1989] :

Molecular basis of mitochondria autoreactivity in primary biliary cirrhosis. Immunol. Today 109 ; 315-318.

Malia RG ; Kitchen S; Greaves M; and Preston FE; [1990] :

Identification of activated protein C and its cofactor protein S by antiphospholipid antibodies. Br. J. Haematol; 76 : 101-107.

Marciniak E; and Romond EH; [1989] :

Impaired catabolic function of APC. Blood. Vol. : 74 (7) : 2426-32.

Masala C; Sorice M; and Di Prima MA ; [1989] :

Anticardiolipin antibodies and pneumocystis carinii pneumonia [Letter]. Ann. intern. Med 0 : 749.

Matsuura E; Igarashi Y; and Fujimoto M; [1990] :

Anticardiolipin cofactor (s) and differential diagnosis of autoimmune disease. Lancet, 336 : 177-178.

Matsurra E; Igarashi Y; and Nagae H; [1993] :

Anticardiolipin antibodies recognize an altered b2-glycoprotein structure. Thromb. Haemost ; 69 : 1012.

Mayer O; Cynal Bourgeois P; Khan MF; and Ryckewaert A; [1990] :

Profile and cross-reactivities of antiphospholipid antibodies in SLE and syphilis. Clin. Rheumatol; 1987 ; 6 : 369 (Quoted from Love and Santoro).

Mayumi T; Nagasawa K; and Inoguchi T; [1991] :

Haemostatic factors associated with vascular thrombosis in patients with SLE and lupus anticoagulant. Ann. Rheum. Dis; 50 ; 543-547.

McCarty-Farid GA; [1992] :

aPL-New looks at old diseases a primer for physicians. J. State Med. Soc; 85 : 58-61.

McNeil HP; Chesterman CN; and Krilis SA; [1991] :

Immunology and clinical importance of antiphospholipid antibodies. Adv. Immunol; 49 : 193-280.

McNeil HP; Chesterman CN; and Krilis SA; [1991] :

Anticardiolipin and lupus anticoagulants comprise separate antibody subgroups with different phospholipid binding characteristics. Br. J. Haematol ; 73 : 506-513.

McNeil HP; Simpson RJ; Chesterman CN; and Krilis SA; [1990] :

Antiphospholipid antibodies are directed against complex antigen that induces a lipid binding inhibitor of coagulation : b2-glycoprotein. Proceedings of the National Academy of Science of USA, 87 ; 4120-4124.

Mehdi H; Munn M; and Steel DM ; [1991] :

Nucleotide sequence and expression of the human gene encoding apolipoprotein H (b2-lipoproteinI). *Gene*, 108 ; 293-298.

Menon R. K. and Sperling M. A. [1988] :

Childhood diabetes.

Med. Clin. of North America, 72 : 1565.

Molnar G. D. [1987] :

Clinical evaluation of metabolic control in diabetes.

Diabetes., 27 (1) : 216-259.

Morio S; Ott H; Hirasawa, A; Aotsuka N; Nakamura H; Asair T; Yoshida S; and Ito-M; [1991] :

Hepatic Veno-occlusive disease in patient with lupus anticoagulant after allogeneic bone marrow transplantation *Bone-Marrow transplant*, Vol. 8, p 147-9.

Mosca A., Carenini A., Zoppi F., Carpinelli A., Burfi., Ceriotti F., Bonini P. and Pozza G. [1987] :

Plasma protein glycation as measured by fructosamine assay.

Clin. Chem., 33 : 114-46.

Muir A, Schatz DA, Maclaren NK; [1992] :

The pathogenesis, prediction, and prevention of insulin-dependent diabetes mellitus, *Endo crinal metab Clin North Am* 21 : 199.

Nimp F; Bevers EM; and Bomans PH; [1986] :

Prothrombinase activity of human platelets is inhibited by b2-glycoprotein I. *Biochem. Biophys. Acta*; 884 : 142-149.

Peter, V. B.; Dawkins, R. L. [1979] :

Evaluating autoimmune diseases. Diagnostic Medicine. Sept-Oct 1979.

Panzer S., Kronik G. and Lechner K. [1984] :

Glycosylated hemoglobin : An index of red cell survival.

Blood, 59 : 1348-50.

Pipeleers D, Ling Z [1992] :

Pancreatic beta cells in insulin-dependent diabetes, Diabetes Metab. Rev. 8 : 209.

Polz E; and Kostner GM. [1979] :

The binding of β 2-glycoprotein I to human serum lipoproteins.

Federation of European Biochemical Societies. 102 : 183-186.

Pope J. M., Canny C. L. B., Bell D. A. [1991] :

Cerebral ischemic events associated with endocarditis retinal Vascular disease and lupus anticoagulant. Am. J. Med; 90 : 299-309.

Ratzan SK [1992] :

Endocrine and metabolic disorders in pediatrics, p 423-427.

Robertson RP [1992] :

Pancreatic and islet transplantation for diabetes-cure or curiosities ? N Eng J Med., 327 : 1861.

Roep BO, Arden SD, De Vries RRP; [1990] :

T. Cell clones from atype I diabetes patient respond to insulin secretory grannule proteins, Nature 345 : 632.

Roeschlau, P, Bernt E and Grber W., [1974] :

J. Clin. Chem. Clin. Biochem. 12, 403

(as coated inbunflete of the kite of stanbio)

Rosenbloom A. L., Kahraman A. and Sperling M. A. [1982] :

Classification and diagnosis of diabetes mellitus in children and adolescents.

Pediatrics., 99 : 320-23.

Rossini AA, Handler ES, Greiner DL, Mordes JP; [1991] :

Insulin dependent diabetes mellitus hypothesis of autoimmunity.

Autoimmunity 8 : 221-235.

Rossini AA, Greiner DL, Fridman HP ; [1993] :

Immunopathogenesis of diabetes mellitus, Diabetes 1 : 43.

Ruiz-Arguells CJ; Ruiz-Arguelles A; Deleze M; and Alarcon-Segovia D; [1989] :

Acquired protein C deficiency in a patient with primary antiphospholipid syndrome. Relationship to reactivity of anticardiolipin antibody with thrombomodulin. J. Rheumatol; 16 : 381-389.

Rustin MHA; Bull HA; and Machin SJ; [1988] :

Effects of the lupus anticoagulant in patients with SLE on endothelial cell prostacyclin release and procoagulant activity. J. Invest. Dermatol; 90 : 744-748.

Saad Mohamed F., Anderson Randy L., Laws A., Watanabe R. M. [1994]:

A Comparison between the minimal model and the glucose clamp in the assessment of insulin sensitivity across the spectrum of glucose tolerance Diabetes; 43 : 1114-21.

Salem M and Mira A [1990] :

Urinary infections in children with insulin dependent diabetes. The Egyptian J. of Pediatrics, Vol. 7 No. 1-2 : 81 - 88

Salem M, Tolba KA and Faris R [1990] :

An epidemiological study of insulin-dependent diabetes mellitus in East Cairo school-age pupils and students. Egypt. J. Com. Med. vol 1 March .

Sammaritano LR, Gharai AE, Lochshin MD [1990].

Antiphospholipid antibody syndrome : immunological and clinical aspects, Semin Arthritis. Rheum 20 : 81-96.

Sequist EF [1989] :

Familial clustering of diabetic renal disease : Evidence for genetic susceptibility and diabetic nephropathy. N Engl J Med., 320 : 1161.

Service F. J., Brien P. G. and Rizza R. A. [1987] :

Measurement of glucose control.
Diabetes care, 10 : 225-237.

Service F. J. and Nelson R. L. [1990] :

Characteristics of glycemic stability.
Diabetes care, 3 : 58 - 62.

Shapiro LS; [1990] :

Large vessel arterial thrombosis in systemic sclerosis associated with antiphospholipid antibodies. J. Rheumatol ; 17 : 685.

Shi W; Chong BH; Hogg PJ; and Chesterman N; [1993-b] :

Anticardiolipin antibodies block the inhibition by b2 glycoprotein I of the factor Xa generating activity of platelets. Thromb. Haemos : 70 : 342-345.

Shortell EK, Ouriel K, Green RM, condemi J and Deweese JA; [1992] :

Vascular disease in the antiphospholipid syndrom.
a comparison with patient population with athero sclerosis
J-Vase-Suger. Jan, 15 : 158-65.

Smirnov MD, Triplett DA, Comp PC [1995] :

Role of phasphatidyle ethanolamine in inhibition of activated protein C activity by
antiphospholipid antibodies.
J. Clin Invest. 95 : 309-316.

Sorice M, Griggi T, Circella A [1994] :

Protein S antibodies in acquired protein S deficiencies, Blood 83 : 2383-2384.

Sperling MA [1992] :

IN : Nislon Textbook of Pediatrics. Behrman RE, Kliegman RM, Nelson WE and
Vaughan III VC (eds.) 14 th ed.,
Harcourt Brace Jovannovich, Inc., Philadelphia, Tokyo, pp 390-409.

Srikanta S, Richer AT, McCulloch DK, Soeldner JS, Palmer JP [1986]:

Autoimmunity to insulin, beta cell dysfunction, and development of insulin
dependent diabetes mellitus : Diabetes 35 : 139-192.

Stiller CR [1984] :

Effects of cyclosporine immunosuppression in insulin-dependent diabetes
mellitus of recent onset. Sciences, 223 : 1362.

Stridsbery M., Wtander E. [1991] :

Islet amyloid polypeptide A short review.
Acta Oncol ; 30 (4) 451-6.

Tan, E. M.; [1982] :

Autoantibodies to nuclear antigen. Their immunobiology and medicine.
Advances in Immunology. 33 : 167-23 .

Tetsue T., Norio H and Hidek H., [1992] :

Detection of minus strand of Hepatitis C virus RNA by reverse transcription in infected tissues.

Hepatology,, 15 : 387-390.

Tosfumori H., Narita R., Nakazato M., Asai J., [1991] :

Islet amyloid polypeptide in insulinoma and in the islets of the pancreas of non-diabetic and diabetic subjects.

Histopathol; 418 (5) : 411-7.

Trinder P; [1969] :

Ann. Clin. Biochem. 6 : 24

(as coated in bunflete of the kite of standio)

Triplett DA; [1993] :

Antiphospholipid antibodies and thrombosis : a consequence, coincidence, or cause Arch Pathol. Lab. Med ; 22 : 5-9.

Tsakiris DA; Marbet GA; and Makris PE; [1989] :

Impaired fibrinolysis as an essential contribution to thrombosis in patients with lupus anticoagulant. Thromb. Haemost ; 61 : 175-177.

Vaarala O, Affthan G., Jauhiainen M., [1993] :

Cross reaction between antibodies to oxidized low density lipoprotein and to Cardiolipin in SLE.

Lancet ; 341: 923-25.

Tan, E. M.; [1982] :

Autoantibodies to nuclear antigenz Their immunobiology and medicine.
Advances in Immunology. 33 : 167-23 .

Tetsue T., NorioH and Hidek H., [1992] :

Detection of minus strand of Hepatitis C virus RNA by reverse transcription in infected tissues.

Hepatology,, 15 : 387-390.

Tosfumori H., Narita R., Nakazato M., Asai J., [1991] :

Islet amyloid polypeptide in insulinoma and in the islets of the pancreas of non-diabetic and diabetic subjects.

Histopathol; 418 (5) : 411-7.

Trinder P; [1969] :

Ann. Clin. Biochem. 6 : 24

(as coated in bunflete of the kite of standio)

Triplett DA; [1993] :

Antiphospholipid antibodies and thrombosis : a consequence, coincidence, or cause Arch Pathol. Lab. Med ; 22 : 5-9.

Tsakiris DA; Marbet GA; and Makris PE; [1989] :

Impaired fibrinolysis as an essential contribution to thrombosis in patients with lupus anticoagulant. Thromb. Haemost ; 61 : 175-177.

Vaarala O, Affthan G., Jauhiainen M., [1993] :

Cross reaction between antibodies to oxidized low density lipoprotein and to Cardiolipin in SLE.

Lancet ; 341: 923-25.

Vaarala O; Palosuo T; Kleemola M; and Ahok L; [1989] :

Anticardiolipin response in acute infections. Clin. immunol. Immunopathol; 41 : 8
(Quoted from Love and Santoro 1990).

Vetter U., Heinze E., Beischer W., Kohne E., Kleinhouer E. and Teller W. M. [1980] :

Hemoglobin A_{1c} : Apredictor for the duration of the remission phase in Juvenile.
Insulin dependant diabetic patients.
Act paediatric Scand., 69 : 418-483.

Virigil Woods L; and Zuaifler Jr NJ ; [1989] :

Pathogenesis of SLE. J. Rheumatol; 63 : 077-2000.

Waller, T. H.; Coons, A. H. [1954] :

Fluorescent antibody studies with agent of varicalls and Herpes Zoster
propagated in vitro, Proc. Soc. Exp. Biol. Med. 86 : 789.

Zouboulis C. C., Gollinick H., Weber S., Peter H. H., Orfanos C. E. [1991] :

Intravascular coagulaion necrosis of the skin associated with cryofibrinogenemia,
diabetes mellitus and cardiolipn autooantibodies.
J. Am. Acad-Dermatol ; 25 (5) 882-8.