

REFERENCES

- Alpert, E.; Issebacher, K.J.; Schur, P.H. (1971).
The pathogenesis of arthritis associated with
viral hepatitis.
N. Engl. J. Med., 285: 185 - 189.
- Awouters, F.; Niemegeers, C.J.E.; Van Den Berk, J. et al.
(1977).
Oxatomide: a new orally active drug which in-
hibits both the release and the effects of
allergic mediators. *Experientia*, 33: 1657-1658.
Quoted by Peremens et al. (1981).
- Bach, M.K.; Brashler, J.R.; and Corman, R.R. (1977).
On the structure of slow reacting substance of
anaphylaxis: evidence of biosynthesis from arachidonic
acid. *Prostaglandins* (14): 21.
Quoted by Soter and Wasserman (1980).
- Baeven, M. (1976).
Histamine. In *Physiology in Medicine*.
N. Engl. J. Med., 294: 30-36, 320 - 325.
- Baeven, M. (1977).
Histamine and its participation in dermatological
disorders.
Prog. Dermatol., 11: 15 - 30.
Quoted by Jere, D. Guin (1982).
- Baker, H. (1979).
Systemic therapy. In: Rook, A.; Wilkinson, D.S.
and Ebling, F.J.G. eds.
Text Book of Dermatology, 3rd ed. Ch., 68, p. 2282.
Blackwell Scientific Publications, Oxford.

- Bentley-Philips, C.B.; Black, A.K. and Greaves, M.W. (1976).
Induced tolerance in cold urticaria caused by
cold-evoked histamine release.
Lancet II: 63.
- Bentley-Philips, C.B.; Eady, R.A.J.; and Greaves, M.W. (1978):
Cold urticaria: inhibition of cold-induced histamine
release by doxantrazol.
J. Invest. Dermatol., 71: 266 - 268.
- Berman, B.A.; Ross, R.N. and Sly, R.M. (1982).
Urticaria.
Cutis, 30: 696 - 704.
- Black, J.W.; Duncan, W.A.M.; Durant, C.J. et al. (1972).
Definition and antagonism of histamine H₂
receptors.
Nature, 236: 385.
- Bonnetblanc, J.M.; Andrieu, F.; Meraud, J.P. et al. (1979).
Familial aquagenic urticaria.
Dermatologica, 158: 468 - 470.
- Boonk, W.J. and Von-Ketel, W.G. (1981).
Skin testing in chronic urticaria.
Dermatologica, 163: 151 - 159.
- Boonk, W.J. and Von-Ketel, W.G. (1982).
The role of penicillin in the pathogenesis of
chronic urticaria.
Br. J. Dermatol., 166: 183 - 190.

Bushkell, L.L. (1979).

Chronic urticaria and gallbladder disease:
Clearing after cholecystectomy.
Arch. Dermatol., 115: 638.

Callen, J.P. and Dubin, H.V. (1978).

Urticaria and polymyositis.
Arch. Dermatol., 114: 1545 - 1546.

Chakravarty, N.K. (1979).

The metabolism of mast cells and biochemical
changes associated with histamine release.
In Pepys, J. and Edwards, A.M.: The mast cell.
Kent, England, Pitman Medical Publishing Co.,
Ltd., pp. 38 - 46.
Quoted by Jere D. Guin (1982).

Champion, R.H. (1979).

Urticaria. In: Rook, A.; Wilkinson, D.S. and
Ebling, F.J.G. eds. Text Book of Dermatology.
3rd ed. Ch. 29, pp. 971 - 979.
Blackwell Scientific Publications, Oxford.

Commens, C.A. and Greaves, M.W. (1978).

Cimetidine in chronic urticaria.
Br. J. Dermatol., 99: 675 - 679.

Cook, J. and Shuster, S. (1979).

Lack of effect of H₂ blockade in chronic
urticaria, abst.
Br. J. Dermatol., 101 (Suppl. 17): 21 - 22.

- Czarnetzki, B.M.; Frosch, P.J. and Sprekeler, R. (1981).
Localized cold reflex urticaria.
Br. J. Dermatol., 104: 83 - 87.
- Damon, L.; Lieberman, P.; Ganier, M. et al. (1978).
Localized heat urticaria.
J. Allergy. Clin. Immunol., 61: 273 - 278.
- Davis, R.S.; Remigio, L.K.; Schocket, A.L.; and Bock, S.A.
(1981).
Evaluation of a patient with both aquagenic
and cholinergic urticaria.
J. Allergy. Clin. Immunol., 68, 6: 479-483.
- Delorome, P. (1969).
Localized heat urticaria.
J. Allergy. Clin. Immunol., 53: 284 - 291.
- Domonkos, A.N.; Arnold, H.L. and Odom, R.B. (1982).
Andrews' Diseases of the skin.
Clinical Dermatology, 7th ed. Ch. 7, pp. 162-169.
W.B. Saunders Company, Philadelphia.
- Donaldson, V.H. and Rosen, F.S. (1964).
Action of complement in hereditary angioedema.
J. Clin. Invest., 43: 2204.
- Donaldson, V.H.; Ratnoff, O.D.; Da Silva, W.D. and Rosen,
F.S. (1969).
Permeability increasing activity in hereditary
angioedema plasma.
J. Clin. Invest., 48: 642.

- Douglas, H.M.G. and Bleumink, E. (1975).
Protease inhibitors in plasma of patients
with chronic urticaria.
Arch. Dermatol.
- Dousa, T.P. and Code, C.F. (1974).
Effect of histamine and its methyl derivatives
on cyclic AMP metabolism in gastric mucosa.
J. Clin. Invest., 53: 334.
- Epstein, J.H.; Vandenberg, J.J. and Wright, W.L. (1963).
Solar urticaria.
Arch. Dermatol., 88: 135 - 141.
- Estes, D. and Christian, C.L. (1971).
The natural history of systemic lupus erythema-
tosis by prospective analysis.
Medicine, 50: 85 - 95.
- Feig, P.U.; Soter, N.A.; Yager, H.M. et al. (1976).
Vasculitis with urticaria, hypocomplementemia,
and multiple system involvement.
J.A.M.A., 236: 2065 - 2068.
- Fellner, M.J. and Baer, R.L. (1967).
Immunologic studies in patients with serum
sickness-like reactions following penicillin
therapy.
J. Invest. Dermatol., 48: 384.
- Fisher, A.A. (1982).
Contact urticaria due to medicaments, chemicals,
and foods.
Cutis, 30(2): 168 - 174.

- Frank, M.M.; Gelfand, J.A. and Atkinson, J.P. (1976).
Hereditary Angioedema: the clinical syndrome
and its management.
Ann. Int. Med., 84: 580 - 593.
- Gacin, R.; Lapnesle, J.; Grurer, J. et al. (1955).
Les polymyositis, Rev. Neurol.
Quoted by O'Laughlin et al. (1978).
- Gadek, J.E.; Hosea, S.W.; Gelfand, J.A.; and Frank, M.M.
(1979).
Response of variant hereditary angioedema phenotypes to danazol therapy.
J. Clin. Invest., 64: 280 - 286.
- Gammon, W.R. and Wheeler, C.E. (1979).
Urticarial vasculitis.
Arch. Dermatol., 115: 76 - 80.
- Gelfand, J.A.; Sherins, R.J.; Alling, D.W.; and Frank, M.M. (1976).
Treatment of hereditary angioedema with danazol.
N. Engl. J. Med., 295: 1441.
- Greaves, M.W.; Sneddon, I.P.; Smith, A.K. et al. (1974).
Heat urticaria.
Br. J. Dermatol., 90: 289 - 292.
- Greaves, M.W.; Marks, R.; and Robertson, I. (1977).
Receptors for histamine in human skin blood vessels: A review.
Br. J. Dermatol., 97: 225.

Hawk, J.L.M.; Eady, R.A.J.; Challoner, A.V.J. et al.
(1980).

Elevated blood histamine levels and mast
cell degranulation in solar urticaria.
Br. J. Clin. Pharmacol., 9: 183 - 186.

Herxheimer, A. (1956).

The nervous pathway mediating cholinergic
urticaria.

Clinical science, 15, 194.

Quoted by Warin and Champion (1974).

Highet, A.S. and Titterington, D.M. (1979).

Treatment of cold urticaria.

Br. J. Dermatol., 101: 51 - 55.

Highet, A.S.; Pye, R.J.; and Felix, R.H. (1981).

Vibratory urticaria.

Br. J. Dermatol. (Supple), 105: 40 - 41.

Hosea, S.W.; Santaella, M.L.; Brown, E.J. et al. (1980).

Long-term therapy of hereditary angioedema with
danazol.

Ann. Int. Med., 93(6): 809 - 812.

Illig, L. (1973).

Physical urticaria: Its diagnosis and treatment.

In: Mall, J.W.H. ed. Current Problems in
Dermatology, Vol. 5, pp. 79 - 116.

Jacobson, M.K.W.; Branch, L.B.; Nelson, C.H.S. (1980).

Laboratory tests in chronic urticaria.

JAMA, 243, 16: 1644 - 1646.

- James, J. and Warin, R.P. (1971).
An assessment of the role of candida albicans and food yeasts in chronic urticaria.
Br. J. Dermatol., 84: 227 - 237.
- Jere, D. Guin (1982).
Treatment of urticaria.
Med. Clinics. North. Am., 66 (4): 831-849.
- Jones, R.R.; Bhogal, B.; Dash, A.; and Schifferli, J. (1983).
Urticaria and vasculitis: a continuum of histological and immunological changes.
Br. J. Dermatol., 108: 695 - 703.
- Jorizzo, J.L. and Smith, E.P. (1982).
The physical urticarias: An update and review.
Arch. Dermatol., 118: 194 - 201.
- Juhlin, L. (1981).
Recurrent urticaria: Clinical investigation of 330 patients.
Br. J. Dermatol., 104: 369 - 381.
- Kaplan, A.P. (1977).
Mediators of urticaria and angioedema.
J. Allergy. Clin. Immunol., 60 (5): 324 - 332.
- Kaplan, A.P. and Garafalo, J. (1981).
Identification of a new physically induced urticaria: Cold induced cholinergic urticaria.
J. Allergy. Clin. Immunol., 68(6): 438 - 441.

Katz, H.I. (1975).

Anaphylactic syndromes. In: Moschilla, S.L.; Pillsbury, D.M. and Hurley, H.J. eds. Dermatology. 1st ed. Vol. 1. Ch. 4, P. 229. W.B. Saunders Company, Philadelphia.

Koblenzer, C.S. (1983).

Psychosomatic concepts in dermatology. Arch. Dermatol., 119: 501 - 512.

Kounis, N.G. and MacMahon, R.G. (1975).

Cholinergic urticaria with systemic manifestations. Ann. Allergy, 35: 243 - 247.

Landerman, N.S. (1962).

Hereditary angioedema. J. Allergy, 33: 316 - 329.

Leigh, I.M. and Ramsay, C.A. (1975).

Localized heat urticaria treated by inducing tolerance to heat. Br. J. Dermatol., 92: 191 - 194.

Lever, W.F. and Schaumburg-Lever, G. (1975).

Histopathology of the skin, 5th ed. Ch. 8, P. 133. J.B. Company, Philadelphia, Toronto.

Levine, M.I. (1975).

Chronic urticaria. J. Allergy. Clin. Immunol., 55, pp. 276 - 283.

Leznoff, A.; Josse, R.G.; Denburg, J.; and Dolovich, J. (1983).

Association of chronic urticaria and angioedema with thyroid autoimmunity.
Arch. Dermatol., 119: 636 - 640.

Lichtenstein, I.M. and Gillespie, E. (1975).

The effects of the H_1 and H_2 antihistamines on allergic histamine release.

J. Pharmacol. Exp. Ther. (192): 441.

Quoted by Soter and Wasserman (1980).

Matthews, C.N.A.; Kirby, J.; James, J. et al. (1973).

A comparison of hydroxyzine pamoate with chlorpheniramine in the treatment of dermographism.

Br. J. Dermatol., 88: 279 - 282.

Matthews, K.P. (1974).

A current view of urticaria.

Med. Clinics. North. Am., 58, P. 185.

Quoted by Whitlock (1976).

Matthews, C.N.A.; Boss, J.M.; Warin, R.P.; et al. (1979).

The effect of H_1 and H_2 histamine antagonists on symptomatic dermographism.

Br. J. Dermatol., 101: 57 - 61.

Matthews, K.P. (1980).

Management of urticaria and angioedema.

J. Allergy. Clin. Immunol., 66(5): 347 - 357.

McNeill, J.H. and Verma, S.C. (1974).

Blockade by Burimamide of the effects of histamine and histamine analogs on cardiac contractility, phosphorylase activation, and cyclic AMP.

J. Pharmacol. Exp. Ther., 188: 180.

Quoted by Soter and Wasserman (1980).

Meyndier, J.; Guilhou, J.J.; Meyndier, J.; and Lavanture, N. (1979).

L'urticaire chronique. Etude etiologique et therapeutique de 150 cases.

Annals de Dermatologie et Venereologie (Paris), 106: 153.

Quoted by Juhlin (1981).

Michaelsson, G. and Ross, A. (1971).

Familial localized heat urticaria of delayed type.

Acta. Derm. Venereol., 51: 279 - 283.

Michaelsson, G. and Juhlin, L. (1973).

Urticaria induced by preservatives and dye additives in food and drugs.

Br. J. Dermatol., 88: 525.

Millns, J.L.; Randle, H.W.; Solley, G.O. et al. (1980).

The therapeutic response of urticarial vasculitis to indomethacin.

J. Am. Acad. Dermatol., 3: 349 - 355.

- Monroe, E.W. and Jones, H.E. (1977).
Urticaria. An updated review.
Arch. Dermatol., 113 (1): 80 - 90.
- Monroe, E.W.; Cohen, S.H.; Kalbfleisch, J.; et al.
(1981).
Combined H₁ and H₂ antihistamine therapy in
chronic urticaria.
Arch. Dermatol., 117: 404 - 407.
- Monroe, E.W.; Schutz, C.I.; Maize, J.C.; and Jardon,
R.E. (1981).
Vasculitis in chronic urticaria.
J. Invest. Dermatol., 76: 103 - 107.
- Moore-Robinson, M. and Warin, R.P. (1968).
Some clinical aspects of cholinergic urticaria.
Br. J. Dermatol., 80: 794 - 799.
- Naff, G.B.; Pensky, J. and Lepow, I.H. (1964).
The macromolecular nature of the first component
of human complement.
J. Exp. Med., 119: 593 - 613.
- Natbony, S.F.; Philips, M.E.; Elias, J.M. et al. (1983).
Histologic studies of chronic urticaria.
J. Allergy. Clin. Immunol., 71 (2): 177-183.
- Ohela, K. (1977).
Hereditary angioneurotic oedema in Finland.
Acta. Med. Scand., 201: 415 - 427.

- O'Loughlin, S.; Schroeter, A.L. and Jordon, R.E. (1978).
Chronic urticaria-like lesions in systemic
lupus erythematosus.
Arch. Dermatol., 114: 879 - 883.
- Parish, J.A.; Jaenicke, K.F.; Morison, W.L.; et al.
(1982).
Solar urticaria: treatment with PUVA and
mediator inhibitors.
Br. J. Dermatol., 166: 575 - 580.
- Patriarca, G.; Venuti, A.; Nuzzo, C.; et al. (1978).
Clinical and pathological relationship between
chronic urticaria and morphofunctional modifi-
cations of the digestive tract.
Allergologica et immunopathologica (Madrid).
Quoted by Juhlin (1981).
- Patterson, R.; Mellies, C.J.; Blakenship, M.L.; and
Pruzansky, J.J. (1972).
Vibratory angioedema. A hereditary type of
hypersensitivity.
J. Allergy. Clin. Immunol., 50: 174.
- Paulsen, H.C. (1961).
Alimentary allergy. Allergy to fish.
Acta Allergologica, 16: 380.
Quoted by Warin and Champion (1974).
- Peremens, W.; Martens, R.L.J.; Morias, J.; and Campaert,
H. (1981).
Oxatomide in the treatment of chronic urticaria.
Dermatologica, 162: 42 - 50.

- Phanuphak, P.; Schocket, A.L. and Kohler, P.F. (1978).
Treatment of chronic idiopathic urticaria with
combined H_1 and H_2 blockers.
Clin. Allergy, 8: 429 - 433.
Quoted by Monroe et al., (1981).
- Phanuphak, P.; Kohler, P.F.; Stanford, R.E.; et al.
(1980).
Vasculitis in chronic urticaria.
J. Allergy. Clin. Immunol., 65: 436 - 444.
- Ramsay, C.A. (1977).
Solar urticaria, treatment by inducing tolerance
to artificial radiation and natural light.
Arch. Dermatol., 113: 1222 - 1225.
- Randive, N.S. (1979).
Histamine release from mast cells and basophils.
In: Movat, H.Z. ed. Inflammation, Immunity and
hypersensitivity. Ch. 6, P. 379.
- Ratnoff, O.D.; Pensky, J.; Ogston, D.; et al. (1969).
The inhibition of plasmin, plasma kallikrein,
plasma permeability factor, and C_{1r} subcompon-
ent of the first component of complement by
serum C_1 esterase inhibitor.
J. Exp. Med., 129: 315 - 331.
- Ravites, M.; Armstrong, R.B.; and Harber, L.C. (1982).
Solar urticaria: clinical features and wave-
length dependance.
Arch. Dermatol., 118: 228 - 231.

- Rothbach, C.; Green, R.L.; Levine, M.I., and Fireman, P. (1979).
Prophylaxis of attacks of hereditary angioedema.
Am. J. Med., 66: 681 - 683.
- Ryan, T.J.; Shim-Young, N.; and Turk, J.L. (1968).
Delayed pressure urticaria.
Br. J. Dermatol., 80: 485 - 490.
- Saihan, E.M. (1981).
Ketotifen and terbutaline in urticaria.
Br. J. Dermatol., 104: 205 - 206.
- Saihan, E.M. and Littlewood, S.N. (1983).
Ketotifen and terbutaline in chronic urticaria.
Br. J. Dermatol., 109 (Suppl. 24): 31.
- Sheffer, A.L. and Austin, K.F. (1971).
Vascular responses: Urticaria and angioedema.
In: Fitzpatrick, T.B.; Arndt, K.A.; Clark, W.H.;
Eisen, A.Z.; Van Scott, E.J. and Vaughan, J.H.
eds. Dermatology in General Medicine. 1st ed.
Ch. 21, P. 1261.
McGraw-Hill Book Company, New York.
- Shumaker, J.B.; Goldfinger, S.E.; Alpert, E.; et al.
(1974).
Arthritis and rash clues to anicteric viral
hepatitis.
Arch. Int. Med., 133: 283 - 285.

Soter, N.A. (1977).

Chronic urticaria as a manifestation of
necrotizing vasculitis.

N. Engl. J. Med., 296: 1440 - 1442.

Soter, N.A.; Joshi, N.P.; Twarog, F.J.; et al. (1977).

Delayed cold-induced urticaria.

J. Allergy. Clin. Immunol., 59: 294 - 297.

Soter, N.A. and Austen, K.F. (1979).

The effector systems of inflammation. In:

Fitzpatrick, T.B.; Eisen, A.Z.; Wolff, K.;

Freedberg, I.M. and Austen, K.F. eds.

Dermatology in General Medicine, 2nd ed. Ch.20,

pp. 200 - 208. McGraw-Hill Book Company,

New York.

Soter, N.A. and Wasserman, S.I. (1979).

Immunoglobulin-E-dependant urticaria, angio-
edema and anaphylaxis. In: Fitzpatrick, T.B.;

Eisen, A.Z.; Wolff, K.; Freedberg, I.M. and

Austen, K.E. eds. Dermatology in General

Medicine, 2nd ed. Ch. 63, pp. 532 - 541.

McGraw-Hill Book Company, New York.

Soter, N.A. and Wasserman, S.I. (1980).

Physical urticaria/angioedema: An example of
mast cell activation in humans.

J. Allergy. Clin. Immunol., 66(5): 358 - 365.

Starr, J.C. and Brasher, G.W. (1974).

Erythema marginatum preceding hereditary
angioedema.

J. Allergy. Clin. Immunol., 53: 352 - 355.

- Stewart, W.D.; Danto, J.L. and Maddin, S. (1978).
Dermatology: diagnosis and treatment of
cutaneous disorders. 4th ed. Ch. 7, P. 117.
C.V. Mosby Company, Saint Louis.
- Sullivan, T.J. (1982).
Pharmacologic modulation of the wealing
response to histamine in human skin.
J. Allergy. Clin. Immunol., 69: 260 - 267.
- Sulzberger, M.B.; Wolf, J.; Witten, V.H.; and Kopf,
A.W. (1961).
Management of chronic urticaria. In Dermatology:
Diagnosis and treatment. 2nd ed., 241.
Year Book Publishers. Inc., Chicago.
- Sunder, T.R.; Balsam, M.J.; and Vengrow, M.I. (1982).
Neurological manifestations of angioedema.
J.A.M.A., 247 (14): 2005 - 2007.
- Synkowski, D.R.; Levine, M.I.; Rabin, B.S.; and Yunis,
E.J. (1979).
Urticaria: An immunofluorescence and histo-
pathology study.
Arch. Dermatol., 115: 1192 - 1194.
- Szarnach, H.; Zewski, A. and Filipink, J. (1972).
Assessment of the eliminative capacity of the
stomach and small bowel absorption in patients
with chronic urticaria, endogenous eczema and
acne rosacea.
Allergy and Immunology, 18(4): 287 - 290.
Quoted by Excerpta Medica (1975), Dermatol
and Venereol., Vol., 29: 1, Sec. 13.

- Teshima, H.; Inoue, S.; Ago, Y. et al. (1974).
Plasminic activity and emotional stress.
Psychother. Psychosom., 23: 218 - 228.
Quoted by Koblenzer (1983).
- Veronesi, S.; Palmerio, B.; Negosanti, M. and Tosti, A. (1983).
Urticaria and Giardiasis.
Dermatologica, 166(1): 42 - 43.
- Wanderer, A.A.; St. Pierre, J.P. and Ellis, E.F. (1977).
Primary acquired cold urticaria.
Arch. Dermatol., 113: 1375.
- Wanderer, A.A. (1979).
An allergy to cold.
Hosp. Pract., 14: 136 - 137.
Quoted by Jorizzo and Smith (1982).
- Wanderer, A.A.; Nuss, D.D.; Tormey, A.D. and Giclas, P.C. (1983).
Urticarial leucocytoclastic vasculitis with cold urticaria.
Arch. Dermatol., 119: 145 - 151.
- Wands, J.R.; Perrotto, J.L. and Isselbacher, K.J. (1976).
Circulating immune complexes and complement sequence activation in infectious mononucleosis.
Am. J. Med., 60: 269 - 272.

- Warin, R.P. and Champion, R.H. (1974).
Urticaria. In Rook, A. ed. series of major problems of dermatology.
W.B. Saunders Company, London.
- Warin, R.P. (1977).
Auslosende faktoren bei chronischer urticaria.
Der Hautarzt., 28: 511.
Quoted by Boonk and Von-Ketel (1982).
- Warin, A.P.; Greaves, M.W.; Gatecliff, M. et al. (1980).
Treatment of hereditary angioedema by low dose attenuated androgens.
Br. J. Dermatol., 103: 405 - 409.
- Warin, R.P. and Smith, R.J. (1982).
Role of tartarazine in chronic urticaria.
Br. Med. J., 284: 1443 - 1444.
- Weary, P.E.; Gurrant, J.L. and Charlottesville, V. (1967).
Chronic urticaria in association with dermatophytosis. Response to the administration of griseofulvin.
Arch. Dermatol., 95: 400.
- Whitlock, F.A. (1976).
Psychophysiological aspects of skin diseases.
P. 157.
W.B. Saunders Company, Philadelphia.

Wise, R.D.; Malkinson, F.D.; Luskin, A. et al. (1978).

Localized heat urticaria.

Arch. Dermatol., 114: 1079 - 1080.

Zeiss, R.C.; Busch, F.X.; Marder, R.J., et al. (1976).

A hypocomplementic vasculitic urticarial
syndrome.

Am. J. Med., 68: 867 - 875.