

REFERENCES

- [1] Bean, S.J. and Tsokos, C.P. (1980). Developments in nonparametric density estimation. International Statistical Review , 48, 267-287.
- [2] Bhattacharya, P.K. (1967). Estimation of a probability density function and its derivatives. Sankhya, Ser. A, Vol. 29, No. 4, pp. 375-382.
- [3] Cacoullos, T. (1966). Estimation of multivariate density. Annals of the Institute of Statist. Math. , 18, pp. 178-189.
- [4] Cheng, P.E. and Serfling, R.J. (1981). Asymptotic mean integrated squared errors of some nonparametric density estimators. IEEE Transactions on information theory, Vol. IT-27, No. 2, 239-242.
- [5] Cheng, P.E. (1982). On estimation of a density and its derivatives. Ann. Inst. Statist. Math., 34, part A, 479-489.
- [6] Concove, N.N. (1962). Evaluation of an unknown distribution density from observations. Soviet Math., 3, 1559-1562.
- [7] Davies, H.I. (1973). Strong consistency of a sequential estimator of a p.d.f. Bull Math. Statist., 15, 49-54.

- [8] Davis, K.B.(1981). Estimation of the scaling parameter for a kernel-type density estimate. Journal of the American Statist. Association, 76, 632-636.
- [9] Devroye, L.P. and Wagner, T.J. (1979). The L_1 convergence of kernel density estimates. Ann. Statist., Vol. 7, No. 5, 1136-1139.
- [10] Devroye, L.P. and Wagner, T.J. (1980). The strong uniform consistency of kernel density estimates. Multivariate Analysis- V. 59-77.
- [11] Devroye, L.P.(1983). The equivalence of weak, strong and complete convergence in L_1 for kernel density estimates. Ann. Statist. Vol.11, No. 3, 896-904.
- [12] Devroye, L.P. and Penrod, C.S. (1984). The consistency of automatic kernel density estimation. Ann. Statist., Vol. 12, No. 4, 1231-1249.
- [13] Devroye, L.P. and Györfi, L. (1985). Nonparametric density estimation: The L_1 view. John Wiley and Sons, New-York.
- [14] El-Fahham, M.M. and Hosni, A.K.(1984). A note on non-parametric density estimation for dependent variables using Hermite series. Journal of natural Sci. and Math. Vol. 24, No.2, 191-200.
- [15] El-Fahham, M.M. and Hosni, A.K.(1985). Asymptotic normality of estimators of density function and mode. Tamkang Journal of Math., Vol. 16, No.4, 41-48.

- [16] Elias Masry. (1986). Recursive probability density estimation for weakly dependent stationary processes. IEEE transactions on information theory, Vol. IT-32, No. 2, 254-267.
- [17] Farrel, R.H. (1972). On the best obtainable asymptotic rates of convergence in estimation a density function at a point. Ann. Math. Statist., 43, 170-180.
- [18] Földes, A. (1974). Density estimation for dependent sample. Studia Scientiarum Math. Hungarica, 9, 443-452.
- [19] Good, I.J. and Gaskins, R.A. (1971). nonparametric roughness penalties for probability densities, Biometrika, 58, 255-277.
- [20] Greblicki, W. and Pawlak, M. (1981). Classification using the Fourier series estimate of multivariate density functions. IEEE transactions on systems, Man, and Cybernetics, Vol. SMC-11, No.10, 151-162.
- [21] Hall, P. (1982). Cross-validation in density estimation. Biometrika, 69,2,383-390.
- [22] Hall, P., Watson, G.S. and Cabrera, J. (1987). Kernel density estimation with spherical data. Biometrika, 74, 751-762, Printed in Great Britain.

- [23] Hart, J.D. (1984). Efficiency of a kernel density estimator under an autoregressive dependence model, Journal of the American statist. Association. Vol. 79, No. 385, 110-117.
- [24] Hosni, A.K. and Montaser, M.A. (1979). On a rate of convergence estimation of a density function by dependent observations in integrated mean square error with weight function x^2 . The fourteenth annual conference in statist. , Computer Science, operations research and Math. 9-12.
- [25] Hosni, A.K. and Abd El-Aziz, O.M. (1980). On a rate of convergence estimation of two dimensional density function by dependent observations. The 15-th Annual conference on Statist., Computer Science, operation research & Math., 15-18.
- [26] Hosni, A.K. and Abd El-Aziz, O.M. (1981). The strongly uniform consistency of density estimate. The Egyptian Statist. Journal, Vol. 25, No. 1., 5-13.
- [27] Hosni, A.K. and El-Fahham, M.M. (1984). Estimation of derivatives of density function , Journal of Natural Science and Math. Vol. 24, No. 1 , 35-46.
- [28] Hosni, A.K. and El-Fahham, M.M. (1985). A note on mean square rate of density estimation based on delta sequence . Tamkang Journal of Math., Vol. 16, No. 3, 81-88.

- [29] Hosni, A.K. (1987). On recursive estimates of a distribution function. 12-th International congress for statist., Computer Science , Social and demographic research.
- [30] Hosni, A.K. and Gado, G.A. (1987). Mean integrated square error of a recursive estimators of a probability density. Tamkang Journal of Math. , 1987.
- [31] Hosni, A.K. and El-Sayed, M.S. (1989). Estimating the probability density in the presence of noise. Mansoura Bulletin.
- [32] Ibrahim, A.A. (1976). Strong convergence of a quadratic measure of the deviation of density function estimates. Rep. Statist. Appl. Res. JUSE, Vol. 23, No. 1, 1-5.
- [33] Ibrahim, A.A. (1981). A note on nonparametric density estimation for dependent variables a delta sequence. Ann. Inst. Statist. Math., 33, Part. A, 247-254.
- [34] Ibrahim, A.A. (1982). L_p -Consistency of multivariate density estimates. Ann. Inst. Statist. Math., 34, Part A, 457-466.
- [35] Klonias, V.K. (1982). Consistency of two nonparametric maximum penalized likelihood estimators of the probability density function. Ann. Statist. 10, 811-824.

- [36] Kuelbs, J. (1976). Estimation of the multi-dimensional probability density function. Technical Summary Report II #1646. University of Wisconsin-Madison Math. sponsored by the united states Army under contract No. DAAG-29-75-C-0024, 1-17.

- [37] Liang. W. and Krishnaiah, P.R. (1985). Multi-stage nonparametric estimation of density function using orthonormal systems. Journal of Math., Analysis, 17, 228-241.

- [38] Lo, S. (1985). Estimation of a symmetric distribution Ann. Statist. Vol. 13, No.3, 1097-1113.

- [39] Lubecke, A. and Pudgett, W.J. (1985). Nonparameteric Maximum penalized likelihood estimation of a density from arbitrary right-censored observations. Comm. Statist. Theor. Math., 14, 257-271

- [40] Menon, V.V., Prasad, B. and Singh, R.S. Nonparametric recursive estimates of a probability density function and its derivative. Journal of statist. planning and inference 9, 73-82.

- [41] Mirzahmedov, M.A. and Hasimov, S.A. (1972). On some properties of density estimation. Teopu a Bep. U. Mat. Ctatuctuka, Kuep, No. 9, C, 137-144.

- [42] Montricher, G., Tapi, R., and Thompson, J. (1975). Nonparametric maximum likelihood estimation of probability density by penalty function method. Ann. Statist., 3, 1329-1349.

- [43] Moore, D.S. and Henrichon, E.G. (1969). Uniform consistency of some estimates of a density function. Ann. of Math. Statists., 40, 1499-1502.
- [44] Parzen, E. (1962). On estimation of a p.d.f. and mode. Ann. of Math. Statist. Vol. 33, No. 3, 1065-1078.
- [45] Pawlak, M. (1986). On nonparametric estimation of a functional of a probability density. IEEE Transactions on Information Theory Vol. 1T-32, No. 1, 79-84.
- [46] Prabasa Rao, B.L.S. (1983). Nonparametric functional estimation. Academic Press.
- [47] Revesz, P. (1974). A strong law of the empirical density function. Transaction Sixth Prague Conf. Prague, 747-753.
- [48] Robertson, T. (1967). On estimating a density which is measurable with respect to a σ -Lattice. Ann. of Math. Statist. 27, 832-837.
- [49] Rosenblatt, M. (1956). Remarks on some nonparametric estimates of a density function. Ann. of Math. Statist. No, 27, 832-837.
- [50] Samanta, M. and Mugisha, R.X. (1981). On a class of estimates of the p.d.f. and mode based on a random number of observation. Calcutta statist. Assoc. Bull. 30, No. 117, 23-40.
- [51] Senthilselvan, A. (1987). Penalized likelihood estimation of hazard and intensity functions. Journal Roy. Stat. Soc. Ser. B 49, No.2, 170-174.

- [52] Schuster, E.F. (1969). Estimation of a p.d.f. and its derivatives. Ann. of Math. Statist., 40, 1187-1195.
- [53] Schwartz, S.C. (1967). Estimation of probability by density by an orthogonal series. Ann. Math. Statist. Vol. 38, No. 4, 1261-1265.
- [54] Singh, R.S. (1977). Improvement on some known non-parametric uniformly consistent estimators of derivatives of a density. Ann. of statist. Vol. 5, No. 2, 394-399.
- [55] Singh, R.S. (1978). Nonparameteric estimation of derivatives of average of M-densities with convergence rates and applications. Siam J. Appl. Math. , Vol. 35, No.4, 637-649.
- [56] Singh, R.S. (1980). Asymptotic normality of non-parametric estimators of derivatives of a average of M-densities. Siam J. Appl. Math., Vol. 39, No. 3, 431-439.
- [57] Singh, R.S. (1981). Speed of convergence in non-parameteric of multivariate M-density and its mixed partial derivatives. J. Statist. planning and inference, 5, 287-298.
- [58] Singh, R.S. Gasser, T. and Prasad, B. (1983). Nonparametric estimates of distribution functions. Common Statist. theor. Math., 12(18), 2095-2108.

- [59] Singpurwalla, D.N. and Wong, M. (1983). Kernel estimators of the failure-rate function and density estimation. J. of the Amer. Statist. Associ. Vol. 78, No. 382, 1152-1163.
- [60] Srivastave, R.C. (1973). Estimation of p.d.f. based on random number of observations with applications. Int. Statist. Rev., Vol. 41, No.1, 77-86.
- [61] Sucarfa, V. and Walter, G. (1981). Estimation of a multivariate density function using delta sequences. Ann. Statist. Vol. 9, No. 2, 347-355.
- [62] Tapia, R.A. and Thompson, J.R. (1978). Nonparameteric probability density estimation. Johns Hopkins University press, Baltimore, Maryland.
- [63] Taylor, R.L. and Cheng, K.F. (1978). On the uniform complete convergence of density function estimates. Ann. Inst. Statist. Math., 30, A, 397-406.
- [64] Tarter, M.E. and Kronmal, R.A. (1976). An introduction to the implementation and theory of nonparametric density estimation. Journal of the American Statistical Association, 30, 105-112.
- [65] Tutz, G. (1986). An alternative of smoothing kernel-based density estimates discriminant analysis. Biometrika, 73, 2, 405-411.
- [66] Wagner, T,J, (1975). Nonparameteric estimates of probability densities. IEEE Transaction on Information Theory, Vol. 1T-21, No. 4,

- [67] Wahba, G. (1975). Optimal convergence of variable Knot, kernel and orthogonal series methods of density estimation. Ann. Statist. Vol.3, No. 1, 15-29.
- [68] Walter, G.G. (1977). Properties of Hermite series estimation of probability density. Ann. Statist., Vol. 5, No. 6, 1258-1264.
- [69] Walter, G.G. and Blum, J. (1979). Probability density estimation using delta sequence. Ann. Statist. Vol. 7, No.2, 328-340.
- [70] Watson, G.S. and Leadbetter, M.R. (1963). On estimating a probability density. Ann.Math., Statist. Vol. 34, 480-491.
- [71] Watson, G.S. (1969). Density estimation by orthogonal series. Ann. Math. Statist. , Vol.40, 1494-1498.
- [72] Wegman, E.J. (1969). A note of estimating a unimodal density. Ann. Math. Statist. Vol. 40, 1661-1667.
- [73] Wegman, E.J. (1970a). Maximum likelihood estimation of a unimodal density function. Ann. Math. Statist. Vol. 41, 457-471.
- [74] Wegman, E.J. (1970b). Maximum likelihood estimation of a unimodal density. Ann. Math. Statist., Vol. 41, 2169-2174.

- [75] Wegman, E.J. (1972). Nonparametric probability density estimation, J. stat. Comp. and Simulation, 1, 225-246.
- [76] Wegman, E.J, and Davies, H.I.(1978). Remarks on some recursive estimators of probability density. Ann. Statist. Vol. 7, No.2, 316-327.
- [77] Wertz, W. and Schneider, B. (1979). Statistical density estimation. International Statist. Review, 47, 155-175.
- [78] Whittle, P. (1958). On smoothing of p.d.f. J. of Royal Statist. Society, B, 20, 475-481.
- [79] Winter, B.B. (1975). Rate of strong consistency of two nonparametric density estimators, Ann. Stat. Vol. 3, No. 3, 759-766.
- [80] Wolverton, G. and Wagner, T. (1969). Recursive estimates of probability densities, IEEE Trans. Syst. Sci. Cybernet, 5, 246-252.
- [81] Yamata, H. (1971). Sequential estimation of a continuous p.d.f. and mode. Bull. Math. Statist. 14, 1-18.
- [82] Zhao, L. (1987). L_1 -norm strong consistency of data-based density estimation. Chinese J. App. Probability Statist. 3, No. 1, 46-50.