

REFERENCES

References

- 1- Ackerman, A.B. (1975):
Scabies masquerading as dermatitis herpetiformis .
J.A.M.A., 233(1):53
- 2- Alexander, J.O. (1968):
Scabies and pediculosis,
Practitioner, 200(199): 632 -64 .
- 3- Alexander, J.O. (1969):
Scabies in children.
Clin. peditat., 8: 37 - 85.
- 4- Alexander, A.M. (1978):
Role of race in scabies infestation (Letter).
Arch. Dermatol., 114: 627.
- 5- Allen, B.R. (1971):
Scabies and acute glomerulonephritis.
Lancet, 1 : 434.
- 6- Andrew's, J.R.H (1979):
Scabies in New Zealand
Int. J. Dermatol., 18: 545 - 52.
- 7- Anolike, M.A.; and Rudolph, R.I. (1967):
Scabies simulating Darier disease in an
Immunosuppressed Host.
Arch. Dermatol., 112(1):73 - 74 .
- 8- Bacon, L. (1967):
The scabies epidemic.
Brit. Med.J., 373.

- 9- Bean, S.F. (1974):

Bullous scabies.

J.A.M.A., 230(6): 878.

- 10- Beatty, W. (1913):

A case of norwegian or crusted scabies.

Brit. J. Dermatol., 25:56 - 60.

- 11- Beheman, J.(1974):

Scabies in babies.

Am.J.Dis . Child., 127: 910

- 12- Belding, D.L. (1952) :

Textbook of clinical parasitology.

2nd. edition , New York. Appleton - century-Crafts, Inc.

Chapter 49 , P. 926.

- 13- Berge, T., and Krook, O. (1967)

Resistant nodules in scabies.

Acta. Dermatol. venereol., 47: 20- 24.

- 14- Bernstein, B, and Mihan, R. (1973):

Hospital epidemic of scabies.

J. pediat., 83: 1086 - 1087.

- 15- Blecka, L.J. (1980):

Clinical presentation of parasitic diseases.

In: Concise Medical parasitology

1st.ed. p. 180 - 84 .

- 16- Brown, W.H. (1939):

Sensitization eruption in scabies.

Brit. J Dermatol., 51 : 201.

17- Brown, H.W. (1975):

Class Arachnida : Ticks, Mites, Spiders,
Scorpions. In : Basic clinical parasitology
Appleton century - crofts, New York.
4 th. edition - p. 307 - 309.

18- Burgess, J. (1973):

Unusual features of scabies associated with
topical fluorinated steroid.
Brit.J. of Dermatol., 88(5): 519.

19- Burkes, J.W., Jung, R. and George, W.M. (1956):

Norwegian scabies.
Arch. Dermat., 74: 131 - 139.

20- Burkhardt, C.G. (1983):

Scabies: An epidemiologic reassessment.
Ann. of Int. Med., 98: 498- 503.

21- Burrows, D., Bridges, J.M., and Morris, T.(M. (1975):

Reactivation of scabies by methotrexate
Brit. J. of Dermatol., 93: 219.

22- Buxton, P.A. (1921):

The external anatomy of the Sarcoptes.
Parasitology, 13: 114 - 51.

23- Buxton, P.A. (1941):

Prevention and treatment of scabies.
Brit.J. Dermatol., 53: 150 - 160

- 24- Cam, C.; and Nigagosyan, G. (1963).
Acquired toxic porphyria cutanea tarda
due to hexachlorobenzene.
J.A.M.A., 183: 88 - 93.
- 25- Carslaw, R.W. (1975):
Scabies in a spinal injuries
Br. Med J., 2 (5971): 617.
- 26- Carter, D.L. (1941) :
Treatment of scabies.
Br. Med.J., 401: 5.
- 27- Chandler, A.C., and Read, C.P. (1961):
The Acarina (Mites) and Pentastomida.
In. Introduction to parasitology
Wiley Eastern private Limited, New Delhi.
10th.ed., P. 545 - 547.
- 28- Charmes, J.P.; Blanc, J.M.B. and Rowx, J. 1978):
Scabies and acute glomerulonephritis.
Lancet, 1(8062): 499.
- 29- Chowdhury, S.P. (1977):
Nitrofurazone in scabies.
Lancet, 1 : 152.
- 30- Christophersen, J.(1978):
The epidemiology of scabies in Denmark.
Arch. Dermatol., 114(5): 747.
- 31- Conley, B.F.(1951):
Toxic effects of technical benzene hexachloride
and its principal isomer.
J.A.M.A, 147 (8): 571.

- 32- Cubela, V., and Yawakar, S.J.(1978):
Clinical experience with crotamiton cream
and lotion in treatment of infant with scabies..
Br.J. of Clin.Pract., 229.
- 33- Danby, P.R.; church, R.E. and Sendon, I.B (1967):
Eradicating scabies
Br. Med. J., 1 : 496.
- 34- Dausset, J., and svejgaard,A. (1977):
H L A and disease.
Munksgaard, Copenhagen.
- 35- De Geer (1778):
Memoires pour servir a l'histoire des
insectes, vii, Quoted from ref No. 35.
- 36- Dey, N.C. (1964) :
Arthropods and Molluscs of medical importance
Class Arachnida.
In: Medical parasitology.
Messrus Allied Agency., 3rd.ed., P.247.
- 37- Dobson, R.I. (1979):
Allergy and immunology.
Year book of dermatolyy,
Year book medical publishers, Ir :U.S.A.,
P. 127 , P.282.

38- Doerge, R.F. (1977):

Antiinfective agents.

In: Text book of organic medicinal and
pharmaceutical chemistry.

5Eds: Wilson, C.O.; Gisvold, G. and Doerge, R.F.)
J.B . Lippincott company, Philadelphia-Toronto .
7 th.ed., P. 127, 155 - 157.

39- Domonkos, A.N. (1981):

Mites.

Andrew's diseases of the skin.

7th.ed . P. 566 - 570 .

W.B. Saunders Company London.

40- El - Mofty, A.M.; and Nada, M. .(1964):

Parasitic skin diseases.

In : Skin diseases for medical students and
practitimers.

The scientific book centre, Mahmoudshata andco.
1st.ed., P. 27 - 32.

41- El. Mofty, A.M., Nada, M., and Ragab, M.S (1972):

Incidence of skin diseases in Egypt.

Med. J. Cairo univer. 40: 35 -3 .

42- El- Mros, T., and Hornqvist, R. (1981):

Infestation of scabies in the scalp area.

Acta Dermatovener.(Stockholm), 1(4): 360.

- 43- El.Zawahry, M. (1963):
Skin diseases in Arabian countries.
1st ed. P. 14.
- 44- El - Zawahry, M. (1971):
Animal parasites.
In: Textbook of common skin diseases.
P. 129 - 132.
- 45- Ende, R.N. (1961):
Sarcoptic mange in the human.
Arch. Dermat., 84: 633 - 6.
- 46- Epstein, E. (1955):
Trends in scabies.
Arch. Dermat., 71 : 192 - 6.
- 47- Epstein, E. (1966):
Scabies ten years later.
Arch. Dermat. , 93: 634.
- 48- Epstein, E. and Orkin, M. (1977):
Scabies: clinical aspect.
In: Scabies and pediculosis
Barish and Schwartzman, 1st ed.
Chapter 3, J.B. Lippincott company, P. 17-30.
- 49- Estes, S.A., and Arlian, L. (1981):
Survival of Sarcoptes scabiei (letter).
J. Am. Acad. Derm. , 5 : 343.
- 50- Estes, S.A. (1982):
Diagnosis and management of scabies.
Med. Clin. of North Am., 66 (4): 955 - 63.

- 51- Falk, E.S. (1980):
Serum Immunoglobulin values in patients
with scabies.
Brit. J. of Dermatol., 102 : 57 - 61.
- 52- Falk, E.S. and Bolle, R. (1980):
IgG antibodies to house dust mite in
patients with scabies.
Brit. J. of Dermatol., 102: 83 - 88.
- 53- Falk, E.S., and Bolle, R. (1980):
In vitro demonstration of specific
immunological hypersensitivity to scabies mite.
Brit.J. of Dermat., 103 : 367 - 73.
- 54- Falk, E.S. and Eide, T.J. (1981):
Histologic and clinical findings in human Scabies.
Int. J. of Derm. 20: 600.
- 55- Falk, E.S., and Thorsby, E. (1981):
HLA antigens in patients with scabies.
Br.J.of Dermatol., 104 : 317 - 20.
- 56- Faust, E.C., and Russel, P.F. (1964):
Crustacea, Millipedes, centipedes and Arachnida.
In : Craig and Faust's clinical parasitology
Lea and Febiger, Philadelphia
7th ed., P. 764 - 768.
- 57- Fernandez, N.; Torres, A., and Ackerman, A. B. (1977).
Pathologic findings in human scabies.
Arch. Dermat., 133 : 320 - 24.

- 58- Foldén, C.H. (1947):
Tenutex, a new compound containing D.D.T.
for the Treatment of scabies and lice.
Acta. Dermatol. Vener. Stoch., 27 : 1.
- 59- Frenz, G.; Veien, N.; and Eriksen, K. (1977):
Immunofluorescence studies in scabies.
J. cutaneous pathol., 4 : 191 - 93.
Quoted from ref . No . 140.
- 60- Friedman, R. (1947):
The story of scabies. I st. ed.
New York, Frolen press.
- 61- Furstenberg, M.H.F. (1961):
Kratzemilben der Menschen und Tiere.
Leipzig: W. Engelmann. Quoted from
ref. No. 151.
- 62- George, W.M. (1958):
Norwegian scabies
Arch. Dermat., 78: 320 - 24 /.
- 53- Grant, P.W. , and Kecskes, K. (1964):
Persistent nodules in scabies.
Arch. Dermatol., 89: 239 - 42.
- 64- Gray, A.M.H. (1941):
Scabies: Another epidemic.
Br. Med. J., 1 : 669 - 71.
Quoted from Shrink, A.B. and Alexander, S.L.

- 65- Gulati, P.V., Braganza, G., Singh, K.P., and Borker, V. (1977).
Scabies in a semiurban area of India: an
epidemiologic study.
Int. J. Dermatol., 16: 594 - 8.
- 66- Hancock, B.W., and Milford - Ward, A. (1974):
Serum immunoglobulin in scabies
J. Invest. Dermat., 63: 482 - 4
- 67- Hassan, H.A., Ezzat, W., Lebshtein, A. (1977):
Scabies as a health problem among primary
School children in Cairo.
J. Egypt Public Health Assoc., 11: 65 - 75.
- 68- Harvey, S.C. (1980):
Antiseptics and disinfections; Fungicides;
Ectoparasiticides.
In: Goodman and Gilman's
The pharmacological basis of therapeutics.
(Eds: Gilman, A.G.; Goodman, L.S., and Gilman, A.
Macmillan publishing Co. Inc, New York.
6th. ed., P. 985
- 69- Haydon, M.J.R. and caplan, R.M. (1971):
Epidemic scabies.
Arch. Dermatol., 103: 168 - 173.
- 70- Hayptmann (1675):
Walter wolkensteinischer warmer.
Budt. Und Wasrer - schatz. Leipz. g.
Quoted from ref No. 35.

71- Hebra (1868):

Skizzen einer reise in Norweger Zeitschr.
D.K.K. Gee. der Aertze zu wien , jahrg.
ix b.d.T. 1.60 and 2. 33.
Quoted from ref. No. 35.

72- Heilesen , B. (1946):

Studies on *Acarus scabiei* and scabies.
Acta Derm. vener. supp. 14, 26:1.370.

73- Hejazi, N. and Mehregan, A.H. (1975):

Scabies Histological study of inflammatory
lesions.
Arch. Dermat., 111 : 37 - 39.

74- Heller, F.F. (1966):

Incidence of scabies.
Arch . Dermat., 93: 634.

75- Hernandez - pérez , E. (1976):

Topically applied thiabendazol in the
treatment of scabies.
Arch. Dermat., 112 (10) : 1400 - 1.

76= Herridge, C.F. (1963):

Norwegian seabies.
Brit. Med. J., 1 : 239 - 40 .

77- Hersch, C. (1967):

Acute glomerulonephritis due to scabies.
S.Afr . Med. J., 41 : 29 - 34.

- 78- Hewitt, M.; Walton, G.S. and Waterhouse, M (1971) :
Pet- animal infestation and human skin lesions.
Brit. J. of Dermat. 85 (3) : 25 - 25.
- 79- Honig , P.J. (1983):
Bites and parasites.
Ped.Clin. of North Am., 30 (3) : 563 - 68.
- 80- Hubler, W.R., and Clabaugh , W. (1976):
Epidemic norwegian scabies.
Arch.Dermatol., 112 (2) : 179.
- 81- Hurwitz, S. (1973):
Scabies in babies.
Am. J.Dis . Child., 126 (2) : 26 -28.
- 82- Ingram, J.T. (1967)
The scabies epidemic.
Brit. Med. J. 1 79 : 506 - 7.
- 83- James , B.H.E. (1972):
Gamma benzene hexachloride as scabicide.
Br . Med . J., 1 : 178 - 9 .
- 84- Jellife, D.B. (1972):
Dermatological marks of environmental hygiene.
Lancet, 2 : 49.
- 85- Johnson, C.G. and Mellanby, K. (1942):
The parasitology of human scabies.
Parasitology , 34 : 285 - 90 .

- 86- Kagon, G. (1967):
Eradication of scabies.
Br. Med.J., 180.
- 87- Kavli, G. (1978):
Diagnosis of scabies.
Arch. Dermat., 114 (5) : 789.
- 88- Kelly, A.P.(1978):
Scabies in blacks.
Arch.Dermat., 114 (8): 1245 .
- 89- Konstantinov, D. and Staroeva, I. (1973):
Persistent scabious nodules.
Dermatologica, 147 : 321 - 327
- 90- Kolmodin - Hedman, B.; Borglund, E., and Werner, Y.(1979).
Percutaneous absorption of DDT from a parasitic
used for treatment of scabies.
Acta - Derm . Vener (stock.) 59: 276.
- 91- Kramer, M.S.; Hutchinson, T.A.; Rudnick, S.L.;
Laventhal, J.M. and Feinstein, A.R. (1980):
Operational criteria for adverse drug reactions
in evaluating suspected toxicity of a popular
scabicide.
Clinical pharmacology and therapeutics,
27(2): 149- 55.
- 92- Landegren, J.; Storgards, K., and Borglund, E. (1979):
Treatment of scabies with disulfiram and
benzyl benzoate emulsion.
Acta. Dermato. vener.(Stock.), 59: 271.

- 93- Lever, , W.F. (1983):
Scabies
In: Histopathology of the skin .
6th.ed. P. 216 -17.
J.B. Lippincott Co., Philadelphia.
- 94- Loge, J.P. (1965):
Aplastic anaemia following exposure to
benzene hexachloride.
J.Am.Med.Ass., 193: 110 - 14.
- 95- Lomholt, G- (1978):
Demonstration of Sarcoptes scabiei.
Arch. Dermat., 114(7): 1096.
- 96- Lomholt, G. and Kelly, A.P. (1979):
Scabies in black.
Arch. Dermat., 115: 675.
- 97- Lunn , H.F. (1944):
Observations of the Sarcoptes of man.
Parasitology, 36 : 67- 68 .
- 98- Lyell, A. (1967):
Diagnosis and treatment of scabies.
Br. Med .J., 2 (546) : 223-225.
- 99- Madsen, A. (1965):
Why Acarus avoids the face.
Acta- Dermato - vener., 45: 157 - 68.
- 100- Madsen, A. (1970):
Mite burrows in crusts from young infants.
Acta. Dermato- vener., 50(5): 191-92.

- 101- Maibach, H. (1974):
Therapeutic agents for human skin infestations.
J.A.M.A., 230 (5) : 759.
- 102- Mellanby, K. (1941):
The transmission of scabies.
Brit . med J., 406.
- 103- Mellanby, K. (1943):
Scabies, Quoted from Alexander J.O.(1968):
Scabies and pediculosis.
Practitioner, 200: 632- 644.
- 104- Mellanby, K. (1944):
The development of symptoms, parasitic infection
and immunity in human scabies.
Parasitology., 35: 197 - 206.
- 105- Mellanby, K. (1972):
Scabies.
2nd.ed.
Hampton, England. E.W. Classey.
- 106- Mellanby, K. (1977):
Scabies and pediculosis, biology of the parasite.
1st.ed . chapter II P . 8 - 16
J.B. Lippincott Company.
- 107- Melton, L.J.; Brazin, S.A., and Damm, S.R (1978):
Scabies in the United States.
Navy. Am. J.Public Health , 68 776 - 8 .

- 108- Moschella, S.L. (1975):
Parasitology and tropical dermatology.
In: Dermatology, Vol . TT.
Eds.: Moschella, S.L and Hurle ; ; H.I.
W.B. Saunders Company, Philadelphia, London
P. 1517 - 1522.
- 109- Muller, G. and Jacob, P.H.(1973):
Scraping for human scabies.
Arch, Dermat., 107(1): 70.
- 110- Nair, B.K.H. (1973):
Scabies a retrospect.

Ind.J. Dermat. , 29: 39.
- 111- Nielsen, H.O.; Secher, V. , and Seier, K. (1976):
Gonorrhea in patients with sea iles.
Br. J. Vener. Dis., 52: 394 - 5
- 112- Norins, A.L. (1969):
Canine scabies in children.
An. J. Dis . child., 117: 239 . 42.
- 113- Norins , A.L., and Treadwell, P.A. (1982 :
The Clin. Ped of N . Amer., 49 - 50.
- 114- Oliver, R.P. (1977):
Norwegian scabies.
Centr. Afr. J. Med., 23(5): 105 - 6.
- 115- Orkin, M.(1971):
Resurgence of scabies.
J.A.M.A., 217(2): 593 -7 .

- 116- Orkin, M. (1975):
Today's scabies.
J.A.M.A., 233 (8) : 882 - 5.
- 117-Orkin, M ., Epstein , E., and Maibach, H.J. (1976) :
Treatment of today's scabies .
J.A.M.A., 236 (10) : 1136 - 9.
- 118- Orkin, M. and Maibach, H.I.(1978):
Scabies in children.
Ped. Clin. North Amer., 25(2) : 371 -86.
- 119- Orkin, M ., and Maibach, A.J.(1979):
Scabies , a current pandemic.
Post. grad. med . J. , 66(1): 52- 62 .
- 120- Oster, K.A. (1971):
Chemotherapy of bocterial inf ctions :
Antiseptics and germicides
In: Drill's pharmacology in m dicine.
Mc. Graw - Hill Book company A'Blakiston
Publication.
4th.ed., P. 1651 .
- 121- Parlette, H.L. (1976) :
Scabies in man .
Arch. Dermat., 112 (3) : 409 - 10.
- 122- Parish; L.C.(1977):
Scabies and pediculosis: "History of scabies".
1 st.ed.chapter I , P . 17 - 3 .
J.B. Lippincott company.

- 123- Paterson, W.D.; Allen, B.R., and Bevendg , G.W. (1973)
Norwegian scabies during immunosuppressive
therapy .
Br. Med. J., 4 (836): 211 - 12 .
- 124- Pegum, J.S. (1972):
Advances in treatment of diseases of skin.
Practitioner, 209 (252) : 453 . 9 .
- 125- Peter, S. H., and Hobbs, N.M. (1975):
Scabies and bullae.
J.A.M.A., 231 (11): 1134.
- 126- Porter, M. (1980):
Seasonal changes and its effect on the
Prevalence of infectious skin disease in
Gambian village.
Trans .R. Soc. Trop. Med. Hyg., 74: 162 - 8.
- 127- Rantanen, T., Bjorksten, F., Reunala, T., & Salo, O.P.
(1981)
Serum immunoglobulin E antibodies to
scabies mite Acta Dermatovener. .
61(4) : 358 - 360.
- 128- Richardson, B.D. (1972):
Sarcoptes Scabiei: the almost forgotten
parasite
Lancet., 1 : 839.
- 129- Rook, A. (1977):
Human Scabies. P. 69 - 75 .
In: Recent advances in dermatology(4)
Churchill Livingstone, London and New York.

130- Rook, A. (1979):

Skin diseases caused by arthropods
Text book, (D.S. wilkinson and F.J.G. Ebling.)
Bladewell scientific publication - Oxford
Vol. I 3rd. ed. D.939.

131- Rook, A. (A. (1980):

Arthropod infestations.
In: Recent advances in dermatology
5th.ed. P. 308.

132- Salo, O.P.; Reunala, T.; Kalimo, T.; Kalimo, K., and

Rantanen, T. (1982):
in the skin and circulating immune complexes
in scabies.

Acta Dermato vener(Stockho m): 62(1):73-6.

133- Shafei, A.Z., and Gamal Eddin, F.M. (971):

Outline of medical parasitology
2nd.ed., P.178.

Der El - Hana press , Cairo

134- Shaw , P.K., and Juraner, D.D.(1979):

Recent trends in scabies in U.S.A.
J. Infect . Dis., 134(4): 44 -6.

135- Shelley, W.B. (1976):

Larval papule as a sign of scabies.
J.A. M.A., 236 (10): 1144 - 5.

136- Shrank, A.B.(1967):

Scabies: another epidemic.
Br. Med. J.1: 669 - 671.

- 137 - Sollman, T.(1957):
Insecticides and pesticides .
In: A Manual of pharmacology and its
applications to therapeutics and toxicology.
8th.ed., P. 175.
W.B. Saunders company, Philadelphia-London
- 138- Solomon, L.M.; Fahrner, L., West, D.P. (1977):
Gamma benzene hexachloride toxicity:
A review.
Arch. Dermat., 113 : 353 - 7
- 139- Srivastava, B.C.; Chandra, R., and Srivastava, V.K.
et.al., (1980):
Epidemiological study of scabies and
community control.
J.Communit Dis., 12: 134 - 8 .
- 140- Stewart, W.D.; Danto, J.L., and Maddin, S. (1978):
Infestations.
In: dermatology . Diagnosis and treatment of
cutaneous disorders.
The C.V. Mosby Company , Saint Louis.
4th.ed., P. 325 - 31.
- 141- Stokes , J.H (1936):
Scabies among the well to do.
J.A.M.A., 106 : 674 - 8.

- 142- Svartman, M.; Potter, E.V.; Finklea, J.F ;
Poon - King , T. and earle D.P.(1972):
Epidemic scabies and acute glomerulonephritis.
in Trinidad.
Lancet., 1: 249 -251.
- 143- Thomson, J.; cochrane, T.; cochrane, R.,
and Mc - Queen, A. (1974):
Histology simulating reticulosis in
persistent nodular scabies.
Br.J.Dermatol, 90(4): 421 -9
- 144 - Thorsby, E. (1979):
The human major histocompatibility complex
HLA: some recent developments.
Transplantation proceedings, 11, P.616.
- 145- Van Neste, D., and Lachapelle J.M.(1981).
Host - parasite relationships in hyperkeratotic
(Norwegian scabies: pathological and
immunological findings.
Br. J. of Dermatol., 105 : 667 - 678.
- 146- Van Neste, D., and Salmon, J. (1978):
Circulating antigen - antibody complexes
in scabies.
Dermatologica, 157 : 221 - 4 .
- 147- Van Neste, D., and Salmon, J. (1980):
Immune complexes in scabies , invitro study of
serum C, q fixation in the presence of mite and
unparasited human scale extracts.
Dermatologica, 160: 131- 4.

- 148- Ward, W.H. (1971):
Scabies norvegica, treatment with methotrexate.
Aust. J.Dermatol., 12(1) : 4 - 51.
- 149 - Warburton, C. (1920):
Sarcoptes scabiei in man and animals.
Parasitology, 12 : 265 - 30 .
- 150- Wilson, J.W. (1952):
Delusion of parasitosis (acrodermatitis).
Arch. Dermatol., 66: 577- 585.
- 151- Wilson, J.W. (1971):
Scabies.
Arch. Dermatol., 104 (2): 233.
- 152- Wilson, E. (1842):
Diseases of the skin , Quoted from Orkin,
Maibach, Parish and Schwartz map. (1977):
Scabies and pediculosis.
1st ed., chapter I , P 1 - 7 .
- 153- Witkowski, J.A . and Parish , L.C. (1978) :
Scabies up to date.
Inter. J.Dermatol.,17:401.
- 154- Zumpt, F. (1972):
Scabies and sarcoptic mange.
In: Essays on tropical dermatology.
(Ed: Marshall, J.)
Excerpta Medica Amsterdam.
Vol.II , P. 204 - 206.