

Contents

I- INTRODUCTION	1
II- REVIEW OF LITERATURE.....	3
1- Toxicological studies on plant extracts.....	3
2- Control of whitefly <i>Bemisia tabaci</i>	14
3- Monitoring of resistance.	22
4- Control of the cotton leafworm <i>Spodoptera littoralis</i>	28
5- Control of the cotton aphid <i>Aphis gossypii</i>	34
III- MATERIELS AND METHODS	44
A- The whitefly <i>Bemisia tabaci</i>	44
1- Origin of strain	44
2- Field collection	44
3- Preparation of insecticide concentrations	44
4- Bioassay procedure	45
B- The cotton leafworm <i>Spodoptera littoralis</i>	45
1- Origin of strain	45
2- Field collection	45
3- Bioassay procedure	46
C- Cotton aphid <i>Aphis gossypii</i>	47
1- Origin of strain	47
2- Field collection	47
3- Preparation of insecticide concentration	47
4- Bioassay procedure	48
D- Apendix	49
IV- RESULTS	57
Susceptibility of laboratory and field strains of certain cotton pests to several insecticides during two succssive years (1995- 1996)	

A- The whitefly <i>Bemisia tabaci</i>	57
1- Laboratory strain	57
2- Field strain	57
2-1- Kalubia strain	57
2-1-1 Susceptibility evaluation during 1995.	57
2-1-2- Susceptibility evaluation during 1996.	64
2-2 – Dakahlia strain	68
2-2-1- Susceptibility evaluation during 1995.	68
2-2-2- Susceptibility evaluation during 1996.	72
2-3- Behera strain	76
2-3-1- Susceptibility evaluation during 1995.	76
2-3-2- Susceptibility evaluation during 1996.	80
2-4- Beni Suef strain	84
2-4-1- Susceptibility evaluation during 1995.	84
2-4-2- Susceptibility evaluation during 1996.	88
B- The cotton leafworm <i>Spodoptera littoralis</i>	92
1- Laboratory strain	92
2- Field strain	92
2-1- Kalubia strain	92
2-1-1- Susceptibility evaluation during 1995.	92
2-1-2- Susceptibility evaluation during 1996.	98
2-2- Dakahlia strain	102
2-2-1- Susceptibility evaluation during 1995.	102
2-2-2- Susceptibility evaluation during 1996.	106
2-3- Behera strain	110
2-3-1- Susceptibility evaluation during 1995.	110
2-3-2- Susceptibility evaluation during 1996.	114

2-4- Beni Suef strain	114
2-4-1- Susceptibility evaluation during 1995.....	114
2-4-2- Susceptibility evaluation during 1996.....	121
2-5- Fayom strain	125
2-5-1- Susceptibility evaluation during 1995.	125
2-5-2- Susceptibility evaluation during 1996.	125
C- The cotton aphids <i>Aphis gossypii</i>	132
1- Laboratory strain	132
2- Field strains	135
2-1- Kalubia strain	135
2-1-1- Susceptibility evaluation during 1995.	135
2-1-2- Susceptibility evaluation during 1996.....	135
2-2- Dakahlia strain	142
2-2-1- Susceptibility evaluation during 1995.	142
2-2-2- Susceptibility evaluation during 1996.	146
2-3- Behera strain	146
2-3-1- Susceptibility evaluation during 1995.	146
2-3-2- Susceptibility evaluation during 1996.	153
2-4- Beni Suef strain	157
2-4-1- Susceptibility evaluation during 1996.	157
V- DISCUSSION	161
VI- SUMMARY	174
VII- REFERENCES	178
VIII – ARABIC SUMMARY	196