

REFERENCES

1. Kutryk MJ, Serruys PW. Stents: the menu. In: Topol EJ, ed. Textbook of Interventional Cardiology. Philadelphia: W.B. Saunders company, 1999: 533-85
2. Jang IK, Goldberg S. Stents: indications and limitations. In: Topol EJ, ed. Textbook of interventional cardiology. Philadelphia: W.B. Saunders Company, 1999: 602-13.
3. Fischman DL, Leon MB, Baim DS, et al. A randomized comparison of coronary stent placement and balloon angioplasty in the treatment of coronary artery disease. N Eng. J. Med 1994; 331: 496-501.
4. Serruys PW, Jaegere PD, Kiemenij F. Et al. A comparison of balloon-expandable-stent implantation with balloon angioplasty in patients with coronary artery disease. N Eng. J Med 1994; 331:489-95.
5. Welt FG, Rogers C.: Inflammation and restenosis in the stent area. Arterioscler Thromb Vasc Biol. 2002 Nov 1; 22(11): 1769-76.
6. Bauters C, Banos JL, Van Belle E, et al.: Six-month angiographic outcome after successful repeat percutaneous intervention for in-stent restenosis. Circulation 1998; 97: 318-21.
7. Sharma Sk, Duvvuri S, Dangas G, et al.: Rotational atherectomy for in-stent restenosis: acute and long term results of the first 100 cases. J Am Coll Cardiol. 1998; 32: 1358-65.
8. Sharma SK, Kini A, King T, et al.: Randomized trial of rotational atherectomy versus balloon angioplasty for in-stent restenosis (ROSTER). Interim analysis of 150 cases. Eur Heart J. 1999; 20:281A.
9. Montorsi P, Galli S, Fabbicchi F, et al.: Mechanism of cutting balloon angioplasty for in-stent restenosis: an intravascular ultrasound study. Catheter Cardiovasc Interv 2002 Jun; 56(2): 166-73.
10. Hoffman R, Mintz G, Dussaillant G, et al. Patterns and mechanisms of in-stent restenosis: A serial intravascular ultrasound study. Circulation 1996; 94:1247-54.
11. King III SB. The development of interventional cardiology. J Am Col cardiol 1998; 32:794-9.
12. Sterioff S. Embryology of the word "stent" Mayo Clin Proc 1997; 72,377-9.
13. Pepine C, Holmes D, et al. ACC EXPERT CONSENSUS DOCUMENT: Coronay artery stents. 1996; 28, 782-94.

14. Kutryk MJ, Serruys P.W. Current state of coronary stenting. Rotterdam: Barjesteh van Walwijk van Doorn, 1997.
15. Holmes DR, Hirshfeld J, Faxon D, et al. ACC EXPERT CONSENSUS DOCUMENT on coronary artery stents *J Am Coll Cardiol* 1998; 32:1471-82.
16. Balcon R, Beyar R, Chierchia S, et al. Recommendation on stent manufacture, implantation and utilization. *Eur Heart J* 1997; 18: 1536-47.
17. Serruys PW, Kutryk MJ. Hand Book of coronary stents. London: Martin Dunitz, 1998.
18. Jang G, Ribeiro P., The ideal characteristics of a coronary stent. *Rev Port Cardiol* 1999; 18 Suppl: 87-95.
19. Freed M, Grines C, Safian R. The New Manual of Interventional Cardiology Michigan: Physicians' Press Birmingham, 1996.
20. Bertrand OF, Sipehia R, Mongrain R, et al., Biocompatibility aspects new of stent technology. *J Am Coll Cardiol* 1998; 32: 562-71.
21. Marco J, Black A. A perspective on the current status of coronary stenting. In: Marco J, Fajadet J, eds. Tenth complex coronary angioplasty course book, ETS 99. Europa Edition, 1999: 109-37.
22. Foley JB, Penn IM, Brown RI, et al. Safety, success, and restenosis after elective coronary implantation of the Palmz-Schatz stent in 100 patients at a single centre. *Am Heart J* 1992; 125: 686-94.
23. Schuhlen H, Kastrati A, Dirschinger J, et al. Intracoronary stenting and risk for major adverse cardiac events during the first month. *Circulation* 1998; 98: 104-111.
24. Fischman DL, Savage MP, Leon MB. Fate of lesion-related side branches after coronary artery stenting *J Am Coll Cardiol* 1993; 22:1641-6.
25. Hall P, Nakamura S, Naiello L, et al. Factors associated with procedural complication during high pressure optimized Palmaz-Schatz intracoronary implantation (strat). *Circulation* 1994 Suppl; i-612.
26. Serruys PW, Foley DP, Kirekeeide RL, et al. Restenosis revisited: insights provided by quantitative coronary angiography. *Am Heart J* 1993; 126:1243-67.
27. Narins CR, Topol EJ. Restenosis-narrowing on the cause and cure. *Dialogues in Cardiovascular Medicine* 1999; 2: 39.
28. Rensing B, Hermans W, Deckers J, et al. Lumen narrowing after percutaneous trans-luminal balloon coronary angiography follow a near-Gaussian distribution: a quantitative angiographic study in 1445 successfully dilated lesions. *J Am Coll Cardiol* 1992; 19:939-45.

29. Schomig A, Kastrati A, Elezi S, et al. Bimodal distribution of angiographic measures of restenosis six months after coronary stent placement. *Circulation* 1997; 96:3880-7.
30. Hoffmann R, Mintz G, Poma J, et al. Chronic arterial response to stent implantation: A serial intravascular ultrasound analysis of Palmaz-Schatz stents in native coronary arteries. *J Am Coll Cardiol* 1996.
31. Kastrati A, Schomig A, Dietz R, et al. Time course of restenosis during the first year after emergency coronary stenting. *Circulation* 1993; 87: 1498-1505.
32. Kimura T, Yokoi H, Nakagawa Y, et al. Three-year follow-up after implantation of metallic coronary-artery stents. *N Engl J Med* 1996; 334:561-6.
33. Kuntz R, Gibson M, Nobuyoshi M, et al. Generalized model of restenosis after conventional balloon angioplasty, stenting and directional atherectomy. *J Am Coll Cardiol* 1993; 21:15-25.
34. Kuntz R, Safian R, Carrozzal J, et al. The importance of acute luminal diameter in determining restenosis after coronary atherectomy or stenting. *Circulation* 1992; 86: 1827-35.
35. Haude M, Erbel R, Issa H, et al. Quantitative analysis of elastic recoil after balloon angioplasty and after intracoronary implantation of balloon-expandable Palmaz-Schatz stents. *J Am Coll Cardiol* 1993; 21:26-34.
36. Kimura T, Kaburagi S, Tashima Y, et al. Geometric remodeling and intimal regrowth as mechanisms of restenosis: observations from Serial Ultrasound Analysis of Restenosis (SURE) trial [abstract]. *Circulation* 1994; 89 Suppl: 2809-15.
37. Forrester JS, Fishbein M, Helfan, R, et al. A paradigm for restenosis based on cell biology: clues or the development of new preventive therapies. *J Am Coll Cardiol* 1991; 17:758-69.
38. Komatsu R, Ueda M, Naruko T, et al. Neointimal tissue response at sites of coronary stenting in humans. Macroscopic, histological and immunohistochemical analysis. *Circulation* 1998; 98: 224-33.
39. Schwartz RS, Holmes DR, Topol EJ. The restenotic paradigm revisited: An alternative proposal for cellular mechanisms. *J Am Coll Cardiol* 1992; 20:1284-93.
40. Carter AJ, Larid DJ, Farb A, et al. Morphologic characteristics of lesion formation and time course of smooth muscle cell proliferation in a porcine proliferative restenosis model. *J Am Coll Cardiol* 1994; 24: 1398-405.
41. Schwartz RS, Huber KC, Murphy JG, et al. Restenosis and the proportional neointimal response to coronary artery injury: results in a porcine model. *J Am Coll Cardiol* 1992; 19: 267-74.

42. Serruys PW, Strauss BH, Beusekon HM, et al. Stenting of coronary arteries: has a modern Pandora's box been opened? *J Am Coll Cardiol* 1991; 17 Suppl B: 143B-54B.
43. Sanmartin M, Gorcoleer J, Alfonso F, et al. Determinants and implications of late expansion in coronary wallstents: an intravascular ultrasound study [abstract]. *Eur Heart J* 1999; 20 Suppl: 158.
44. Castellot JJ, Wright TC, Karnovsky MJ. Regulation of vascular smooth muscle cell growth by heparin and heparin sulfate. *Semin Thromb Hemost* 1987; 13: 489-503.
45. Komowski R, Hong MK, Tio FO, et al. In-stent restenosis: contributions of inflammatory responses and arterial injury to neointimal hyperplasia. *J Am Coll Cardiol* 1998; 31: 224-30.
46. Moreno PR, Bemardi VH, Lopez-Luellar D, et al. Macrophage infiltration predicts restenosis after coronary intervention in patients with unstable angina. *Circulation* 1996; 94: 3098-102.
47. Chesebro JH, Badimon JJ, Badimon L, et al. Arterial angioplasty: injury mural thrombosis and restenosis. In: King III SB, Vogel JH, eds. *The practice of interventional cardiology*. St. Louis: Mosby year book, 1993: 509-20.
48. Scou NA, Cipolla GD, Ross CE, et al. Identification of a potential role for the adventitia in vascular lesion formation after balloon overstretch injury of porcine coronary arteries. *Circulation* 1996; 93: 2178-87.
49. Forrester JS, Fishbein M, Helfant R, et al. A paradigm for restenosis based on cell biology: clues for the development of new preventive therapies. In King: III SB, Vogel JH, eds. *The practice of interventional cardiology*. St. Louis: Mosby year book, 1993: 495-505.
50. O'Brien ER, Alpero CE, Stewart DK, et al. Proliferation in primary and restenotic coronary atherectomy tissue: implication for antiproliferative therapy. *Circulation* 1993; 73:223-31.
51. Isner JM, Kearney M, Bortman S, et al. Apoptosis in human atherosclerosis and restenosis *Circulation* 1995; 91: 2703-11.
52. Libby P, Edelman E. Restenosis: Involvement of growth factors and cytokines In: Topol EJ, ed. *Textbook of interventional cardiology*. Philadelphia: W.B. Saunders Company, 1999: 346-57.
53. Schwartz RA, Palmaz JC, Tio FO, et al. Balloon-expandable intracoronary stents in adult dog. *Circulation* 1987; 76:450-7.
54. Waller BF, Anderson PG. The pathology of various mechanical interventional procedures and devices. In: Topol EJ, ed. *Textbook of interventional cardiology*. Philadelphia: W.B. Saunders Company, 1999: 447-65.

55. Ueda Y, Nanto S, Komamura K, et al. Neointimal coverage of stents in human coronary arteries observed by angioscopy. *J Am Coll Cardiol* 1994; 23:341-6.
56. Aronson D, Bloomgarden Z, Rayfield EJ. Potential mechanisms promoting restenosis in diabetic patients. *J Am Coll Cardiol* 1996; 27:528-35.
57. Nobuyoshi M, Yokoi H. Long lesions and diffuse disease. In: Topol EJ, ed. *Textbook of interventional cardiology*. Philadelphia: W.B. Saunders Company, 1999: 335-45.
58. Weintraub WS, Kosinski AS, Gunn J, et al. Can restenosis after coronary angioplasty be predicted from clinical variables? *J Am Coll Cardiol* 1993; 21:6-14.
59. Carroza JP, Kuntz RE, Fishman RF, et al. Restenosis after arterial injury caused by coronary stenting in patients with diabetes mellitus. *Ann Intern Med* 1993; 118: 344-9.
60. Kastrati A, Schomig A, Elezi S, et al. Predictive factors of restenosis after coronary stent placement. *J Am Coll Cardiol* 1997; 30: 1428-36.
61. Lau KW, King ZP, Mechilli J, et al. Mid term angiographic outcome of single-vessel intracoronary stent placement in diabetic versus non diabetic patients: a matched comparative study. *Am Heart J* 1998; 136: 150-5.
62. Elezi S, Kastrati A, Pache J, et al. Diabetes mellitus and the clinical and angiographic outcome after coronary stent implantation. *J Am Coll Cardiol* 1998; 32: 1866-73.
63. Siegel R, Bhaskaran A, Barker B, et al. Stenting the coronary vessel in diabetic: are outcomes comparable with the non-diabetic? [abstract]. *Eur Heart J* 1999, 20 Suppl: 606.
64. Van Belle E, Bauters C, Hubert E, et al. Restenosis rates in diabetic patients. *Circulation* 1997; 96: 1454-60.
65. Bauters C, Hubert E, Prat A, et al. Predictors of restenosis after coronary stent implantation. *J Am Coll Cardiol* 1998; 31: 1291-8.
66. Abizaid A, Mintz GS, Kornowski R, et al. The influence of diabetes mellitus on acute and later clinical outcomes following coronary stent implantation. *J Am Coll Cardiol* 1998; 32:584-9.
67. Joseph T, Fajadet J, Cassagneau B, et al. 2-year experience of coronary stenting in diabetic patients: immediate and mid-term results [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 366A.
68. Schofer J, Rau T, Schuluter M, et al. The increased restenosis rate after stent implantation in diabetics is independent of the treatment modality for diabetes [abstract]. *Eur Heart J* 1999; 20 Suppl: 31.

69. Takagi T, Yoshiduo K, Akasaka T, et al. Increased intimal hyperplasia in patients with impaired glucose tolerance after coronary stent implantation: a serial intravascular ultrasound study. *J Am Coll Cardiol* 1998; 31 Suppl A: 318 A.
70. Johnstone MT, Creager SJ, Scales KM, et al. Impaired endothelium-dependent vasodilatation in patients with insulin dependent diabetes mellitus. *Circulation* 1993; 88: 2510-16.
71. Antoniucci D, Santoro GM, Bolognese L, et al. A prospective, randomized trial of elective stenting in acute myocardial infarction-preliminary results of the FRESCO study (Florence Randomized Elective Stenting in Acute Coronary Occlusion) [abstract]. *Circulation* 1997; 96 Suppl I: 1-327.
72. Griffin D, Brodie B, Morice MC, et al. Incidence and predictors of angiographic restenosis and reocclusion after primary infarct stenting-core lab analysis from the PAMI stent pilot study [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 210A.
73. Grines CL, Cox DA, Garcia E, et al. Stent PAMI: primary end point results of a multicenter randomized trial of heparin coated stenting vs primary PTCA for AMI [abstract]. *Circulation* 1998; 98 Suppl I: 1-22.
74. Cox DA, Stone G, Grines C, et al. Do proximal LAD lesions in acute myocardial infarction benefit from stenting? The PAMI stent randomized trial [abstract]. *J Am Coll Cardiol* 1999; 33 Suppl A: 353 A.
75. Stone GW, Marcovitz P, Lansky AL, et al. Differential effects of stenting and angioplasty in women versus men undergoing a primary mechanical reperfusion strategy in acute myocardial infarction. The PAMI stent randomized trial [abstract]. *J Am Coll Cardiol* 1999; 33 Suppl A: 357 A.
76. Pache J, Dirschinger J, Kastrati A, et al. Long-term survival of patients undergoing coronary stent placement in cardiogenic shock after acute myocardial infarction [abstract]. *Eur Heart J* 1999; 20 Suppl: 31.
77. Trabattini D, Gall I S, Loaldi A, et al. Immediate and long-term clinical and angiographic results of coronary stenting in stable and unstable angina results [abstract]. *Eur Heart J* 1999; 20 Suppl: 533.
78. Sansa M, Campi A, Bongo AS, et al. Stenting of a total coronary occlusion in the course of an acute ischemic syndrome carries a high rate of chronic restenosis [abstract]. *Eur Heart J* 1999; 20 Suppl: 500.

79. Ribichini F, Steffenino G, Dellavealle A. et al. The pattern (focal/diffuse) of angiographic in-stent restenosis is associated to the I/D polymorphism of the angiotensin converting enzyme gene [abstract]. *Circulation* 1997; 96 Suppl I: 87.
80. Koch W, Kastrati A, Mechilli J, et al. Insertion/deletion polymorphism of the angiotensin I converting enzyme gene and 1-year angiographic and clinical outcome after coronary stent placement [abstract]. *Eur Heart J* 1999; 20 Suppl: 602.
81. DeGregorio J, Kobayashi Y, Albiero R, et al. Coronary artery stenting in the elderly: short-term outcome and long-term angiographic and clinical follow-up *J Am Coll Cardiol* 1998; 32: 577-83.
82. Kayikcioglu M, Killi A, Akin M, et al. The impact of coronary stent implantation in reducing event rates and restenosis in elderly population [abstract]. *Eur Heart J* 1999; 20 Suppl: 662.
83. Lindsay J, Reddy VM, Pinnow EE, et al. Morbidity and mortality rates in elderly patients undergoing percutaneous coronary transluminal angioplasty. *Am Heart J* 1994; 128: 697-702.
84. Fenton S, Fischman D, Savage M, et al. Influence of gender on outcome after elective coronary stent implantation [abstract]. *Circulation* 1995; 92 Suppl I: 1-86.
85. Oflaz H, Yilmaz E, Nisanci Y, et al. Chlamydia pneumoniae antibodies and their relationship with restenosis in coronary heart disease patients [abstract] *Eur Heart J*. 1999; 20 suppl: 521.
86. Wehinger A, Kastrati A, Elezi S, et al. Lipoprotein (a) and coronary thrombosis and restenosis after stent placement. *J Am Coll Cardiol* 1999; 33: 1005-12.
87. Azar AJ, Detre K, Goldberg S, et al. A meta analysis on the clinical and angiographic outcomes of stents vs PTCA in the different coronary vessel sizes in the Benestent-1 and Stress-1/2 trials [abstract]. *Circulation* 1995; 92 Suppl I: K-539.
88. Elezi S, Kastrati A, Neuman FJ, et al. Vessel size and long-term outcome after coronary stent placement. *Circulation* 1998; 98: 1875-80.
89. Akiyama T, Moussa I, Reimers B, et al. Angiographic and clinical outcome following coronary stenting of small vessels. A comparison with coronary stenting of large vessels. *J Am Coll Cardiol* 1998; 32: 1610-18.
90. Lau KW, Santoso T, Lim YL. Stent placement in small coronary vessels: an overview. In: Marco J, Fajad  J, eds. Tenth complex coronary angioplasty course book, ETC 99. Europa Edition, 1999: 441-6.

91. Hamasaki N, Nosaka M, Kimura T, et al. Stenting for small vessel with complex lesion using new generation flexible stents [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 18A.
92. Savage MP, Fishman DL, Rake R, et al. Efficacy of coronary stenting versus balloon angioplasty in small coronary arteries: Stent Restenosis Study [STRESS] investigators. *J. Am Coll Cardiol* 1998; 31: 307-11.
93. Keare D, Azar J, Mallery J, et al. Clinical and angiographic outcome of elective stent implantation in small coronary vessels: and analysis of the BENESTENT trial. *Semin Interv Cardiol* 1996; 1: 255-62.
94. Kastrati A, Shomig A, Elezi S, et al. American College of Cardiology/American Heart Association stenosis morphology classification is a strong predictive factor of procedural success and late angiographic and clinical outcome after coronary stent implantation. *Circulation* 1999; 100:1285-90.
95. Schuhlen H, Hausleiter J, Elezi S, et al. Are ACC/AHA lesion characteristics predictive for late angiographic results after coronary stent placement? [abstract]. *J Am Coll Cardiol* 1997; 29 Suppl A: 239A.
96. Sawada Y, Nosaka H, Kimura T, et al. Initial and six-month outcome of palmaz-Schatz stent implantation: STRESS/BENESTENT equivalent versus non-equivalent lesions [abstract]. *J Am Coll Cardiol* 1996; 27 Suppl A: 252A.
97. Montorsi P, Ravagnani PM, Trabattoni D, et al. Coronary stenting for isolated left anterior descending stenosis: acute and 6-month clinical and angiographic results [abstract]. *Eur Heart J* 1999; 20 suppl: 385.
98. Park SJ, Park SE, Hong MK, et al. Stenting of unprotected left main coronary artery stenosis: immediate and late outcomes. *J Am Coll Cardiol* 1998; 31: 37-42.
99. Fenton SH, Fischman DL, Savage MP, et al. Long-term angiographic and clinical outcome after implantation of balloon-expandable stents in aorto-coronary saphenous vein grafts. *Am J Cardiol* 1994; 74: 1187-91.
100. Piana RN, Moscucci M, Cohen DJ, et al. Palmaz-Schatz stenting for treatment of focal vein graft stenosis: immediate results and long-term outcome. *J Am Coll Cardiol* 1994; 23:1296-304.
101. Wong SC, Baim DS, Schatz RA, et al. Immediate results and late outcomes after stent implantation in saphenous vein graft lesions: the immediate U.S. Palmaz-Schatz stent experience. *J Am Coll Cardiol* 1995; 26:704-12.

102. Sirens PA, Golf S, Myreng Y, et al. Stenting in chronic coronary occlusion (SICCO): a randomized, controlled trial of adding stent implantation after successful angioplasty. *J Am Coll Cardiol* 1996; 28: 1444-51.
103. Rau T, Schofer J, Schluter M, et al. Stenting of non-acute total coronary occlusions: predictors of late angiographic outcome. *J Am Coll Cardiol* 1998; 31: 275-80.
104. Ozaki Y, Violaris AG, Haburger J, et al. Short-and long-term clinical and quantitative angiographic results with the new, less shortening Wallstent for vessel reconstruction in chronic total occlusion: a quantitative angiographic study. *J Am Coll Cardiol* 1996; 28: 354-60.
105. Sato Y, Nosaka H, Kimura T, et al. Randomized comparison of balloon angioplasty versus coronary stent implantation for total occlusion [abstract]. *J Am Coll Cardiol* 1996; 27 suppl A: 152A.
106. Sievert H, Rohde S, Utech A, et al. Stent implantation after successful balloon angioplasty of a chronic coronary occlusion (SARECCO): 2 years follow-up [abstract]. *Eur Heart J* 1996; 20 suppl 137.
107. Colombo A, Ferraro M, Itoh A, et al. Results of coronary stenting for restenosis. *J Am Coll Cardiol* 1996; 28: 830-6.
108. Savage MP, Fischman DL, Schatz RA, et al. Long-term angiographic and clinical outcome after implantation of a balloon-expandable stent in the native coronary circulation. *J Am Coll Cardiol* 1994; 24: 1207-12.
109. Gibson CM, Kuntz RE, Nobuyoshi M, et al. Lesion-to lesion independence of restenosis after treatment by conventional angioplasty, stenting or directional atherectomy. Validation of lesion-based restenosis analysis. *Circulation* 1993; 87: 1123-9.
110. Kastrati A, Elezi H, Schühlen, Hadamitzky M, et al. Intra-patient dependence of restenosis between lesions treated with intracoronary stenting [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 140 A.
111. Anzuni A, Rosanio S, Legrand V, et al. Implantation of the Wiktor stent in coronary bifurcation lesions: immediate and follow-up results. *Circulation* 1998; 98: 638-42.
112. Kobayashi Y, De Gregorio J, Kobayashi N, et al. Stented segment length as an independent predictor of restenosis. *J Am Coll Cardiol* 1999; 34: 651-9.
113. Colombo A, Itoh A, Malello L, et al. Coronary stent implantation in aorto-ostial lesions: immediate and follow-up results [abstract]. *J Am Coll Cardiol* 1996; 27 Suppl A: 253A.

114. Alfonso F, Rodriguez P, Phillips P, et al. Clinical and angiographic implication of coronary stenting in thrombus-containing lesions. *J Am Coll Cardiol* 1997;29:725-33.
115. Cortes J, Phillips PS, Escaned J, et al. Differences in restenosis rate in arterial segments with hinge motion points: comparison of different stent designs [abstract]. *Eur Heart J* 1999; 20 Suppl:155.
116. Hamasaki N, Nosaka II, Kimura M, et al. Influence of lesion length on late angiography outcome and restenotic process after successful stent implantation [abstract]. *J Am Coll Cardiol* 1997; 29 Suppl A: 239A.
117. Kobayashi Y, De Gregorio J, Reimers B, et al. The length of stented segment is an independent predictor of restenosis [abstract] *J Am Coll Cardiol* 1998;31Suppl A: 366A.
118. Kobayashi Y, De Gregorio J, Reimers B, et al. Immediate and follow-up results following implantation of the long and short NIR stent: comparison with the Palmaz-Schatz stent [abstract] *J Am Coll Cardiol* 1998; 31 Suppl A: 312A.
119. Kobayashi Y, De Gregorio J, Kobayashi Y, et al. Effect of varying stent length on outcome in the treatment of long lesions with subanalysis of small and large reference vessels [abstract]. *Circulation* 1998;98 Suppl I: I-285.
120. Albiero R, Marsico F, Vaghetti M, et al. The role of lesion length and stent length in restenosis after stenting [abstract]. *Circulation* 1998; 98 Suppl I: I-284.
121. Publisher MW, Baker WA, Sawchak SR, et al. Outcomes in patients with multiple coronary stents [abstract]. *Circulation* 1996; 94 Suppl I: I-332.
122. De Scheerder I, Wang K, Zhou XR, et al. Overlapping coronary stents result in an increased neointimal hyperplasia response: insight from a porcine coronary stent model [abstract]. *Eur Heart J* 1999; 20 Suppl: 153.
123. Kastrati A, Dirschinger J, Mehilli J, et al. A randomized trial comparing a gold-plated stent with a conventional steel stent: angiographic and clinical results after 1-year follow-up [abstract]. *Eur Heart J* 1999; 20 Suppl: 605.
124. Koster R, Vieluf D, Kiehn M, et al. Nickel allergy in patients with in-stent restenosis [abstract]. *Eur Heart J* 1999; 20 Suppl: 605.
125. Rogers C, Edelman ER. Endovascular stent design dictates experimental restenosis and thrombosis. *Circulation* 1995; 91 2995-3001.
126. Gunn J, Cumberland D. Does stent design influence restenosis? *Eur Heart J* 1999; 20: 1009-13.

127. Buchwald AB, Steven J, Zilz M, et al. Influence of increased wave density of coil stents on the proliferative response in a minipig coronary stent-angioplasty model [abstract]. *Eur Heart J* 1997; 18 Suppl: 152.
128. Ikarai Y, Hara K, Tamura T, et al. Luminal loss and site of restenosis after Palmaz-Schatz coronary stent implantation. *Am J Cardiol* 1995; 76:117-20.
129. Barth KL, Virmani R, Froelich J, et al. Paired comparison of vascular wall reaction to Palmaz stents, Strecker tantalum stents, and Wallstents in canine iliac and femoral arteries. *Circulation* 1986; 93:2161-9.
130. Schwartz RS, Huber KC, Murphy JG, et al. Restenosis and proportional neointimal response to coronary artery injury: results in a porcine model. *J Am Coll Cardiol* 1992; 19:267-74.
131. Strauss BH, Serruys PW, de Scheerder IK, et al. A relative risk analysis of the angiographic predictors of restenosis in the coronary Wallstent. *Circulation* 1991; 84: 1636-43.
132. Pompa JJ, Curran MJ, Abizaid AS, et al. Early quantitative angiographic outcomes in the randomized ACS Multilink Stent vs Palmaz-Schatz coronary stent trial for the treatment of de novo coronary lesions [abstract]. *Circulation* 1997; 96 Suppl I: 1-593.
133. Heuser RR, Kuntz RE, Lansky AJ, et al. The SMART trial: acute outcome indicates superior efficacy with the AVE stent [abstract]. *Circulation* 1997; 96 Suppl I: 1-593.
134. Lansky AJ, Pompa JJ, Hanzel GS, et al. Predictors of late clinical outcome after Gianturco-Roubin II stent use. Final results of the GR II randomized clinical trial. *Circulation* 1998; 98: 662-7.
135. Kasaoka S, Tobis JM, Akiyama T, et al. Angiographic and intravascular ultrasound predictors of in-stent restenosis. *J Am Coll Cardiol* 1998; 32: 1630-5.
136. Schomig A, Neumann FJ. Stent anticoagulation and technique. In: Topol EJ, Ed. *Textbook of interventional cardiology*. Philadelphia: W.B. Saunders Company, 1999: 587-601.
137. Haude M, Caspari G, Baumgart D, et al. Risk factor analysis for the development of restenosis after intracoronary stent implantation with adjunct high pressure stent dilatation [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 139A.
138. De Jaegere P, Mudra H, Almagor Y, et al. In-hospital and one-month clinical results of an interventional study testing the concept of IVUS guided optimized stent expansion alleviating the need of systemic anticoagulation [abstract]. *J Am Coll Cardiol* 1996; 27 Suppl A: 137A.

139. Hayase M, Oshima A, Cleman M, et al. Relation between target vessel revascularization and minimum stent area by intravascular ultrasound "CRUISE" trial [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 386A.
140. Albiero R, Rau T, Schluter M, et al. Comparison of immediate and intermediate-term results of intravascular ultrasound versus angiography-guided. Palmaz-Schatz stent implantation in matched lesions. *Circulation* 1997; 96:2997-3005.
141. Schjielle F, Meneveau N, Vuillemento A, et al. Impact of intravascular ultrasound guided in stent deployment on 6-month restenosis rate: A multicentre randomized study comparing two strategies with and without intravascular ultrasound guidance. In: Marco J, Fajadet J, eds. Tenth complex coronary angioplasty course book, ETC99. Europa Edition, 1999: 787-96.
142. Kobayashi Y, Ferraro M, Reimers B, et al. Coronary stenting with different indications [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 99A.
143. Hennessy T, Codd M, Mc Cann M, et al. Coronary stenting in clinical practice: patient profile, immediate outcome, clinical and angiographic follow-up in 243 consecutive patients. *J Invas Cardiol* 1997; 9: 257-62.
144. Kastrati A, Schunhlen H, Hansleiter J, et al. Restenosis after coronary stent placement and randomization to a 4-week combined antiplatelet or anticoagulant therapy. Six-month angiographic follow-up of the intracoronary stenting and antithrombotic regimen (ISAR) trial. *Circulation* 1997; 96:462-7.
145. Schofer J, Rau T, Schluter M, et al. Restenosis after stenting of matched occluded and non-occluded coronary arteries. Should there be a difference? *Eur Heart J* 1999; 20: 1175-81.
146. De Belder A, Thomas MR. The pathophysiology and treatment of in-stent restenosis. *Stnt* 1998; 1: 74-82.
147. Bossi I, Black A, Klersy C, et al. In-stent restenosis. In: Marco J, Fajadet J, eds. Tenth complex coronary angioplasty course book. ETC 99. Europa Edition, 1999: 139-49.
148. Eltchaninoff H, Koning R, Torn C, et al. Balloon angioplasty for the treatment of coronary in-stent restenosis: immediate results and 6-month angiographic recurrent restenosis rate. *J Am Coll Cardiol* 1998; 32:980-4.
149. Reimers B, Moussa I, Akiyama T, et al. Long-term clinical follow-up after successful repeat percutaneous intervention for stent restenosis. *J Am Coll Cardiol* 1997; 30: 180-92.
150. Yokoi H, Tamura T, Kimura T, et al. Clinical and angiographic predictors of diffuse type in-stent restenosis [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 140A.

151. Goldberg S, Loussarian A, Degregorio J, et al. When is intra-stent restenosis longer than the original lesion length? A different perspective on "diffuse" restenosis [abstract]. *Am J Cardiol* 198; abstracts TCT-57.
152. Mehran R, Abizaid AS, Mintz GS, et al. Patterns of in-stent restenosis: classification and impact on subsequent target lesion revascularization [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 141A.
153. Bossi I, Klersy C, Black AJ, et al. In-stent restenosis: predictors of target lesions revascularization after repeat intervention [abstract]. *Eur Heart J* 1999; 20 suppl: 508.
154. Oshima A, Hayase M, Mukai S, et al. The incidence of persistent abnormalities following stent optimization: an intravascular ultrasound study [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 317A.
155. Pan M, Medina A, de Lezo JS, et al. Follow-up patency of side branches covered by intracoronary Palmaz-Schatz stent. *Am Heart J* 1995; 129: 436-40.
156. Abizaid AS, Pompa JJ, Lansky AJ, et al. The clinical impact of side branch occlusion and side branch narrowing after elective coronary stent placement in STARS [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 18A.
157. Hursey TL, Kelly RF, Patel RB, et al. Stent implantation into tapering coronary arteries is associated with greater intimal proliferation in the distal stent segment [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 18A.
158. Billinger M, Fleisch M, Meier B, et al. Coronary collaterals and restenosis following percutaneous revascularization [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 242A.
159. Lotan C, Hendler A, Turgeman Y, et al. The STOP study: a randomized multicenter Istrailel study for stents in total occlusion and restenosis prevention-final report [abstract]. *Eur Heart J* 1999; 20 Suppl: 156.
160. Slota P, Fischman D, Savage M, et al. Is coronary stent implantation associated with a high-risk for coronary artery aneurysm formation than ballooned angioplasty? [abstract]. *Circulation* 1995; 92 suppl 1: 1-68.
161. Ryan TJ, Faxon DP, Gunnar RP, ACC/AHA Task Force: Guidelines for percutaneous transluminal coronary angioplasty. *J Am Coll Cardiol* 1988; 12: 529-45.
162. Ellis SG, Vandormael MG, Cowley MJ, et al. Coronary morphologic and clinical determinants of procedural outcome with angioplasty for multivessel coronary disease. *Circulation* 1990; 82: 1193-1202.

163. Kleiman NS, Rodriguez AR, Raiznger AE. Inter-observer variability in grading of coronary arterial narrowings using the Americal College of Cardiology/American Heart Association grading criteria. *Am J Cardiol* 1992; 69:413-15.
164. Strauss BH, Escaned J, Foley DP, et al. Technologic considerations and practical limitations in the use of quantitative angiography during percutaneous coronary recanalization. *Prog in Cardiovasc Dis* 1994; 36: 343-62.
165. Foldy DP, Escaned DJ, Strauss BH, et al. Quantitative coronary angiography (QCA) in interventional cardiology: clinical application of QCA measurements. *Prog in Cardiovasc Dis* 1994; 36:363-84.
166. Pompa JJ, Lansky AJ. Quantitative and qualitative angiography. In: Topol EJ, ed. *Textbook of interventional cardiology*. Philadelphia: W.B. Saunders Company 1999:725-47.
167. Nancini GB. Quantitative coronary arteriography methods in the interventional catheterization laboratory: an update and perspective *J Am Coll Cardiol* 1991; 17 Suppl B: 23B-33B.
168. Albiero R, Rau T, Schofer J, et al. Comparison of immediate and intermediate-term results of intravascular ultrasound versus angiography-guided Palmaz-Schatz stent implantation in matched lesions. *Circulation* 1997; 96:2997-3005.
169. Mintz GS, Painter JA, Pichard AD, Et al. Atherosclerosis in angiographically "normal" coronary artery reference segments; an intravascular ultrasound study with clinical correlations. *J Am Coll Cardiol* 1995; 25: 1479-85.
170. Pomerantsev EV, Kobayashi Y, Fitzgerald PJ, et al. Coronary stents: in vitro aspects of an angiographic and ultrasound quantification with in vivo correlation. *Circulation* 1998; 98: 1495-1503.
171. Aviles FF, Alonso J, Lduran JM, Et al. Clinical pattern and long-term behavior of significant angiographic restenosis after coronary stenting [abstract]. *J Am Coll Cardiol* 1998; 31 Suppl A: 141A.
172. Almagor Y, Feld F, Kiemeneij F, et al. First international new intravascular rigid-flex endovascular stent study (FINESS): clinical and angiographic results after elective and urgent stent implantation. *J Am Coll Cardiol* 1997; 30:847-54.
173. Laham, RJ, Carrozza JP, Berger C, et al. Long-term (4- to 6-year) outcome of Palmaz-Schatz stenting: paucity of late clinical stent-related problems. *J Am Coll Cardiol* 1996; 28: 820-6.
174. Macaya C, Serruys PW, Ruygrok P, et al. Continued benefit of coronary stenting versus balloon angioplasty: one-year clinical follow-up of Benestent trial. *J Am Coll Cardiol* 1996; 27: 255-61.

175. Gordon PC, Friedrich SP, Piana RN, et al. Is 40% to 70% diameter narrowing at the site of previous stenting or directional coronary atherectomy clinically significant? *Am J Cardiol* 1994; 74: 26-32.
176. Serruys PW, Emanuelsson H, der Grieson W, et al. Heparin-coated Palmaz-Schatz stents in human coronary arteries. Early outcome of the Benestent-II pilot study. *Circulation* 1996; 93: 112-22.
177. Leon MB, Baim DS, Pompa J, et al. A clinical trial comparing three anti-thrombotic drug regimens following coronary artery stenting. *N Engl J Med* 1998; 339: 1665-71.
178. Sutton JM, Ellis SG, Roubin GS, et al. Major clinical events after coronary stenting. The multicentre registry of acute and elective Gianturco Roubin stent placement. *Circulation* 1994; 89: 1126-37.
179. Colombo A, Hall P, Nakamura S, et al. Intracoronary stenting without anticoagulation accomplished with intravascular ultrasound guidance. *Circulation* 1995; 91: 1676-88.
180. Umans V, Melkert R, Foley D, et al. Clinical and angiographic comparison of matched patients with successful atherectomy or stent implantation for primary coronary artery lesions. *J Am Coll Cardiol* 1996; 28: 637-44.
181. Beekhout E, GoyJJ, Vogt P, et al. Complications and follow-up after intracoronary stenting: critical analysis of a 6-years single-centre experience. *Am Heart J* 1994; 127: 262-72.
182. Kovac JD, Brack MJ, Harley A, et al. Longer-term clinical outcome in patients presenting with asymptomatic restenosis at 4 month trial angioplasty [abstract]. *Circulation* 1995; 92 Suppl 1: 1-347.
183. Bourassa MG. Silent myocardial ischaemia after coronary angioplasty: distinguishing the shadow from the substance. *J Am Coll Cardiol* 1992; 19: 1410-11.
184. Davies RF, Goldberg D, Forman S, et al. Asymptomatic cardiac ischaemia pilot (ACIP) study two-year follow-up. Outcomes of patients randomized to initial strategies of medical therapy versus revascularization. *Circulation* 1997; 95: 2037-43.
185. Post F, Rupprecht HJ, Stahr P, et al. Comparison of different strategies to detect restenoses after intracoronary stenting [abstract]. *Eur Heart J* 1999; 20 Suppl: 508.
186. Malickarpour M, Rodes J, Cote G, et al. Value of exercise electrocardiogram in the detection of restenosis after coronary angioplasty in patients with one-vessel disease. *Am J Cardiol* 1999; 84: 258-63.

187. Miller JM, Obman EM, Moliterno DJ, et al. Restenosis: the clinical issues. In: Topol EJ, ed. Textbook of interventional cardiology. Philadelphia: W.B. Saunders company, 1999: 379-415.
188. Galassi AR, Labichella G, Foti R, et al. Usefulness of exercise tomographic Tc-99m-tetrofosmin imaging for detection of restenosis after coronary stent implantation [abstract]. *Eur Heart J* 1999; 20 Suppl: 670.
189. Al-Saadi N, Nagel E, Gross M, et al. Prospective diagnosis of coronary artery disease with magnetic resonance perfusion imaging [abstract]. *Eur Heart J* 1999; Suppl: 263.
190. Bertrand OF, Mongrain R, Merkin D, et al. Radiation therapy for prevention and treatment of restenosis. In: Marco J, Fajadet J, eds. Tenth complex coronary angioplasty course book, ETC 99. Europa Edition, 1999: 779-785.
191. Bennett MR. Will gene therapy be the answer to restenosis? *Dialogues in cardiovascular medicine* 1997; 2: 153-6.
192. Ohno T, Gordon T, San H, et al. Gene therapy for smooth muscle cell proliferation after arterial injury. *Science* 1994; 265:781-4.
193. Nikol S, Hefling B, Grohaden K, et al. Gene therapy for restenosis: progress or frustration? *J Invas Cardiol* 1998; 8: 505-14.
194. Sigwart U, Glague J. coronary stents: Types and results. In: Peterson KL, Micod P, eds. Philadelphia: W.B. Saunders Company, 1997, 536-44.
195. Mehran R, Mintz GS, Dangas G, et al. In-stent restenosis. In: Marco J, Fajadet J, eds. Tenth complex coronary angioplasty course book, ETC 99. Europa Edition. 1999: 754-754.
196. Narins CR, Topol EJ. Approach to restenotic lesions. In: Topol EJ, ed. Textbook of interventional cardiology. Philadelphia: W.B. Saunders Company, 1999: 417-32.
197. Campeau L. Grading of angina pectoris (letter). *Circulation* 1976; 54: 522.
198. Braunwald E. Unstable angina. A classification. *Circulation* 1989; 80: 410-14.
199. Bengtson JR, Mark DB, Honan MB, et al : Detection of restenosis after elective percutaneous transluminal coronary angioplasty using the exercise treadmill test. *Am J Cardiol* 1990; 65:28-34.
200. Kirkwood B.R: Textbook essentials of medical statistics, 1990; Kirkwood, Black well. Scientific publications.

201. Macander PJ, Roubin GS, Agrawal SK, et al. Balloon angioplasty for treatment of in-stent restenosis: feasibility, safety and efficacy. *Cath Cardiovasc Diagn* 1994; 21: 1166-74.
202. Mintz G, Hoffmann R, Mehran R, et al. In-stent restenosis: The Washington Hospital Center Experience. *Am J Cardiol* 1998; 81 (7A): 7E-13E.
203. Mehran R, Mintz G, Popma J, et al. Mechanisms and results of balloon angioplasty for the treatment of in-stent restenosis. *Am J Cardiol* 1996;78:618-622.
204. Mehran R, Dangas G, Mintz G, et al. PTCA alone versus stent alone therapy for focal in-stent restenosis: acute and long-term results. *J Am Coll Cardiol* 1999; 33:26A.
205. Nakamura M, Suzuki T, Matsubara T, et al. Results of cutting balloon angioplasty for stent restenosis. Japanese multicenter registry (abstract). *J Am Coll Cardiol* 1998; 31:235A.
206. Adamian M, Marsico F, Di Mario C, et al. Cutting balloon for the treatment of in-stent restenosis: A matched comparison with conventional balloon angioplasty and rotational atherectomy (abstract). *Circulation* 1999; 100: I-305.
207. Muramatsu T, Tsukahara R, Ho M, et al. Evaluation of mechanisms of cutting balloon for in-stent restenosis by intravascular ultrasound (abstract). *Am J Cardiol* 1998; 82 (Suppl 7A): 72S.
208. Di Mario C, Marsico F, Adamian M, et al. New recipes for in-stent restenosis: Cut, grate, roast or sandwich the neointima? Milan intervention course 2000; 96: 1-5.
209. Albiero R, Silber S, Di Mario C, et al. Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis: results of the restenosis cutting balloon evaluation trial (RESCUT). *J Am Coll Cardiol*. 2004 Mar 17;43(6):943-9.
210. Douglas JS, Weintraub WS and Holmes D. Rationale and design of the randomized, multicenter, cilostazol for RESTenosis (CREST) trial. *Clin Cardiol* 2003 Oct; 26(10): 451-4.
211. Chong PH, Cheng JW. Early experiences and clinical implications of drug-eluting stents: part 1. *Ann Pharmacother*. 2004 Apr; 38(4): 661-9. Epub 2004 Feb 06.

212. Vishnevetsky D, Patel P, Tijerino H, et al. Sirolimus-eluting coronary stent. *Am J Health Syst Pharm*. 2004 Mar 1; 61(5): 449-56.
213. Degertekin M, Lemos PA, Lee CH, et al. Intravascular ultrasound evaluation after sirolimus eluting stent implantation for de novo and in-stent restenosis lesions. *Eur Heart J*. 2004 Jan; 25(1): 32-8.
214. Sousa JE, Costa MA, Abizaid A, et al. Sirolimus-eluting stent for the treatment of in-stent restenosis: a quantitative coronary angiography and three-dimensional intravascular ultrasound study. *Circulation*. 2003 Jan 7; 107(1): 24-7.
215. Grube E, Silber S, Hauptmann KE, et al. TAXUS I: Six- and twelve-month results from a randomized, double-blind trial on a slow-release paclitaxel-eluting stent for de novo coronary lesions. *Circulation* 2003 Jan 7; 107(1): 38-42.
216. Gershlick A, De Scheerder I, Chevalier B, et al. Inhibition of restenosis with a paclitaxel-eluting, polymer-free coronary stent: the European evaluation of pacliTaxel Eluting Stent (ELUTES) trial.
217. Tanabe K, Serruys PW, Grube E, et al. TAXUS III Trial: in-stent restenosis treated with stent-based delivery of paclitaxel incorporated in a slow-release polymer formulation. *Circulation*. 2003 Feb 4; 107(4): 559-64.
218. Kipshidze N, Leon MB, Tsapenko M, et al. Update on sirolimus drug-eluting stents. *Curr Pharm. Des*. 2004; 10(4): 337-48.