

## REFERENCES

- **Aberg H, Lithell H, Selinus I, and Hedstrand H. (1985):**  
Serum triglycerides are a risk factor for myocardial infarction but not for angina pectoris. Results from a 10- year follow – up of Uppsala primary preventive study. *Atherosclerosis*. 54:89-97
- **Adams MR, Jessup W, and Celermajer DS (1997):**  
Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: Reversibility with oral L-arginine but not vitamin C. *J Am Coll Cardiol* 29: 491 – 497.
- **Ambrose J, Tannenbaum M, and Alexopoulos D (1988):**  
Angiographic progression of coronary artery disease and the development of myocardial infarction. *J. Am. Coll. Cardiol.* 12: 56-58.
- **Ambrose, J, Winters S, Arora R, Haft J, Goldstein J, and Rentrop K. (1985):** coronary angiographic morphology in myocardial infarction: A link between the pathogenesis of unstable angina and myocardial infarction. *J. Am. Coll. Cardiol.* 6: 1233 – 1238.
- **Anderson KM, Castelli WP and Levy D. (1987):** Cholesterol and mortality 30 years of follow up from the Framingham study. *JAMA* 257: 2176 – 2181.

- **Assman G, Schulte H, Von Eckardstein A, and Huang Y (1996):** High-density lipoprotein cholesterol as a predictor of coronary heart disease risk. The PROCAM experience and pathophysiological implications for reverse cholesterol transport. *Atherosclerosis* 124: S<sub>11</sub> – S<sub>20</sub>.
- **Austin MA, King MC, Vranizan KM, and Krauss RM. (1990):** atherogenic lipoprotein phenotype. A proposed genetic marker for coronary heart disease risk. *Circulation* 82: 495-506.
- **Baroldi G. (1983):** Diseases of the coronary arteries. In: Silver MD (ed): Cardiovascular pathology. New York, Churchill Livingstone; 341.
- **Barrett-Connor E.L, Cohn, B.A., Wingard, D.L., and Edelstein, S.L. (1991):** Why is diabetes mellitus a stronger risk factor for fatal ischemic heart disease in women than in men? The rancho Bernardo study. *JAMA* 265; 627-632.
- **Bartecchi, C.E, Mackenzie, T.D., and Schrier R.W. (1994):** The human Costs of tobacco use (first of two parts) *N. Engl. J. Med.* 330: 907 – 920.
- **Benowitz HL (1988):** Pharmacological aspects of cigarette smoking and nicotine addiction *N. Engl. J. Med.* 319: 1318-1322.

- **Berenson GS, Srinivasan RS, Baow, Newman WP 3<sup>rd</sup>, Tracy RE, and Wattigney WA (1998):** Association between cardiovascular risk factors and atherosclerosis in children and young adults. *N Engl J Med.*, 338: 1650 – 6.
- **Betriu A, Pare-JC, and Sanz GA (1981):** Myocardial infarction in normal coronary arteries: A prospective clinical – angiography study. *Am. J. Cardiol.* 48: 28-32.
- **Blann AD, Steele C, and McCollum CN (1997):** The influence of smoking on soluble adhesion molecules and endothelial cell markers. *Thromb Res* 85: 433 – 438.
- **Bostom AG, Silbershatz H, and Rosenberg IH (1999):** Nonfasting plasma total homocysteine levels and all-cause and cardiovascular disease mortality in elderly Framingham men and women. *Arch Intern Med* 159: 1077 – 1080
- **Brain D. Hoit, Elizabeth A Giplin, and Hartmut Monning (1986):** Myocardial infarction in young patients: An analysis by age subsets. *Circulation* 74 No. 4, 712-721.
- **Brezinka, V., and padmos, I. (1994):** Coronary heart disease risk factors in women. *Eur. Heart. J.* 15: 1571-1600.
- **Brischetto CS, Connor WE, and Conner SL (1985):** Plasma lipid & Lipoprotein profiles of cigarette smokers from randomly selected families. *Am. J. Cardiol.* 32: 675-680.

- **Brooks. M. Cattell. M., Jennings K., Balcon. R, Honcy. M. and Layton. C. (1982):** Isolated disease of the anterior descending coronary artery, angiographic and clinical study of 218 patients. Br. Heart. J. 47: 71-80.
- **Bruce F. Waller (1997):** Non atherosclerotic coronary heart disease in: Hurst (eds): The heart, 5<sup>th</sup> edition. New York, McGraw-Hill. P 990.
- **Bugiardini R, Pozzati A, and Ottani F. (1993):** Vasotonic angina: A spectrum of ischemic syndromes involving functional abnormalities of the epicardial and microvascular coronary circulation J. Am. Coll. Cardiol. 22: 417-420.
- **Bulkely, B.H., Klacsmann, P.G., and Hutchins, G.M. (1987):** Angina pectoris, myocardial infarction and sudden cardiac death with normal coronary arteries. A clinicopathological study of 9 patients with progressive systemic sclerosis. Am. Heart J. 95: 563-566.
- **Burke A, Farb A, and Malcom G, (1997):** Coronary risk factors and plaque morphology in men with coronary disease who died suddenly N Engl J Med 336: 1276- 1282.
- **Cabin HS, and Robert WC. (1982):** Relation of serum total cholesterol and triglyceride levels to the amount and extent of coronary artery narrowing by atherosclerotic plaque in CAD. Am J. Med. 73: 227-232.

- **Cannon R, Camici PG, and Epstein SE. (1992):**  
Pathological dilemma of syndrome. *Circulation*. 85: 883-892.
- **Cannon R. (1993):** Chest pain with normal coronary angiograms. *N. Engl. J. Med.* 328: 1706-1708.
- **Castelli WP. (1986):** The triglyceride issue: A view from Framingham. *Am. Heart J.*; 112: 432 – 437.
- **Chambers JC, McGregor A, Jean-Marie J (1999):** Acute hyperhomocystinemia and endothelial dysfunction. *Lancet* 351: 36 – 37.
- **Chasan – Taber L, Selhub J, and Rosenberg IH (1996)** A prospective study of folate and vitamin B6 and Risk of myocardial infarction in US physicians. *J Am Coll Nutr* 15:136-143,
- **Chen-L; Chester-M; Kaski-JC. (Aug., 1995):** Clinical factors and angiographic features associated with premature coronary artery disease. *Chest*; 108(2): 364-9.
- **Chesler E, Matisonn RE, Lakier JB, Pocock WA, Obel IWP, and Barlow JB. (1976):** Acute myocardial infarction with normal coronary arteries. *Circulation*; 54: 203-209.
- **Chouhan L, Hajar HA, and Pomposiello JC (1993):**  
Comparison of thrombolytic therapy for acute myocardial infarction in patients aged < 35 and > 35 years. *Am J Cardiol*; 71: 157 – 9.

- **Clarkson P, Montgomery HE, and Mullen MJ (1999):** Body weight and weight gain during adult life in men in relation to coronary heart disease in women. JAMA 280: 1843 – 1848.
- **Colditz, G.A., Rimm, E.B., and Giovannucci, E., (1991):** A Prospective study of parental history of myocardial infarction and coronary artery disease in men. Am. J. Cardiol. 67: 933-938.
- **Collins R., Peto R., and MacMahon S. (1990):** Blood pressure, stroke, and coronary heart disease. Part 2. Short term reductions in blood pressure: Overview of randomized drug trials in their epidemiological context. Lancet 335: 827-834.
- **Compbell, M.J. and Machin, D. (1993):** Medical statistics: a common – source approach. Second edition John Wiley & sons' chi Chester, New York, Bris Bone, Toronto & sing A pore.
- **Connor EB, and Khan KK (1984):** Family history of heart attack as an independent predictor of death due to cardiovascular disease. Circulation 69: 1065-1069.
- **Criqui, M. H., Cowan, L. D., and Heiss, G (1986):** Frequency and clustering of non – lipid coronary risk factors in dyslipoproteinemia. Circulation; 73: 1-40.

- **Dalen JE, Ockene IS, and Alpert JS. (1982):** Coronary spasm, coronary thrombosis and myocardial infarction. Am. Heart J.; 104: 1119-1124.
- **Danesh J, Collins R, and Appleby P (1998):** Association of fibrinogen, C-reactive protein, albumin, or leukocyte count with coronary heart disease: Meta-analyses of prospective studies. JAMA 279:1477 – 1482
- **Dangas G, Mehran R, and Harpel PC(1990):** Lipoprotein (a) fibrin binding, and plasminogen activation. Arteriosclerosis 10:240-245
- **Davis MJ (1996):** The two faces of coronary atherosclerosis. The Paul Dudley white lectures, 1995 Circulation 94: 2013 – 2020.
- **Deligonul U, Gabliani G, Caralis D, Kern M, and Vandormael M. (1988):** Percutaneous transluminal coronary angioplasty in patients with intracoronary thrombus. Am. J. Cardiol. 62: 474-476.
- **Delly TL, Gilpin E, and Ahnve S (1985):** smoking status at time of acute myocardial infarction and subsequent prognosis. Am. Heart J. 110: 535-542.
- **Despres JP, Lamarche B, and Mauriege P (1996):** Hyperinsulinemia as an independent risk factor for ischemic heart disease. N Engle, J Med 334: 952 – 957.

- **Dolder MA, and Oliver MF (1975):** Myocardial infarction in young men: study of risk factors in nine countries. *Br heart J* 37: 493 – 503.
- **Donald J, Dipette MD, and Froblish MD (1988):** Cardiac involvement in hypertension. *Am. J. Cardiol.* 61: 674-683.
- **Douglas Ps, and GinsburgGs. (1996):** Current concepts: The evaluation of chest pain in women. *N Engl J Med*; 78: 9 – 14.
- **Egerton W, Silberberg J, and Crooks R (1996):** serial measures of plasma homocysteine after acute myocardial infarction. *Am J Cardiol* 77:759-761
- **Elayda MA, Muther V.S., Hall. RJ; Massumi G.A. and Castro G.A. (1985):** Collateral circulation in coronary artery diseases. *Am. J. Cardiol.* 55: 58-62.
- **Eliot RS and Baroldi G. (1974):** Necropsy studies in myocardial infarction with minimal or no coronary luminal reduction due to atherosclerosis. *Circulation*; 49: 1127-1131.
- **Ellis S, Vandormael M, and Cowley M (1990):** Coronary morphologic and clinical determinants of procedural outcome with angioplasty for multivessel coronary artery disease. Implications for patient selection. *Circulation* 82: 1193-1202.
- **Engel HJ, Torres C, and Page HL. (1975):** Major variations in anatomical origin of the coronary arteries: angiographic

observations in 4.250 patients without associated congenital heart disease. Cathet. Cardivasc. Diag. 1: 157-161.

- **Erlebacher, J.A. Bronx, N.Y. and Baltimore, M (1979):** transmural myocardial infarction with normal coronary arteries. Am. Heart J., 98: 421-428.
- **Ernst E, and Resch KL (1993):** Fibrinogen as a cardiovascular risk factor: A metaanalysis and review of the literature. Ann Intern Med 118:956-963
- **Espeland MA, Hogan PE, and Fienberg SE (1998):** Effect of postmenopausal hormone therapy on glucose and insulin concentrations: PEPI Investigators. Postmenopausal Estrogen? Progestin Interventions. Diabetes care 21: 1589 – 1595
- **Etingin OR, Hajjar DP, and Hajjar KA (1991):** Lipoprotein (a) regulates plasminogen activator inhibitor – 1 expression in endothelial cells: A potential mechanism in thrombogenesis. J Biol Chem. 266:2459.
- **Factor SM, and Cho S. (1985):** Smooth muscle-contraction bands in the media of coronary arteries: A postmortem marker of antemortem coronary spasm? J. Am. Coll. Cardiol. 6: 1329-1337.
- **Falk E, Shah P, and Faster V (1995):** Coronary Plaque disruption. Circulation 92: 657 – 671.

- **Farb A, Burke A, and Tang A, 1996):** Coronary plaque erosion without rupture into a lipid core: A frequent cause of coronary thrombosis in sudden coronary death. Circulation 93: 1354 – 1363.
- **Figenbaum, H. (1975):** Echocardiographic examination of the left ventricle. Circulation 51: 1-5.
- **Fletcher GF, Balady G, and Froelicher VF (1995):** Exercise standards: A statement for health care professionals from the American heart association Circulation 91: 580 – 615.
- **Fletcher GF, Blair SN, and Blumenthal J (1992):** Statement on exercise: benefits and recommendation for physical activity programs for all Americans: A statement for health professionals by the committee on exercise and cardiac rehabilitation of the council on clinical cardiology. Circulation 86: 340 – 344.
- **Folsom AR, Nieto FJ, and McGovern PG (1998):** Prospective study of coronary heart disease incidence in relation to fasting total homocysteine, related genetic polymorphisms, and B Vitamins: the atherosclerosis Risk in communities (ARIC) study. Circulation 98:204 – 210
- **Folts, J.D., Crowell, E.B. and Rowe G.G. (1976):** Platelet aggregation in partially obstructed vessels and its elimination with aspirin. Circulation, 54: 365-369.

- **Foster L, Waller BF, and Pless JE. (1985):** Hypoplastic coronary arteries and high takeoff position of the right coronary artery. *Chest* 88: 299-301.
- **Fournier-JA; Sanchez-A; and Quero J (1996):** Myocardial infarction in men aged 40 years or less: A prospective clinical angiographic study. *Clin- Cardiol.* Aug. 19(8): 631-6.
- **Fox KA (2000):** Acute coronary syndromes: presentation – clinical spectrum and management. *Heart* 84: 93.
- **Franklin H, Zimmerman, Arlic Cameron, Lloyd D. and Fisher (1995):** Myocardial infarction in young adults: angiographic characterization, risk factors and prognosis (coronary artery surgery study registry). *J. Am. Coll. Cardiol;* 26: 654-61.
- **Freedman DS (1988):** Relation of triglyceride levels to coronary artery disease; The Milwaukee Cardiovascular Data Registry. *Am. J. Epidemiol.* 127: 1118-1130.
- **Fusegawa Y, Goto S, and Handa S (1999):** Platelet spontaneous aggregation in platelet rich plasma is increased in habitual smokers. *Thromb Res* 93: 271 – 278.
- **Gerhard M, and Ganz P(1995):** How do we explain the clinical benefits of estrogen? From bedside to bench. *Circulation* 92:5 – 8

- **Glover MU, Kuber MT, Warren RS, and Vieweg WVR. (1982):** Myocardial infarction before age 36: Risk factor and arteriographic analysis. *Am. J. Cardiol*; 49: 1600-3.
- **Gordon T and Doyle JT. (1985):** Drinking and coronary artery disease. The Albany study. *Am Heart J* 110: 331-337
- **Graham IM, Daly LE, and Refsum HM (1997):** Plasma homocysteine as a risk factor for vascular disease: the European concerted action project. *JAMA* 277: 1775 – 1781,
- **Granett J.R., Mandel G.B. and Solomon N. (1974):** Myocardial infarction associated with coronary angiography. *Chest*; 65: 680-682.
- **Granfone, A., Campos, H., and McNamara, J.R. (1992):** Effects of estrogen replacement on plasma lipoproteins and apolipoproteins in postmenopausal, dyslipidemic women. *Metabolism* 41: 1193-1200.
- **Grodstein F, and Stampfer M (1995):** The epidemiology of coronary heart disease and estrogen replacement in postmenopausal women. *Prog Cardiovasc Dis* 38:199 – 210
- **Gu K, Cowie CC, and Harris MI (1998):** Mortality in adults with and without diabetes in a national cohort of the U.S. Population, 1971 – 1993. *Diabetes Care* 21: 1138 – 1145.

- **Gurevich MA (1968):** A comparative assessment of the course of myocardial infarction depending on age. Kardiologiia 8: 64 – 70.
- **Hackett D, Davis G, and Maseri A (1988):** Pre – existing coronary stenosis in patients with first myocardial infarction are not necessarily severe. Eur Heart J 9: 1317 – 1323.
- **Haft J, and AL-Zarka A. (1991):** The origin and fate of complex coronary lesions. Am. Heart J. 121: 1050-1061.
- **Hajjar KA, Gavish D, and Breslow JL(1989):** Lipoprotein(a) modulation of endothelial cell surface fibrinolysis and its potential role in atherosclerosis. Nature 339:303 – 305
- **Hamby, R.I, Kutz, and Hoffman (1980):** Arteriography of coronary disease at clinical onset. Chest: 78: 686-693.
- **Hankey GJ and Eikelboom JW (1999):** Homocysteine and vascular disease. Lancet 354:407-413
- **Hays, J. Hamill R, DeFelice C, and Raizner A. (1993):** Coronary artery spasm culminating in thrombosis following ergonovine stimulation. Cathet. Cardiovasc. Diagn 28: 221-227.
- **Hobbs HH, and White AL (1999):** Lipoprotein (a): Intrigues and insights. Curr Opin Lipidol 10: 225 – 236.
- **Howard G, Wagenknecht E, and Burke GL (1998):** Cigarette smoking and progression of atherosclerosis: the

atherosclerosis risk in communities (ARIC) study. JAMA 279: 19 – 124.

- **Hulley SB, Rosenman RH, Bawol RD, and Brand RJ (1980):** Epidemiology as a guide to clinical decisions. The association between triglyceride and coronary heart disease. N. Engl. J. Med. 302: 1383-1389.
- **Ibrahim M. Mohsen (2001):** Scoring System for Criteria of Diagnosis of Heart Failure: Heart Failure Manual. Egyptian Hypertension Society Guidelines P 16.
- **Ibrahim M. Mohsen (2001):** Measurement of blood pressure. Manual of Hypertension. P 35.
- **James TN. (1961):** Anatomy of the coronary arteries. Hoeber medical division, Harper & Row, New York (Chapter II) P 20.
- **James, T.N. (1976):** Pathology of small coronary arteries. Am. J. Cardiol. 20: 679-681.
- **Johnstone MT, Creager SJ, and Scales KM (1993):** Impaired endothelium – dependent vasodilatation in patients with insulin – dependent diabetes mellitus. Circulation 88: 2510 – 2516.
- **Jones. R.N., Mceuan. P., Newman. G.E, Reyck. S.K., Schotupton. M.T, Peer. C.A., Austin E. H., and Leongk., D.C. (1981):** Accuracy of diagnosis of coronary artery disease

by radionuclide measurements of the left ventricular function during rest and exercise. *Circulation* 64; 586-593.

- ***Kanitz-MG, Giovannucci-SJ, Jones-JS, and Mott-M.(1996):*** Myocardial infarction in young adults; risk factors and clinical features. *J Emerg Med.* Mar-Apr; 14(2): 139-45.
- ***Kannel W, and McGee D (1979):*** Diabetes and glucose tolerance as risk factors for cardiovascular disease: the Framingham study. *Diabetes care* 2: 120 – 126.
- ***Kannel WB, and Abott RD. (1984):*** Incidence and prognosis of unrecognized myocardial infarction. *N Engl. J. Med.*; 311-1144-7.
- ***Kannel WB, D'Agostino RB, and Wilson PW (1990):*** Diabetes, fibrinogen, and risk of cardiovascular disease: Framingham experience. *Am Heart J* 120: 670 – 676.
- ***Kannel, W.B. and Higgins, M. (1990):*** Smoking and hypertension as predictors of cardiovascular risk in population studies. *J. Hypertens. Suppl.* 8: 83-87.
- ***Kaprio, J., Norio, R., Pesonen, E., and Sarna, S. (1993):*** Intimal thickening of the coronary arteries in infants in relation to family history of coronary artery disease. *Circulation* 87: 1960-1967.
- ***Kereiakes D, Topol E, and George B (1991):*** Myocardial infarction with minimal coronary atherosclerosis in the era of

- the thrombolytic reperfusion. The thrombolysis and angioplasty in myocardial infarction (TAMI) study group. J. Am Coll Cardiol 17: 304-309.
- **Khaled A. EL- Khashab; M. Awad Taher; A. Nassar; and Ihab Attia. (1991):** Angiographic features of ischemic heart disease below the age of 35 years. MS Thesis. Ain Shams University.
  - **Khan AH, and Haywood LJ. (1974):** Myocardial infarction in nine patients with radiologically patent coronary arteries. N Engl. J. Med; 291: 427-431.
  - **Kimbiris, D., Segal, B.L: Munir, M., Katz, M., and Likoff, W. (1972):** Myocardial infarction in patients with normal patent coronary arteries as visualized by cinearteriography. Am. J. Cardiol 29: 724-726.
  - **King AC, Haskell WL, and Young DR (1995):** Long – term effects of varying intensities and formats of physical activity on participation rates, fitness, and lipoproteins in men and women aged. 50 to 65 years. Circulation 91: 2596 – 2604.
  - **King SB III, Douglas FS Jr; and Morris DC. (1981):** New angiographic views for coronary arteriography. In Hurst update IV; the heart, McConey Hill, New York. P 615.
  - **Klas Malemberg, Peter Bavenholm, and Anders Hamsten. (1994):** Clinical and biochemical factors associated with

prognosis after myocardial infarction at a young age. J. Am coll. Cardiol; 24: 592-9.

- **Koenig W, Sund M, and Froelich M (1999):** C-reactive protein, a sensitive marker of inflammation, predicts future risk of coronary heart disease in initially healthy middle – aged men: Results from the MONICA (monitoring Trends and Determinants in Cardiovascular Disease) Augsburg Cohort Study, 1984 to 1992. Circulation 99:237 – 242
- **Koh KK, Mincemoyer R, and Bui MN (1997):** Effects of hormone – replacement therapy on fibrinolysis in postmenopausal women. N Engl J Med 336: 683 – 690
- **Kokkinos PF, Narayan P, and colleran JA (1995):** Effects of regular exercise on blood pressure and left ventricular hypertrophy in African – American men with severe Hypertension. N Engl. J Med 333: 1462 – 1467.
- **Krantz DS, Santiago HT, and Kop WJ (1999):** prognostic value of mental Stress testing in coronary artery disease. Am J Cardiol 84: 1292 – 1297.
- **Krantz DS, Sheps DS, and Carney RM (2000):** Effects of mental stress in patients with coronary artery disease. JAMA 283: 1800 - 1802.
- **Krauss RM, Winston M, Fletcher RN, and Grundy SM (1998):** Obesity: Impact of cardiovascular disease. Circulation 98: 1472 – 1476.

- **La Rosa JC, Hunninghake D, Bush D, Bush D, Criqui MH, Gertz GS, and Gotto AM Jr (1990):** The cholesterol facts. A summary of the evidence relating dietary fats, serum cholesterol, and coronary heart disease. A joint statement by the American Heart Association and the National Heart Lung and Blood Institute. The task force on cholesterol issues, American Heart Association. *Circulation* 81: 1721-1733.
- **Lam D. and Goldschlager N (1988):** Myocardial injury associated with polysubstance abuse. *Am Heart J*; 115: 675-680
- **Lamm G. (1981):** The epidemiology of acute myocardial infarction in young age groups in Roskamm H, Ed. *Myocardial infarction at young age*. Heidelberg: Springer – Verlag.
- **Lee TH, Cook EF, Weisberg M, Sargent RK, Wilsonc, and Goldman L (1985):** Acute chest pain in the emergency room: identification and examination of low – risk patients. *Arch intern med*. 145: 65-9.
- **Legrand V, Deliege M, and Henrard L (1982):** Patients with myocardial infarction and normal coronary arteriogram. *Chest*. 82: 678-681.
- **Leor J, Poole WK, and Kloner RA (1996):** Sudden cardiac death triggered by an earth quake *N Engl J Med* 334: 413 – 419.

- **Lerman A, and Burnett JC Jr. (1992):** Intact and altered endothelium in regulation of vasomotion. *Circulation*; 86 (supl III): 12 – 19.
- **Lerman A and Burnett JC Jr. (1992):** Intact and altered endothelium in regulation of vasomotion. *Circulation*; 86 (supl III): 12 – 19.
- **Lerner, D.J., and Kannel W.B. (1986):** Patterns of coronary heart disease morbidity and mortality in the sexes: A 26 year follow – up of the Framingham population. *Am. Heart J.* 111: 383 – 389.
- **Levin DC, Fellows KE, and Abrams HL. (1978):** Hemodynamically significant primary anomalies of the coronary arteries. Angiographic aspects. *Circulation* 58: 25-34.
- **Lewis MA, Spitzer WO, and Heinemann LA (1996):** Third generation oral contraceptives and risk of myocardial infarction: An international case control study. Transnational Research Group on Oral Contraceptives and the Health of Young Women. *BMJ* 312: 88 – 90
- **Lieberman EH, Gerhard MD, and Uehata A (1994):** Estrogen improves endothelium – dependent, flow mediated vasodilatation in postmenopausal women. *Ann intern Med* 121: 936 – 941

- **Lynch J, Helmrich SP, and Lakka TA (1996):** Moderately intense physical activities and high levels of cardiorespiratory fitness reduce the risk of non – insulin – dependent diabetes mellitus in middle – aged men. Arch intern med 156: 1307 – 1314.
- **Ma J, Hennekens CH, and Ridker PM (1999):** A prospective study of fibrinogen and risk of myocardial infarction in the physicians' Health Study. J Am Coll Cardiol 33:1347 – 1352
- **Mac Mahon S, Petor, and Cutler J (1990):** Blood pressure, stroke, and coronary heart disease: Prolonged differences in blood pressure: Prospective observational studies corrected for the regression dilation bias. Lancet 335: 765 – 774.
- **Maciejko JI, Heins DR, Kattke BA, Zinmester AR, and Dehin DR. (1983):** Apo proteins A.I. as a marker of angiographically assessed CAD. N. Engl. J. Med.; 309: 385-394.
- **Majeurus, P.W. (1976):** Why aspirin? Circulation 54: 357-358.
- **Malinow MR, Bostom AG, and Krauss RM (1999):** Homocysteine, diet, and cardiovascular diseases: A statement for healthcare professionals forms the nutrition committee, American Heart Association. Circulation 99:178-182

- **Manninen MD, Leena Ten Kanen; Pekka Koskinen; Jussi and K. Huttunen (1992):** Joint effects of serum triglyceride and LDL cholesterol and HDL cholesterol concentrations on coronary heart disease risk in the Helsinki heart study. Circulation 85: 37-45
- **Manson JE, Godltz GA, and Stamfer MJ (1991):** A prospective study of maturity – onset diabetes mellitus and risk of coronary heart disease and stroke in women. Arch intern Med 151: 1141 – 1147.
- **Manson JE, Hu FB, Rich – and Edwards JW (1999):** A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women. N Engl J Med 341: 650 – 658.
- **Manson JE, Tosteson H, and Ridker PM (1992):** the primary prevention of myocardial infarction. N Engl J Med 326: 1406 – 1416.
- **Maresca G, Di Blasio A, and Marchioli R (1999):** Measuring plasma fibrinogen to predict stroke and myocardial infarction: An update. Arterioscler Thromb Vasc Biol 19:1368-1377–
- **Marmot MG, Rose G, and Shipley MJ (1981):** Alcohol and mortality. AU-shaped curve. Lancet 1: 580-584.
- **Maseri A, Davies G, Hackett D, and Kaski J. (1990):** coronary artery spasm and vasoconstriction: the case for a distinction. Circulation 81: 1983 – 1986.

- **Matti N, Timok, Kari N, and Tero S. (1990):** HDL and triglycerides as markers of angiographically assessed CAD. Br Heart J. 63: 78 – 83.
- **McAlpine WA. (1975):** Heart and coronary arteries Springer-Verlag, New York. P44.
- **Meade TW, Mellows S, and Brozovic M (1986):** Haemostatic function and ischemic heart disease: principal results of the Northwick park heart study. Lancet 2:533-537
- **Meier B, Gruentzig AR, Hollman J, Ischinger T, and Bradford J. (1983):** Does the length or eccentricity of coronary stenosis influence the outcome of transluminal dilatation? Circulation 67: 497-499.
- **Moreno PR, Falk E, and Palacios IF (1994):** Macrophage infiltration in acute coronary syndromes: Implications for plaque rupture. Circulation 90:775 – 778,
- **MRFIT Research Group (1982):** Multiple Risk Factor Intervention Trial. JAMA 248: 1465 – 1470.
- **Mulcahy R, and Conroy R (1984):** How common are risk factors among young patients suffering heart attacks? [Letter] Br. Med. J. 289: 1228 – 1233.
- **Myler R, Shaw R, and Stertz S. (1992):** Lesion morphology and coronary angioplasty. Current experience and analysis. J. Am. Coll. Cardiol. 19. 1641 – 1652.

- **Nathan DM (1993):** Long – term complications of diabetes mellitus. *N Engl J Med* 328: 1676 – 1685.
- **National diabetes data Group (1979):** Classification and diagnosis of diabetes mellitus and other categories of glucose intolerance. *Diabetes*, 28: 1039 – 1057.
- **National Institute of Health consensus development conference statement (1985):** Lowering blood cholesterol to prevent heart disease. Washington DC. Us dept. of Health and Human Services; Supplement No. 7.
- **National institute of Health (1993):** Conference statement: Triglyceride, High density lipoprotein, and coronary heart disease. *JAMA* 269: 505 – 510.
- **Navroz D Masani, David B. Northridge, and Roger JC Hall. (1995):** Severe coronary vasospasm associated with hyperthyroidism causing myocardial infarction. *Br. Heart J.*; 74: 700 – 701.
- **Negri, E., Franzosi, M.G., and La Vecchia, C. (1993):** Tar yield of cigarettes and risk of acute myocardial infarction. *B.M.J.* 306: 1567 – 1574.
- **Neil A, Hawkins M, and Potok M (1993):** A Prospective population-based study of microalbuminuria as a predictor of mortality in NIDDM. *Diabetes Care* 16: 996-1003

- **Nygard O, Nordregaug JE, and Refsum H (1997):** Plasma homocysteine levels and mortality in patients with coronary artery disease. *N Engl J Med* 337:230 – 236
- **O'Donnell Q, Ridker PM, and Glynn RJ (1997):** Hypertension and borderline isolated systolic hypertension increase risks of cardiovascular disease and mortality in male physicians. *Circulation* 95: 1132 – 1137.
- **Oliva PB, and Brechinridge JC. (1977):** Arteriographic evidence of coronary arterial spasm in acute myocardial infarction. *Circulation* 56: 366 – 374.
- **Oliva, P.B. and Breckinridge, J.C (1977):** Acute myocardial infarction with normal and near normal coronary arteries. *Am. J. Cardiol.* 40: 1000 – 1004.
- **Paffenbarger RS Jr, Hyde RT, and Wing AI (1986):** Physical activity, all – cause mortality, and longevity of college alumni. *N Engl J Med* 314: 605 – 613.
- **Panahloo A, and Yudkin JS (1997):** Diminished fibrinolysis in diabetes mellitus and its implication for diabetic vascular disease. *J Cardiovasc Risk* 4: 91 – 90.
- **Pepine, C.J., Allen, H.D., and Bashore T.M. (1991):** ACC/AHA guidelines for cardiac catheterization and cardiac catheterization laboratories: American college of cardiology/ American heart association. Task force, on cardiac catheterization. *Circulation*; 84: 2213 – 2220.

- **Perski A, Olsson G, Landouc, Defaire U, Theorellt, and Humsten A (1992):** Minimum heart rate and coronary atherosclerosis: independent relation to global severity and rate of progression of angiographic lesions in men with myocardial infarction at a young age. *Am Heart J* 18: 9 – 16
- **Petitti DB, Sidney S, and Bernastein A (1996):** Stroke in users of low – dose oral contraceptive. *N Engl J Med* 335: 8 – 15
- **Peto, R., Lopez, A.D., and Boreham, J. (1996):** Mortality from tobacco in developed countries: Indirect estimation form national vital statistics. *Lancet* 339: 1268 – 1264.
- **Poon M. Zhang X, and Dunsky KG (1997):** Apolipoprotein (a) induces monocyte chemotactic activity in human vascular endothelial cells. *Circulation* 96:2514-2519
- **Ramos SG, Montenegro AP, Felix PR, Kazava DK, and Rossi MA. (1993):** Occlusive thrombosis in myocardial bridging *Am. Heart J.*; 125: 1771 – 1773.
- **Raymond R, Lynch, J, Underwood D, Leatherman J, and Razzavi M. (1988):** Myocardial infarction and normal coronary arteriography. *J Am Coll Cardiol*: 11: 471 – 477.
- **Reaven GM (1997):** Banting lecture 1988. Role of insulin resistance in human disease. *Nutrition* 13: 5; discussion 64, 66.

- **Reis SE, Gloth ST, and Blumenthal RS (1994):** Ethinyl estradiol acutely attenuates abnormal coronary vasomotor responses to acetylcholine in post menopausal women. *Circulation* 89: 52 – 60
- **Ren, J. F., Kother, M. N. and Hakki, A. H (1985):** Quantitation of regional left ventricular function by two dimensional echocardiography in normal and patients with coronary artery disease. *Am. Heart J*; 110: 552 – 558.
- **Rentropkp, Thornton J.C, Feitf, and Vanburkiskm. (1988):** Determinants and protective potential coronary collaterals ads assessed by an angioplasty model. *Am J Cardiol* 61: 677 – 684.
- **Ridker PM (1997):** Fibrinolytic and inflammatory markers for arterial occlusion: the evolving epidemiology of thrombosis and hemostasis. *Thromb Haemost.* 78: 53 – 59.
- **Ridker PM, Buring JE, and Shih J (1998):** Prospective study of C-reactive protein and the risk of future cardiovascular events among apparently healthy women. *Circulation* 98:731 – 733
- **Ridker PM. Hennekens CH, and Buring JE (2000):** C - reactive protein and other markers of inflammation in the prediction of cardiovascular disease in women. *N Engl J Med* 342:836 – 843

study: Final follow- up experience of 8½ Years. J. A. M. A.;  
233: 872 – 884.

- **Roskamm H, Gohlke H, Sturzen Hafecker P, Samekl, and Betzp (1984):** Myocardial infarction at a young age (under 40 years) Int J Sports Med.; 5: 1 – 10.
- **Ross R (1999):** Atherosclerosis – an inflammatory disease, N Engl J Med 340: 115 – 126
- **Ryan T, Faxon D, and Gunnar R (1988):** Mortality associated with diastolic hypertension and isolated systolic hypertension among men. Circulation 77: 504 – 510.
- **Savage M, Godbeg S, and Hirschfeld J (1991):** Clinical and angiographi8c determinants of primary coronary angioplasty success. J. Am. Coll. Cardiol. 17: 22 – 28.
- **Scarabin PY, Aillaud MF, and Amouyel P (1998):** Associations of fibrinogen, Factor VII and PAI-1 with baseline findings among 10500 male participants in a prospective study of myocardial infarction – the PRIME study. Prospective Epidemiological Study of Myocardial Infarction. Thromb Haemost 80:749-756,
- **Selhub J, Jacques PF, and Wilson PW (1993):** Vitamin status and intake as primary determinants of homocysteinemia in an elderly population. JAMA 270: 2693 – 2698

- **Serruys P, Umans V, and Heyndrickx G (1985):** Elective PTCA of totally occluded coronary arteries not associated with myocardial infarction: short – term and long term results. Eur Heart J. 2: 2-12.
- **Sheehan F, Braunwald E, and Canner P (1987):** The effect of intravenous thrombolytic therapy on left ventricular function. A report on tissue plasminogen activator & streptokinase form the Thrombolysis in Myocardial Infarction (TIMI). Phase 1 trial. Circulation 72: 817 – 829.
- **Shwaery GT, Vita JA, and Kenney JF Jr (1998):** Antioxidant protection of LDL by physiologic concentrations of estrogens is specific for 17 beta – estradiol. Atherosclerosis 138: 255 – 262,
- **Sidney S, Petitti DB, and Quesenberry CP Jr (1996):** Myocardial infarction in users of low – dose oral contraceptives. Obstet Gynecol 88: 939 – 944
- **Simpson HCR, Mann JI, Maede TW, Chakrabarti R., and Stirling T. (1983):** Hypertriglyceridemia and hypercoagulability. Lancet I: 786-794.
- **Smith SJ, (1996):** Risk – reduction therapy: the challenge to change. Circulation 93: 2205 – 2211.
- **Sniderman AD, Walfson C, Teng B, Frandklin FA, Pachorik PS, and Kwiterovich P.O.J.R. (1982):** Association of hyperapobeta-lipoproteinemia with endogenous

hypertriglyceridemia and atherosclerosis. *Ann. Intern. Med.*, 97: 833 – 830.

- ***Stamler J, Stamler R, and Liu KJ (1985):*** High blood pressure. In Connor WE and Bristow JD (eds): *Coronary heart disease prevention, complication and treatment*. JB Lippincott. P 77.
- ***Stampfer MJ, Colditz GA, and Willett WC (1991):*** Postmenopausal estrogen therapy and cardiovascular disease: Ten – Year follow – up form the nurses' health study. *N Engl J Med* 325: 756 – 762, 1991.
- ***Steenland, K. (1992):*** Passive smoking and the risk of heart disease. *JAMA* 267: 94 – 99.
- ***Stehovwer CD, Nauta JJ, and Zeldenrust GC (1992):*** Urinary albumin excretion, cardiovascular disease, and endothelial dysfunction in non – insulin dependent diabetes mellitus. *Lancet* 340: 319 – 323.
- ***Stein B, Weintraub WS, and Gebhart SP (1995):*** Influence of diabetes mellitus on early and late outcome after percutaneous transluminal coronary angioplasty. *Circulation* 91: 979 – 989.
- ***Stevenson; J.C., Crook, D., and Gosland, I.F. (1993):*** Influence of age and menopause on serum lipids and lipoproteins in healthy women. *Atherosclerosis* 98: 83 – 87.

- **Stewart J, Ward D, Davies M, and Pepper J. (1987):** Isolated coronary ostial stenosis: Observations on the pathology. Eur Heart J. 8: 917 – 920.
  - **Suggiishi M, and Takatsu F. (1993):** Cigarette smoking is a major risk factor for coronary spasm. Circulation 87: 76 – 79.
  - **Thomas G and Cesario (1989):** A symposium: cardiovascular disease in the elderly. Etiology, Prevention, Diagnosis and Treatment. Am. J. Cardiol. May 2.
  - **Thompson SI, Vieweg VR, Alpert JS, and Hagan, AD. (1977):** Incidence and age distribution of patients with myocardial infarction and normal coronary arteriograms. Cath. Cardiovasc. Diagn. 3: 1 – 9.
  - **Topol E, Ellis S, and Fishman J (1987):** Multicenter study of percutaneous transluminal angioplasty for right coronary artery ostial stenosis. J. Am. Coll. Cardiol. 9: 1214 – 1218.
- 
- **Tracy RP, Psaty BM, and Maey E (1997):** Lifetime smoking exposure affects the association of C— reactive protein with cardiovascular disease risk factors and subclinical disease in healthy elderly subjects. Arterioscler Thromb Vasc Boil 17: 2167-2176.

- **Uhl GS, and Farrell PW (1993):** Myocardial infarction in young adults: Risk factors and natural history. *Am Heart J*; 105: 548-53.
- **Valmadrid CT, Klein R, Moss SE, and Klein BEK (2000):** The risk of cardiovascular disease mortality associated with microalbuminuria and gross proteinuria in persons with older onset diabetes mellitus. *Arch Intern Med* 160: 1093-1100
- **Van Lenten BJ, Hama SY, and de Beer FC. (1995):** Anti – inflammatory HDL becomes pro-inflammatory during the acute phase response: loss of protective effect of HDL against LDL oxidation in aortic wall cell Co-cultures. *J Clin Invest* 96:2758 – 2767,
- **Vane JR, Anggard EE, and Botting RM. (1990):** Regulatory functions of the vascular endothelium. *N. Engl. J. Med.*; 323: 27-36.
- **Wald NJ, Law M, and Watt HC (1994):** Apolipoproteins and ischemic heart disease: implications for screening. *Lancet* 343:75 – 79,
- **Wallace RB, Lynche CF, Pohmrehn PR, and Criqui MH, (1981):** Alcohol and hypertension. Epidemiologic and experimental considerations. *Circulation* 64 (suppl. II): 41-47.
- **Waller BF. (1989):** Atherosclerotic and nonatherosclerotic coronary artery factors in acute myocardial infarction, In:

Pepine CJ (ed): Acute myocardial infarction. Philadelphia, FA Davis. P 29.

- **Wannamethee SG, Shaper AG, and Walker M (1998):** Changes in physical activity, mortality, and incidence of coronary heart disease in older men. *Lancet* 351: 1603 – 1608.
- **Waters D, Miller D, and Bouchard A (1984):** Circadian variation invariant angina. *Am. J. Cardiol.* 54: 61-63.
- **Wautier JL and Guillausseau PJ (1998):** diabetes, advanced glycation endproducts and vascular disease. *Vasc Med* 3: 131 – 137.
- **Wegner NK. (1978):** Non atherosclerotic causes of myocardial ischemia and necrosis. In: Hurst JW, et al (eds). *The heart*, 4<sup>th</sup> ed. New York, McGraw – Hill 1345 – 1362.
- **Weinberger I, Robenberg Z, Fuchs J, Sagy A, Friedmann J, and Agmon J (1987):** Myocardial infarction in young adults under 30 years: risk factors and clinical course. *Clin carded*; 10: 9 – 15.
- **Welch GN and Loscalzo J (1998):** Homocysteine and atherothrombosis. *N Engl J Med* 338: 1042-1050
- **Wild SH, Fortmann SP, and Marcovina SM (1997):** A prospective case – control study of lipoprotein (a) levels and apo(a) size and risk of coronary heart disease in Stanford

Five –city project participants. *Arterioscler Thromb Vasc Biol* 17:239 – 245, 1997.

- **William BK (1985):** Lipids, Diabetes and coronary heart disease: Insights from the Framingham study. *Am. Heart J.* 110: 1100 – 1107.
- **Wilson PW, D'Agostino RB, and Levy D (1998):** Prediction of coronary heart disease using risk factor categories *circulation* 97: 1837 – 1847.
- **Wolfe CM and Vacek JL (1988):** Myocardial infarction in the young *Chest* 94: 926 – 930.
- **Wynne, J. Green, L.H Mann. T., Levin, D.C and Grossman. W. (1987):** Estimation of left ventricular volume in man from biplane cineangiograms filmed in oblique projections. *Am. J. Cardio*; 41: 726-732.
- **Yokoya K, Takatsu H., and Suzuki T, (1999):** Process of progression of coronary artery lesions from mild or moderate stenosis to moderate or severe stenosis: A study based on four serial coronary arteriograms per year. *Circulation* 100: 903 – 909.
- **Young AC, Vekshtein VI, and Krantz DS (1991):** The effect of atherosclerosis on the vasomotor response of coronary arteries to mental stress. *N Engl J Med* 325: 1551 – 1556.

- ***Zeicher AM, Soha Chinger V, and Minners J (1995):*** Long – term cigarette smoking impairs endothelium – dependent coronary arterial vasodilator function. *Circulation* 92: 1094 – 1100.
- ***Ziada KM, Kapadia SR, and Tuzcu EM (1999):*** The current status of intravascular ultrasound imaging. *Curr Prold Cardiol* 24: 541 – 566.
- ***Zimmerman M and McGreacine J (1987):*** The effect of nicotine on aortic endothelium. *Atherosclerosis* 63: 33-37.
- ***Zipes DP and Wallens HJJ (1998):*** Sudden Cardiac death. *Circulation* 98: 2334 – 51.