

## REFERENCES

- Abd-El Aziz M.M., (1998):** Thesis "Radiochemical studies on the treatment and solidification of tri-butyl phosphate" faculty of science, Benha Branch, Zagazig university.
- Abdel-Raouf M.W., M.I. El-Dessouky and H.F. Aly, (1997):** "Sorption behavior of some radioactive isotopes on treated fly ash" 6<sup>th</sup> Arabic Conference on Peaceful Application of Atomic Energy, Cairo, Vol. 3, pp. 199.
- Abotsi M.K., (1996):** Oak Ridge National Lab.,TN (United States), Vol. 87 pp 12.
- Alexander C.W. and G.O. Blomeke, (1979):** "Origin and Characteristics of Low- Level Non-Transuranic Waste from the Nuclear Fuel Cycle" Management of Low-Level Radioactive Waste, Pergamon press, N.Y.
- Apak R., G. Atun, K. Gueclue, E. Tuetem and G. Keskin, (1995):** Journal of Nuclear Science and Technology, Vol. 32(10), pp. 1008.
- American Standard Test Method, (1983):** Standard Test Method for Setting Time of Hydraulic Cement by Vicat Needle,ASTM Designation pp. 208.
- Aubouin G.P. Hallier and J.P. Brauand, (1980):** Incorporation of Low and Medium Level Wastes in Thermosetting Resins, First European Community Conf., Luxembourg, 20-23 May.

**Berson X.C. Pierlas and J.C. Thieblemont, (1997):** Waste solidification stabilization processes, Vol. 535, pp. 159.

**Boccaccini A.R., J. Janczak, D.M. Taplin and M. Koepf, (1996):** "The Multibarriers-System as a Materials Science Approach for Industrial Waste Disposal and Recycling: Application of Gradient and Multilayered Microstructures", Environmental Technology, Vol. 17, pp. 1193.

**Bonen D. and S.L. Sakar, (1994):** Advances in cement and concrete, pp. 480.

**Carley-Macaulay S., (1981):** "Advanced management methods for medium active liquid waste", Radioactive Waste Management, Harwood Academic Publishers for the CEC, Luxembourg Vol. 1.

**Chandra S. and L. Berntsson, (1997):** "Use of silica fume in concrete," Waste Mater. Used Concr. Manuf., pp. 554.

**Christensen H., (1979):** Cement Solidification of BWR and PWR Radioactive Waste at the Ringhals Nuclear Power Plant. Proc., Symp., Zurich.

**Coste S., (1991):** "New evaporation facility for liquid waste treatment at Marcoule", RECOD , Vol. 1, pp. 112.

**Crawford R.W. and A.A. Rahman, (1984):** Cement and Concrete Research Vol. 14, pp. 595.

**Cross J.E. and E.W. Hooper, (1987):** A Review of Methods for the Decontamination of Alpha-Bearing Waste Streams to Very Low Levels of Activity, Rep. AERE-R-12557, UKAEA Atomic Energy Research Establishment, Harwell (United Kingdom).

**David A., (1999):** Industrial Materials Polymers and Ceramics, Vol. 2, pp.165.

**Dellamano J.C., (1995):** Nuclear Information Center of the Brazilian Rio de Janeiro, pp. 71.

**Department Of Environment (DOE), (1992):** "Digest of Environmental Statistics", HMSO, London.

**Donato A., (1976):** Proc. Symp., Vol. 2, pp.148, IAEA, Vienna.

**Dube S.K., (1997):** "Need of advanced technologies for coal ash utilization programs," Proc. American Power Conference, Vol. 59(2), pp. 818.

**El Dars F., (1993):** " Industrial Hazardous Waste Management in Egypt" Baseline Study, The Technical Cooperation Office for the Environment (TCOE), the Egyptian Environment Affairs Agency (EEAA), April.

**El-Dessouky M.I., M.R. El-Sourougy and H.F. Aly, (1990):** Investigations on the Treatment of Low-and Medium Level Radioactive Liquid Wastes, Isotopen Praxis Vol. 26, pp. 608.

**El-Dessouky M.I., M.W. abdel Raouf and H.F. Aly, (1997):**

Conditioning of Radioactive Waste Sludge and Treated Fly ash Sorbent in Cement Matrix, Arab Journal of Nuclear Science and Applications, Vol. 30(2), pp. 63.

**El-Dessouky M.I., E.H. El-Massry, S.M. Khalifa and H.F. Aly, (2000):** Treatment and Conditioning of Radioactive Waste Solution by Clays, Arab Journal of Nuclear Science and Applications, Vol. 33 (1), pp. 49.

**El-Dessouky M.I., M.R. El-Sourougy, M.M. Abed-El-Aziz and H.F. Aly, (1993):** International Atomic Energy Agency, Vienna (Austria) Vol. 10, pp. 627.

**El-Dessouky M.I., E.H. El-Mossalamy, M.M. Abed-El-Aziz and H.F. Aly, (2001):** “Wet-oxidation of spent organic waste Tri-butyl phosphate/diluents” .

**El-Didamony H., A.A. Amer, I.M. Helmy and K. Moustafa, (1996):** Indian Journal of Engineering and Materials Sciences, Vol.3, pp. 35.

**Ezz El-Din M.R., H. Molukhia and A. Ramadan, (2001):** “ Treatment of radioactive waste solution using local clay minerals” Arab Journal of Nuclear Sciences and Application, Vol. 34(2), pp. 117.

**Faucon P.F., F.A. Adenot and J.F. Jacquinet, (1996):** “ Leaching mechanisms of portland cement” Cement and Concrete Research Vol. 26, pp. 1707.

**Glasser F.P., (1985):** “The Role of Ceramics, Cement and Glass in the

Immobilization of Radioactive Wastes” , Journal of the American Ceramic Society Vol. 84(1), pp. 1.

**Ginnis C.P., (1979):** “Solid Waste Disposal Study”, Waste management pp. 92.

**Gutman R.G., (1986):** Active Liquid Treatment by a Combination of Precipitation and Membrane Processes, Final Report to the CEC, Rep. AERE-G-3777, UKAEA, Harwell Lab. (United Kingdom).

**Hayahi M., (1982):** “Drying and pelletizing of nuclear power plant radioactive waste “, Waste Management , Vol. 2, p p. 601.

**Heikal M. and H. El-Didamony, (1999):** pozzolanic activity of Homra with lime, Mansoura Sci Bull Vol. 26(1), pp. 79.

**Hespe E.D., (1979):** “Health, Safety and Waste Management”, International Atomic Energy Agency, Vol. 9(1), pp. 195.

**Hoyle S.L. and M.W. Grutzeck, (1989):** Journal of the American Ceramic Society, Vol. 72(10), pp. 1938.

**International Atomic Energy Agency, (1964):** Technical Report Series No. 27, Vienna.

**International Atomic Energy Agency, (1968):** Design and Operation of Evaporators for Radioactive Wastes, Technical Report Series No. 87, IAEA, Vienna.

**International Atomic Energy Agency, (1970):** Standardization of radioactive waste categories, Technical Reports Series No. 101, IAEA, Vienna.

**International Atomic Energy Agency, (1971):** Leach Testing of Immobilized Radioactive Solid Wastes, Proposal for a Standard Method, Atomic Energy Rev. Vol. 9 (1), pp. 195.

**International Atomic Energy Agency, (1978):** Safety Series No. 28, Vienna.

**International Standards Organization, (1979):** "Soxhlet Leach Test Procedure for Testing Solidified Radioactive Waste Products" ISO / TC 85 / SC 5 / WG 5 / N 40, Berlin (West).

**International Atomic Energy Agency, (1980):** Technical Report Series No. 27, Vienna.

**International Atomic Energy Agency, (1982):** "Treatment of Low and Intermediate Level Solid Radioactive," Technical Report Series No. 21, IAEA, Vienna.

**International Atomic Energy Agency, (1983):** "Conditioning of low- and intermediate-level radioactive wastes" Technical Report Series No. 222, 6 IAEA, Vienna.

**International Atomic Energy Agency, (1984):** Treatment of Low- and Intermediate-Level Liquid Radioactive Wastes, Technical Report Series No. 236, IAEA, Vienna.

**International Atomic Energy Agency, (1992):** treatment and conditioning of radioactive solid wastes, IAEA-TECDOC-655, Vienna.

**International Atomic Energy Agency, (1992):** Chemical precipitation processes for the treatment of Aqueous Radioactive Wastes, Technical Report Series No. 337, IAEA, Vienna.

**International Atomic Energy Agency, (1993):** improved cement solidification of low and intermediate level radioactive wastes, Technical Reports Series No. 350 IAEA, Vienna.

**International Atomic Energy Agency, (1994):** status of technology for volume reduction and treatment of low and intermediate level solid radioactive waste, Technical Reports Series No. 360, IAEA, Vienna.

**International Atomic Energy Agency, (1994):** classification of radioactive wastes, Safety Series No. 111-G-1.1, IAEA, Vienna.

**International Atomic Energy Agency, (2000):** handling, conditioning and storage of spent radioactive sources, IAEA-TECDOC-1145, Vienna.

**International Atomic Energy Agency, (2002):** "Application of ion exchange processes for the treatment of radioactive waste" Technical Report Series No. 408 Vienna.

**Jawed I. and J. Skalny, (1978):** Alkalies in cement, Cement and Concrete Research, Vol. 8, pp. 37.

**Journal-of-Materials-Science-Letters, (1997):** Vol. 15(19), pp. 1736.

**Juvani M.B, (1996):** International Journal for Chemical Aspects of Nuclear Science and Technology Vol. 71, pp 112.

**Keys M.H., J.C. Moore and G.R. Plumb, (1987):** "Application of reduced pressure thermosiphon evaporation in fuel reprocessing ", RECOD, 87 (Proc. Conf. Paris, 1987), Vol. 3, p p. 1155.

**Khalil M.Y., (1994):** Radioactive Waste Management and Environmental Restoration, Vol. 18(4), pp. 281.

**Khayat K.H., M.V. Achon and M.C. Lantion, (1997):** ACI Materials Journal, pp. 183 May.

**Kikuchi M., K. Chino, T. Koyama, I. Ito, H. Yusa, S. Horiuchi and M. Hayashi, (1982):** "Drying and palletizing of nuclear power plant radioactive waste", Vol. 2, pp. 601.

**Lamb E., (1958):** Proc. 2nd UN Int. Conf. PUAE, A/Conf.15/P/831.

**Lefillatre G., (1976):** Management of Radioactive Wastes from the Nuclear Fuel Cycle, proc. Symp. Vol. 2, IAEA, Vienna.

**Lerch R.E., (1977):** Division of Waste Management, Production and Reprocessing programs progress Report for January-June, pp. 74.

**Management of Low- and Intermediate-Level Radioactive Wastes, (1970):** proc. Symp. Aix-en-provence .

**Manz O.E. and B.R. Stewart, (1997):** The American Power Conference

Proceedings of the 1997 59th Part2, Vol. 59, pp. 2, Chicago, IL, USA.

**Mastsuzyrn H, (1978):** Health Phys. Vol. 34(6), pp. 643.

**Mohamed I.A., (1999):** “Chemical studies on the interaction of humic materials with elements in radioactive wastes” Ms. Thesis, Faculty of Science, Zagazig University .

**Mohamed H.F., (2001):** “The use of local environmental materials in the treatment of some hazardous environmental pollutants” Ms. Thesis faculty of science, Ain Shams university.

**Nelson R.M., (1977):** Immobilization of wet solid wastes at nuclear power plants, BNL, pp. 22.

**Nevill R.M., L.R. Steven and Q.H. Robert, (1995):** Ceramic Society, Vol. 78(1), pp.114.

**Nikolaev V.P., M.Y. Scheglov and S.A. Korneva, (1998):** International Conference and Hazardous Waste 12-16 December, Cairo-Egypt, pp. 1519.

**Ognyan E.A, (1995):** International Journal for Chemical Aspects of Nuclear Science and Technology Vol. 68(2), pp. 135.

**Papadaskis G., (1999):** “ Experimental investigation in silica fume activity in concrete” Cement and Concrete Research, Vol. 29, pp. 79.

**Park G.A., (1967):** Adv. Chem. Ser., Vol. 67, pp. 121.

**Philips J., (1979):** “A wastes Inventory Report for reactor and Fuel Fabrication Facility Wastes”, NUS Corporation, Rock Well, Maryland, USA.

**Raafat I.A. and H.L. Pat, (1986):** American Ceramic Society, Vol. 65(12), pp. 1578.

**Reffat R.A., (1999):** “Radiation induced synthesis and characterization of some polymeric materials to be used for waste water treatment” Ms. Thesis faculty of science Cairo university.

**Sandor B. and C.J. Laszlo, (1997):** Key-Engineering Materials, Vol. 132(3), pp. 2232.

**Savkin A.E., (1998):** European Nuclear Society, Vol. 3, pp. 714.

**Schmidt J. and A. Chrubasik, (1999):** “Separation of Ionic Solutes” International Atomic Energy Agency, Vienna,. Vol. 8, pp. 189.

**Shen X.G., S.G. Yan and M.U. Tang, (1993):** “ immobilization of simulated high level wastes into AASC waste form” Cement and Concrete Research, Vol. 24, pp. 133.

**Sobolev I.A., F.A. Lifanov, S.V. Stefanovsky and A.P. Kobelev, (1998):** Standard Specification for Portland Cement, Vol. 12, pp. 97

**Stevenson F.J., (1982):** Environmental Biogeochemistry Vol. 2, pp. 519.

**Takemoto K. and H. Uchikawa, (1986):** “Hydration of pozzolanic Cement”, 7<sup>th</sup> International Congress of the Chemical of Cement. Vol. 4, pp. 211.

**Vagelis G., (2000):** “ Effect of fly ash on Portland cement system” Cement and Concrete Research, Vol. 30, pp. 1647.

**Vili L.S, (1990):** Separation Science and Technology Vol. 25(8), pp. 953.

**Wang L.L., (1997):** “Study of the comprehensive utilization of fly ash and its sustainable development uses in China,” Proceedings of the 1997 Annual Conference - Canadian Society for Civil Engineering, Sustainable Development, Environment, Geotechnical Engineering, Transportation. Part 5 (7), pp. 27.

**Yixin S., L. Thibaut, M. Shylesh and R. Damian, (2000):** “ Study of properties on window glass-cement complex” Cement and Concrete Research, Vol. 30, pp. 91.

**Zhang Y., W. Sun and L. Shang, (1997):** “Mechanical properties of high performance concrete made with calcium high sulfate fly ash”, Cement and Concrete Research, Vol. 27, pp. 1093.