

" REFERENCES "

=====

- Abylholm , T. and Clausen, O.P.F.(1981):
Clinical evaluation of DNA flow cytometry of
fine needle aspirates from testes of infertile
men. Int. J. Andrology 4 : 1 - 10 .
- Ahberg, N.E., Bartley , O. and Chidekel, M. (1966):
Right and left ganadal veins . An anatomical
and statistical study . Acta Rad. (Diag.) ,
(Stockholm), 4 : 593.
- Alder, A.; Burger, H.; Davis, J.; Hudson , B. and Straffon,
W. (1968) :
Carcinoma of prostate : Response of plasma lute-
inizing hormone and testosterone to estrogen
therapy. Br. Med. J. 1 : 28 .
- Amenta, P.S.; Conick, P. and Katz, S.M. (1981):
Sarcoidosis of testis and epididymis. Urology ,
Vol XVII, No 6, p: 616 - 617.
- Andersson, R. and Hofer, P.A. (1974):
Genitourinary disturbances in familial and
sporadic cases of primary amyloidosis with
polyneuropathy. Acta Med. Scand 195:49 .
(Quoted from Handelsman, 1983).
- Ansbacher, R. and Gangai, M.P. (1975):
Testicular biopsy : sperm antibodies.
Fertil.and steril. 26 : 1239 .

Arey, L.B. (1974):

Embryology of genital system (chapter 18),
In : Developmental anatomy . p : 315 - 319.
7 th eddition (eds.) W.R. Saunders company
philadelphia, London.

Askin , F.B., Land , V.J.; Sullivan, M.P. ; Ragab ,
A.H. and Steuber, C.P. (1981) :

Occult testicular leukaemia : Testicular biopsy
at three years continous complete remission of
childhood leukaemia. Cancer 47 : 470 - 475.

Blackshaw , A.W. (1970):

Histochemical localization of testicular enzymes.
In : The testes, by : A.D. Johnson, W.R. Gomes
and N.L. Vandemark (eds.) Vol. II Chapter 2.
P : 73 . Academic Press, New Yourk. London.

Bloom, W. and Fawcett, D.W. (1969) :

Male reproductive system, In : A textbook of
Histology, P: 685 , Saunders, Philadelphia .

Bloom , W. and Fawcett, D.W. (1969) :

In: textbook of histology, male reproductive
system (chapter 31) pp : 689 - 727 . 9 th
edition (eds.) W.B. Saunders company , philad-
elphia, London.

Brannen, G.E. and Roth, R.R. (1979):

Testicular abnormalities of the subfertile male.
J.Urol. 122 (6): 757 - 762.

Braren, V.; Lukens, J.N.; Stroup, S.L.; Bolin, M.G.
and Rhamy, R.K. (1980):

Testicular infiltrate in childhood acute lymphocytic leukaemia. The need for biopsy in suspected relapse. *Urology*, 16 : 370.

Bressler, R.S. and Ross, M.M. (1972):

Differentiation of peritubular myoid cells of the testis, effects of intratesticular implantation of new born mouse testis into normal and hypohysectomized adults. *Biology of Reproduction*, 6 : 148.

Burger, H.G.; De Krester, D.M. and Hudson, B. (1976):

Spermatogenesis and its Endocrinal Control, In: Human semen and fertility Regulation in men. (Eds.) E.S.E. Hafez, C.V. Masby Company. Saint Louis. p: 3.

Bustos - Obregon, E.; Courot, M.; Flechon, J.E.; Hochereau de Reviers, M.T. and Holstein, A.F. (1975):

Morphological appraisal of gametogenesis: spermatogenic process in mammals with particular reference to man. *Andrologia*. 7:141.

Camatini, M. (1980):

Ultrastructure of spermatogenesis in normal and pathological testis. In: Descended and cryptorchid testis. Hafez, E.S.E. (Ed.) P. 32, Chapter. 4, Martinus Nizhoff Publishers, Boston, London.

- Castellani, L. (1980):
Germ cells, In: Descended and Cryptorchid Testis
edited by : E.S.E . Hafez, Chapter. 3, P. 21 ,
Martinus Nizhoff, Publishers, Boston, London.
- Catt, K.J. and Dufau, M.L. (1976):
Basic concepts of the mechanism of action of
peptide hormones. Biol. Reprod. 14 : 1.
- Charny, C .W. (1940):
Testicular biopsy, J.A.M.A., 115, 1422-1433.
(Quoted from Hellinga, 1976):
- Charny, C.W. and Meranz, D.R. (1947):
Pathology of mumps orchitis. Trans. Am.Soc.Study
Steril, 3 :167.
(Quoted from wang, 1978).
- Charny, C.W.(1963):
Reflections on testicular biopsy . Fertil Steril
14 : 610.
- Chemes, H.E., Dym; M. and Ray, H.G.M.(1979):
Hormonal regulation of Sertoli cell differentiation.
Biology of Reproduction 21 : 251 .
- Cheval, M.J.; Mehan, D.J. and Volk, S.L.R.(1977):
Meiotic figures in the testicular biopsy of subfertile
males. Fertility and Sterility. 28 : 253 - 256.
- Christansen, A.K. (1975):
Leydig cells. In: Handbook of physiology, Sec. 7, Vol.
V. Male reproductive system, Hamilton, D.W. and Greep,
R.O.(eds.) P.57 Williams and Wilkins, Baltimore.

- Clermont, Y. (1963):
The cycle of seminiferous epithelium in man.
Am. J. Anatomy, 118 : 509 .
- Clermont , Y and Harvey, S.C. (1967):
Effect of hormones on spermatogenesis in rat.
In Wolstenholm, G.E.W. and O'connor (eds.)
Endocrinology, of the testis. Boston, Little,
Brown and company.
- Clermont, Y. (1970):
Dynamics of human spermatogenesis. In : The
human testis, Rosenberg, E. and paulsen, C.A.
(eds.), P. 47 , Plenum, New York.
- Clermont, Y. (1972):
Kinetics of spermatogenesis in mammals :
seminiferous epithelium cycle and spermatogo-
nial renewal, Physiol. Rev. 52 : 198.
- Clermont, Y. (1977):
Spermatogenesis . In : Frontiers in reproduc-
tion and fertility control (eds.) R.O.Geep and
M.A. Kobliusky, Cambridge and London.
- Colgan, T.J.; Bedard , Y.C. and Strawbridge, H.T. (1980):
Reapparsial of the value of testicular biopsy in the
invesigation of fertility. Fertility and Sterility.
33 : 56-60.
- David , M.A., Fraschini, F. and Martini, L. (1966):
Control of LH secretion : role of a " short feed
back mechanism. Endocrinology, 78:55.

Davidson, J. M. (1967):

Neuroendocrine mechanisms in the control of spermatogenesis. J. Reprod. Fertil. Suppl. 2 : 103.

Davis, J.E. (1977) :

Testis biopsy and seminal vesiculogram, In: Male infertility, edited by Cockett, A.T.K. and Urry, R.L., p:205, Grune and Stratton. New York, London and San Francisco.

de Krester, D.M. (1967):

The fine structure of the testicular interstitial cells in men of normal androgenic status, Z. Zell Forsch. Mikrosk. Anat. 80 : 594.

de Krester, D.M. (1968) :

The fine structure of the immature human testis in hypogonadotrophic hypogonadism, Virchow's Arch. (Zell Pathol.) 1: 233.

de Krester, D.M. and Burger, H.G. (1972):

Ultrastructure studies of the human sertoli cell in normal men and males with hypogonadotrophic hypogonadism before and after gonadotrophic treatment. In sexena, B.B., Beling G.G. and Gandy, H.M., editors: Gonadotrophin, New York, John Wiley & sons, Inc.

de Krester, D.M.; Kerr, J.B. and Paulsen, C.A. (1975) :

The peritubular tissue in the normal and pathological human testis. An ultrastructure study, Biol. Reprod., 12 : 317.

- de Krester, D.M. and Holstein, A.F. (1976) :
Testicular biopsy and abnormal germ cells. In :
Human semen and Fertility regulation in men.
Hafez, E.S.E. (ed.) p. 332. Mosby Company. Saint
Louis.
- Dixon, R.L.; Lee, I.P. (1973) :
Possible role of the blood testicular barrier
in dominant lethal testing. *Environ. Health Perspect*
6 : 59.
(Quoted from Furus, 1980).
- Dorrington, J.H. and Fritz, I.B. (1974):
Cell types influenced by FSH in the rat testes. In:
Gonadotrophins and gonadal function (eds.) R.N.
Mondgal. New York. Academic Press.
- Dubin, L. and Hotchkiss, R.S. (1969) :
Testicular biopsy in subfertile men with varicocele.
Fertil. Steril. 20 : 50.
- Dubin, L. and Amelar, R.D. (1977) :
Testicular biopsy. In : Male infertility. Amelar,
R.D.; Dubin, L. and Walsh, P.C. (eds.), p: 159.
Saunders. Philadelphia, London, Tononto.
- Dym, M. and Fawcett, D.W. (1970) :
The blood-testis barrier in the rat and the
physiological compartmentation of the seminiferous
epithelium. *Biol. Reprod.* 3 : 308.

Dym, M. (1973) :

The fine structure of the monkey Sertoli cell and its role in maintaining the blood testicular barrier. Anat. Rec. 175 : 639.

Dym, M. (1977) :

The male reproductive system. In : Histology Text book by : Leon Weiss and Ray. O. Greep, p. 979. McGraw-Hill Book Company. Blackiston Publication, New York.

Dym, M. and Cavvichia, J.C. (1977) :

Further observations on blood testis barrier in monkeys. Biol. Reprod. 17 : 390.

Espinosa, E.A.; Veale, A.M.; Sands, V.E. and Fitzgerald, P.H. (1970) :

Familial syndrome of streak gonads and normal karyotype in five phenotypic females. N. Engl. J. Med. 6 : 283 N.

Etrubi, A.; Girgis, S.M.; Hefnawy, H. and Ibrahim, A.A. (1967):

Testicular changes in subfertile males with varicocele. Fertility and Sterility, 18 : 666.

Fawcett, D.W., Neaves, W.B. and Flores, M.N. (1973) :

Comparative observations on the intertubular lymphatic and organization of the interstitial tissue of the mammalian testis, Biol. Reprod. 9:500.

Fawcett, D.W. (1975):

In : Hand book of physiology (Chapter 7) Endocrinol. Vol. 5, pp 21-55.

Fraley, E.E.; Lange, P.H.; Williams, R.D. and Ortlip, S.A. (1980) :

Staging of early man-seminomatous germ-cell testicular cancer. Cancer, 15 : 1762.

Franchimont, P. (1968) :

Le dosage radio-immunologique des gonadotropines. Ann. Endocrinol. 29 : 403.

(Quoted from Steinberger et al., 1977).

Franchimont; P. and Burger, H.G. (1975) :

Human growth hormone and gonadotropins in health and disease. Amsterdam, North-Holland Publishing Co.

Furuya, S.; Kumamoto, Y.; Mori, M. and Sugiyama, S. (1980):

The blood testes barrier (Chapter 7) In : descended & cryptorchid testes (Eds.) by E.S.E. Hafez, Martinus Nijhoff Publishers the Hague Boston.

Garduno, A.; Mehan, D.J. (1970) :

Testicular biopsy findings in patients with impaired fertility. J. Urol, 104 : 871.

Georgescu, M.M.; Stoenescu, D.; Klepsch, I. and Tache, A. (1969) :

Some clinical and Hormonal effects of Testicular biopsy. Fertil. Steril. 20 : 612.

Gilula, N.B.; Fawcett, D.W. and Aoki, A. (1976) :

The Sertoli cell occluding functions and gap functions in mature and developing mammalian testes. Dev. Biol., 50 : 142.

Girgis, S.M.; Etriby, A.; Ibrahim, A.A. and Khalil, S.A.
(1969) :

Testicular biopsy in azoospermia : A review of the
last ten years experience of over 800 cases. Fertil.
Steril. 20 : 467.

Girgis, S.M.; Etriby, A.; Ibrahim, A. and Khalil, S. (1971):
Testicular biopsy in marked oligospermia: A survey
of 275 cases. J. Egyptian Med. Assoc. 54 : 798.

Girgis, S.M. and Hafez, E.S.E. (1977) :
Evaluation of testicular biopsy, In : Techniques
of human Andrology, Edited by E.S.E. Hafez,
Elsevier/North-Holland Biomedical press, p. 83-98.

Girgis, S.M. and Wassef, N.F. (1980) :
Bilharziasis and Azoospermia. Archives of Andrology,
5 : 369-372.

Gray's Anatomy (1973) :
Descriptive and applied, 35th edit. Longman.

Gunn, S.A. and Gould, T.C. (1975) :
Vasculature of the testes and adnexa. In : Hand book
of Physiology. Greep, R.O. and Astwood, E.B. (eds.),
Sec. 7. Vol. 5 Washington, D.C., Amer. Physiol. Soc.
Ch. 5, p : 117 - 142.

Handel, M.A. and Eppig, J.J. (1979) :
Sertoli cell differentiation in testes of Mice
genetically deficient in germ cells. Biol. of
reproduction, 20 :1031

- Handelsman, D.J.; Yue, D.K. and Turtle, J.R. (1983) :
Hypogonadism and massive testicular infiltration
due to amyloidosis. The Journal of Urology, 129 :
610.
- Hansson, V.; French, F.S.; Weddington, S. Nayfeh, S.N. and
Ritzen, E.M. (1974) :
FSH stimulation of testicular androgen binding
protein (ABP). In : Hormone binding and target
cell activation in the testis. By : M.L. Dufau
and A.R. Means (eds.) p. 287, Plenum Press. New York.
- Harrison, R.G. and Bracley, A.E. (1948) :
The distribution patterns of the mammalian testis
and their functional significance, J. Exp. Biol.,
26 : 304.
(Quoted from Amelar, 1977).
- Harrison, R.G. and Weiner, J.S. (1949-a) :
Vascular patterns of the mammalian testis and
their functional importance. J. Exp. Biol., 26:304.
(Quoted from Amelar, 1977).
- Harrison, R.G. and Weimer, J.S. (1949-b) :
The distribution of the vasal and cremastic
arteries to the testis and their functional
importance. J. Anat., 83 : 267.
- Heller, C.G. and Clermont, Y. (1964) :
Kinetics of the germinal epithelium in man. Recent
Prog. Horm. Res. 20 : 545.

Hellings, G. (1976) :

Testicular biopsy. In : Clinical Andrology. edited
by William Heinemann medical books LTD. London.
p. 29-34.

Hjort, T.; Husted, S. and Linnet-Jepsen, p. (1974) ;

The effect of testis biopsy on autosensitization
against spermatozoal antigens. Clin. Exp. Immunol:
18 : 201.

Hotchkiss, R.S. (1939) :

Fertility in Men. Philadelphia : J.B. Lippincot Co.
(Quoted from Hellings, 1976).

Howard, R.P.; Sniffren, R.C. Simmons, F.A. and Albright,
F. (1950) :

Testicular deficiency : Clinical and Pathological
Study. J. Clin. Endocrinol. Metab. p. 10-121.
(Quoted from Amelar, 1977).

Huckins, C. (1971-a) :

Cell cycle properties of differentiating spermatogonia in adult sprague Dawley rats., cell tissue Kinet.,4 : 139.

Hühner, M. (1913) :

Sterility in the Male and Female, and its treatment.
New York : Rebman Cie.
(Quoted from Hellings, 1976).

Jadot - Van De Casseye, M.; De Beld, G. ; Gepts, W. and
Schoysman, R. (1980):

An immunohistochemical study for testicular biopsies
in cases of male infertility. Andrologia,12 : 122 .

- Jequier, A.M.; Crich, J.C. and Ansell, I.D. (1979) :
Clinical findings and testicular Histology in
three hyperprolactinemic infertile men.
Fertility and sterility 31/5 p, 525-530.
- Jirasek, J.A. (1971):
Development of the Genital System and Male Pseudo-
hermaphroditism. Edit. M. Michael Cohen. The Johns
Hapkins press. Baltimore and London.
- Johnsen, S.G. (1964):
Studies of the testicular-hypophyseal feedback
mechanism in man. Acta Endocrinol . Suppl.
P: 90 - 99 .
- Johnsen, S.G. (1970) :
Testicular biopsy score count- a method for registr-
ation of spermatogenesis in human testis : Normal
values and results in 335 hypogonadal males.
Hormones 1 : 1 .
- Johnson, M.H. (1972):
The distribution of immunoglobulin and Spermatozoal
autoantigen in the genital tract of the male guinea
pig. Its relationship to autoallergic orchitis.
Fertility and sterility 23 :383.
- Johnson, L.; Petty, C.S. and Neaves, W.B. (1980) :
The relationship of biopsy evaluation and testicular
measurements to over-all daily sperm production in
human testis. Fertil and Steril. 34: 36-40.
- Jost, A.; Viegier, B.; Prepin, J. and Perchellet, J.P. (1973):
Studies on sex differentiation in mammals. Recent
progress in Hormone Research. Vol. 29. p : 1-33.
- Kahn, R.I. and Meaninch, J.W. (1980):
Granulomatous diseases of the testis.
The Journal of Urology. 123 :868 -871.

Kim, T.H.; Hargreaves, H.K.; Brynes, R.K.; Hawkins, H.K. and Woodart, J. (1981):

Pretreatment testicular biopsy in childhood acute lymphocytic leukaemia. The lancet, 26:657.

Klinefelter, H.F., Reifenstein, E.C. and Albright, E. (1942): Syndrome characterized by gynecomastia, aspermatogenesis with aleydigism and increased secretion of FSH. J. Clin. Endoc. 2 : 615.

(Quoted from Girgis & Hafez ,1977).

Kreuz, L.E.; Rose, R.M. and Jennings, J.R. (1972) :

Suppression of plasma testosterone levels and physiological stress. Arch. Gen. Psychiatry. 26:479.

Lacy, S. and Gardner, P. (1976) :

Identification of binding site and antitestosterone in the rat testes. Presentation at American Fertility Society.

(Quoted from Cockett, 1977).

Langman, J. (1975) :

Embryology of genital system (Chapter 11) In : Medical embryology 3rd edition (Eds.) Williams, Wilkins Company Baltimore. p: 175-200.

Lee, V.W.K.; Keogh, E.J.; de Krester, D.M. and Hudson, B. (1974):

Selective suppression of FSH by testis extracts. Int. Res. Commun. Syst. 2: 1406.

(Quoted from Burger et al., 1976).

Lostroh, A.J. (1969) :

Regulation by FSH and LH of reproductive function in the immature rat. Endocrinology 85:438.

Mac leod, J. (1970) :

The effect of urinary gonadotropins following hypophysectomy and hypogonadotropic eunuchoidism.

In Rosenberg, E and paulsen, C.A. (eds.). The Human Testis. New York. Plenum Press. pp: 577.

Madhwa Raj, H.G. and Dym, M. (1976) :

The effects of selective withdrawal of FSH or LH on spermatogenesis in the immature rat. Biol. Reprod. 14 : 489.

Makler, A. and Abramowici, H. (1978) :

The correlation between sperm count and testicular biopsy using a new scoring system. Int. J. Fertil. 23:300.

Mancini, R.E.; Vilar, O.; Laviere, J.C.; Andrada, J.A. and Heinrich, J.J. (1963) :

Development of leydig cells in the normal human testis. A cytological cytochemical and quantitative study. Am. J. Anat. 112 : 203.

Mancini, R.E.; Seiguer, A.C. and Perez Lioret, A. (1971):

Effect of human urinary gonadotrophins in the revovery of spermatogenesis in hypophysectomized patients. J. Clin. Endocrn. Metab. 33 : 888.

Martini, L.; Fraschini, F. and Motta, M. (1968) :

Neural control of anterior pituitary functions. Recent Prog. Horm. Res. 24 : 439.

- Means, A.R. (1974) :
Some effects of FSH on the seminiferous epithelium of mammalian testes. In : Gonadotropins and gonadal function. N.R. Mondgal (ed.). Academic press. New York.
- Mintz, B. (1960) :
Embryological phases of mammalian gametogenesis. Journal of cell & Comp. Physiol. 56 : 31.
- Naftolin, F., Ryan, K.J.; and Petro, Z. (1972) :
Aromatization of androstenedione by the anterior hypothalamus of adult male and female rats. Endocrinology. 90 : 295.
- Naftolin, F. and Feder, H.H. (1973) :
Suppression of LH. secretion by dihydrotestosterone. J. Endocrinol. 56:155.
- Nagano, T. (1969) :
The crystalloid of Lubarch in the human spermatogonium, Cell Tiss. Res. 97 : 491.
- Nagano, T. and Ohtsuki, I. (1971) :
Reinvestigation of the fine structure of Reinke's crystals in the human testicular interstitial cell. J. cell Biol. 51 : 148.
- Ohno, S.; Christian, L.C.; Wachtel, S.S. and Koo, S.C. (1976):
Hormone like role of H-Y antigen in bovine freemartin gonad, Nature, 261:597.

- Odell, W.D.; Swerdloff, R.S.; Jacobs, H.S. and Hescox, M.A. (1973) :
FSH induction of sensitivity to LH : one cause of sexual maturation in the male rat. *Endocrinology*.
p : 92-160.
- Ohno, S. (1970):
Morphological aspects of meiosis and their genetical significance. In : the human testis. Rosenberg, E. and Paulsen, C.A. (eds.), p : 115, Plenum, New York.
- Paulsen, C.A. (1974) :
In *Textbook of Endocrinology, The Testis*, p: 323.
5th edition (eds.) W.B. Saunders Company, Philadelphia.
- Persson, P.S.; Ahren, C. and Obrant, K.O. (1971) :
Aspiration biopsy smear of testis in azoospermia : cytological versus histological examination. *Scand. J. Urol. Nephrol.* 5 : 22.
- Peterson, N.T. Jr.; Midgley, A.R. Jr.; and Jaffe, R.B. (1968):
Regulation of human gonadotropins. Luteinizing hormone and Follicle stimulating hormone in sera from adult males. *J. Clin. Endocrinol. Metab.* 28: 1473.
- Pittman, D.L. and Hofeldt, F.E. (1979) :
Testicular sarcoidosis. *Am. J. Med.* 67:147.
- Posner, C. (1904) :
Die diagnostische Hodenpunktion. Berlin. *Klin. Wochr.*, 42, 1119-1122.
(Quoted from Hellinga, 1976).
- Pryor, J.P.; Pugh, R.C.B. and Camorn, K.M. (1976):
Plasma gonadotrophic hormones, testicular biopsy and seminal analysis in the men of infertile marriages. *Br. J. Urd.* 48 : 709 .

- Ragab, A.F. Tarkhan, A.A.; Etribi, A. and Girgis, S.M. (1961):
Testicular biopsy in azoospermia. Int. J. Fertil 6:303.
- Rakhawy, M. (1975) :
Human Embryology, Ahram Press, Egypt. 1st edition.
- Rodrigues, N. Jr.; Hayashi, H.; Hohne, M.P. and Menezes, D.G.
(1979) :
Experimental comparative study of surgical and needle
biopsies of the testis. Arch. Androl. 2: 227.
- Romanes, G.J. (1972) :
The genital organs. In Romanes, G.J. editor :
Cunningham's textbook of Anatomy, 11th edition,
London, Oxford University press.
- Ross, M.H. and Long, I.R. (1966) :
Contractile cells in human seminiferous tubules,
Science, 153:1271.
- Ross, M.H. (1967) :
The fine structure and development of the peritu-
bular contractile cell component in the semiferous
tubules of the mouse. Amer. J. Anat. 121:253.
- Ross, L.S. (1983) :
Diagnosis and treatment of infertile men : A clinical
Perspective. The Journal of Urology. 130: 847-854.
- Rowley , M.J.; O'Keefe, K.B. and Heller, C.G. (1969):
Decrease in sperm concentration due to testicular biopsy
procedures in man. J. Urol. 101 : 347.

- Rowley, M.J.; Berlin, J.D. and Heller, C.G. (1971):
The ultrastructure of four types of human spermatogonia. *Z. Zellforsch.* 112 : 139 .
- Rubin, B.S. ; Nankin, H.R. and Troen, P. (1977):
Immunological studies of patients with idiopathic oligospermia. In : *The Testis in normal and infertile men.* Proen.P.H. and Nankin, H.R.(eds.).Raven Press, New York.
- Santen, R.J. (1975):
Is aromatization of testosterone to estradiol required for inhibition of luteinizing hormone secretion in men? *J. Clin. Invest.* 56 : 1555 .
- Schally, A.V. ; Mair, R.H.G. ; Arimura, A. and Redding, T.W. (1971):
Isolation of luteinizing hormone and follicle -stimulating - hormone - releasing hormone from porcine hypothalami.*J. Biol. Chem.*, 246 : 7230 .
- Schatz, A. and Milsten , R. (1976):
Testicular microlithiasis with sterility. *Fertil and Steril.* 27 : 801 .
- Schoysman, R. (1980):
The interest of testicular biopsy in the study of male infertility. *Acta Eur. Fertil* . 1 : 1.
- Schwarzstein, L. (1974):
Human Menopausal gonadotropins in the treatment of patients with oligospermia. *Fertility and sterility* 25/9 P : 813 - 816.

- Scorer, C.G. and Farrington, G.H. (1971):
Histological studies of undescended testis, In :
Congenital deformities of the testis and epididymis.
P: 58 , Butterworth and Co., London.
- Setcell , B.P. (1973):
Secretions of the testis and epididymis, J.
Reprod. Fertil. Suppl. 20 : 1.
- Setchell, B.P. & Waites, G.M. (1975):
The blood testicular barrier . In : Handbook of
physiology, Sec. 7 : Endocrinology : Vol. 5 :
Male reproductive system. P. 143 (eds.). Greep, R.O.,
Astwood, E.B., Baltimore, Williams & Wilkins.
- Silber, S.J. and Rodriguez -Rigau, L.J. (1981):
Quantitative analysis of testicular biopsy :
Determination of partial obstruction and prediction
of sperm count after surgery for obstruction.
- Skakkebaek, N.E. (1972):
Possible carcinoma - in - situ of the testis. Lancet
2 : 516.
- Skakkebaek, N.E. and Heller, C.G. (1973):
Quantification of human seminiferous epithelium.
I. Histological studies in twenty- one fertile men
with normal chromosome complements. J. Reprod.
Fertil. 32 : 379 .
- Steinberger, E. and Tjioe, D.Y. (1968):
A method for quantitative analysis of human semin-
iferous epithelium. Fertil. Steril. 19 : 960 .

Steinberger, E. (1971):

Hormonal control of spermatogenesis . *Physiol. Rev.*
51 : 1.
(Quoted from Amelar, 1977).

Steinberger, E.; Steinberger, A. and Sanborn, B. (1974-a):
Endocrine controle of spermatogenesis . In : *Physiology and genetics of reproduction. Part A.* By: E.M. continho and F. Fuchs.(eds.) P. 163. Plenum Press, New York.

Steinberger, A. ; Thanki, F.H. and Siegal, B. (1974-c):
FSH binding in rat testis during maturation and following hypophysectomy . Cellular localization of FSH receptors. In : *Hormone binding and target cell activation in the testis .* By : M.L. Dufau and A.R. Means. (eds.) P. 177. Plenum Press. New York.

Steinberger, E. and Steinberger, A. (1974):
Hormonal control of testicular function in mammals. In Greep , R.O. and Astwood, E.B. edittors. *Handbook of physiology, section 7 endocrinology. Reproductive system - male . Vol. 5* Washington, D.C. American physiological Society.

Steinberger, A. and Steinberger, E. (1977):
The Sertoli cells (Chapter 11). In the testis. Vol. IV. (Eds.). A.A. Johnson, W.R., Cames & Vandemark . Academic Press, New York , London.

Steinberger, E.; Swerdloff , R.S. and Horton, R. (1977):
The control of testicular function. In : *Frontiers in reproduction and fertility control.* By : R.O. Greep and M.A. Koblinsky(eds.) P. 264 . Mit. Press. Cambridge and London.

Stewart - Bentely, M.; Odell, W.D. and Hortin, R. (1974):

The feedback control of luteinizing hormone in
normal adult men. J.Clin. Endocrinol . Metab.38 :545.

Swerdloff, R.S. and Odell, W.D. (1968 - a) :

Feedback of LH and FSH secretion. Lancet 2:683.

Swerdloff , R.S. ; Walsh, P.C.; Jacobs, H.S. and Odell,
W.D. (1971):

Serum LH and FSH during sexual maturation in the
male rat: effect of castration and cryptorchid
testis. Endocrinology P : 88 - 120 .

Swerdloff , R.S. ; Walsh, P.C. and Odell, W.C. (1972 - a):

Control of LH and FSH secretion in man : Evidence
that aromatization of androgen to estradiol is not
required for inhibition of gonadotropins secretion.
Steroids 20 : 13 .

Tripathi, V.N.P. and Desautels, R.E. (1969):

Primary amyloidosis of the urogenital system: a
study of 16 cases and brief review. J. Urol,102: 96.

Tsang, B.K. and Kinson, G.A. (1980):

Biogenesis of androgens and Estrogens by normal
testis in descended and cryptorchid testis.(Eds.).
E.S.E. Hafez. Martinus Nijhoff Publishers. The
Hague / Boston / London.

Van Dilla, M.A. ; Trujillo, T.T. ; Mullaney, P.F. and
Coulter, J.R. (1969):

Cell microfluometry : a method for rapid fluorescence
measurment. Science, 162 : 1213.

Van Dop, P.A. ; Kurver, P.H.J.; Scholtmeijer, R.J. ; Baak ,
J.P.A. ; Ort, J. and Stalte, L.A.M. (1980):

Correlation between the quantitative morphology of the
human testis and sperm production. Int. J. Andrology.
3 : 170.

Vilar, O. (1970):

Histology of the human testis from neonatal period to
adolescence. In : the Human Testis. Advance in Exper-
imental Medicine and Biology . Vol. 10 , edited by
E. Rosemberg and C.A. Paulsen. Plenum Press, New York.

Vitale, R. ; Fawcett, D.W. and Dym , M. (1973):

The normal development of the blood testis barrier
and the effects of clomiphene and estrogen treatment.
Anat. Rec. 176 : 333.

Wachtel, S.S. (1976):

Serologic detection of a Y - linked gene in XX males
and XX true hermaphrodites. N.Engl. J.Med. 295 -750.

Walsh , P.C., Amelar, R.D. (1977):

Embryology , Anatomy and physiology of the Male
reproductive system. In : Male infertility. Amelar,
R.D., Dubin, L. and Walsh, P.C. (eds.), P : 3 .
Saunders. Philadelphia, London, Toronto.

Wang, H. (1968):

An outline of human embryology, chapter 13 , (Reprod-
uctive System). William Heinemann Medical Book LTD.,
London.

Wartenberg, H. (1978):

Human testicular development and the role of the mesonephros in origin of a dual Sertoli cell system. *Andrologia* 10 : 1.

Wilson, M.G.; Elbsin, A.J., Shinno, N.W. and Towner J.W. (1975):

Sex chromosome Mosaicism of X/XY, X/XY/XYY in new chromosomal and malformation syndromes. *Birth Defects. Original. Art. Series. Vol.11.No 5.P :* 255 - 266.

Witschi, E. (1948):

Migration of the germ cells of human embryos from the yolk sac to the primitive gonadal folds. *Contrib. Embryol . 32 : 69 - 80 .*
(Quoted from Witschi, 1970).

Witschi, F. (1962):

Embryology of the ovary . In : *Monographs in pathology . Vol. 3 H.C.Grady and D.E. Smith (Eds.). Williams and Wilkins Company, Baltimore.*

Witschi, E. (1970):

Embryology of the testis. In : *The Human Testis. E. Rosemberg and C.A. Paulsen (Eds.). New York and London . Plenum Press.*

Wong, T.W. ; Straus, F.H. and Warner ,N.E. (1973):

Testicular biopsy in the study of male infertility. I-testicular causes of infertility. *Arch. Path.* 95 : 151 .

Zerhouni; E.A., Siegelman, S.S., Walsh, P.C. and White R. I.
(1980):

Elevated pressure in the left renal vein in patients
with varicocele: Preliminary observations. J. Urol.
123 : 512.

Zukerman, Z.; Rodriguez-Rigau, L.J; Weiss, D.B. ; Chowdhury,
A.K. Smith, K.D. and Steinberger, E. (1978):

Quantitative analysis of the seminiferous epithelium
in human testicular biopsies and the relation of
spermatogenesis to sperm density.