

REFERENCES

REFERENCES

- * Abilgaard, C.F.:
Recognition & treatment of intravascular coagulation.
J. Pediatr., 74: 163, 1969.
- * Admakin, D.H.:
New uses for Exchange Transfusion.
Ped. Clin. N. Amer., Vol. 24, No. 3. August, 1977.
- * Ainsworth, R.W.; Gairdner, D.R. and Webb, M.:
Lancet 1, 445, 1963.
Quoted Ata and Holman, 1966.
- * Alter, H.J.; Holland, P.V. and Morrow, A.G.:
Clinical and Serological analysis of transfusion associated hepatitis.
Lancet, 2: 838, 1975.
- * American Hospital Supply Corporation: Sterile Exchange Transfusion Tray.
Evanston, Illinois U.S.A. Catalog No. 2000.
- * Aranda, J.V.; Sweet, A.Y.:
Alternations in blood pressure during Exchange Transfusion.
Arch. Dis. child., 52: 545, 1977.
- * Ata, M. and Holman, C.A.:
Simultaneous Umbilical Arteriovenous Exchange Transfusion.
Brit. Med. J., 2, 743-5, 1966.
- * Bada, P. and Salmon, J.H.:
Intracranial pressure during Exchange transfusion.
J. 129, 1979.
- * Bada, P., C.; Ludwig, I. and Ludwig, M.:
Different effects of 2, 3 diphosphoglycerate and adenosine triphosphate on
the oxygen affinity of adult and foetal hemoglobin.
Life Sci., 7, 1333, 1968.
- * Berkessy, S.; Faludi, G.Y.; Toth, L. and Honszky, I.:
Exchange blood transfusion using Artificial kidney Equipment.
Lancet, 2, 825, 1972.
- * Black, V.D.; Lubchenco, L.O.; Koops, B.L.; Poland, R.L. and Powell, D.P.:
Neonatal hyperviscosity: Randomized study of Effect of Partial Plasma
Exchange Transfusion of long-term outcome.
Pediatrics, Vol. 75, No. 6, 1985.
- * Boda, D.; Muranji, L. and Alterjay, I.:
Peritoneal dialysis in the treatment of Hyaline membrane disease of newborn
premature infants.
Acta Paediatr. Scand., 60: 90, 1971.

- * Boggs, T.R. and Westphall, M.C.:
Mortality of Exchange Transfusion.
Pediatrics, Vol. 26, P. 745, 1960.
- * Bossi, E.; Meister, B. and Pfenninger, J.:
Exchange Transfusion for Severe Neonatal Septicemia.
Pediatrics, 67(6): 941-2, 1981.
- * Bowman, J.M.; Peddle, L.J. and Anderson, C.:
Plasmapheresis in severe Rh iso-immunization.
Vox. Sang., 15: 272, 1968.
- * Brown, A.K.; Zuelzer, W.W. and Robinson, A.R.:
Studies in Hyperbilirubinemia II. Clearance of Bilirubin from Plasma and Extravascular space in Newborn infants during Exchange Transfusion.
Am. J. Dis. Child., 93: 274, 1957.
- * Brown, A.K.:
Bilirubin metabolism with special reference to neonatal jaundice.
Recent advances in pediatrics, Vol. 12, p. 121
Levine, S.Z. (ed.),
Chicago year book medical publishers, Inc.,
Chicago, 1962.
- * Cashore, W.J., Oh, W.:
Unbound bilirubin and Kernicterus in low-birth-weight infants.
Pediatrics, in press, 1982.
Quoted, Lucey, 1982.
- * Chessels, J.M. and Wigglesworth, J.S.:
Coagulation studies in preterm infants with respiratory distress and intracranial hemorrhage.
Arch. Dis. Child., 47: 564, 1972.
- * Chirico G.; Gasparoni, M.C. and Rondini, G.:
Exchange Transfusion for indomethacin-induced hemorrhagic complication in the neonate.
J. Pediatr., 107 (2), 312, 1985.
- * Chisin, R.; Perlman, M. and Shomer, M.:
Cochlear and Brainstem responses in hearing loss following neonatal hyperbilirubinemia.
Ann. Otol. Rhinol. Laryngol., 89: 352, 1979.
- * Chudwin, D.S.; Ammann, A.J.; Wara, D.W.; Cowan, M.J. and Phibbs, R.H.:
Post-transfusion Syndrome: Rash-eosinophilia, and thrombocytopenia following Intrauterine and Exchange Transfusions
Am. J. Dis. child., 136: 612-4, 1982.
- * Church, J.A.; Tsacacs, H.:
Transfusion-associated acquired immune deficiency syndrome in infants.
J. Pediatr., Vol. 105, No. 5, 731-7, 1984.

- * Cockington, R.A.:
A guide to the use of Phototherapy in the management of Neonatal Hyperbilirubinemia.
J. Pediatr., 95: 281, August, 1979.
- * Cohen, H.C.; Rosen, K.M. and Pick, A.:
Disorders of impulse conduction and impulse formation caused by hyperkalemia in man.
Am. Heart J., 89: 501, 1975.
- * Corazza, M.S.; Davis, R.F.; Meritt, T.A.; Bejar, R. and Cvetnic, W.:
Prolonged bleeding time in preterm infants receiving indomethacin for patent ductus arteriosus.
J. Pediatr., 105: 292, 1984.
- * Cottom, D.:
Ibld, 1, 329, 1963,
Quoted, Ata and Holman, 1966.
- * Crabtrees, N.; Gerald, J.:
Perceptive deafness associated with neonatal jaundice.
J. Laryngo. Otol., 64: 482, 1950.
- * Dearth, J.C.; Fountain, K.S.; Smithson, W.A.; Burgerteo, J.R. and Gilehrst, G.S.:
Extreme leukemic leucocytosis (blast crisis) in childhood,
Mayo Clin. Proc., 53: 207, 1978.
- * De Lemos, R.A.; Mc Laughlin, G.W. and Kock, H.F.:
Abnormal partial thromoplastin time and survival in RDS: Effect of Exchange Transfusion.
Pediat. Res., 7: 168, 1973.
- * Delivoria-Papadopoulos, Maria; Morrow III, G. and Oski, F.A.:
Exchange Transfusion in the newborn infant with fresh and "old" blood: The role of storage on 2, 3 diphosphoglycerate, hemoglobin - oxygen affinity and oxygen release.
J. Pediatr., 79: 898, 1971.
- * Delivoria-Papadopoulos, Maria; Miller, L.D.; Forster II, R.E. and Oski, F.A.:
Post-natal changes in oxygen transport of term, premature and sick infants. The role of 2, 3 diphosphoglycerate and adult hemoglobin.
Ped. Res., 5: 235, 1971.
- * Delivoria-Papadopoulos M.; Miller, L.D.; Forster II R.E. and Oski, F.A.:
The role of Exchange Transfusion in the management of low-birth weight infants with and without severe respiratory distress syndrome.
J. Pediatr. Vol. 89, No. (2) p. 273-8, 1976.
- * Del Vasto, F.; Caldore, M.; Russo, F.; Bertucciodi, A. and Pelligimi, F.:
Exchange Transfusion in leukemia with hyper-leukocytosis.
J. Pediatr., 100 (6): 1000, 1982.

- * Diamond, L.K.; Allen, F.H.Jr. and Thomas Jr, W.O.:
Erythroblastosis foetalis: Treatment with Exchange Transfusion.
N. Eng. J. Med., 244: 39, 1951.
- * Dublin, W.B.:
Neurologic lesions of erythroblastosis foetalis in relation to nuclear deafness.
Am. J. Clin. Pathol., 21: 935, 1951.
- * Ebbesen, F.:
Eur. J. Pediatr., 133: 37, 1980.
Quoted, Oski, F.A.; Stockman, L.
Year book of Paediatrics, p. 25
Year book medical publishers, Chicago, 1981.
- * Eklund, J.:
Intensive plasma exchange as an adjunct to management of severe rhesus disease.
Acta Obstet. Gynecol. Scand., 64: 7-10, 1985.
- * Engle, R.F.:
Nuances or nuisances for cutaneous bilirubinometry?
Pediatrics, 69: 126, 1982.
- * Erlandson, M.E.:
Current Status of Exchange Transfusion.
J. Pediatr., Vol. 63, 357-60, 1963.
- * Forfar, J.O.; Keay, A.J.; Elliot, W.D. and Cumming, R.A.:
Exchange Transfusion in neonatal hyperbilirubinemia. Lancet, 2: 1131, 1958.
- * Genersich, A.:
Bauchferletzung beim Neugeborenen in Folge von Perforation des Ileums.
Arch. Pathol. Anat., 126, 485, 1891.
Quoted, Thangavel, Pomerance and Raj, 1982.
- * Goldberg, K.; Wirth, F.H.; Hathaway, W.E.; Guggenheim, M.A.; Murphy, J.R.;
Braithwaite, W.R. and Lubchenko, L.O.:
I. Neonatal hyperviscosity.
II. Effect of Partial Plasma Exchange Transfusion.
Pediatrics, Vol. 69 No. (4), 1982.
- * Goldfinger, D.:
Acute hemolytic transfusions reactions. A fresh look at pathogenesis and considerations regarding therapy.
Transfusion, 17: 85, 1977.
- * Goldman, S.L.; Tu, L.C.:
Automated method for exchange Transfusion: A new modification.
J. Pediatr., 102: 119, 1983.
- * Gottuso, M.A.; Williams M.L.; and Oski, F.A.:
The role of Exchange Transfusion in the management of low-birth-weight infants with and without severe Respiratory Distress Syndrome.
J. Pediatr., 89, 279-285, 1976.

- * Graham-Pole, J.; Ban, W.; Wiltoughby, M.L.N.:
Continuous flow plasmapheresis in management of severe rhesus disease.
Brit. Med. J. (i) 1185, 1977.
- * Gross, M.A. and Melhorn, D.K.:
Exchange Transfusion with citrated whole blood for Disseminated
Intravascular Coagulation.
J. Pediatr., 78: 415, 1971.
- * Grychtolik, H. and Kolrep, W.:
Kinderarztl, Prax., 29: 11, 1961.
Quoted, Ata and Holman, 1966.
- * Hart, A.P.:
Familial icterus gravis of the newborn and its treatment.
Can. Med. Assoc. J., 15, 1008, 1925.
- * Hovi, L.; Siimes, M.A.:
Exchange transfusion with heparinized blood is a safe procedure.
Acta Paediatr. Scand., 74: 360-5, 1985.
- * Huestis, D.W.; Corrigan, J.J. and Johnson, H.Y.:
Leukapheresis of a 5 year old girl with chronic granulocytic leukemia.
Transfusion, 15: 489, 1975.
- * Johson, L.; Garcia, M.L.; Figueroa, E. and Sarmiento, F.:
Kernicterus in Rats lacking glucuronyl transferase II Factors which alter
Bilirubin concentration and frequency of Kernicterus.
Am. J. Dis. child., 101, 322, 1961.
- * Jolly, H.:
Diseases of Children.
4th edition.
Blackwell Scientific Publications, Oxford London, Edinburgh, Boston,
Melbourne, (1981).
- * Kamen, B.A.; Summers, C.P. and Pearson, H.A.:
Exchange transfusion as a treatment for hyperleukocytosis, anemia and
metabolic abnormalities in a patient with leukemia.
J. of Pediatr., 96: 1045-6, 1980.
- * Kasper, C.K.:
Post operative thrombosis in hemophilia, B..
N. Eng. J. Med., 289, 160, 1973.
- * Kasper, C.K.:
Thromboembolic complications.
Thromb. Haemost., 33: 640, 1975.
- * Keenan, W.J.; Novak, K.K. and Sutherland, J.M.; Bryla, D.A. and Fetterly, K.L.:
Morbidity and mortality Associated with Exchange Transfusion.
Pediatrics, 2(pt2) 417-21, 1985.

- * Keitt, A.S.:
Red cell maturation and survival:
In Hematology of Infancy and Childhood p. 34-6.
Nathan, D.G. and Oski, F.A. (editors)
First published, W.B. Saunders Company, Philadelphia, London,
Toronto, 1974.
- * Kessler, D.L.; Smith, A.L. and Woodrum, D.E.:
Chloramphenicol toxicity in a neonate treated with exchange transfusion.
Pediatr., 96: 140, 1980.
- * Kevy, S.:
The storage of erythrocytes.
In Hematology of Infancy and Childhood p. 860.
Nathan, D.G. and Oski, F.A. (editors)
First published, W.B. Saunders Company, Philadelphia, London, Toronto,
1974.
- * Kitchen, W.H.; Krieger, V.I. and Smith, M.A.:
Human Albumin in Exchange Transfusion.
J. Pediatr., 57: 876, 1960.
- * Kortez, R.L.; Gitnick, G.L.:
Prevention of post-transfusion hepatitis. Role of sensitive Hepatitis B antigen
screening tests, source of blood & volume transfusion.
Am. J. Med., 59, 754, 1975.
- * Lagreco, G. and Sprovieri, L.:
Plasmapheresis on children of less than 20 kilograms weight.
In Haemonetics Proceedings of the Advanced Component Seminar.
Haemonetics Research Institute.
Natick, Mass., vol. 4, 1975.
- * Lathe, G.H.:
Exchange Transfusion as a means of removing bilirubin in hemolytic disease
of the newborn.
Brit. M. J., 1: 192, 1955.
- * Layrisse, M. and Linares, J.:
Transfusion (Philad.), 4, 33, 1964.
Quoted, Ata and Holman, 1966.
- * Lederman, S.; Fysh, W.J.; Tredger, M. and Gamsu, H.R.:
Neonatal paracetamol poisoning: treatment by Exchange Transfusion.
Arch. Dis. Child., 58(8): 631-3, 1983.
- * Lester, R.; Hammaker, L. and Schmid, R.:
A new therapeutic approach to unconjugated hyper-bilirubinemia.
Lancet, 2: 1257, 1962.
- * Levine, R.L.; Fredericks, W.R. and Rapport, S.I.:
Entry of bilirubin into the brain due to opening of the blood brain barrier.
Pediatrics, 69: 255, 1984.

- * Levinson, S.A. and Hume, D.M.:
Effect of Exchange Transfusion with fresh whole blood on refractory septic shock.
Am. Surg., 38: 49, 1972.
- * Lucey, J.F.:
Bilirubin and brain damage-A real mess.
Pediatrics, 69: 381-2, 1982.
- * Mauer, S.M.; Chavers, B.M. and Kjellstrand, C.M.:
Treatment of an infant with severe chloramphenicol intoxication using charcoal-column hemoperfusion.
J. Pediatr., 96: 136, 1980.
- * Mc Craken, G.H.; Shinefield, H.R.:
Changes in the pattern of neonate septicemia and meningitis.
Am. J. Dis. Child., 112: 133, 1966.
- * Mc Donagh, T.:
Phototherapy: A new twist to bilirubin.
J. Pediatr., 99: 909, 1981.
- * Meritt, T.A. and Corazza, M.S.:
Reply, editorial correspondence.
J. Pediatr., 107(2): 312-3, 1985.
- * Miller, W.V.; Witson, M.J. and Kalb, H.J.:
Simple methods for production of HLA-antigen-poor red blood cells.
Transfusion, 13, 189, 1973.
- * Mintz, A.A. and Valbana, C.:
A hazard of Exchange Transfusion in newborn infants: negative pressure in the umbilical vein.
Pediatrics, 26: 661, 1960.
- * Mollison, P.L.; Cutbush, M.:
Exchange transfusion.
Lancet 2: 522, 1948.
- * Moroni, G.A.; Piacentini, g.; Terzoli, S.; Jean, G. and Masera, G.:
Hepatitis B or non A-non B virus infection in the multitransfused thalassemic patients.
Arch. Dis. Child., 59, 1127-30, 1984.
- * Mulhall, A.; Louvois, J.; and Hurley, R.:
Chloramphenicol toxicity in neonates; its incidence and prevention.
Brit. Med. J. Vol., 287, Nov., 1983.
- * Mulhall, A.; De Louvois, J. and Hurley, R.:
The efficacy of chloramphenicol in the treatment of neonatal and infantile meningitis; a study of 70 cases.
Lancet, i: 284-7, 1983.

- * Nakamura, Y.; Wakabayashi, A.; Whooly, T.:
Total body washout for the treatment of endotoxin shock.
Arch. Surg., 111: 783, 1976.
- * Nathan, D.G. and Oski, F.A.:
Hematology of Infancy and childhood, Vol. I and II.
2nd edition, W.B., Saunders and Company Philadelphia- London - Toronto,
1981.
- * Nelson, W.E.; Behram, R.E. and Vaughan III, V.L.:
Nelson Text Book of Paediatrics, chapter 7, p. 383 12th edition, W.B.
Saunders and Company Philadelphia - London-Toronto, 1983.
- * Newland, A.C.; Colvin, B.T. and Dodd, B.E.:
Plasma exchange in severe rhesus disease.
Brit. Med. J., 11, 452, 1980.
- * Nwaesei, N.G.; Aerde, J.V.; Boyden, M. and Periman, M.:
Changes in auditory brainstem response in hyperbili-rubinemia infants
before and after Exchange Transfusion.
Ped., 74: No. 5, Nov. 1984.
- * Odell, G.B. and Cohen, S.N.:
Albumin Priming in the management of Hyperbili- rubinemia by Exchange
transfusion.
Am. J. Dis., Child, 102: 669, 1961.
- * Odell, G.B.; Bryan, W.B. and Richmond, M.D.:
Exchange Transfusion.
Ped. Clin. N. Am., Vol. 9, 1962.
- * Odell, G.B.; Storey, B. and Rosenberg, L.A.:
Studies in kernicterus III. The saturation of serum proteins with bilirubin
during neonatal life and its relationship to brain damage at five years.
J. Pediatr., 76, 12-21, 1970.
- * Oski, F.A. and Naiman, J.L.:
Hematologic Problems in the Newborn.
Second Edition, Chapter 8.
W.B. Saunders and Company, Philadelphia, London, Toronto, 1978.
- * Pasternak, J.F.; Hageman, J.; Adams, M.A.; Philip, A.G.S. and Gardner, T.H.:
Exchange Transfusion in neonatal myasthenia.
J. Pediatr., Vol. 99, No. 4, 643-51, 1981.
- * Peck, D.R. and Lowman, R.M.:
Roentgen aspects of umbilical vascular catheterization in the newborn.
Radiology, 89: 874, 1967.
- * Penington, D.; Rush, B. and Castaldi, P.:
De Gruchy Clinical hematology in medical practice.
4th edition, ELBS edition. pp. 788-99.
Blackwell scientific publications Oxford, London, Edinburgh, 1978.

- * Piccoli, D.A.; Perlman, S. and Ephros, M.:
Transfusion-acquired Plasmodium malarie in two preterm infants.
Pediatrics, Vol. 72, No. 4, 560-2, 1983.
- * Placzek, M.M. and Whitelaw, A.;
Early and late neonatal septicemia.
Arch. Dis. Child., 58: 728-31, 1983.
- * Prod'hom L.S.; Choffort, J.M. and French, N.:
Care of the seriously ill neonate with hyaline membrane disease and with sepsis (sclerema neonatorum).
Pediatrics, 53: 170, 1974.
- * Reid, M. Mc. C.; McLure, G.; Marks, E. and Elwood, J.H.:
Phototherapy and rhesus hemolytic disease.
Lancet, 879-88, 1972.
- * Ritter, D.A.; Kenny, J.D. and Norton, H.J.:
A prospective study of free bilirubin and other risk factors in the development of kernicterus in premature infants.
Pediatrics, 69: 260, 1982.
- * Robertson, N.R.C.:
A manual of neonatal intensive care.
First Published, chapter 11, p. 156
Edward Arnold, publishers Ltd. London, 1981.
- * Rollins, D.E.; von Bahr, C.; Glaumann, H.; Moldens, P. and Rane, A.:
Acetaminophen: potentially toxic metabolite formed by human fetal and adult liver microsomes and isolated fetal liver cells.
Science, 205: 1414-6, 1979.
- * Rouse, E.; Holes, C. and Kazemi, H.:
Role of prostaglandins in the pulmonary vaso-constrictor response to alveolar hypoxia.
Clin. Res., 33: 351, 1975.
- * Said, S.I.; Mult, V.; Yoshida, T.:
Biologically active polypeptides from normal Lung.
Clin. Res., 33: 351, 1975.
- * Saling, E.:
Geburtsh, U. Frauenheilk, 19: 230, 1959.
Quoted, Ata and Holman, 1966.
- * Scanlon, J.W. and Krakaur, R.:
Hyperkalemia following Exchange Transfusion.
J. Pediatr., 96 (8): 108-10, 1980.
- * Schreiner, R.L. and Glick, M.R.:
Inter-laboratory Bilirubin Variability.
Pediatrics, 69: 277, 1982.

- * Seligman, J.W.:
Recent and changing Concepts of hyperbilirubinemia and its management in the newborn.
Ped. Clinics N. Am., vol. 24, No. 3, 1977.
- * Setzer, E.S.; Ahmed, F.; Goldberg, R.N.; Hellman, R.L.; Moscoso, P. and Ferrer, P.:
Exchange Transfusion using washed red blood cells reconstituted with fresh-frozen plasma for treatment of severe hyperkalemia in the neonate.
J. Pediatr., 104, No. 3, 443-6, 1984.
- * Shafer, A.W.; Tague, L.L.; Welch, M.H. and Guenther, C.A.:
2, 3 Diphosphoglycerate in red cells stored in acid-citrate-dextrose and citrate-phosphate-dextrose: Implications regarding delivery of oxygen.
J. Lab. Clin. Med., 77: 430, 1971.
- * Shannon, K.; Ball, E.; Wasserman, R.L.; Murphy, F.K.; Luby, J. and Buchanan, G.R.:
Transfusion associated cytomegalovirus infection and acquired immune deficiency syndrome in an infant.
J. Pediatr., Vol. 103 No. 6, 860, 1983.
- * Shende, A.; Festa, R. and Honigman, R.:
Exchange Transfusion as a treatment for hyper-leukocytosis, anemia and metabolic abnormalities in patients with leukemia.
J. Pediatr., 98, 851, 1981.
- * Schulman, I.A.; Saxena, S.; Nelson, J.M. and Furmanski, M.:
Neonatal exchange transfusions complicated by transfusion Induced Malaria.
Pediatrics, Vol. 73, No. 3, 1984.
- * Smith, C.H. and Miller, D.R.:
Blood diseases of infancy and childhood.
3rd edition, chapter 10, p. 140-52
The C.V. Mosby and company, Saint Louis, 1972.
- * Starrs, S.:
Immunologic aspects of congenital infections.
Clin. Perinatol., 8: 509, 1981.
- * Stevens, D.C.; Kleiman, M.B.; Lietman, P.S. and Schreiner, R.L.:
Exchange Transfusion in acute chloramphenicol toxicity.
J. Pediatr., Vol. 93, No. 4, 651-3, 1981.
- * Striegel, J.E. and Edson, R.:
Treatment of a spontaneous intracerebral hematoma with Exchange Transfusions in an infant with hemophilia B.
J. Pediatrics, 105, No. 2, 278-80, 1984.
- * Thangavel, M.; Pomerance, J.J. and Raj, C.:
Catheter tip localization during umbilical venous exchange transfusion and necrotizing enterocolitis.
Pediatrics, Vol. 69, No. 6, 799-800, 1982.

- * Touloukian, R.J.; Kadat, A. and Spencer, R.P.:
The gastro-intestinal complications of neonatal umbilical venous exchange Transfusion. A clinical and experimental study.
Pediatrics, 51, 36, 1973.
- * Turkel, S.B.; Miller, C.A. and Guttenberg, M.E.:
A clinical pathologic reappraisal of kernicterus.
Pediatrics, 69: 267, 1982.
- * Walterstein, H.:
Treatment uof severe Erythroblastosis by simultaneous removal and replacement of the blood of the newborn infant.
Science, 103, 583, 1946.
- * Warriar, R.P.; Ravindranath, Y.; Emani, A. and Lusher, J.:
Exchange Transfusion for hyperleukocytosis, anemia and metabolic abnormalities in leukemia.
J. Pediatr. 98, 338-9, 1981.
- * Waters, W.J. and Porter, E.G.:
Dye binding capacity of serum albumin in hemolytic disease of the newborn.
Am. J. Dis. Child., 102: 807, 1961.
- * Waters, W.J. and Porter, E.G.:
Indications for Exchange transfusion based upon the role of albumin in the treatment of hemolytic disease of the newborn.
Pediatrics, 3: 749, 1964.
- * Weldon, V.V. and Odell, G.B.:
Mortality risk of Exchange Transfusion.
Pediatrics, 41: 797, 1968.
- * Wheeler, W.E. and Ambuel, J.P.:
The Efficient use of exchange transformation in the treatment of Erythroblastosis.
Ped. Clin. N. Am., 4: 383, 1957.
- * Wiener, A.S. and Wexler, I.B.C.:
J. Lab. Clin. Med., 31: 1016, 1946.
Quoted, Ata and Holman, 1966.
- * Wiener, A.S. and Wexler, I.B.C.:
Results of therapy of erythroblastosis with Exchange Transfusion.
Blood, 4: 1, 1949.
- * Wiener, A.S. and Wexler, I.B.C. and Brancato, G.J.:
Treatment of erythroblastosis by exchange transfusion.
J. Pediatr., 45: 546, 1954.
- * Wittner, M.; Rowin, K. and Tanowitz, H. et al.:
Successful Chemotherapy of transfusion babeiosis.
Ann. Intern. Med., 96: 601, 1982.

- * Wood, J.L.:
Plethoro in the newborn infant associated with
cyanosis and convulsions.
J. Pediatr., 54: 143-151, 1959.
- * Vain, N.E.; Mazlumian, J.R.; Ward Swarner, O. and Cha, E.C.:
Role of Exchange Transfusion in the treatment of severe septicemia.
Pediatrics, 66: 693-7, 1980.
- * Valentine, G.H.:
Exchange Transfusion by continuous drip using heparinized blood.
Lancet, Vol. 1, 10: 1962.
- * Valentine, G.H.:
Exchange Transfusion Apparatus.
Lancet, Vol. 2, 1466, 1966.
- * Vaughan III, E.V.:
Management of Hemolytic Disease of the newborn Infant.
J. Pediatr., 54, 586, 1959.
- * Zinkham, W.H.:
An In-vitro abnormality of glutathione metabolism in erythrocytes from
normal newborns mechanism and clinical significance.
Pediatrics, 23: 18, 1959.