

..... REFERENCES

REFERENCES

- Abdel-Wahab, M.F.; Robertson, R.P. and Roash, F.O. (1974):
Paratyphoid A fever
Ann. Intern. Med., 70 : 913-917.
- Abdel-Wahab, M.F. (1978):
fevers of undetermined origin in Egypt.
Ain Shams Med. J., 29 : 147.
- Aduan, R.P; et al. (1979):
Factitious fever and self induced infection.
A report of 32 cases and review of the
literature.
Ann. Intern. Med., 90 (2): 230.
- Alt, H. L., and Barker, M. H. (1930):
Fever of unknown origin.
J.A.M.A., 94: 1457-1461.
- Asher, W. and Freimanis, A. (1969):
Echographic, diagnosis of retroperitoneal
lymph node enlargement.
Am. J. Roentgenol., 105: 438.

Atkins, E. (1984):

Fever: The old and the new.

J. Infect. Dis., 149(3): 339-348.

Balfour HH, Minken SL. (1971):

Liver abscess due to *Corynebacterium acnes*.

Clin Pediatr (Phila), 10: 55.

Barbado-Hernandez, F.J. ; et al. (1981):

Fever of unknown origin: A survey on 133 patients.

J. Med., 15: 185-192.

Bayley, N., and Stolz, H.R. (1937):

Maturational changes in rectal temperatures of 61 infants from 1 to 36 months.

Child, Develop., 8: 195.

Behrman, R.E., and Vaughan, V.C. (1983):

Fever of unknown origin. Nelson textbook of Pediatrics 12th ed. Edited by Nelson W.E., Saunders W.B. Company, Philadelphia. 601-604.

Berger, L, and Osborone, D. (1982):

Treatment of pyogenic liver abscess by Percutaneous needle aspiration.

Lancet, 16: 132.

Bergeson PS, Steinfeld HJ.(1974):

How dependable is palpation as a screening
method for fever?

Clic Pediatr,13: 350.

Bligh, J. (1973):

Temperature Regulation in Mammals and Other
Vertebrates.

American Elsevier Publishers, 230p234.

Bodey, G.P., Buckley, M., Sathe, Y.S., et al. (1966):

Quantitative relationships between circulating
leukocytes and infection in patients with
acute leukemia.

Ann. Intern. Med.,64: 328-340.

Bomford, R.; Mason, S. and Swash, M. (1975)

Temperature

Hutchison Clinical Methods 16 th ed. 34.

ELBS and Bailliere Tindall.

Bondy PK, Cohn GL, Gregory PB. (1965):

Etiocholanolone fever.

Medicine,44: 249.

Brewis, E.G. (1965):

Undiagnosed fever.

Br. Med. J.,1: 107.

Brobeck, J. (1973)

Regulation of Body Temperature.

Best & Taylor's Physiological Basis of
Medical Practice 9 th ed. : 9-128.

Buckley, R.M. (1983):

Miscellaneous and unusual causes of FUO.

Fever of Undetermined Origin. edited by
Murray, H.W., Futura Publishing Company
New York, pp: 109-125.

Bujak J.S., Aptekan R.G., Decker, J.L. (1973):

Juvenile rheumatoid arthritis presenting
in the adult as fever of unknown origin.
Medicine,52: 431-444.

Burbige, E.J., Huang, S.H., and Bayless, T.M. (1974):

Early manifestations of Crohn's disease
in adolescents.

Gastroenterology,66: 669.

Burman Roy, B.G. (1976):

Treatment of FUO.

J. Roy. Coll. gen. Practit., 26: 387.

Calabro, J.J. ; Marchesano, J.M. (1967):

Fever associated with juvenile rheumatoid arthritis.

New Engl. J. Med., 276: 11.

Calabro, J.J. ; Marchesano, J.M. (1967):

Juvenile rheumatoid arthritis.

New Engl. J. Med., 277: 696.

Chatton, M.J. (1984):

General symptoms, Shock syndrome.

Current Medical Diagnosis & Treatment. 23 th
edition edited by Krupp, M.A. and Chatton,
M.J., pp: 9.

Cone, T.E. (1969):

Diagnosis and treatment: children with fevers.

Pediatrics. 43: 390.

Cooper, E.S., Cooper, J.W. and Schnabel, T.G. (1966):

Pitfalls in the diagnosis of bacterial endocarditis.

Arch. Intern. Med., 118: 55-61.

Coopersmith, A., Rilchey, A.K. and Zinkham, W.M. (1975):

Fever of unknown origin and the value of
Gallium 67 and Technetium-99^M for defining
abnormality of the spleen: A case report.
The Johns Hopkins Med. J. 137: 51.

Deelder, A.M. and Kornelis, D. (1981):

Immunodiagnosis of recently acquired S.
mansoni infection. Comparison of various
immunological techniques.
Trop. Geogr. Med., 33: 36-41.

DiMagno, E.P.; Malagelada, J.R.; Taylor, W.F. (1977):

A prospective comparison of current diagnostic
tests for pancreatic cancer.
N. Engl. J. Med., 297: 737.

Dinarello, C.A. and Wolff, S.M. (1978):

Pathogenesis of fever in man.
N. Engl. J. Med., 298: 607.

Dinarello, C.A. and Wolff, S.M. (1979):

Fever of unknown origin.
Principles and Practice of Infectious Diseases
Ed. by Mandell, G.L.; Douglas, R.G. and
Dennett, J.E. John Wiley and Sons. New York.
Vol. 1: 407-428.

Dinareello, C.A. (1982):

Pathogenesis of fever.

Cecil Textbook of medicine, 16 th edition.

Ed. by Wyngaarden, J.B. and Smith, L.H.

pp: 1393-1395.

Dubois E.F. (1948):

Body temperature. Springfield, Illinois:

Charles C Thomas.

Dubois E.F. (1949):

Why are fever temperatures over 106 F rare?

Am. J. Med. Sci., 217: 361.

El-Rooby, A. (1959):

Pyrexia of unknown origin.

J. Egypt. Med. Assoc., 43: 332-345.

El-Rooby, A. (1979):

Fever of undetermined origin.

J. Trop. Med. Hyg., 59: 47.

El-Rooby, A.; El-Sahly, A.M.; Ahmed, M.S. et al. (1985):

Fever of undetermined origin: 2- Collagen-vascular diseases.

J. Egypt. Med. Assoc., 68: 109-120.

El-Said, W.M. (1972):

Fevers of undetermined origin in Egypt.

Ain Shams Med. J., 29: 147.

Esposito, A.L. and Gleckman, R.A. (1979):

A diagnostic approach to the adult with FUO.

Arch. Int. Med. , 139: 575-579.

Esposito, A.L. (1983):

Planning and proceeding with the diagnostic evaluation.

FUO: Fever of Undetermined origin. Ed. by

Murray, H.W., Futura Publishing Company

New York, p: 141.

Estes, D.; Christian, C.L. (1971):

The natural history of systemic lupus erythematosus by prospective analysis.

Medicine., 50: 85.

Everett, M.T. (1973):

Fever of undetermined origin.

The practitioner., 25: 317.

Everett, M.T. (1977):

Definition of PUO in general practice.
The Practitioner., 218: 388.

Fairley, K.F. (1976):

The investigation and treatment of urinary
tract infection.
Med. J. Aust., 2: 305.
Cited by Farrar, W.E. ''Infections of the
urinary tract''.
Med. Clin. North Am., 1983, 67(1): 187.

Farid, Z., Bassily, S., Kent, D.C. et al. (1970):

Chronic urinary Salmonella carriers with
intermittent bacteraemia.
J. Trop. Med. Hyg., 73: 153-156.

Farid, Z.; Miner, W.F.; Hassan, A. and Trabolsi, B.
(1975):

Misuse of antibiotics.
N. Engl. J. Med., 298: 216.

Farid, Z.; Trabolsi, B; Hassan, A. et al. (1976):

Short course tripple chemotherapy for
diagnosis of tuberculosis.
Lancet, 1: 973.

Farid, Z.; Trabolzi, B.; Yassin, W.; et al. (1978):
Enteric fevers in Egypt with emphasis on
the chronic enteric carrier condition.
J. Egypt. Public Health Assoc. Vol. L 111,
(5 & 6) Suppl.

Farid, Z. (1984):
Brucellosis. Hunter's Tropical Medicine.
6th edition ed. by Strickland, G.T.
Saunders, W.B. Company. pp: 336.

Farrar, W.E. (1983):
Infections of the urinary tract.
Med. Clin. North Am., 67(1): 187-201.

Feigin RD, Shearer WT. (1976):
Fever of unknown origin in children.
Curr Probl Pediat 6: 2.

Feigin RD. (1981):
Fever of unknown origin. Textbook of
Pediatric Infectious Diseases. Edited by
Feigin RD., and Cherry JD. Saunders, W.B.
Company. pp: 787-794.

Feldberg W., Gupta K.P. (1976):

Sampling for biologic assay of cerebro-spinal fluid from the third ventricle in the unanaesthetized cat.

J. Physiol (Lond)., 222: 126.

Frayha, R. and Uwaydah, M. (1973):

Fever of unknown origin.

Leb. Med. J. 26: 49.

Ganong, W.F. (1977):

Temperature regulation.

Review of Medical Physiology. Lange Med.

Publications LOS ALTOS, California

8th ed: 171.

Garrod, L.P. (1972):

Antibiotics in FUO.

Brit. Med. J. iv, 473.

Geddes, L.V. (1974):

Undiagnosed fever-Rickettsial, Viral, and helminthic infections.

Br. Med. J., 4: 454-456.

Geraci, J.E.; Weed, L.A. and Nichols, D.R. (1959):

Fever of obscure origin: the value of
abdominal exploration in diagnosis.

JAMA, 169: 1306-1315.

Giesel LO (1961):

Fever control in the office and home.

Pediatr Clin North AM, 8: 73.

Gleckman, R. and Gantz, N.M. (1983):

FUO patients in the community hospital.

Fever of Undetermined Origin. Ed. by

Murray, H.W. New York. p: 196.

Hablas, R.; Sanbron, W.R.; and Sorenson, K. (1974):

Salmonella serotypes newly isolated
from humans in Egypt.

Trop. Geograph. Med., 26: 84-86.

Hamburger, M. (1963):

Acute and subacute bacterial endocarditis.

Arch. Intern. Med., 112: 1.

Hamman, L., and Wainwright, C.W. (1936):

The diagnosis of obscure fever.

Johns Hopkins Med. Bull., 58: 109-133.

Hamrick HJ, Murphy TF (1978):

Bacteremia in 28 ambulatory children.

Clin Pediatr 17: 119.

Hassan, A. and Farid, Z. (1974):

Fever of undetermined origin in Cairo.

N. Engl. J. Med., 290: 807.

Hathout, S.E.; Abdel-Ghaffar, Y.; Awny, A.Y.; and

Hassan, K. (1966):

Relation between scistosomiasis and chronic
enteric urinary carrier state among Egyptians.

Am. J. Trop. Med. Hyg., 15: 156.

Hathout, S.E.; Abdel-Ghaffar, Y.; Awny, A.Y. (1967):

Salmonellosis complicating schistosomiasis
in Egypt. A new clinical appreciation.

Am. J. Trop. Med. Hyg., 16: 462.

Hathout, S.E. (1978):

Chronic salmonellosis complicating urinary
schistosomiasis.

Gaz, Egypt. Ped. Ass. Vol. 26, No. 1-2.

Hiatt, R.A.; Sanchez, G.; Zambrana, M. and Knight, W.B.

(1979):

Factors in the pathogenesis of acute
schistosomiasis mansoni.

J. Infect. Dis., 139: 659-666.

Higashi, G.I., and Farid, Z. (1978):

Synergism in infections.

N. Engl. J. Med., 298: 1147.

Hoburt A.R. (1974):

Periodic fever.

JAMA 1662: 1664.

Hoekelman, R.A. (1974):

Fever of unknown origin.

Pediatrics 9: 1199.

Hoffman, S.L. (1984):

Typhoid fever.

Hunter's Tropical Medicine. 6th edition ed.

by Strickland G.T., Saunders, W.B. Publishing
company, pp: 282.

Jacoby, G.A. and Swartz, M.N. (1973):

Fever of undetermined origin.

N. Engl. J. Med., 289: 1407-1410.

Jawetz, and Grossman, M. (1978):

Fever of Unknown Origin.

Current Medical Diagnosis and Treatment.

17th ed. 789.

Lang. Med. Publications. LOS ALTOS,
CALIFORNIA.

Jones, T.D. (1944):

The diagnosis of rheumatic fever.

JAMA. 126: 481.

Kamal, A.M. (1958):

Epidemiology of communicable disease, pp: 115-
117 Anglo-Egyptian Bookshop, Cairo.

Cited by Hathout, S.E.; Abdel-Ghaffar, Y.;

Awany, A.Y. and Hassan, K. ''Relation between
schistosomiasis and chronic enteric urinary
carrier state among Egyptians. ''Am. J. Trop.
Med. Hyg., 15: 156, (1966).

Kaplan, S.L. and Feigin, R.D. (1976):

Pyogenic liver abscess in normal children
with fever of unknown origin.

Pediatrics, 58(4): 614-616.

Kaye, D. (1982):

Infective endocarditis.

Cecil Textbook of Medicine. 16th edition,
ed. by Wyngaarden, K.B. and Smith, L.H.
pp; 1457.

Keefer, C.S. (1936):

The diagnosis of the causes of obscure fever.
Texas State J. Med. 35: 203-212.

Kerr, W.R.; Coghlan, J.D.; Payne, K.J.H. and Robertson,
L. (1966):

The laboratory diagnosis of chronic brucellosis.
Lancet ii: 1181-1183.

Kintner, A.R. and Rowntree, L.G. (1934):

Long continued low grade idiopathic fever.
JAMA, 102: 889-892.

Kluger, M.J. (1980):

Fever.
Pediatrics, 66(5): 720-724.

Kunin, C.M. (1970):

The natural history of recurrent bacteruria
in schoolgirls.
N. Engl. J. Med., 282: 1443.

Larson, E.B.; Featherstone, H.J. and Petersdorf,
R.G. (1982):

Fever of undetermined origin: diagnosis
and follow up of 105 cases.
Medicine, 61(2): 269-292.

Lee C.T. (1980):

Tick-borne relapsing fever in children.
Pediatrics, 66:963.

Lerner, P.I. and Weinstein, L. (1966):

Infective endocarditis in the antibiotic era.
N. Engl. J. Med., 274: 259.

Levine, S. (1970):

The fungal skin test as a diagnostic hindrance.
J. Infect. Dis., 122: 343-345.

Levine, A.S., Schimpf, S.C., and Graw, R.G. (1974):

Hematologic malignancies and other marrow
failure states: progress in the management
of complicating infections.
Semin. Hematol., 11: 141-202.

Lohr J.A., and Hendley J.O. (1977):

Prolonged fever of unknown origin: Record
of experience with 54 childhood patients.
Clin Pediatr, 16: 768.

Lorin M.I. (1982):

The febrile child: Clinical Management of
Fever and Other Types of Pyrexia.
Wiley Medical Publication. New York pp: 95.

Mandell, B.; Shen, H.S.; and Hepburn, B. (1976):

Fever from Ibuprofen in a patient with
systemic lupus erythematosus.
Ann. Int. Med., 85: 209.

Mandal, B.K. (1979):

Typhoid and paratyphoid fever.
Clin. Gastroenterol., 8: 715-735.

Mattman, L.H., and Mattman, P.E. (1965):

L-forms of Streptococcus faecalis in
septicaemia.
Arch. Intern. Med., 115: 315.

McCarthy PL, Grund GW, Spiesel SZ, Dolan TF (1976):

Bacteremia in children.
Pediatrics 57: 861.

McCarthy PL, and Dolan TF (1979):

Hyperpyrexia in children.
Am. J. Dis. Child., 130: 849.

McClung M.H.G. (1972):

Prolonged fever of unknown origin in
children.
Am. J. Dis. Child., 124: 544-550.

Messiner R.P.; Laxdal T.; Qnic P.G. and Williams R.C.

(1986):
Rheumatoid factors in subacute bacterial
endocarditis-bacterium, duration of disease
or genetic predisposition.
Ann. Intern. Med., 68: 746-756.

Moffet, H.L. (1981):

Prolonged Unexplained Fever. Pediatric
infectious diseases 2nd edition. J.B.
Lippincott Company, Toronto. pp:251-257.

Mohran, Y. (1973):

Pyrexia of unknown origin (PUO): A ten-year
study from Ain-Shams University Hospital.
Ain-Shams. Med. J., 24: 321.

Molavi, A., and Weinstein, L. (1970):

Persistent perplexing pyrexia: Some comment
on aetiology and diagnosis.

Med. Clin. N. Am., 54(2): 379-396.

Murray, H.W.; Mann, J.I.; Genee, A. (1977):

Factitious fever update.

Arch. Int. Med., 139: 739.

Nash, T.E.; Cheever, A.W.; Ottesen, E.A. and Cook, J.A.
(1982):

Schistosome infections in humans: perspective
and recent findings.

Ann. Intern. Med., 97: 740-754.

Ogilvie, C. (1980):

Fever.

Chamberlain's Symptoms and Signs in Clinical
Medicine. 10th edition, edited by Ogilvie, C.,
the English Language Book Society and Bristol.
John Wright and Sons., p: 457.

Pader, E.; Elster, S.K. (1959):

Studies of acute rheumatic fever in adults.

Am. J. Med., 26: 424.

Parker, C.W. (1975):

Drug therapy during allergy.

N. Engl. J. Med., 292: 957-960.

Parks, R.E. (1950):

The radiographic diagnosis of perinephric abscess.

J. Urol., 64: 555-563.

Perera, M.R.; Kirk, A. and Noone, P. (1980):

Presentation, diagnosis and management of liver abscess.

Lancet, i: 629-632.

Pesanti, E.L.; and Smith, I.M. (1979):

Infective endocarditis with negative blood cultures: An analysis of 52 cases.

Am. J. Med., 66: 43-50.

Petersdorf, R.G. and Beeson, P.B. (1961):

Fever of unexplained origin: Report on 100 cases.

Medicine, 40: 1-30.

Petersdorf, R.G. (1969):

Fever of unknown origin.

Ann. Intern. Med., 70: 864-866.

Peterson, K.L. (1977):

Infective endocarditis. Role of newer
diagnostic techniques.

Chest, 72: 553-554.

Pfischner, W.C.E.; Ishak, H.G.; et al., (1975):

Brucellosis in Egypt. A review of experience
with 228 patients.

Am. J. Med., 22: 915-929.

Phelan JP, Meguiar RV, Matey D, Newman C. (1978):

Dramatic pyrexia and cardiovascular response
to intravaginal prostaglandin E₂.

Am. J. Obstet. Gynecol., 132: 28.

Pittman QJ, Veale WL, Cooper KE (1976):

Observation on the effect of salicylate in
fever and the regulation of body temperature
against cold.

Can. J. Physiol. Pharmacol., 54: 101.

Pizzo, P. A.; Lovejoy, F.H. and Smith, D.H. (1975):

Prolonged fever in children.

Pediatrics, 55(4): 468-473.

Plass, J.B.. (1950):

Pyrexia of Unknown Origin.

Mil. Surgeon., 106: 469.

Pugh, R.N.H.; Bell, D.R.; Gilles, H.M.; Malumfashi. (1980):

The potential medical importance of bilharzia
in northern Nigeria.

Ann. Trop. Med. Parasitol., 74: 597-613.

Rau, J. (1977):

Ultrasonic or radiologic cholecystography.

N. Engl. J. Med., 297: 62.

Reid, J.V. (1956):

Pyrexia of unknown origin.

Br. Med. J., 23: 4983.

Reimann, H.A. and McCloskey, R.V. (1974):

Periodic fever: Diagnostic and therapeutic
problems.

JAMA, 228(13): 1662.

Roberts KB, Brozy MS (1977):

Fever in the first 8 weeks of life.

Johns Hopkins Med. J., 141:9.

Roca, H. Kirk, J.W. and Hearey, C.D. (1971):

Prolonged Salmonella bacteraemia in patients
with Schistosoma mansoni infection.

Arch. Intern. Med., 128: 254-257.

Ross, R.S. ; McKusick, V.A. ; Harvey, J.C. (1957):

The problem of fever in patients with valvular
heart diseases.

JAMA, 165 (1): 1.

Ross, S.C. and Densen, P. (1983):

Specific FUO patients: The patient from a
rural area.

Fever of Unknown Origin. Edited by Murray, H.W.,
Futura Publishing Company, New York, pp: 281.

Rowe AH (1948):

Fever due to food allergy.

Ann Allergy, 6: 252.

Saxena, S.R., Laurance, B. M., and Shaw, D.G. (1975):

Pyrexia of unknown origin.

Lancet, ii,403.

Schacter, J. (1978):

Chlamydial infections.

N. Engl. J. Med., 298: 428.

Schur, P. H. (1982):

Systemic lupus erythematosus.

Cecil Textbook of Medicine, 16th edition Ed.

by Wyngaarden, J.B. and Smith, L. H. pp: 1952.

Schwabe AD (1977):

Familial Mediterranean fever.

West. J. Med., 127: 15.

Scully, R.E. ; Mark, E.J. and McNeely, B.U. (1983):

Case records of the Massachusetts General

Hospital. New Eng. J. Med., 309 (10): 600.

Sen, P. and Louria, D.B. (1983):

Non-invasive and invasive diagnostic
procedures and laboratory methods.

Fever of Undetermined Origin. Ed. by Murray H.W,

Futura Publishing Company, New York, pp: 159.

Shaker, Y. (1966):

Thirst fever with a characteristic temperature pattern in infants in Kuwait.

Br. Med. J., 1: 586.

Sheon, R.P., and Van Ommen, R.A. (1963):

Fever of obscure origin; Diagnosis and treatment based on a series of 60 cases.

Am. J. Med., 34: 486-499.

Sherlock, S. (1981):

'Liver Flukes'.

Diseases of the liver and biliary system.

Edited by Sherlock, S. 6th Edition. Blackwell Scientific publication Oxford, pp: 454.

Shirkey, H.C. (1980):

Fever of Undetermined Etiology.

Pediatric Therapy, 6th edition. The C.V.

Mosby Company, St. Louis., pp: 386.

Silber, E.N. ; Katz, L.N. (1966):

Fever in patients with heart disease.

Med. Clin. N. Am., 50: 211.

Sippel, J.E. ; El-Masry. N.A. and Farid, Z. (1982):
Diagnosis of human brucellosis with ELISA.
Lancet, i: 19-21.

Sohar E, Gafni J, Pras M, Heller H (1967):
Familial Mediterranean fever.
Am. J. Med., 43: 227.

Stein, R.C. (1972):
The white blood count in fevers of unknown
origin.
Am. J. Dis. Child., 124: 60-63.

Stern, R. C. (1977):
Pathophysiologic basis for symptomatic
treatment of fever.
Pediatrics, 59: 92.

Strasser P.H., Levy J.C., Lamb G.A. (1979):
Controlled trial of Pediatric telephone
protocols.
Pediatrics, 64: 553.

Stuiver, P.C. (1984):

Acute schistosomiasis : (Katayama fever).

Br. Med. J., 288: 221-222.

Thoft, R.A. (1978):

Corneal disease.

N. Engl. J. Med., 298: 1239.

Tramont, E.C. (1979):

Treponema pallidum (syphilis):

Principles and practice of infectious diseases.

Edited by Mandell, G.L.; Douglas, R.G. and

Bennett, J.E. John Wiley and Sons. New York

pp: 1820.

Warner, E.G. (1955):

1. Chronic Pulmonary Tuberculosis.

2. Spleen.

3. Pyrexia.

Savill's system of Clinical Medicine.

Edward Arnold LTD. London. 13th ed.:

194, 444 and 555 .

Webbe, G. (1981):

Schistosomiasis: Some advances.

Br. Med. J., 283: 1104-1106.

Weber, M.M.; Bloomer, W.E.; Crandall, P.H., et al.

(1967):

The use of radioisotope scanning in medical diagnosis: application in diseases of brain, lung, liver, and heart.

Ann. Int. Med., 67: 1059-1083.

Weinstein, L. and Fields, B.N. (1978):

Seminars in infectious diseases.

Fever of obscure origin.

New York, Starratan. Intercontinental medical book cooperation. 1-30.

Werner, A.S.; Cobbs, C.G.; Kaye, D. and Hook, E.W.

(1967):

Studies on the bacteria of bacterial endocarditis.

JAMA, 202: 199-203.

Westlake, R.J., and Rastegar, A. (1973):

Hyperpyrexia from drug combination.

JAMA, 225: 1250.

Whimster, W.F. (1974):

A case of PUO demonstrated at the Royal
College of Physicians of London.

Br. Med. J., 157.

Wilcocks, C. and Manson, P. (1978):

1. Schistosomiasis.

2. Tuberculosis.

3. Salmonellosis.

Manson's Tropical Diseases 17th ed.:

285, 447 and 531.

ELBS and Ballière Tindall, London.

Wolf, S.M., Fauci, A.S. and Dale, D.C. (1975):

Unusual aetiologies of fever and their
evaluation.

Ann. Rev. Med., 26: 277-281.

Wunderlich, C.A. (1868):

Medical Thermometry.

London: The New Sydenham Society.

Wyllie, R; Fitzgerald, J.F. (1980):

Bacterial cholangitis in a 10-week-old infant
with fever of undetermined origin.

Pediatrics, 65: 164.

Young L.S. (1983):

Infections

FUO: Fever of Undetermined Origin. Ed. by

Murray H.W., Futura Publishing Company. pp: 27.