

REFERENCES

REFERENCES

- Aase, J.M., and Smith, D.W. (1969) :
Congenital anemia and triphalangeal thumb.
A new syndrome.
J. Pediatr, Vol. 74, No.3 P.471.
- Adamson, K, and Myers, R.E. (1973) :
Perinatal asphxia: causes, Detection and
neurologic sequelae.
Pediatr. Clin.North. Am. Vol.20, No.2.
- Adhikari, M., Coovadia, H.M., Gaffin, S.L., Brock -
Uttine, J.G., Marivate, M., and Pudifin,
D.J., (1985) :
Septicaemic low birth weight neonates
treated with human antibodies to endotoxin
Arch. Dis. Child. Vol. 60, P.382.
- Alford, C., Stagno, S., and Reynolds, D. (1975) :
Diagnosis of chronic perinatal infections.
Am. J. Dis. Child, Vol. 129, P.455.
- Alter, B.P., and Nathan, D.G. (1979) :
Red cell aplasia in children.
Arch. Dis. Child, Vol.54 P.263.
- Anast, C.S. (1984) :
Congenital hypothyroidism, in Schaffer's
diseases of the newborn 5 th ed.P.493,
W.B. Saunders Company Philadelphia.

- Anderson, C.W. and Cordero, L. (1980) :
Changes in amniotic fluid optical density
at 450 mu in Rh-sensitized patients after
maternal hydrocortison treatment.
Am. J. Obstet. Gynecol, Vol.137,P.820.
- Apgar, V. (1953) :
Proposal for new method of evaluation of
newborn infant.
Anesth. Analg. Vol. 32, P.260.
- Appelbaum, P.C., Friedman, Z., Fairbrother, P.F.,
Hellmann, J. and Hallgren, E.J. (1980) :
Neonatal sepsis due to group G streptococci.
Acta. Pediatr. Scand. Vol. 69, P.559.
- Aranda, J.V. and Sweet, A.Y. (1977) :
Alteration in blood pressure during exchange
transfusion.
Arch. Dis. Child, Vol. 52, P.545.
- Austin, T.K., Finklestein, J., Okada, D.M., Myhre, B.,
and Sturgeon, P. (1976) :
Hemolytic disease of newborn infant due to
anti-U.
J. Pediatrics, P.330, August.
- Avery, G.B. (1981) :
Hematologic problems, in Neonatology :
Pathophysiology and management of the
newborn. 2 nd ed. P. 545.
J.B. Lippincott, Philadelphia.

- Avery, M.E. and Taeusch, H.W. (1984) :
The newborn infant, in Schaffer's
diseases of the newborn. 5 th ed.
P.56, W.B. Saunders Company, Philadelphia.
- Bauer, C.R., Fojaco, R.M., Bancalari, E., and Fernandez,
Rocha, L. (1978) :
Microangiopathic hemolytic anemia and
thrombocytopenia in a neonate associated
with a large placental chorioangioma.
Pediatrics, Vol. 62, No.4, P.574.
- Baumann, R. and Rubin, H. (1973) :
Autoimmune hemolytic anemia during pregnancy
with hemolytic disease in the newborn.
Blood, Vol.41, No.2, P.293.
- Beard, A., Cornblath, M., Gentz, J., Kellum, M., Persson,
B., Zetterström, R., and Haworth, J.C., (1971):
Neonatal hypoglycemia: A discussion.
J. Pediatrics, Vol. 79, No.2 P.314.
- Behrman, R.E. and Kliegman, R.M., (1983) :
Hypoglycemia, in Nelson textbook of
pediatrics. 12 th ed.
P.390, W.B. Saunders, Company Philadelphia.
- Bennet, R., Eriksson, M. and Zetterstrom, R. (1981) :
Increasing incidence of neonatal septicemia;
causative organisms and predisposing risk
factors.
Acta. Pediatr. Scand. Vol. 70, P.207.

- Bennuck, I. and David, R. (1983) :
Sensitivity of published neutrophil indexes
in identifying newborn infants with sepsis.
J. Pediatr, Vol. 103, No. 6, P.961.
- Beutler, E. (1979) :
Red cell enzyme defects as non disease and
as disease.
Blood, Vol.54, No.1., P.1 .
- Black, J. (1972) :
Shock, hemorrhage and anemia, in Neonatal
emergencies and other problems.
P.77, and P. 186, London: Bulterworth.
- Blance, W. (1961) :
Pathways of fetal and early neonatal in-
fection.
J. Pediatr. Vol. 59, No.4, P.473.
- Bowman, J.M. and Pollock, J.M. (1965) :
Amniotic fluid spectrophotometry and early
delivery in the management of erythroblast-
osis fetalis.
Pediatrics, P. 815.
- Brann, A., Hall, R., Harper, R.G., Little, G.A., et al.
(1980) :
Perinatal herpes simplex virus infection.
Pediatrics, Vol. 66, No. 1, P.147.

- Bucci, G., Sclamandre, A., Savignoni, P.G., Mendicini, M., Picece-Bucci, S. and Piccinato, L.(1972):
The systemic systolic blood pressure of newborns with low birth weight.
Acta. Pediatr. Scand. Supp, vol. 229.
- Cairo, M.S., Rucker, R., Bennetts, G.A., Hicks, D., et al. (1984) :
Improved survival of newborns receiving leukocyte transfusion for sepsis.
Pediatrics, Vol. 74, No. 5, P.887.
- Campognone, P. and Singer, D. (1986) :
Neonatal sepsis due to non typical hemophilus influenza.
A.G.D.C, Vol. 14, P.117.
- Chan, V. and Chan, T.K., Liang, S.T., Ghosh, A., Kan, Y.W. and Todd, D. (1985) :
Hydrops fetalis due to an unusual form of Hb-H-disease.
Blood, Vol. 66, No. I, P.224.
- Chessells, J.M. (1978) :
The anemic child.
The practitioner, Vol. 221, P.349.
- Christensen, R.D., Rothstein, G., Anstall, H.B. and Bybee, B. (1982) :
Granulocyte transfusion in neonates with bacterial infection, neutopenia, and depletion of mature marrow neutrophils.
pediatrics, Vol. 70, No. I, P.I.

- Cloherty, J.P. (1981) :
Drug withdrawal, in Manual of neonatal
care. 1 st ed. P.15.
Little, Brown and Company Boston.
- Cloherty, J.P., (1981) :
Temperature control, in Manual of neonatal
care. 1 st ed. P. 349.
Little, Brown and company Boston.
- Cloherty, J.P. (1985) :
Perinatal asphyxia, in Manual of neonatal
Care. 2 nd ed. P. 65.
Little, Brown and Company Boston.
- Connaughton, J.F., Keeser, D., Schut, J., and Finnegan,
L.P. (1977) :
Perinatal addiction: Outcome and management.
Am. J. Obstet, Gynecol.Vol. 129, No. 6,P.679.
- Cornblath, M., Beard, A., Gentz, J., Kellum, M., et al.
(1971) :
Neonatal hypoglycemia: A discussion.
J. Pediatrics Vol. 79, No. 2, P.314.
- Davies, A. (1971) :
Bacterial infection in the fetus and newborn.
Arch. Dis. Child. Vol. 46, 1., P.1.
- Diamond, L.K., Allen, D.M. and Magill, E.B. (1961) :
Congenital (erythroid) hypoplastic anemia.
Am. J. Dis. Child.Vol. 102, P.149.
- Disjardins, L., Blajchman, M.A., Chintu,C.,Gent,M.and
Zipursky, A., (1979) :
The specturm of ABO hemolytic disease of
the newborn infant.
J. Pediatr. Vol. 95, No. 3, P.447.

- Dunn, P.M. (1966) :
The unnecessary exchange transfusion :
A study of Rh-hemolytic disease of the
newborn.
J. Pediatr. Vol. 69, No.5, P.329.
- Dweek, H.S., Huggins, W., Dorman, L.P.; Benton, J.W.(1974):
Developmental sequelae in infants having
suffered severe perinatal asphyxia.
Am. J. Obstet. Gynecol. Vol.119, P.811.
- Elradhi, A.S., Jawad, M., Mansor, N., Jamil. I., and
Ibrahim, M. (1983) :
Sepsis and hypothermia in the newborn
infant:value of gastric aspirate examina-
tion.
J. Pediatrics, Vol. 103, No.2.
- Elseed, A.M., Shinebourne, E.A. and Joseph, M.C., (1973):
Assessment of techniques for measurement
of blood pressure in infants and children.
Arch. Dis. Child. Vol. 48, P.932.
- Epstein, M.F., Frantz III, I.D. and Ostheimer, G.W.
(1981) :
Resuscitation in the delivery room In
Manual of neonatal care. 1 st.ed.P.55,
Little Brown and Company Boston.
- Epstein, M.F. (1984) :
Resuscitation, in Schaffer's diseases of
the newborn. 5 th ed. P.493,
W.B. Saunders, Company Philadelphia.

- Ergander, U., Eriksson, M. and Zetterstrom, R. (1983):
Severe neonatal asphyxia.
Acta. Pediatr. Scand. Vol. 72, P.321.
- Erlandson, M.E. and Hilgartner, M. (1960) :
Hemolytic disease in the neonatal period
and early infancy .
J.Pediatr. Vol. 56, P.566.
- Eshaghpour, E., Oski, F.A. and Naiman, L.J. (1966) :
Iron deficiency anemia in a newborn.
J. Pediatr. Vol. 68, No.5, P.806.
- Falterman, C.G. and Richardson, C.J. (1980) :
Transfusion reaction due to unrecongized
hemolytic disease of the newborn infant
J. Pediatr. Vol.97, No. 5, P.812.
- Frankx, J. and Sacre-Smith, L. (1984) :
Severe neonatal anemia possibly caused by
spontaneous cephalic version, with excell-
ent outcome. A case report.
J. Perinat. Med. Vol. 12/3, P.147.
- Fricker, H.S. and Segal, S. (1978) :
Narcotic addiction, pregnancy and the
newborn.
Am. J. Dis. Child. Vol. 132, P.360.
- Gentz, J., Peterson, B. and Zetterstrom, R. (1969) :
On the diagnosis of symptomatic neonatal
hypoglycemia.
Acta. Pediatr. Scand. Vol. 58, P.449.

- Glader, B.E. and Buchanan, G.R. (1976) :
The bleeding neonate.
Pediatrics, Vol. 58, No.4, P.548.
- Glader, B.E. (1984) :
Erythrocyte disorders in the newborn, in
Schaffer's diseases of the newborn.
5 th ed. P.581, W.B. Saunders Company,
Philadelphia.
- Glasgow, L. and Overall, J.C. (1983) :
The fetus and the newborn infant, in
Nelson textbook of Pediatrics. 12 th ed.
P. 322. W.B. Saunders, Company Philadelphia.
- Gold, W.R., Queenan, J.T., Woody, J. and Sacher, R.A.
(1983) :
Oral desensitisation in Rh-disease.
Am. J. Obstet. Gynecol. Vol.146, P.980.
- Gottof, S. and Behrman, R.E. (1970):
J. Pediatrics, Vol. 76, No.1, P.142.
- Grant, D.B. and Hulse, J.A. (1980) :
Screening for congenital hypothyroidism.
Arch. Dic. Child. Vol.55, P.913.
- Gross, S.J., Filston, H.C. and Anderson, J.C. (1982) :
Controlled study of treatment for disseminated intravascular coagulation in the neonate.
J. Pediatrics, Vol. 100, No.3, P.445.

- Gutberlet, L. and Cornblath, M. (1976) :
Neonatal hypoglycemia: Revisited, 1975.
Pediatrics, Vol. 58, No. 1, P. 10.
- Hammerman, C., Eidelman, A.I., Lee, K. and Gartner, L.
M. (1981) :
Comparative measurements of phototherapy.
A practical guide.
Pediatrics, Vol. 67, No. 3, P. 368.
- Harper, R.G., Solish, G., Purow, H.M., Sang, E. and
Panepinto, W.C. (1974) :
The effect of a methadone treatment programme upon pregnant heroin addicts and their newborn infants.
Pediatrics, Vol. 54, No. 3, P. 300.
- Haworth, J.C., Dilling, L. and Younoszai, M.K. (1967):
Relation of blood glucose to haematocrite, birth weight and other body measurements in normal and growth retarded newborn infants.
Lancet, 2, P. 901.
- Hayward, A.R., Harvey, B., Leonard, J., Greenwood, M.C., Wood, C.B.S. and Soothill, J.F. (1979):
Delayed separation of the umbilical cord, widespread infection and defective neutrophil mobility.
Lancet, 26, P. 1099.
- Hegi, T., Delphin, E., Bank, A., Polin, R.A., and Blanc W.A. (1977) :
Sickle cell anemia in the newborn.
Pediatrics, Vol. 60, No. 2, P. 213.

- Henderson, A., Maclaurin, J. and Scott, J.M. (1969) :
Pseudomonas in a glasgow baby unit.
Lancet, 2, P.316.

- Herngren, L., Broberger, U. and Warethind, B. (1986) :
A simplified model for adjustment of gent-
amycin dosage in newborn infants.
Acta. Pediatr. Scand. Vol. 75, P.198.

- Herrera, A. and Hsiang, Y.H. (1983) :
Comparison of various methods of blood
sugar screening in newborn infants.
J. of Pediatrics, Vol. 102. No.5, P.769.

- Hoeklman, R.A., Blatman, S. Brunell, P.A., Friedman,
S.B. and Seidel, H.M. (1978) :
Extrauterine life: the newborn infant, in
Principales of Pediatrics, Health car of
the young.
P. 452, McGrow-Hill Book, Company New York.

- Holzgreve, W., Curry, C.J.R., Golbus, M.S., Callen, P.W.,
Filly, R.A., and Smith, J.C. (1984) :
Investigation of nonimmune hydrops fetalis
Am. J. Obstet. Gynecol. Vol. 150. P.805.

- Hovi, L. and Siimes, M.A. (1985) :
Exchange transfusion with fresh heparinized
blood is a safe procedure.
Acta. Pediatr. Scand. Vol. 74, P.360.

- Hutchison, J.H. (1980) :
Asphyxia neonatorum, in Practical pediatric
problems. 4 th ed., P.I
Lippincott Williams & Wilkins

- Inceman, S. and Tangum, Y. (1963) :
Chronic defibrination syndrome due to a
gaint hemangioma associated with microan-
giobathic hemolytic anemia.
Am. J. Med. Vol. 46, P.997.
- Im, S.S., Rizos, N., Joutsu, P., Shime, J. and Benzie,
R.J. (1984) :
Non immunologic hydrops fetalis.
Am. J. Obstet. Gynecol. Vol. 148, P.566.
- Jackson, R. and Yu, J.S. (1973) :
Neonatal hypothermia.
Med. J. Aust. Vo..2, P.630.
- Johanson, W.C. and Meyer, J.R. (1925) :
A study of pneumonia in the still birth
and newborn.
Am. J. Obstet. Vol. 9, P.151.
- Kanto, W.P., Marino, B., Godwin, A.S. and Bunyapen, C.
(1978) :
ABO hemolytic disease: A comparative study
of clinical severity and delayed anemia.
Pediatrics, Vol.62, No.3, P.365.
- Katz, J. and Marcus, R.G. (1972) :
Risk of Rh immunization in ruptured tubal
pregnancy.
Br. Med. J. Vol.3, P.667.

- Kenny, F.M., Klein, A.H., Augustin, A.V. and Foley, T.P. (1975) :
Sporadic cretinism, in Perinatal thyroid: physiology and disease, 1 st ed. P.133, Raven Press, Publisher. New York.
- Klein, A.H., Foley, B., Foley, T.P., Mac Donald, M.M. and Fisher, M.D. (1981) :
Thyroid function studies in cord blood from premature infants with and without RDS.
J.Pediatr. Vol.98, P. 818.
- Klein, R.Z. (1979) :
Neonatal screening for hypothyroidism.
In Barness L.A. (Ed): Advances in pediatrics P. 417, Chicago, Year Book Publisher.
- Korones, S.B. (1976) :
Significance of the relationship of birth weight to gestational age, in High-risk newborn infants. 2 nd ed. P.75.
The C.V. Mosby, Saint Louis.
- Landau, H., Perlman, M., Meyer, S., Isacsohn, M., et al. (1980) :
Persistent neonatal hypoglycemia due to hyperinsulinism: Medical aspect.
Pediatrics, Vol.70, No.3, P.440.
- Larsson, A., Ljunggren, J.G., and Lundberg, K. (1982):
TSH and thyroxine in stored neonatal filter paper blood samples from patients with congenital hypothyroidism.
Acta. Pediatr. Scand. Vol. 71, P.39.

- Laurenti, F., Ferro, R., Isacchi, G., Panero, A., et al.
(1981) :
Polymorphonuclear leucocyte transfusion
for the treatment of sepsis in the newborn
infant.
J. Pediatr. Vol.98, No.1, P.118.
- Lee, D., Nnatu, S.N.N., and Houston, J.K. (1969) :
Incidence of fetomaternal transfusion in
spontaneous abortion.
J. Obstet. Gynecol. Br. Comm. Vol.76, P.1120.
- Leonidas, J. and Golematis, T. (1966) :
Primary cold injury in the newborn.
Acta. Pediatr. Scand. Vol.55, P.350.
- Liang, S.T., Wong, V.C., So, W.W.K., Ma, H.K., Chan,
V. and Todd, D. (1985) :
Homozygous alpha-thalassemia: clinical
Presentation, Diagnosis and management.
A review of 46 cases.
Br. J. Obstet. Gynecol. Vol.92, P.68.
- Liley, A.W. (1965) :
The use of amniocentesis and fetal trans-
fusion in erythroblastosis fetalis.
Pediatrics, P. 836, may.
- Lilien, L., Pildes, R., Srinivasan, G., Voora, S. and
Yeh, T.F. (1980) :
Treatment of neonatal hypoglycemia with
minibolus and intravenous glucose infusion.
J. Pediatrics, Vol.97, No.2.

- Lister, J. (1977) :
Surgical emergencies in the newborn.
Br. J. Anasth. Vol. 49, P.43.
- Lopez, R. and Cooperman, J.M. (1971) :
Glucose-6-phosphat dehydrogenase deficiency
and hyperbilirubinemia in the newborn.
Am. J. Dis.Child. Vol. 122, P.66.
- Lubin, B.H. (1978) :
Neonatal anemia secondary to blood loss, in
Lubin, B.H. Perinatal hematology.
P.19, W.B. Saunders, Company, London.
- Lubin, B. and Vichinsky, E. (1979) :
Anemia in the newborn period.
Pediatric annals. 8:7, P.416.
- Lyon, M.F. (1961) :
Gen action in the X-chronosom of the mouse.
Nature. Vol. 190, P.372.
- Mac Donald, H.M., Mulligan, J.C., Allen, A.C. and
Taylor, P.M. (1980) :
Neonatal asphyxia: I relationship of obst-
etric and neonatal complications to neonatal
mortality in 38, 405 consecutive deliveries.
J. Pediatrics, Vol.96, No.5, P.898.
- Matoth, Y., Zaizov, R., and Varsano, I. (1971) :
Posnatal changes in some red-cell parameters.
Acta. Pediatr. Scand. Vol. 60, P.317.

- Mc Kay, R.J. (1964) :
Current status of use of exchange transfusion in newborn infants.
Pediatrics, P.763, May.
- Meberg, A. and Schoyen, R. (1985) :
Bacterial colonisation and neonatal infections.
Acta. Pediatr. Scand. Vol.74, P.366.
- Mentzer, W.C., and Collier, E. (1975) .
Hydrops fetalis associated with erythrocyte G6PD deficiency and maternal ingestion of fava beans and ascorbic acid.
J. Pediatr. Vol. 86, P.565.
- Mettchell, M.L., Bapat, V., Larsen, P.R., Lind, H., et al. (1982) :
Pitfalls in screening for neonatal hypothyroidism.
Pediatrics, Vol.70, No.I.
- Misenheimer, H.R. (1966) :
Fetal haemorrhage associated with amniocentesis.
Am. J. Obstet. Gynecol. Vol. 94, P.1133.
- Miser, A., Geraci, T.K., and Wennberg, R.P. (1975) :
Fatal erythroblastosis fetalis due to anti-kell isoimmune disease.
J. Pediatr. Vol.86, No.4, P.567.

- Mulligan, J.C., Painter, M.J., O'Donghue, P.A., Mac Donald, H.M., Allen, A.C. and Taylor, P. (1980): Neonatal asphyxia. II neonatal mortality and long term sequelae. J. Pediatr. Vol. 96, No.5., P.903.
- O'Brein, R.T., Mc Intosh, S., Aspnes, G.Y. and Pearson, H.A., (1976) : Prospective study of sickle cell anemia in infancy. J. Pediatr. Vol.89, No.2, P.205.
- Ogata, E.S. (1986) : Carbohydrate metabolism in the fetus and neonate and altered neonatal glucoregulation. Pediatr. Clin. North. Am. Vol. 33, No. I. P.25.
- Ohlsson, A., Baily, T., and Takieddin, F. (1986) : Changing etiology and outcome of neonatal septicemia in Riyadh, Saudi Arabia. Acta. Pediatr. Scand. Vol. 75, P.540.
- Olowe, S.A., and Ransome-Kuti, O. (1980) : The risk of jaundice in glucose-6-phosphate dehydrogenase deficient babies exposed to menthol. Acta. Pediatr. Scand. Vol.69, P.341.
- Olsen, J.E. (1969) : Neonatal nonspherocytic anemia due to glucose-6-phosphate dehydrogenase deficiency in a danish infant. Acta. Pediatr. Scand. Vol.58, P.187.

- Oski, F.A. and Naiman, J.L. (1972) :
Hematologic problems in the newborn. Philadelphia 2 nd ed. P.33, W.B. Saunders Company.
- Oski, F.A. (1982) :
Pallor, in Core text book of pediatrics.
2 nd ed. P.71,
J.B.Lippincott Company, Philadelphia.
- Oski, F.A. and Naiman, J.L. (1982) :
Anemia in the neonatal period, in
Hematologic problems in the newborn.
3 rd ed. P.56, W.B. Saunders Company,
Philadelphia.
- Østgard, P., Fevang, F. and Kornstad, L. (1986) :
Anti-D in an D positive mother giving rise
to severe hemolytic disease of the newborn.
Acta. Pediatr. Scand. Vol.7 , P.175.
- Overall, J.C., Jr. Feigin, R.D. and Cherry, J.D.(1981):
(Eds), textbook of pediatric infectious
disease.P.156, W.B. Saunders, Philadelphia.
- Paxson, C.L. (1978) :
Neonatal shock in the first day.
Am. J. Dis.Child. Vol. 132, P.509.
- Paxson, C.L. (1979) :
Hematologic problems, in Van Leewen's
newborn medicine. 2 nd.ed. P.307, Year
Book Medical publisher, INC. Chicago.

- Pearson, H.A. (1967) :
Life span of the fetal red blood cell.
J. Pediatr. Vol. 70, P.166.
- Perelman, R., Gutchner, G., Engle, M.J. and Mac Donald, M.J. (1982) :
Comparative analysis of four methods for rapid glucose determination in neonates.
Am. J. Dis. Child. Vol. 136, P.1051.
- Perkin, R.M. and Levin, D.L. (1982) :
Shock in the pediatric patient part I.
J. Pediatr. Vol. 101, P.163.
- Perlstein, P., Hersh, C., Glueck, C.J. and Sutherland, J.M. (1974) :
Adaptation to cold in the first three days of life.
Pediatrics, Vol. 54, No. 4, P.411.
- Philips, A.G.S. and Hewitt, J.R. (1980) :
Early diagnosis of neonatal sepsis.
Pediatrics, Vol. 65, No. 5, P.1036.
- Philips, A.G.S. (1980) :
Neonatal emergencies, in Neonatology.
2 nd ed. P. 302. Medical Examination
Publishing New York.
- Purohit, D.M., Taylor, H.L., and Spivey, M.A. (1978):
Hemolytic disease of the newborn due to anti-J_s^b .
Am. J. Obstet. Gynecol. Vol. 131, P.725.

- Racine, J. and Jarjoui, E. (1982) :
Severe hypothermia in infants.
Helv. Pediatr. Acta. Vol.37, No.4, P.317.
- Reid, M., Mc C., Mc Clure, G., Marks, E. and Elwood, J.H. (1972) :
Phototherapy in Rhesus hemolytic disease.
Lancet, April, P.22.
- Rodeck, C.H., Kemp, J.R., Holman, C.A., Whitmore, D.N., Karnicki, J. and Austin, M.A. (1981) :
Direct intravascular fetal blood transfusion by fetoscopy in severe Rhesus isoimmunisation.
Lancet, 21, P.625.
- Rothstein, P., and Gould, J.B. (1974).
Born with a habit: Infant of drug addict mothers.
Pediatr. Clin. North. Am. Vol.21, P.307.
- Rubin, E.M., and Kan Yuet, W. (1985) :
A simple sensitive prenatal test for hydrops fetalis by alpha-thalassemia.
Lancet, 21, P.75.
- Sable, K. and Hanson, L.A. (1974) :
The clinical usefulness of C-reactive protein (CRP) determinations in bacterial meningitis and septicemia in infancy.
Acta. Pediatr. Scand. Vol. 63, P.381.
- Schröter, W. and Kahsnitz, E. (1983) :
Diagnosis of hereditary spherocytosis in newborn infants.
J. Pediatr. Vol. 103, No. 3, P.460.

- Scott, H. (1976) :
Outcome of every severe birth asphyxia.
Arch. Dis. Child. Vol.51, P.712.
- Shennan, A.T. (1974) :
The effect of phototherapy on the hyper-
bilirubinemia of Rhesus incompatibility.
Pediatrics, Vol.54, No.4, P.417.
- Shirkey, H.G. (1980) :
Neonatal asphyxia, in Pediatric therapy.
6 th ed. P.310, C.V. Mosby Company, Saint
Louise, London,
- Smith, D.W., Klein, A.M., Henderson, J.R., et al.(1975):
Congenital hypothyroidism-signs and symp-
toms in the newborn period.
J. Pediatr. Vol. 87, P.958.
- Speer, C., Bruns, A. and Gahr, M. (1983) :
Sequential determination of CRP, alphaantit-
rypsin and haptoglobin in neonatal septicemia.
Acta. Pediatr. Scand. Vol. 7., P.679.
- Staemmler, M. (1953) :
Fetal enteritis.
Arch. Path. Anat. Vol. 323, P.143.
- Stagna, S. (1980) :
Congenital toxoplasmosis .
Am. J. Dis. Child. Vol. 134, P.635.

- Stockman III, J.A. (1986) :
Anemia of prematurity: current concepts
in the issue of when to transfuse.
Pediatr. Clin. North. Am. Vol.33, No.1.
- Strang, L.B. (1977) :
Neonatal respiration :physiological and
clinical studies.
1 st ed. P.282, Blackwell Scientific
Publication, London.
- Sykes, G.S., Molloy, P.M., Johnson, P., et al. (1982):
Do Apgar scores indicate asphyxia.
Lancet, 27, P.494.
- Tan, K.L. (1976) :
Phototherapy for neonatal hyperbilirubinemia
in "healthy" and "ill" infants.
Pediatrics, Vol.57, No.6, P.836.
- Tanaka, P.R. and Paglia, D.E. (1971) :
Pyruvate kinase deficiency .
Semin. Hematol. Vol. 8, P.367.
- Tovey, G.H. (1980) :
Should anti-D-immunoglobulin be given
antenatally.
Lancet, 30, P466.
- Urbach, J., Kaplan, M., Blondheim, O., and Hirsch, H.J.
(1985) :
Neonatal hypoglycemia related to umbilical
artery, catheter malposition.
J. Pediatrics, Vol.106, No.5, P.825.

- Usher, R. and Lind, J. (1965) :
Blood volume of the newborn premature infant.
Acta. Pediatr. Scand. Vol.54, P.419.
- Usher, R., Shepard, M. and Lind, J. (1963) :
The blood volume of the newborn infant and
placental transfusion.
Acta. Paediatrica, Vol.52,P.497.
- Vain, N.E., Mazlumian, J.R., et al. (1980) :
Role of exchange transfusion in the treatment
of severe septicemia.
Pediatrics, Vol. 66, No.5, P.693.
- Vesikari, T., Janas, M., Grönroos, P., Tuppurainen, N.,
et al. (1985) :
Neonatal septicemia.
Arch. Dis. Child. Vol. 60, P.542.
- Voora, S., Srinivasan, G., Lilien, L.D., Yeh, T.F. and
Pildes, R.S. (1982) :
Fever in full term newborn in the first
four days of life.
Pediatrics, Vol. 69, No.1, P.40.
- Walfish, P.G. (1976) :
Evaluation of three thyroid function
screening tests for detecting neonatal
hypothyroidism.
Lancet, 1, P.1208.

- Wallgren, G., Barr, M. and Rudhe, U. (1964) :
Hemodynamic studies of induced acute
hypo-and hypervolemia in the newborn infant.
Acta. Paediatrica. Vol.53, P.1

- Weatherall, D.J. (1960) :
Enzyme deficiency in hemolytic disease of
the newborn.
Lancet, 15, P.835,

- Whyte, J. and Graham, H. (1981) :
Prediction of the severity of ABO hemolytic
disease of the newborn by cord blood tests.
Acta. Paediatr. Scand. Vol. 70, P.217.

- William, M.E., Shott, R.J. and Oski, F.A. (1975) :
Role of iron and fat on vitamin-E-deficiency
anemia of infancy.
New. Engl. J. Med. Vol. 292, P. 887.

- Wilson, C. (1986) :
Immunologic basis for increase susceptibi-
lity of the neonate to infection.
J. Paediatr. Vol. 108, No.1, P.1.

- Wolter, R., Noel, P. and De Cock, P. (1980) :
Neuropsychological study in treated thyroid
dysgenesis.
Acta. Paediatr. Scand. 277 (suppl) P.41.

- Wong, H.B. (1984) .
The child with pallor.
J. of Singapore Paediatric Society. Vol.26.
No. 1 & 2, P.22.

- Woods, W.G., Cornman, N.L., Hilgartner, M.W. and Miller, D.R. (1979) :
Disseminated intravascular coagulation in the newborn.
Am. J. Dis. Child. Vol. 133, P.44.

- Woo Wang, M.Y.F., Mc Cutcheon, E. and Desforges, J.F. (1967) :
Fetomaternal hemorrhage from diagnostic transabdominal amniocentesis.
Am. J. Obstet. Gynecol. Vol. 97, No.8.
P.1123.

- Yao, A.C. and Lind, J. (1974) :
Placental transfusion.
Am.J. Dis. Child. Vol.127, P.128

- Yoder, M.C. and Polin, R.A. (1986) :
Immunotherapy of neonatal septicemia.
Pediatr. Clin. North. Am. Vol.33, No.3,
P.481.

- Yu, J. and Jackson, R. (1972) :
Neonatal hypothermia in Australia.
The Practitioner, Vol. 213, P.790 .

- Ziai, M. (1983) :
Assessment of the newborn .
Pediatrics: evaluation of the child.
1 st ed. P. 699, Little Borwn and Company
Boston.

- Zipursky, A., Janet, P.Chown,B.and Israels,L.G.(1963):
Transplacental fetal hemorrhage after
placental injury during delivery or amniocentesis.
The Lancet, 7, 1963.