

REFERENCES

References:

1. H.F.W. Taylor; "Cement Chemistry", Academic Press, INC, San Diego, (1990).
2. F.M. Lea; "The Chemistry of Cement and Concrete", 3rd Edn., Edward Arnold, Ltd., London, (1970).
3. A.M. Neville; "Properties of Concrete", 3rd Edn., Pitman Publ. Ltd., London, (1981).
4. ASTM Standards on Cement; C 150 - 56, Amer. Soc. Test Mater., Philadelphia, (1966).
5. R.R. Villarreal; "Admixtures in High Performance Concr.", Part 1, Materials and Structures, p. 47, (1997).
6. V.S. Ramachandran, R. Feldman and J.J. Beaudoin; "Concrete Science", Heyden, London, p. 427, (1981).
7. D.W. Goheen, and L.K. Othmer; "Encyclopedia of Chemical Technology," John Willy & Sons, 3rd Ed. Vol. 14, p. 294, (1992).
8. I. Odler and H. Dorr; "Early Hydration of Tri Calcium Silicate II. The Induction Period", Cem. Concr. Res., Vol. 9, 3, Pp.277 - 284, (1979).
9. B. Mayfield; "Civil Engineering and Public Works Review", Vol.1, p.37, (1969).
10. V.H. Dodson; "Concrete Admixtures", 211P Van Nostrand Reinhold, New York, (1990).
11. Z. Heren and H. Olmez; "The Influence of Ethanolamines on the Hydration and Mechanical Properties of Portland Cement" Cem. Concr. Res., Vol. 26, p. 701, (1996).
12. I. Aiad, S.A. Abo – El Enein and A.A. Mohamed; "Rheological Properties of Cement Pastes Admixed With Some Alkanolamines", Cem. Concr. Res., Vol. 33, 1, Pp. 9 – 13, (2003).
13. G.M. Bruere; "Australian Journal of Applied Science", Vol. 9, p.349, (1958).
14. M.R. Rixom; "Proceedings of the Workshop on the Use of Chemical Admixtures in Concrete", University of New South Wales, p.149, (1975).

15. P.C. Kreiger; "Proceedings of the International Symposium on Admixtures for Mortar and Concrete", Brussels, p.33, (1967).
16. M.R. Rixom and N.P. Mailvaganam; "Chemical Admixtures for Concrete", University Press, Cambridge, London, (1986).
17. F. Massazza and M. Testolin; *Il - Cemento*, Vol.77, p.73, (1980).
18. S. Mindess and J.F. Young; *Concrete*, Prentice Hall, Englewood Cliffs NJ, (1981).
19. J.A. Kent; "Riegel's Handbook of Industrial Chemistry", 8th Ed., Van Nostrand, Reinhold, New York, (1983).
20. A.M. Paillere; "Application of Admixtures in Concrete", E & FN Spon, London, (1996).
21. S.D. Chen, C.H. Hwang and K.C. Hsu; "The Effects of Sulphonated Phenolic Resins on the Properties of Concrete", *Cem. Concr. Res.*, Vol. 29, Pp. 255 – 259, (1999).
22. V.M. Malhotra; "Specialized Innovative Application of Superplasticizer in Concrete", in : C.L. Hwang (Ed.), *Proceedings of R & D and Promotion of High Performance Concrete*, Taipei, Taiwan, Pp. 23 - 58, (1997).
23. P.C. Aitcin and B. Miao; "How to Make High Performance Concrete", in : J.C. Chern, (Ed.), *Proceedings of the Second Seminar on High Performance Concrete*, Taipei, Taiwan, Pp. 91 – 118, (1992).
24. R. Kondo, M. Daimon and E. Sakai; *Il - Cemento*, Vol. 75, p. 225, (1978).
25. I. Aiad, M. Heikal, M.M. Shoaib and H. El – Didamony; "Physico - Chemical Characteristics of Some Polymer Cement Composites", *Materials Chemistry and Physics*, Vol. 71, p. 76, (2001).
26. H.K. Cook; "Proceedings of the International Symposium on Admixtures for Mortar and Concrete", Brussels, p.135, (1969).
27. V.S. Ramachandran, V.M. Malhotra, C. Jollicoeur and N. Spiratos; "Superplasticizers Properties and Applications in Concrete", Ottawa, p. 50, (1998).
28. V.T. Yilmaz, A. Kindness and F.P. Glasser; "Determination of Sulfonated Naphthalene Formaldehyde Superplasticizers in Cement. A New Spectrofluorimetric Method and Assessment of the UV Method", *Cem. Concr. Res.*, Vol. 22, p. 663, (1992).

29. M. Pei, D. Wang, X. Hu and D. Xu; "Synthesis of Sodium Sulfanilate Phenol Formaldehyde Condensate and Its Application as a Superplasticizer in Concrete", *Cem. Concr. Res.*, Vol. 30, 11, Pp. 1841– 1845 , (2000).
30. G. Bradley and I.M. Howarth; "Water Soluble Polymer. The Relation Between Structure, Dispersing Action and Rate of Cement Hydration", *Cem. Concr. Agg.*, Vol. 8, p. 145, (1986).
31. U.S. Patent No.5362324, C.A. p 237129 d, Vol. 121, (1994).
32. S. Okazawa, K. Umezawa, and Y. Tanaka; "A New Functional Polycarboxylate Based Polymer. Physical Properties of Concrete", *Concrete 2000*, R.K. Dhir and M.R. Jones (Eds), Dundee, UK, Vol. 2, p. 1813, (1993).
33. M. Kinoshita, T. Suzuki, K. Soeda, and T. Nawa; "Properties of Methacrylic Water-Soluble Polymer as Superplasticizers for Ultra High-Strength Concrete", Vol. 42, p. 143, (1994).
34. H. Uchikawa, S. Hanehara and D. Sawaki; "The Role of Steric Repulsive Force in the Dispersion of Cement Particles in Fresh Paste Prepared with Organic Admixture", *Cem. Concr. Res.* Vol. 27, p.37, (1997).
35. T.C. Power; "Rheology of Freshly Mixed Concrete", the Properties of Fresh Concrete, John Wiley, New York, (1968).
36. J. P. Bombléd; "Rheology of Mortars and Fresh Concrete : Studies of the Interstitial Cement Paste", *Cements, Betons, Plâtres, Chaux (Rev. Mater. Constr.)*, No 688, Pp. 137 – 155, (1974).
37. G.H. Tattersall; "The Workability of Concrete" Publ. 11.008, Cement and Concrete Assoc., England, (1976).
38. D.W. Hobbs; "Influence of Aggregation Concentration Upon the Workability of Concrete and Some Predictions From the Viscosity – Elasticity Analogy", *Mag. Concr. Res.*, Vol. 281, No 97, Pp. 191 – 202, (1976).
39. M. Barroulet and C. Legrand; "Influence of the Interstitial Paste on the Flow Ability of Fresh Concrete", the Importance of the Water Retained By the Aggregates, *Materials and Structures*, Vol.10, 60, Pp. 365 – 373 , (1977).

40. R. Lapasin, V. Longo and S. Rajgelj, "Thixotropic Behaviour of Cement Pastes", *Cem. Concr. Res.*, Vol. 9, 3, Pp. 309 – 318, (1979).
41. R. Lapasin, V. Longo and S. Rajgelj; *Il - Cemento*, Vol. 73, 91, (1976).
42. N.B. Singh and A.K. Singh; "Effect of Melment on the Hydration of White Portland Cement", *Cem. Concr. Res.*, Vol. 19, 4, Pp. 547 – 553, (1989).
43. E. Sakai, S. Yamanako, M. Daimon and R. Kondo; *Annual Mtg. Ceram. Soc., Japan*, (1977).
44. R. Kondo, M. Daimon, E. Sakai and S. Ymanako; *Cement Gijutsu Nepo*, Vol. 31, Pp. 56 – 59, (1977).
45. E.M. Petrie; *Ind. Eng. Chem. Prod. Res. Dev.*, Vol. 15, 4, Pp. 242 – 249, (1976).
46. C. Giogio, S. Gionearlo, V. Roberto and T. Salvatore; *Il - Cemento*, Vol. 79, 9, Pp. 169 - 180, (1982). *C.A.* 90373, Vol. 100, 12, (1984).
47. V.M. Kobasov, Panyushkina and Mendeleeva; Vol. 116, Pp. 131 - 133, (1980). *C.A.* 222266 n, Vol. 96, 26, (1982).
48. Z. Wirpsza, A. Dormino, I. Kunka and E. Matrocka, *Polimery*; Vol. 26, 6, Pp. 228 - 9, (1981). *C.A.* 186262 x, Vol. 96, 22, (1982).
49. E. Sakai, K. Rania, K. Asaga, S. Goto and R. Kondo; "Influence of Sodium Aromatic Sulphonates on the Hydration of Tri Calcium Aluminate With or Without Gypsum", *Cem. Concr. Res.*, Vol. 10, 3, Pp. 311 – 319, (1980).
50. R. Rixom; "The Economic Aspects of Admixture Use", *Cem. Concr. Res.*, Vol. 20, 2 -3, Pp. 141 - 147, (1998).
51. A.H. Memon, S.S. Radin, M.F.M. Zain, and J. F. Trottier; "Effects of Mineral and Chemical Admixtures on High Strength Concrete in Sea Water", *Cem. Concr. Res.*, Vol. 32, 3, Pp. 373 - 377, (2002).
52. I. Shalom and S. A. Greenberg; *Proc. 4th Int. Symp. "Chemistry of Cement"*, Washington, D.C., Pp. 731 – 748, (1960).
53. C.R. Diamond and G.H. Tattersall; *Proc. Conf. Held at the University of Sheffied*, (8 – 9), Pp. 118 – 133, (1976).
54. T.E.R. Jones, G. Brindly and B.C. Patel; *Proc. Conf. Held at the University of Sheffield*, Pp. 134 – 149, (1976).

66. I. Odler, T. Becker and B. Weiss; "The Effect of Addition Water Reducing Admixtures to the Cement Pastes to Improve Its Flow Properties", *Il – Cemento*, 3, p. 303, (1978).
67. U. Hiroshi, S. Daisuke and H. Shunsuke; "Influence of Kind and Added Timing of Organic Admixture on the Composition, Structure and Property of Fresh Cement Paste", *Cem. Concr. Res.*, Vol. 25, No 2, Pp. 353 - 364, (1995).
68. I. Aiad; "Influence of Time Addition of Superplasticizers on the Rheological Properties of Fresh Cement Pastes", *Cem. and Concr. Res.*, Vol. 33, 8, Pp. 1229 - 1234, (2003).
69. P.F.G. Banfill and S.M. Gill; "The Effect of Addition of Three Superplasticizers on the Rheological Properties of Cement Pastes", *Advanced in Cem. Res.*, Vol. 5, 20, Pp. 131 – 138, (1993).
70. P.J. Andersen, D.M. Roy and J.M. Gaidis; "The Effect of Superplasticizer Molecular Weight on its adsorption, and dispersion of cement", *Cem. Concr. Res.*, Vol. 18, 6, Pp. 980 - 986, (1988).
71. T. Wee, M.S. Chin and M.A. Mansur; "Stress – Strain Relationship of High Strength Concrete in Compression", *Journal of Materials in Civil Engineering*, Vol. 8, 2, Pp. 70 - 76, (1996).
72. K.M. Hanna and S.A. El- Hemaly; "The Effect of Water/Cement Ratios on the Rate of Hydration of Cement Pastes", *J. Appl. Chem.*, Vol. 20, 40, Pp. 117 – 120, (1970).
73. P.C. Aitcin, L.S. Sarkar, M. Regourd and D. Volant; "Retardation Effect of Superplasticizer on Different Cement Fractions", *Cem. Concr. Res.*, Vol. 17, 6, Pp. 995 - 999, (1987).
74. C. D. Johnston; B. R. Gamble, and V. M. Malhotra; "Effect of Superplasticizers on Properties of Fresh and Hardened Concrete", *Proc.T.R.B. Symp. Plast. Concrete*, Transp. Res. Record No 720, Washington, D.C., (1979).
75. G. Dezhen, X. Dayu, and Z. Lu; *ACI Jour.*, Vol. 79, 5, p. 378, (1982).
76. S. Chandra and P. Flodin; "Interactions of Polymers and Organic Admixtures on Portland Cement Hydration", *Cem. and Concr. Res.*, Vol. 17, 6, Pp. 875 - 890, (1987).
77. A. Mor and P. K. Mehta; "Effect of Superplasticizing Admixtures on Cement Hydration", *Cem. Concr. Res.*, Vol. 14, No 5, Pp. 754 – 756, (1984).

78. P.K.Mehta and D. Manmohon; "Pore Size Distribution and Permeability of Hardened Cement Pastes", Proc. 7th Intl. Congress on Chemistry of Cements, 3, (VII), Pp. 1 - 5, (1980).
79. A.F. Rodrigues and I. Joekes; "Water Reducing Agents of Low Molecular Weight, Suppression of Air Entrapment and Slump Loss by Addition of an Organic Solvent", Cem. Concr. Res., Vol. 24 , No 5, Pp. 987 – 992, (1994).
80. O.F. Okafor; "An Investigation on the Use of Superplasticizer in Palm Kernel Shell Aggregate Concrete", Cem. Concr. Res., Vol. 21, No 4, Pp. 551 – 557, (1991).
81. N.B. Singh, R. Sarvahi and N.P. Singh; "Effect of Superplasticizers on the Hydration of Cement", Cem. Concr. Res., Vol. 22, 5, Pp. 725 – 735, (1992).
82. C. Jolicoeur and M.A. Simard; "Chemical Admixture – Cement Interactions, Phenomenology and Physico – Chemical Concepts", Cem. Concr. Composites, Vol. 20, No (2 - 3), Pp. 87 – 101, (1998).
83. J. Buekett; "International Admixture Standards", Cem. Concr. Composites, Vol. 20, No (2 - 3), Pp. 137 – 140, (1998).
84. H. Uchikawa, S. Hanehara, T. Shirasaka and D. Sawaki; "Effect of Admixture on Hydration of Cement, Adsorption Behaviour of Admixture and Fluidity and Setting of Fresh Cement Paste", Cem. and Concr. Res., Vol. 22, No 6, Pp. 1115 – 1129, (1992).
85. ACI Committee 212; "Chemical Admixtures for Concrete", in ACI Manual of Concrete practice, Vol. 1, p. 212 4R-1, (1996).
86. J.J. Schemel, V. Arora and J. Williams; "Split Addition of HRWRA and Its Effect on High Performance Concrete", Proc.4th CANMET/ACI Inter. Conf. on Superplasticizers and Other Chemical Admixtures in Concrete, Oct. 1994, Monterial, Canada; Ed. By V.M. Malhotra; ACI, Detroit, MI, SP-148, p.301, (1994).
87. B.G. Kim, S. Jiung, C. Jolicoeur and P. Aitcin; "The Adsorption Behavior of PNS Superplasticizer and Its Relation to Fluidity of Cement Paste", Cem. Con. Res., Vol. 30, p. 887, (2000).
88. I. Aiad, S. Abd - Aleem, and H. El – Didamony; "Effect of Delaying Addition of Some Concrete Admixtures on the Rheological Properties of Cement Pastes" Cem. Concr. Res., Vol. 32, No 11, Pp. 1839 - 1843, (2002).

89. K.Newman; "Proceedings of the Conference on Ready Mixed Concrete"
 , Dundee, Scotland, (1975).
90. H.H. Chen and T'u Mu Shui Li; Vol. 4, No 4, p. 731, (1978), C.A., 89,
 151504, (1978).
91. R.L. Munn; Proc. 8th Bienn. Conf. Concr. Inst. Australia, Brisbane,
 (1977), 9, Concr. Inst. Australia, Brisbane, (1977).
92. V.M. Malhotra, E.E. Berry and T.A. Wheat; Eds., Superplasticizers in
 Concrete, Proc. Int. Sym., Ottawa, Vol. I, Vol. II (CANMENT, Ottawa),
 (1978).
93. F.I. El Hosiny and E.A.M Gad; "Effect of Some Superplasticizers on the
 Mechanical and Physicochemical Properties of Blended Cement Pastes"
 , Journal of Applied Polymer Science, Vol. 56, 2, Pp. 153 - 159, (1995).
94. K.C. HSU and Y.F. LEE; "Water Soluble Sulfonated Phenolic
 Resins. I. Synthesis", Journal of Applied Polymer Science, Vol. 57, 12,
 Pp. 1501 – 1509, (1995).
95. S.A. Abo El - Enein, H. El – Didamony and M.Y. Haggag ; "Studies on
 Expansive Cement II. Hydration kinetics, Surface Properties and Micro-
 structure", Cem. Concr. Res., Vol. 8, No 3, Pp. 351 - 358, (1978).
96. A.S. Taha; "The Role of Some Addition and Admixture in the
 Hardening of Portland Cement", Ph.D., Cairo Uni., (1978).
97. ASTM, Standards, C 67 - 66, 59, (1966).
98. K. Asaga and D.M. Roy; "Rheological Properties of Cement Mixes IV.
 Effects of Superplasticizers on Viscosity and Yield Stress", Cem. Concr.
 Res., Vol.10, No 2, Pp. 287 – 295, (1980).
99. T.C. Powers and B.Yard; J. Amer. Concr. Inst., 43, 973, (1947).
100. S. Brunauer and L.E. Capland; "The Chemistry of Concr.", Science,
 Amer., 210, 83, (1964).