

REFERENCES

- Adams, J.M. and Rudolph, A.:**
The use of indwelling radial artery catheters in neonates.
Pediatr., 55: 261, 1975.
- Al-Dahhan, J.; Haycock, G.B.; Chantler, C. and Stimmler, L.:**
Sodium homeostasis in term and preterm neonates.
Arch. Dis. Child., 58: 2335, 1983.
- American Academy of Pediatrics, Committee on Nutrition:**
Parenteral feeding—a note of caution.
Pediatr., 49: 776, 1972.
- American Academy of Pediatrics, Committee on Environmental Hazards:**
Noise pollution: neonatal aspects.
Pediatr., 54: 476, 1974a.
- American Academy of Pediatrics:**
Standards and recommendations for hospital care of newborn infants, American Academy of Pediatrics, PP. 74-76, 1974b.
- American Academy of Pediatrics, Committee on Nutrition:**
Commentary on breast feeding and infant formulas, including proposed standards for formulas.
Pediatr., 57: 278, 1976.
- American Academy of Pediatrics, Committee on Nutrition:**
Nutritional needs of low-birth-weight infants.
Pediatr., 60: 519, 1977.
- American Academy of Pediatrics: Committee on Nutrition:**
Vitamin and mineral supplement needs in normal children in the United States.
Pediatr., 66: 1015, 1980.
- American Academy of Pediatrics, Committee on Nutrition:**
Nutritional needs of low-birth-weight infants.
Pediatr., 75: 976, 1985.
- Anderson, G.M.:**
Human milk feeding.
Pediatr. Clin. N. Am., 32(2): 335, 1985.

Anderson, T.L.; Muttant, C.R. and Bieber, M.A.:

A controlled trail of glucose versus glucose and amino acids in premature infants.

J. Pediatr., 94: 947, 1979.

Andrews, B.F. and Lorch, V.:

Improved fat and Ca absorption in L.B.W. infants fed a medium chain triglyceride containing formula.

Pediatr. Res., 8: 378, 1974.

Aperia, A.; Broberger, O.; Hern, P. and Setterstrom, R.:

Sodium excretion in relation to sodium intake and aldosterone excretion in newborn preterm and full term infants.

Acta. Pediatr. Scand., 68: 813, 1979.

Atkinson, S.A.; Bryan, M.H. and Anderson, G.H.:

Human milk feeding in premature infants. Protein, fat, and carbohydrate balances in the first two weeks of life.

J. Pediatr., 99: 617, 1981.

Atkinson, S.A.; Raddle, I.C. and Anderson, G.H.:

Macromineral balances in premature infants fed their own mother's milk or formula.

J. Pediatr., 102: 99, 1983.

Aziz, E.M. and Robertson, A.F.:

Paraplegia: A complication of umbilical artery catheterization.

J. Pediatr., 82: 1051, 1973.

Babson, S.G.:

Growth of low-birth-weight infants.

J. Pediatr., 77: 11, 1970.

Babson, S.G. and Bonda, G.I.:

Growth graphs for the clinical assessment of infants of varying gestational age.

J. Pediatr., 89: 814, 1976.

Bancalari, E.; Abdenour, G.E. and Feller, R.:

Bronchopulmonary dysplasia: Clinical presentation.

J. Pediatr., 95: 819, 1979.

Bancalari, E. and Gerhardt, T.:

Bronchopulmonary dysplasia.

Pediatr. Clin. N. Am., 33: 1, 1986.

- Band, J.D. and Maki, D.G.:**
Infections caused by arterial catheters used for hemodynamic monitoring.
Am. J. Med., 67: 725, 1979.
- Bauer, C.R.; Brennan, M.J.; Doyle, C. and Poole, C.A.:**
Surgical resection for pulmonary interstitial emphysema in the newborn infant.
J. Pediatr., 93: 656, 1978.
- Baum, J.D. and Robertson, N.R.C.:**
Distending pressure in infants with respiratory distress syndrome.
Arch. Dis. Child., 49: 771, 1974.
- Beddis, I.R. and Silverman, M.:**
Hypoxia in a neonate caused by intermittent positive pressure ventilation.
Arch. Dis. Child., 55: 403, 1980.
- Behrman, R.E. and Kliegman, R.M.:**
The newborn infant. In Nelson, W.E.; Behrman, R.E. and Vaughan, V.C. (eds): Nelson Textbook of Pediatrics; ed 12. Philadelphia, W.B. Saunders Co., P 331, 1983a.
- Behrman, R.E. and Kliegman, R.M.:**
The high risk infant. In: Nelson, W.E.; Behrman, R.E. and Vaughan, V.C. (eds.): Nelson Textbook of Pediatrics; ed 12. Philadelphia, W.B. Saunders Co., P 338, 1983b.
- Bell, E.F.; Gray, J.C.; Weinstein, M.R. and Oh, W.:**
The effects of thermal environment on heat balance and insensible water loss in low-birthweight infants.
J. Pediatr., 96: 452, 1980a.
- Bell, E.F. and Oh, W.:**
Fluid and electrolyte balance in very low-birth-weight infant.
Clin. perinatol., 6: 139, 1979.
- Bell, E.F. and Rios, G.R.:**
Air versus skin temperature servocontrol of infant incubators.
J. Pediatr., 103: 954, 1983.

- Bell, E.F.; Warburton, D. and Stonestrick, R.S.:**
Effects of fluid administration on the development of symptomatic patent ductus arteriosus and congestive heart failure in premature infants.
N. Engl. J. Med., 302: 598, 1980b.
- Berman, W.; Pizzi, F.; Schert, L.; Rapheally, R. and Holtzapple, P.:**
The effects of exchange transfusion on intracranial pressure in patients with Reye syndrome.
J. Pediatr., 87: 887, 1975.
- Bhat, R.; Vidyasagar, D.; Asonye, U.O. and Papazafiration, C.:**
Continuous tissue pH monitoring in critically ill neonates.
J. Pediatr., 97: 445, 1980.
- Blackfan, K.D. and Yoglou, C.P.:**
The premature infant.
Am. J. Dis. Child., 46: 1175, 1933.
Quoted from Harpin, U.A. and Rutter, N. (1985).
- Bland, R.D.; Kim, M.H. and Light, M.J.:**
High frequency mechanical ventilation in severe hyaline membrane disease: An alternative treatment?
Crit. Care. Med., 8: 275, 1980.
- Bligh, J. and Johnson, K.G.:**
Glossary of terms for thermal physiology.
J. Appl. Physiol., 35: 941, 1973.
- Bode, H.H.; Vanjonack, W.J. and Crawford, J.D.:**
Mitigation of cretinism by breast feeding.
Pediatr., 62: 13, 1978.
- Bonta, B.W.; Uauy, R.; Warshaw, J.B. and Motoyama, E.K.:**
Determination of optimal continuous positive airway pressure for the treatment of RDS by measurement of esophageal pressure.
J. Pediatr., 91: 449, 1977.
- Boros, S.J.; Mammel, M.C. and Coleman, J.M.:**
Neonatal high-frequency jet ventilation: Four years experience.
Pediatr., 75: 657, 1985.

Boros, S.J. and Reynolds, J.W.:

Hyaline membrane disease treated with early nasal end expiratory pressure. One year experience.
Pediatr., 56: 218, 1975.

Brady, J.P. and Gregory, G.A.:

Assisted ventilation. In Klaus, M.; and Fanaroff, A. (eds); Care of high Risk Neonate. 2nd ed. Philadelphia, W.B. Saunders. Co., P. 205, 1979.

Brice, J.E.M.; Rutter, N. and Hull, D.:

Reduction of skin water loss in the newborn. II clinical trial of two methods in very lowbirth-weight babies.

Arch. Dis. Child., 56: 673, 1981.

Brooke, O.G.; Wood, C. and Barley, J.:

Energy balance, nitrogen balance and growth in preterm infants fed expressed breast milk, a premature infant formula, and two low solute adapted formulae.

Arch. Dis. Child., 57: 898, 1982.

Brooks, J.K.; Bustamente, S.A.; Koops, B.L.; Hilton, S.; Cooper, D.; Wesenbery, R.L. and Simmons, M.A.:

Selective bronchial intubation for the treatment of severe localized pulmonary interstitial emphysema in newborn infants.

J. Pediatr., 91: 648, 1977.

Brown, E.R.; Stark, A. and Sonenko, I.:

Bronchopulmonary dysplasia: possible relationship to pulmonary edema.

J. Pediatr., 92: 982, 1978.

Cashore, W.J.; Sedaghatian, M.R. and Usher, R.H.:

Nutritional supplements with intravenously administered lipid, protein hydrolysate, and glucose in small premature infants.

Pediatr., 56: 8, 1975.

Carlo, W.A.; Chatburn, R.L. and Martin, R.J.:

Decrease in airway pressure during high-frequency jet ventilation in infants with respiratory distress syndrome.

J. Pediatr., 104: 101, 1984.

Carlo, W.A. and Martin, R.J.:

Principles of neonatal assisted ventilation.
Pediatr. Clin. N. Am., 33: 221, 1986.

Cartwright, D.W.; Willis, M.M. and Gregory, G.A.:

Functional residual capacity and lung mechanics at different levels of mechanical ventilation
Crit. Car. Med., 12: 422, 1984.

Challacombe, D.:

Bacterial microflora in infants receiving naso-jejunal tube feeding.
J. Pediatr., 85: 113, 1974.

Chatburn, R.L.; Carlo, W.A. and Lough, M.D.:

Clinical algorithm for pressure limited ventilation of neonates with respiratory distress syndrom.
Resp. Care., 28: 1579, 1983.

Chen, J.W. and Wong, D.W.R.:

Intestinal complications of nasojejunal feeding low birth-weight infants.
J. Pediatr., 85: 109, 1975.

Chernick, V. and Rober, M.B.:

Electrical hazards in the newborn nursery.
J. Pediatr., 77: 143, 1970.

Chessex, D.; Reichman, B. and Verellen, G.:

Quality of growth in premature infants fed their own mothers milk.
J. Pediatr., 102: 107, 1983.

Chilton, H.W. and Brookes, J.C.:

Pharyngeal pressures in nasal CPAP.
J. Pediatr., 94: 808, 1979.

Chiswick, M.L.; Johnson, M. and Woodhall, C.:

Protective effects of vitamin E (dl-alpha toco-pherol) against intraventricular haemorrhage in premature babies.
Br. Med. J., 287: 81, 1983.

Cicco, R.; Holzman, J.R. and Brown, D.R.:

Glucose polymer tolerance in premature infants.
Pediatr., 67: 498, 1981.

Cifuentes, R.F.; Kooh, S.W. and Radd, I.C.:

Vitamin D deficiency in a calcium supplemented very low-birth-weight infant.
J. Pediatr., 96: 252, 1980.

Colburn, W.A. and Ehrenkranz, R.A.:

Pharmacokinetics of a single intramuscular infection of vitamin E to premature neonates.
Pediatr. Pharmacol., 3: 7, 1983.


Dak, G.; Pander-Brick, M.; Wagget, J. and Young, G.:

Plasma amino acids changes in the postsurgical newborn during intravenous nutrition with a synthetic amino acids solution.
J. Pediatr. Surg., 11: 17, 1976.

Davies, D.P.:

Adequacy of expressed breast milk for early growth of preterm infants.
Arch. Dis. Child., 52: 286, 1977.

Dawkins, M. and Hull, D.:


J. Physiol., 172: 216, 1964.

Day, G.M.; Radde, I.C.; Balfe, J.W. and Chance, G.W.:
 Electrolyte abnormalities in very low birthweight infants.
Pediatr. Res., 10: 522, 1976.

Deter, R.L.; Hanist, R.B.; Hadlock, I.D. and Poindexter, A.N.:
 Longitudinal studies of fetal growth with use of dynamic image ultrasonography.
Am. J. Obstetr. & Gynaecol., 143: 545, 1982.

Deweck, H.S. and Cassady, G.:
 Glucose intolerance in infants of very low birth-weight. I Incidence of hypoglycemia in infants of birth weight 1100 grams or less.
Pediatr., 53: 189, 1974.

Down's, J.J.; Vidyasagar, D.; Morrow, G.M. and Boggs, T.R.:
 Respiratory distress syndrome of newborn infants
 1. New clinical scoring system (RDS Score) with acid base and blood gas correlations.
Clin. Pediatr., 325: 9, 1970.

Drummond, W.H.; Gregory, G.A.; Heymann, M.A. and Phibbs, R.A.:

The independent effects of hyperventilation, tola-zoline and dopamine on infants with persistent pulmonary hypertension.

Ducker, D.A.; Lyon, A.J.; Russell, R.R.; Bass, C.A. and McIntosh, N.:

Incubator temperature control: effect on the very low birth-weight infants.

Arch. Dis. Child., 60: 902, 1985.

Duffy, B.; Gunn, T. and Collinge, J.:

The effect of varying protein quality and energy intake (<1600 g) on the nitrogen metabolism of parenterally fed very low-birth-weight infants.

Pediatr. Res., 15: 1040, 1981.

Easton, L.B.; Halata, M.S. and Dweck, H.S.:

Parenteral nutrition in the newborn: A practical guide.

Pediatr. Clin. N. Am., 29: 1191, 1982.

Edwards, D.K.; Dyer, W.M. and Northway, W.H.:

Twelve years experience with bronchopulmonary dysplasia.

Pediatr., 59: 839, 1977.

Edwards, N.K.; Atherlon, H.D.; Perlstein, P.H. and Sutherland, J.M.:

Phantom breathing in monitored infants.

Am. J. Dis. Child., 125: 684, 1973.

Ehrenkranz, R.A.; Ablow, R.C. and Warshaw, J.B.:

Prevention of bronchopulmonary dysplasia with vitamin E administration during the acute stages of respiratory distress syndrome.

J. Pediatr., 95: 873, 1979.

Ehrenkranz, R.A.; Bonta, B.W. and Ablow, R.C.:

Amelioration of bronchopulmonary dysplasia after vitamin E administration. A preliminary report.

M. Engl. J. Med., 299: 564, 1978.

Engelke, S.C.; Shah, B.L. and Uasan, U.:

Sodium balance in very low-birth-weight infants.

J. Pediatr., 93: 837, 1978.

Falk, S.A.; Cook, R.O. and Hoseman, J.:

Noise-induced inner ear damage in newborn and adult guinea pigs.

Laryngoscope 84: 444, 1974.

- Fanaroff, A. and Klaus, M.:**
The gastrointestinal tract feeding and selected disorders. In Klaus, M.; Fanaroff, A. (eds.): Care of the High Risk Neonate. 2nd ed. Philadelphia, W.B. Saunders Co., P 113, 1979.
- Filler, R.M. and Coran, A.G.:**
Total parenteral nutrition in infants and children. Surg. Clin. N. Am., 56: 395, 1976.
- Finberg, L.:**
The relationship of intravenous infusions and intracranial hemorrhage: A commentary. J. Pediatr., 91: 777, 1977.
- Fomon, S.J. and Ziegler, E.E.:**
Protein intake of premature infants: Interpretation of data. J. Pediatr., 90: 504, 1977.
- Fomon, S.J.; Ziegler, E.E. and Vazquez, H.D.:**
Human milk and the small premature infant. Am. J. Dis. Child., 131: 463, 1977.
- Ford, K.T.; Teplick, S.K. and Clark, R.E.:**
Renal artery embolism causing neonatal hypertension: A complication of umbilical artery catheterization. Radiol., 113: 169, 1974.
- Fox, W.W.; Berman, L.S. and Dinwiddie, R.:**
Tracheal extubation of the neonate at 2-3 cms. H₂O continuous positive airway pressure. Pediatr., 59: 257, 1977.
- Franklin, R.; O'Grady, C. and Carpenter, L.:**
Neonatal thyroid function: Comparison between breast-fed and bottle-fed infants. J. Pediatr., 75: 124, 1985.
- Frantz, I.D.:**
Mechanical ventilation. In Cloherty, J.P. and Stark, A.D. (eds.): Manual of neonatal care. 2nd ed. Boston/Toronto, Little Brown Co., P 176, 1985.
- Frantz, I.D.; III, Werthammer, J. and Stark, A.R.:**
High-frequency ventilation in premature infants with lung disease: Adequate gas exchange at low tracheal pressures. Pediatr., 71: 483, 1983.

- Freeman, M.G.; Graves, W.L. and Thompson, R.L.:**
Indigent negro and caucasian birth-weight gestational age tables.
Pediatr., 46: 9, 1970.
- Gaull, G.E.; Rassin, D.K.; Raiha, N.C.R. and Heinonen, K.:**
Milk protein quantity and quality in low birth-weight infants. III Effect on sulfur amino acids in plasma and urine.
J. Pediatr., 90: 348, 1977.
- Geer, F.R.; Steichen, J.J. and Tsang, R.C.:**
Effect of increased calcium, phosphorus, and vitamin D intake on bone mineralization in very low-birth-weight infants feed formulas with polycose and medium-chain triglycerides.
J. Pediatr., 100: 951, 1982.
- Glass, L.; Silverman, W.A. and Sinclair, J.C.:**
Effect of thermal environment on cold resistance and growth of small infants after the first week of life.
Pediatr., 41: 1033, 1968.
- Goitein, K.J.; Amit, V. and Mussaffi, H.:**
Intracranial pressure in central nervous system infections and cerebral ischaemia of infancy.
Arch. Dis. Child., 58: 184, 1983.
- Goldman, A. and Smith, C.:**
Host resistance factors in human milk.
J. Pediatr., 82: 1082, 1974.
- Goldman, A.S.; Garza, C.; Nichols, B. and Johnson, C.A.:**
Effects of prematurity on the immunologic system in human milk.
J. Pediatr., 10: 901, 1982.
- Goldman, H.I.; Freundenthal, R.; Holland, B. and Karelitz, S.:**
Clinical effects of two different levels of protein intake on low-birth-weight infants.
J. Pediatr., 74: 881, 1969.
- Goldman, H.I.; Liebman, O.B. and Kreudenthal, R.:**
Effects of early dietary protein in low birth weight infants: Evaluation at 3 years of age.
J. Pediatr., 78: 126, 1971.

- Gowdar, K.; Bull, M.J.; Schreiner, R.L.; Lemons, J.A. and Gresham:
Nasal deformities in neonates.
Am. J. Dis. child., 134: 954, 1980.
- Greer, F.R.; Steichen, J.J. and Tsang, R.C.:
Calcium and phosphate supplements in breast milk-related rickets.
Am. J. Dis. Child., 136: 581, 1982.
- Gregory, G.A.; Kitterman, J.S.; Phibbs, R.H.; Tooley, W.H. and Hamilton, W.K.:
Treatment of idiopathic respiratory distress syndrome with continuous positive airway pressure.
N. Engl. J. Med., 284: 1333, 1971.
- Gross, S.J.:
Vitamin E and neonatal bilirubinemia.
Pediatr., 64: 321, 1979.
- Gross, S.J.:
Growth and biochemical response of preterm infants fed human milk or modified infant formula. M.
Engl. J. Med., 308: 237, 1983.
- Gross, S.J.; Buckeley, R.H. and Wakil, S.S.:
Elevated IgA concentration in milk produced by mothers delivered of preterm infants.
J. Pediatr., 99: 389, 1981.
- Gross, S.J.; David, R.J. and Bouman, L.:
Nutritional composition of milk produced by mothers delivering preterm.
J. Pediatr., 96: 614, 1980.
- Gross, S.J.; Landaw, S.A. and Oski, F.A.:
Vitamin E and neonatal hemolysis.
Pediatr., 59: 995, 1977.
- Hammerlund, K.; Nilsson, G.E.; Oberg, D.A. and Sedin, G.:
Transepidermal water loss in newborn infants vs evaporation from the skin and heat exchange during the first hours of life.
Acta. Pediatr. Scand. 69: 385, 1980.
- Hammerlund, K. and Sedin, G.:
Transepidermal water loss in newborn infants: III-Relation to gestational age.
Acta. Pediatr. Scand., 65: 795, 1979.

- Hamming, V.G.; Overall, J.C. and Britt, M.R.:**
Nasocomial infections in a newborn intensive care unit.
M. Engl. J. Med., 294: 1310, 1976.
- Hansen, T.H. and Tooley, W.H.:**
Skin surface carbon dioxide tension in sick infants.
Pediatr., 64: 942, 1979.
- Harpin, V.A. and Rutter, N.:**
Barrier properties of the newborn infant's skin.
J. Pediatr., 102: 419, 1983.
- Harpin, V.A. and Rutter, N.:**
Humidification of incubators.
Arch. Dis. Child., 60: 219, 1985.
- Harries, J.T.:**
Intravenous feeding in infants.
Arch. Dis. Child., 46: 855, 1971.
- Harris, M.C.; Baumgart, S. and Rooklin, A.R.:**
Successful extubation of infants with respiratory distress syndrome using aminophylline.
J. Pediatr., 103: 303, 1983.
- Harris, T.R. and Nugent, M.:**
Continuous arterial tension monitoring in the newborn infant.
J. Pediatr., 82: 929, 1973.
- Heicher, D.A.; Kasting, D.S. and Harrod, J.R.:**
Prospective clinical comparison of two methods for mechanical ventilation of neonates: Rapid rate and short inspiratory time versus slow rate and long inspiratory time.
J. Pediatr., 98: 957, 1981.
- Heimler, R.; Summers, J.E.; Grausz, J.P.; Kiern, C.L. and Glaspey, J.C.:**
Thermal environment change in growing premature infants, effect on general somatic growth and subcutaneous fat accumulation.
Pediatr., 68: 82, 1981.
- Heird, W.C.:**
Nasojejunal feeding: A commentary.
J. Pediatr., 85: 111, 1974.

Heird, W.C.:

Feeding the premature infant: Human milk an artificial formula?

Am. J. Dis. Child., 131: 468, 1977.

Heird, W.C.; Dell, R.B. and Driscoll, J.M.:

Metabolic acidosis resulting from intravenous alimentation mixtures containing synthetic amino acids.

M. Eng. J. Med., 287: 943, 1972a.

Heird, W.C.; Nicholson, J.F. and Driscoll, J.M.:

Hyperammonemia resulting from intravenous alimentation using a mixture of synthetic L. amino acids: A preliminary report.

J. Pediatr., 81: 102, 1972b.

Heird, W.C. and Winters, R.W.:

Total parenteral nutrition: The state of the art.

J. Pediatr., 86: 2, 1975.

Herber, S.M. and Milner, R.D.G.:

Feeding the preterm infants. In Chiswick, M.L. (ed.): Recent Advances In Perinatal Medicine. No 2. Edinburgh, London, Melbourne, and New York, Churchill livingstone, P. 103-122, 1985.

Herrell, N.; Martin, R.J. and Pultusker, M.:

Optimal temperature for the measurement of transcutaneous carbon dioxide tension in the neonate.

J. Pediatr., 97: 114, 1980.

Hey, E.:

The relation between environmental temperature and oxygen consumption in the newborn baby.

J. Physiol., 200: 589, 1969.

Hey, E.:

The care of babies in incubators. In Gairdner, D. and Hull, D. (eds.): Recent advances in pediatrics. ed 4. London, J & A Churchill P. 171, 1971.

Hey, E.N. and Katz, G.:

Evaporative water loss in the newborn baby.

J. Physiol., 200: 605, 1969.

Hey, E.N. and Katz, G.:

The optimum thermal environment for naked babies.

Arch. Dis. Child., 45: 328, 1970.

- Hey, E.N. and Mount, L.E.:
Heat losses from babies in incubators.
Arch. Dis. Child., 42: 75, 1967.
- Hey, E. and O'Connell, B.:
Oxygen consumption and heat balance in the cot-nursed baby.
Arch. Dis. Child., 45: 335, 1970.
- Hittner, H.M.; Godio, L.B. and Rudolph, A.J.:
Retrolental fibroplasia: Efficacy of vitamin E in a double-blind clinical study of preterm infant.
N. Engl. J. Med.; 305: 1365, 1981.
- Hittner, H. and Kretzer, F.:
Retinopathy of prematurity; pathogenesis, presentation and treatment. In Chiswick, M.L. (ed): Recent Advances In Perinatal Medicine. No. 2. Edinburgh, London, Melbourne and New York, Churchill Livingstone, P. 145-163 1985.
- Hittner, H.M.; Kretzer, F.L.; Rudolph, A.J.; Holbein, M.E.B.; Troendle, G. and Sobel, S.:
Correspondence: Vitamin E in retrolental fibroplasia.
N. Engl. J. Med., 309: 669, 1983.
- Hittner, H.M.; Speer, M.E.; Rudolph, A.J.; Blifeld, C.; Chadda, P.; Holbein, M.E.B.; Godio, L.B. and Kretzer, F.L.:
Retrolental fibroplasia and vitamin E in the preterm infant-comparison of oral versus intramuscular: oral administration.
Pediatr., 73: 238, 1984.
- Horbar, J.D.; Yeager, S.; Philip, A.G.S. and Lucey, J.F.:
The application force on non invasive measurements of intracranial pressure.
Pediatr., 66: 455, 1980.
- Huch, R.; Huch, A. and Albani, M.:
Transcutaneous PO₂ monitoring in routine management of infants and children with cardiorespiratory problems.
Pediatr., 57: 681, 1976.
- Johnson, J.R.; Albuitton, W.L. and Sunshine, P.:
Hyperammonemia accompanying parenteral nutrition in newborn infants.
J. Pediatr., 81: 154, 1972.

Jones, R.; Bodnar, A.; Roan, Y. and Johnson, D.:

Subglottic stenosis in newborn intensive care unit graduates.

Am. J. Dis. Child., 135: 367, 1981.

Kajtar, D.; Jequier, E. and Prod'hom, L.S.:

Heat losses in newborn infants of different body sizes measured by direct calorimetry in a thermo-neutral and a cold environment.

Biol Neonate 30: 55, 1976.

Kamtorn, V.; Sun, S.; Bautista, A. and Marquis, J.:

Bone demineralisation in preterm infants with birth weight <1000 gms.

Pediatr, Res., 17: 291 A, 1983.

Kirby, R.; Robinson, E.; Schulz, J. and De Lemos, R.A.:

Continuous flow ventilation as an alternative to assisted or controlled ventilation in infants.

Anesth. and analg., 51: 871, 1972.

Kitterman, J.A.; Phibbs, R.H. and Tooly, W.H.:

Aortic blood pressure in normal newborn infants during the first 12 hours of life.

Pediatr., 44: 959, 1969.

Klaus, M.; Fanaroff, A. and Martin, R.J.:

The physical environment. In klaus, M.; Fanaroff, A. (eds.): Care of the High Risk Neonate. ed. 2. Philadelphia, W.B. Saunders Co., PP. 173, 1979.

Krouskop, R.W.; Brown, E.H. and Sweet, A.Y.:

The early use of continuous airways pressure in the treatment of idiopathic respiratory distress syndrome.

J. Pediatr., 87: 263, 1975.

Kuhns, L.; Bednarek, F. and Wyman, M.:

Diagnosis of pneumothorax or Pneumomediastinum in the neonate by transillumination.

Pediatr., 56: 355, 1975.

Landwith, J.:

Continuous nasogastric infusion versus total intravenous alimentation.

J. Pediatr., 81: 1037, 1972.

Lebenthal, E. and Lee, D.C.:

Development of functional response in human exocrine pancreas.

Pediatr., 66: 556, 1980.

Lemons, J.A.; Moye, L.; Hall, D. and Simmons, M.:

Differences in the composition of preterm and term human milk during early lactation.

Pediatr., Res., 16: 113, 1982.

Lesouef, P.N.; Morgan, A.K.; Soutter, L.P.; Reynolds, E.O.R. and Parker, D.:

Comparison of transcutaneous oxygen tension with arterial oxygen tension in newborn infants with severe respiratory illness.

Pediatr., 62: 692, 1978.

Lilien, L.D.; Harris, V.J.; Ramamurthy, R.S. and Pildes, R.S.:

Neonatal osteomyelitis of the calcaneus, complication of heel puncture.

J. Pediatr., 88: 478, 1976.

Lindblad, B.S.; Settergren, G.; Feychting, H. and Persson, B.:

Total parenteral nutrition in infants.

Acta. Pediatr. Scand., 66: 409, 1977.

Lorch, V.L. and Lay, S.A.:

Parenteral alimentation in the neonate.

Pediatr. Clin. N. Am., 24: 547, 1977.

Lundstrom, U.; Siimes, M.A. and Dallmon, P.R.:

At what age does iron supplementation become necessary in low-birth-weight infants?

J. Pediatr., 91: 878, 1977.

Maclean, W.C. Jr. and Fink, B.B.:

Lactose malabsorption by premature infants. Magnitude and clinical significance.

J. Pediatr., 97: 383, 1980.

Mammel, M.C.; Gordon, M.J. and Connett, J.E.:

Comparison of high-frequency jet ventilation and conventional mechanical ventilation in a meconium aspiration model.

J. Pediatr., 103: 630, 1983.

- Hey, E.N. and Mount, L.E.:**
Heat losses from babies in incubators.
Arch. Dis. Child., 42: 75, 1967.
- Hey, E. and O'Connell, B.:**
Oxygen consumption and heat balance in the cot-nursed baby.
Arch. Dis. Child., 45: 335, 1970.
- Hittner, H.M.; Godio, L.B. and Rudolph, A.J.:**
Retrolental fibroplasia: Efficacy of vitamin E in a double-blind clinical study of preterm infant.
N. Engl. J. Med.; 305: 1365, 1981.
- Hittner, H. and Kretzer, F.:**
Retinopathy of prematurity: pathogenesis, presentation and treatment. In Chiswick, M.L. (ed): Recent Advances In Perinatal Medicine. No. 2. Edinburgh, London, Melbourne and New York, Churchill Livingstone, P. 145-163 1985.
- Hittner, H.M.; Kretzer, F.L.; Rudolph, A.J.; Holbein, M.E.B.; Troendle, G. and Sobel, S.:**
Correspondence: Vitamin E in retrolental fibroplasia.
N. Engl. J. Med., 309: 669, 1983.
- Hittner, H.M.; Speer, M.E.; Rudolph, A.J.; Blifeld, C.; Chadda, P.; Holbein, M.E.B.; Godio, L.B. and Kretzer, F.L.:**
Retrolental fibroplasia and vitamin E in the preterm infant-comparison of oral versus intramuscular: oral administration.
Pediatr., 73: 238, 1984.
- Horbar, J.D.; Yeager, S.; Philip, A.G.S. and Lucey, J.F.:**
The application force on non invasive measurements of intracranial pressure.
Pediatr., 66: 455, 1980.
- Huch, R.; Huch, A. and Albani, M.:**
Transcutaneous PO₂ monitoring in routine management of infants and children with cardiorespiratory problems.
Pediatr., 57: 681, 1976.
- Johnson, J.R.; Albuitton, W.L. and Sunshine, P.:**
Hyperammonemia accompanying parenteral nutrition in newborn infants.
J. Pediatr., 81: 154, 1972.

- Hey, E.N. and Mount, L.E.:
Heat losses from babies in incubators.
Arch. Dis. Child., 42: 75, 1967.
- Hey, E. and O'Connell, B.:
Oxygen consumption and heat balance in the cot-nursed baby.
Arch. Dis. Child., 45: 335, 1970.
- Hittner, H.M.; Godio, L.B. and Rudolph, A.J.:
Retrolental fibroplasia; Efficacy of vitamin E in a double-blind clinical study of preterm infant.
N. Engl. J. Med.; 305: 1365, 1981.
- Hittner, H. and Kretzer, F.:
Retinopathy of prematurity: pathogenesis, presentation and treatment. In Chiswick, M.L. (ed): Recent Advances In Perinatal Medicine. No. 2. Edinburgh, London, Melbourne and New York, Churchill Livingstone, P. 145-163 1985.
- Hittner, H.M.; Kretzer, F.L.; Rudolph, A.J.; Holbein, M.E.B.; Troendle, G. and Sobel, S.:
Correspondence: Vitamin E in retrolental fibroplasia.
N. Engl. J. Med., 309: 669, 1983.
- Hittner, H.M.; Speer, M.E.; Rudolph, A.J.; Blifeld, C.; Chadda, P.; Holbein, M.E.B.; Godio, L.B. and Kretzer, F.L.:
Retrolental fibroplasia and vitamin E in the preterm infant-comparison of oral versus intramuscular: oral administration.
Pediatr., 73: 238, 1984.
- Horbar, J.D.; Yeager, S.; Philip, A.G.S. and Lucey, J.F.:
The application force on non invasive measurements of intracranial pressure.
Pediatr., 66: 455, 1980.
- Huch, R.; Huch, A. and Albani, M.:
Transcutaneous PO₂ monitoring in routine management of infants and children with cardiorespiratory problems.
Pediatr., 57: 681, 1976.
- Johnson, J.R.; Albuitton, W.L. and Sunshine, P.:

Lebenthal, E. and Lee, D.C.:

Development of functional response in human exocrine pancreas.

Pediatr., 66: 556, 1980.

Lemons, J.A.; Moye, L.; Hall, D. and Simmons, M.:

Differences in the composition of preterm and term human milk during early lactation.

Pediatr., Res., 16: 113, 1982.

Lesouef, P.N.; Morgan, A.K.; Soutter, L.P.; Reynolds, E.O.R. and Parker, D.:

Comparison of transcutaneous oxygen tension with arterial oxygen tension in newborn infants with severe respiratory illness.

Pediatr. 62: 692, 1978

Lilien, L.D.; Harris, V.J.; Ramamurthy, R.S. and Pildes, R.S.:

Neonatal osteomyelitis of the calcaneus, complication of heel puncture.

J. Pediatr., 88: 478, 1976.

Lindblad, B.S.; Settergren, G.; Feychting, H. and Persson, B.:

Total parenteral nutrition in infants.

Acta. Pediatr. Scand., 66: 409, 1977.

Lorch, V.L. and Lay, S.A.:

Parenteral alimentation in the neonate.

Pediatr. Clin. N. Am., 24: 547, 1977.

Lundstrom, U.; Siimes, M.A. and Dallmon, P.R.:

At what age does iron supplementation become necessary in low-birth-weight infants?

J. Pediatr., 91: 878, 1977.

Maclean, W.C. Jr. and Fink, B.B.:

Lactose malabsorption by premature infants.

Magnitude and clinical significance.

J. Pediatr., 97: 383, 1980.

Mammel, M.C.; Gordon, M.J. and Connett, J.E.:

Comparison of high-frequency jet ventilation and conventional mechanical ventilation.

- Jones, R.; Bodnar, A.; Roan, Y. and Johnson, D.:**
Subglottic stenosis in newborn intensive care unit graduates.
Am. J. Dis. Child., 135: 367, 1981.
- Kajtar, D.; Jequier, E. and Prod'hom, L.S.:**
Heat losses in newborn infants of different body sizes measured by direct calorimetry in a thermo-neutral and a cold environment.
Biol Neonate 30: 55, 1976.
- Kamtorn, V.; Sun, S.; Bautista, A. and Marquis, J.:**
Bone demineralisation in preterm infants with birth weight <1000 gms.
Pediatr. Res., 17: 291 A, 1983.
- Kirby, R.; Robinson, E.; Schulz, J. and De Lemos, R.A.:**
Continuous flow ventilation as an alternative to assisted or controlled ventilation in infants.
Anesth. and analg., 51: 871, 1972.
- Kitterman, J.A.; Phibbs, R.H. and Tooley, W.H.:**
Aortic blood pressure in normal newborn infants during the first 12 hours of life.
Pediatr., 44: 959, 1969.
- Klaus, M.; Fanaroff, A. and Martin, R.J.:**
The physical environment. In klaus, M.; Fanaroff, A. (eds.): Care of the High Risk Neonate. ed. 2. Philadelphia, W.B. Saunders Co., PP. 173, 1979.
- Krouskop, R.W.; Brown, E.H. and Sweet, A.Y.:**
The early use of continuous airways pressure in the treatment of idiopathic respiratory distress syndrome.
J. Pediatr., 87: 263, 1975.
- Kuhns, L.; Bednarek, F. and Wyman, M.:**
Diagnosis of pneumothorax or Pneumomediastinum in the neonate by transillumination.
Pediatr., 56: 355, 1975.
- Landwith, J.:**
Continuous nasogastric infusion versus total intravenous alimentation.
J. Pediatr., 81: 1037, 1972.

Mangurten, H.H. and Behrman, R.E.:

A complication of heart rate monitoring; subcutaneous foreign body.

J. Pediatr., 79: 115, 1971.

Marchak, B.E.; Thompson, W.K. and Duffy:

Treatment of RDS by high-frequency oscillatory ventilation: A preliminary report.

J. Pediatr., 99: 298, 1981.

Menkes, J.H.; Welcher, D.W. and Levi, H.S.:

Relationship of elevated blood tyrosine to the ultimate intellectual performance of premature infants.

Pediatr., 19: 218, 1972.

Merenstein, G.B. and Blackmon, J.

Care of the High Risk Newborn. San Francisco, Children's Hospital, 1971.

Quoted From Klaus, M.; Fanaroff, A., and Martin, R.J. (1974).

Merenstein, G.B.; Dougherty, K. and Lewis, R.N.:

Early detection of pneumothorax by oscilloscope monitor in the newborn infant.

J. Pediatr., 80: 98, 1972.

Miller, H.C.:

Studies of respiratory insufficiency in newborn infants.

Pediatr., 20: 817, 1957.

Miller, M.J.; Carlo, W.A. and Strohl, K.P.:

Determinations of oral breathing in premature infants (Abstract).

Pediatr. Res., 19: 354 A, 1985.

Minton, S.D.; Steichen, J.J. and Tsang, R.C.:

Bone mineral content in term and preterm appropriate for-gestational-age infants.

J. Pediatr., 95: 1037, 1979

Mollison, P.L. and Cutbush, M.:

Association between high circulating bilirubin and brain damage. In Hull, D. (ed): Recent advances in Pediatrics. London, J. and A. Churchill, P. 112, 1954.

Moss, A.J.:

Indirect methods of blood pressure measurement. *Pediatr. Clin. N. Am.*, 25: 3, 1976.

Moylan, F.M.B.; Seldin, E.B.; Shannon, D.C. and Todres, I.D.:

Defective primary dentition in survivors of neonatal mechanical ventilation.

J. Pediatr., 96: 106, 1980.

Moylan, F.M.B. and Shannon, D.C.:

Preferential distribution of lobar emphysema and atelectasis in bronchopulmonary dysplasia. *Pediatr.*, 63: 130, 1979.

Moynahan, E.J.:

Acrodermatitis enteropathica: a lethal inherited human zinc-deficiency disorder. *Lancet* II: 388, 1974.

Naulty, C.M.:

Blood pressure monitoring. In Fletcher, M., A.; MacDonald, M.G. and Avery, G.B. (eds.): Procedures in Neonatology. Philadelphia, J.B. Lippincott Co., 1983, P. 26.

Ng, K.D.K. and Easa, D.:

Management of interstitial emphysema by high frequency low positive pressure hand ventilation in the neonate. *J. Pediatr.*, 95: 117, 1979.

Numato, M.; Sluter, J.D. and Doughy, R.M.D.:

An implantable switch for monitoring intracranial pressure. *Lancet* I: 528, 1966.

Oberkotter, L.V.; Pereira, G.R. and Paul, M.H.:

Effect of breast feeding vs. formula feeding on circulating thyroxine level in premature infants. *J. Pediatr.*, 106: 822, 1985.

- Ogata, E.D.; Gregary, G.A.; Kitterman, J.A.; Phibbs, R.H. and Tooley, W.H.:
Pneumothorax in respiratory distress syndrome.
Incidence and effects on vital signs, blood gases and pH.
Pediatr., 58: 177, 1976.
- Oh, W.:
Fluid and electrolyte management. In Avery, G.B. (ed.): Neonatology, pathophysiology and Management of the Newborn. 2nd ed.
Philadelphia, J.B. Lippincott Co., 1981, P. 649.
- Okken, A. and Bljham, C.:
Influence of forced convection of heated air on insensible water loss in low birth weight infants.
Pediatr. Res., 15: 674, 1981.
- Omans, W.B.; Barness, L.A.; Rose, C.S. and Gyorgy, P.:
Prolonged feeding studies in premature infants.
J. Pediatr., 59: 951, 1961.
- Orgill, A.A.; Astbury, J.; Bajuk, B. and Yu, U.Y.H.:
Early development of infants 1000 g or less at birth.
Arch. Dis. Child., 57: 823, 1982.
- Oski, F.A. and Barness, L.A.:
Vitamin E deficiency: A previously unrecognized cause of hemolytic anemia in premature infants.
J. Pediatr., 79: 569, 1967.
- Pape, K.E.; Armstrong, D.L. and Fitzhardinge, P.M.:
Central nervous system pathology associated with mask ventilation in very low birth weight infants: new etiology-intracerebellar haemorrhage.
Pediatr., 58: 473, 1976.
- Parker, P.; Stroop, S. and Greene, H.:
A controlled comparison of continuous versus intermittent feeding in the treatment of infants with intestinal disease.
J. Pediatr., 99: 360, 1981.
- Patel, B.D.; Dinwiddie, R. and Kumar, S.P.:
The effect of feeding on arterial blood gases and lung mechanics in newborn infants recovering from respiratory disease.
J. Pediatr., 90(3): 435, 1977.

- Pereira, G.R.:**
Incidence, severity and outcome of hyperalimentation induced cholestasis in neonates.
Pediatr. Res., 14: 508, 1980.
- Pereira, G.R. and Barbosa, N.M.M.:**
Controversies in neonatal nutrition.
Pediatr. Clin. N. Am., 33: 65, 1986.
- Pereira, G.R.; Fox, W.W. and Stanley, C.A.:**
Decreased oxygenation and hyperlipemia during fat infusions in premature infants.
Pediatr., 66: 26, 1980.
- Pereira, G.R. and Lemons, J.A.:**
Controlled study of transpyloric and intermitted gavage feeding in the small preterm infant.
Pediatr., 67: 68, 1981.
- Pereira, G.R. and Sherman, M.S.:**
Hyperalimentation induced cholestasis.
Am. J. Dis. Child., 135: 842, 1981.
- Perlstein, P.H.; Edwards, N.K.; Atherton, H.D. and Suthorland, J.M.:**
Computer assisted newborn intensive care.
Pediatr., 57: 494, 1976.
- Perlstein, P.H.; Edwards, N.K. and Sutherland, J.M.:**
Apnoea in premature infants and incubator air temperature changes.
N. Engl. J. Med., 282: 461, 1970.
- Phelps, D.:**
Vision loss due to retinopathy of prematurity.
Lancet 1: 606, 1981.
- Phelps, D.L.; Rosenbaum, A. and Iseberg, S.J.:**
E-ferol-what happened and what now? (Abstract).
Pediatr. Res., 19: 357A, 1984.
- Philip, A.G.S.; Long, J.G. and Donn, S.M.:**
Intracranial pressure: Sequential measurements in full term and preterm infants.
Am. J. Dis. Child., 135: 521, 1981.
- Pitcher-Wilmott, R.; Slutack, J.G. and Fox, W.W.:**
Decreased lung volume after nasogastric feeding of neonates recovering from respiratory disease.
J. Pediatr., 95: 119, 1979.

- Pokora, T.; Bing, D. and Mamml, M.:**
Neonatal high-frequency jet ventilation.
Pediatr., 72: 27, 1983.
- Pollitzer, M.; Soutter, L.P. and Reynolds, E.O.R.:**
Continuous monitoring of arterial oxygen tension in infants: Four years of experience with an intravascular oxygen electrode.
Pediatr., 66: 31, 1980.
- Pomerance, J.J.; Brand, R.J. and Meredith, J.L.:**
Differentiating environmental from diseaserelated fevers in the term newborn.
Pediatr., 67: 485, 1981.
- Poskitt, E.M.E. and Cole, T.J.:**
Do fat babies stay fat?
Br. Med. J., 1: 1, 1977.
- Prian, G.W.:**
A new technique for long term arterial access in the high risk infant (Abstract).
Pediatr. Res., 10: 431, 1976.
- Putet, G.; Dittmar, A.; Schmitt, M. and Salle, B.:**
Influence of thermoregulation on energy metabolism of the low birth-weight infant.
Acta. Pediatr. Scand. (suppl)., 296: 62, 1982.
- Ragen, R. and Finegold, M.J.:**
Cholestasis in immature newborn infants: Is parenteral alimentation responsible?
J. Pediatr., 86: 264, 1975.
- Raiha, N.C.R.; Heinonen, K.; Rassin, D.K. and Gaall, G.E.:**
Milk protein quantity and quality in low-birth-weight infants I Metabolic responses and effects on growth.
Pediatr., 57: 659, 1976.
- Raju, T.N.K.; Vidyasagar, D. and Papazafiratu, C.:**
Intracranial pressure monitoring in neonatal ICU.
Crit. Care. Med., 8: 575, 1980.
- Raju, T.N.K.; Vidyasagar, D.; Torres, C.; Grundy, D. and Bennett, E.J.:**
Intracranial pressure during intubation and anaesthesia in infants.
J. Pediatr., 96: 680, 1981.

- Rasch, D.K.; Huber, P.A. and Richardson, C.J.:
Neurobehavioral effect of neonatal hypermagnesemia.
J. Pediatr., 100: 272, 1982.
- Rhea, J.W. and Kilby, J.O.:
A nasojejunal tube for infant feeding.
Pediatr., 46: 36, 1970.
- Ritchie, J.H.; Fish, M.B. and McMaster, S.V.:
Edema and hemolytic anemia in premature infants.
A vitamin E deficiency syndrome.
N. Engl. J. Med., 297: 1185, 1968.
- Roberton, N.R.C.:
Development in neonatal practice. In Hull, D.
(ed.): Recent advances in pediatrics., No 6.
Edinburgh, Churchill livingstone, P. 13, 1981.
- Roberton, M.R.C.:
The care of neonates with respiratory failure.
In chiswick, M. (ed.): Recent advances in peri-
natal medicine, No 1. Edinburgh Churchill
Livingstone, P. 169, 1983.
- Ronnholm, K.A.R.; Sipila, I. and Siimes, M.A.:
Human milk protein supplementation for the preven-
tion of hypoproteinemia without metabolic imbalance
in breast-milk fed, very low-birth weight infants.
J. Pediatr., 101: 243, 1982.
- Roy, R.N.; Pollnitz, R.P. and Hamilton, J.R.:
Impaired assimilation of nasojejunal feeds in
healthy low-birth-weight newborn infants.
J. Pediatr., 90: 431, 1977.
- Rubecz, I.; Mestyan, J. and Varga, D.:
Energy metabolism, substrate Utilization, and
nitrogen balance in parenterally fed postoperative
neonates and infants.
J. Pediatr., 98: 42, 1981.
- Russelk, W.J.; Morris, R.G.; Frewin, D.B. and Drew,
S.E.:
Changes in plasma catecholamine concentration
during endotracheal intubation.
Br. J. Anaesth. 53: 837, 1981.
- Rutter, N. and Hull, D.:
Water loss from the skin of term and preterm babies.
Arch. Dis. Child., 58: 858, 1979.

- Ryan, J.A.; Able, R.M. and Abbott, W.M.:
Catheter complications in total parenteral nutrition.
M. Engl. J. Med., 290: 757, 1974.
- Sauer, P.J.J.; Dane, H.J. and Uisser, H.K.A.:
Influence of humidity on fluid loss and neutral temperature in low-birth-weight infants.
Crit. Care. Med., 11: 216, 1983.
- Sauer, P.J.J.; Dane, H.J. and Visser, H.K.A.:
New standards for neutral thermal environment of healthy very low-birth-weight infants in week one of life.
Arch. Dis. Child., 59: 18, 1984.
- Sauer, P.J.J. and Visser, H.K.A.:
The neutral temperature of very low-birth-weight infants.
Pediatr., 74: 288, 1984.
- Schreiner, R.L.; Click, M.R.; Nordschow, C.D. and Gresham, E.L.:
An evaluation of methods to monitor infants receiving intravenous lipids.
J. Pediatr., 94: 197, 1979.
- Scopes, J.W. and Ahmed, J.:
Range of critical temperatures in sick and premature newborn infants.
Arch. Dis. Child., 41: 417, 1966.
- Seino, Y.; Ishii, T.; Schimotsuji, T.; Ishida, M. and Yabuuchi, H.:
Plasma active vitamin D concentration in low birth-weight infants with rickets and its response to vitamin D treatment.
Arch. Dis. Child., 56: 628, 1981.
- Senterre, J. and Salle, B.:
Calcium and phosphorus economy of the preterm infant and its interaction with vitamin D and its metabolites.
Acta. Pediatr. Scand. Suppl., 296: 85, 1982.
- Shaw, J.C.L.:
Trace elements in the fetus and young infant.
Am. J. Dis. Child., 134: 74, 1980.

- Shenai, J.P.; Reynolds, J.W. and Babson, S.G.:
Nutritional balance studies in very low birth weight infants: Enhanced nutrient retention rates by an experimental formula.
Pediatr., 66: 233, 1980.
- Shennan, A.; Cherian, A. and Angel, A.:
Effect of intralipid on estimation of serum bilirubin.
J. Pediatr., 88: 285, 1976.
- Shils, M.E.; Burke, A.W. and Green, H.L.:
Guidelines for essential trace element preparations for parenteral use (AMA Dept of foods and nutrition, or statement by an expert panel)
JAMA, 241: 2051, 1979.
- Siimes, M.A.:
Iron requirement in low-birth-weight infants.
Acta. Pediatr. Scand. Suppl., 296: 101, 1982.
- Silverman, W.A.; Agate, P.J. and Fertig, J.W.:
A sequential trail of the non-thermal effect of atmospheric humidity on survival of newborn infants of low birth weight.
Pediatr., 31: 719, 1963.
- Silverman, W.A. and Anderson, D.H.:
A controlled clinical trail of effects of water mist on obstructive respiratory signs, death rate and necropsy findings among premature infants.
Pediatr., 17: 1, 1956.
- Silverman, W.; Zamelis, A. and Sinclair, J.:
Warm nap of the newborn.
Pediatr., 33: 984, 1964.
- Simmons, M.A.; Adcock, E.W.; III, Bird, H. and Battaglia, F.C.:
Hypernatremia and intracranial hemorrhage in neonates.
N. Engl. J. Med., 291: 6, 1974.
- Smith, E.O.; Schauler, R.I.; Garza, C. and Nichols, B.L.:
Modelling the growth of premature infants.
Growth, 47: 340, 1983.

- Sobel, S.; Gueriguian, J.; Troendle, G. and Neuus, E.:**
Correspondence: vitamin E in retrolental fibroplasia.
N. Engl. J. Med., 306: 867, 1982.
- Sondheimer, J. and Bryan, H.:**
Cholestatic tendencies in premature infants on and off parenteral nutrition.
Pediatr., 62: 984, 1978.
- Speck, W.T.; Fanaroff, A.A. and Klaus, M.:**
Neonatal infection. In klaus, M. and Fanaroff, A. (eds): Care of the Aigh Risk Neonate, 2nd ed. Philadelphia, W.B. Saunders Co., 1979, p. 267.
- Speer, M.E.; Blifeld, C. and Rubdolph, A.J.:**
Intraventricular hemorrhage and vitamin E in the very low-birth-weight infants: Evidence for efficacy of early intramuscular vitamin E administration.
Pediatr., 74: 1107, 1984.
- Spiedel, B.D.:**
Adverse effects of routine procedures on preterm infants. Lancet i: 864, 1978.
- Stark, A.R.:**
Hyaline membrane disease. In Cloherty, J.P. and Stark, A.D. (eds.): Manual of neonatal care. 2nd ed. Boston/Toronto, little Brown Co., 1985, P. 167.
- Steichen, J.J.; Gratton, T.L. and Tsang, R.C.:**
Osteopenia of prematurity: The cause and possible treatment.
J. Pediatr., 96: 528, 1980.
- Stevensen, J.G.:**
Fluid administration in the association of patent ductus arteriosus complicating respiratory distress syndrome.
J. Pediatr., 90: 257, 1977.
- Stewart, A.L.; Reynolds, E.O.R. and Lipscomb, A.P.:**
Outcome for infants of very low-birth weight: survery of world literature.
Lancet, 1: 1038, 1981.

Stiles, A.D.:

Air leak: pneumothorax, pneumomediastinum, pulmonary interstitial emphysema, pneumopericardium. In Cloherty, J.P. and Stark, A.P. (eds.): Manual of neonatal care 2nd ed. Boston/Toronto, Little Brown Co., P. 185, 1985.

Stocker, J.J. and Madewell, J.E.:

Persistent interstitial pulmonary emphysema. Another complication of the respiratory distress syndrome. *Pediatr.*, 59: 847, 1977.

Sun, S.C.; Samuels, S. and Lee, J.:

Duodenal perforation: A rare complication of neonatal nasogastric tube feeding. *Pediatr.*, 55: 377, 1975.

Synder, D.; Telzrow, R. and Tronick, E.:

Effects of phototherapy on neonatal behavior. *Pediatr. Res. (Abstract)*, 10: 432, 1976.

Tanswell, A.K.; Clubb, R.A.; Smith, B.T. and Boston, R.W.:

Individualized continuous distending pressure applied within 6 hours of delivery in infants with respiratory distress syndrome. *Arch. Dis. Child.*, 55: 33, 1980.

Tantibhadyangkul, P. and Hashim, S.A.:

Medium chain triglyceride feeding in premature infants. Effects on fat and nitrogen absorption. *Pediatr.*, 55: 359, 1975.

Thibeault, D.W.; Lachman, L.S.; Laul, V.R. and Kwong, M.S.:

Pulmonary interstitial emphysema, pneumomediastinum and pneumothorax. *Am. J. Dis. Child.*, 126: 611, 1973.

Thibeault, D.W.; Wong, M.M. and Aula, P.A.M.:

Thoracic gas volume changes in premature infants. *Pediatr.*, 40: 403, 1967.

Touloukian, R.J.:

Isosmolar coma during parenteral alimentation with protein hydrolysates in excess of 4 gm/kg/day. *J. Pediatr.*, 86: 270, 1975.

- Trindade, O.; Goldberg, R.N. and Bancalari, E.:**
Conventional versus high-frequency jet ventilation in a piglet model of meconium aspiration. Comparison of pulmonary and hemodynamic effects. J. Pediatr., 107: 115, 1985.
- Tyson, J.E.; Lasky, R.E.; Mize, C.E.; Richards, C.J. and Blain-Smith, N.:**
Growth, metabolic response and development in very low birth-weight infants fed banked human milk or enriched formula. I Neonatal findings. J. Pediatr., 103: 95, 1983.
- Usher, R. and Mclean, F.:**
Intrauterine growth of live born caucasian infants at sea level. Standards obtained in seven dimensions of infants born between 25 and 42 weeks of gestation. J. Pediatr., 74: 901, 1969.
- Valman, H.B.; Heath, C.D. and Brown, R.J.K.:**
Continuous intragastric milk feedings in infants of low birth-weight. Br. Med. J., 3: 547, 1972.
- Versmold, H.T.; Kitterman, J.A. and Phibbs, R.H.:**
Aortic blood pressure during the first 12 hours of life in infants with birth weight 610 to 4220 grams. Pediatr., 67: 607, 1981.
- Vidyasagar, D.; Downes, J.J. and Boggs, T.R.:**
Respiratory distress syndrome of newborn infants. II. Techniques of catheterization of umbilical artery and clinical results of treatment of 124 cases. Clin. Pediatr., 9: 332, 1970.
- Vidyasagar, D.; Joseph, M.E. and Hamilton, L.R.:**
Noise pollution in the neonatal intensive care units, potential hazard (Abstract). Pediatr. Res., 10: 433, 1976.
- Vidyasagar, D. and Raju, T.N.K.:**
Neonatal monitoring. In Aladjem, S. and Brown, A.K. (eds.): Perinatal intensive care. Saint louis, C.U. Mosby Co., P. 277, 1977.

- Vileisis, R.A.; Inwood, R.J. and Hunt, C.E.:**
Prospective controlled study of parenteral nutrition associated with cholestatic jaundice: Effect of protein intake.
J. Pediatr., 96: 893, 1980.
- Von Gaillie, M. and Powell, G.K.:**
Nasoduodenal versus nasogastric feeding in the very low birth weight infant.
Pediatr., 56: 1065, 1975.
- Weisberger, S.A.; Carlo, W.A. and Fouke, J.M.:**
Determinants of tidal volume during high frequency jet ventilation.
Pediatr. Res., 19: 420A, 1985.
- Werthammer, J.; Krasner, J.; DiBenedetto, J. and Stark, A.R.:**
Apnea monitoring by acoustic detection of airflow.
Pediatr., 71: 53, 1983.
- Wheldon, A.C. and Hull, D.:**
Incubation of very immature infants.
Arch. Dis. Child., 58: 505, 1983.
- Whitehead, M.D.; Lee, B.V.; Pagdin, T.M. and Reynolds, E.O.R.:**
Estimation of arterial oxygen and carbox dioxide tension by a single transcutaneous sensor.
Arch. Dis. Child., 60: 356, 1985.
- Whitfield, M.F.; Spitz, L. and Milner, R.D.G.:**
Clinical and metabolic consequences of two regimens of total parenteral nutrition in the newborn.
Arch. Dis. Child., 58: 168, 1983.
- Whyte, R.K.; Haslam, R.; Vlainic, S.; Shannon, S. and Samulski, K.:**
Energy balance and nitrogen balance in growing low birth weight infants fed human milk or formula.
Pediatr. Res., 17: 891, 1983.
- Wigger, H.J.; Bronsilver, B.R. and Blance, W.A.:**
Thrombosis due to catheterization in infants and children.
J. Pediatr., 76: 1, 1970.

Williams, M.L.; Shott, R.J. and O'Neal, P.L.:

Role of dietary iron and fat on vitamin E deficiency anemia of infancy.

M. Engl. J. Med., 292: 887, 1975.

Yashiro, K.; Adams, F.H.; Emmanoulides, G.C. and Mickey, M.R.:

Preliminary studies on the thermal environment of low birth-weight infants.

J. Pediatr., 82: 991, 1973.

Zarif, M.; Pildes, R.S. and Uidyasagar, D.:

Insulin and growth hormone response in neonatal hypoglycemia.

Diabetes, 25: 428, 1976.

Ziegler, E.E.; Biga, R.L. and Fomon, S.J.:

Nutritional requirements for the premature infant, In suskind (ed.): Textbook of Pediatric Nutrition, New York, Raven Press, P. 29, 1981.

Zlotkin, S.H.; Bryan, M.H. and Anderson, G.H.:

Intravenous nitrogen and energy intakes required to duplicate in utero nitrogen accretion in prematurely born human infants.

J. Pediatr., 99: 115, 1981.

Zlotkin, S.H. and Buchanan, B.E.:

Meeting zinc and copper intake requirements in the parenterally fed preterm and full-term infant.

J. Pediatr., 103: 441, 1983.