
References

- Agodoa, L.Y.C.; Held, P.J.; and Port, F.K. (Eds.) (1994):**
Pediatric End Stage Renal disease. United States Renal Data system, 1994, Annual Data Report. Springfield, Virginia, U.S. Department of Commerce, pp. 129-149.
- Ahmed, S.M. and Swedlund, S.K. (1998):**
Evaluation and treatment of urinary tract infections in children.
Am. Fam. Physician, 57:5, 1573-80, 1583-4.
- Alon, U.; Pery, M.; Davidai, G. and Berant, M. (1985):**
Ultrasonography in the radiologic evaluation of children with urinary tract infection.
Pediatrics, 78(1):58-64.
- Anand, S.K.; Aaberg, R.A. and Koyle (1991):**
Urinary tract infection and vesicoureteral reflux. In: Taeusch, M.W.; Ballard, R.A.; Avery, M.E. (Eds.), Diseases of the Newborn. 6th edition, 877-847, 910-915. W.B. Saunders Company.
- Anderhub, B. (1983):**
Manual of abdominal sonography, 1st ed., p. 80, University Park Press, Baltimore.
- Arant, B.S. (1991):**
Vesicoureteric reflux and renal injury.
American Journal of Kidney Diseases, 17:491-511.

-
- Arar, M.; Hogg, R.; Arant, B.S.; et al. (1994):**
Etiology of sustained hypertension in children in the South-Western United States.
Pediatr. Nephrol., 8:186-189.
- Aronson, I.A. and Cremin, B.J. (1984):**
Anomalies of the kidney number, position and size and imaging techniques. In: *Clinical pediatric uro radiology*. Churchill Livingstone, Company, Edinburgh, London, Melbourne and New York, 52-100.
- Austin, H.; Goldin, H.; Preuss, H.G.; et al. (1981):**
Humoral regulation of renal growth.
Nephron., 27:163.
- Bailey, R.P.; Lynn, K. and Robson, R. (1994):**
End-stage reflux nephropathy.
Renal Failure, 16:27-35.
- Bailey, R.R. (1973):**
The relationship of vesicoureteral reflux to urinary tract infections and chronic pyelonephritis-reflux nephropathy. *Clin. Nephrol.*, 1:132-141.
- Baker, R.; Maxted, W.; Maylath, J.; et al. (1998):**
Relation of age, sex, and infection to reflux: Data indicating high spontaneous cure rate in pediatric patients.
J. Urol., 95:27.
- Bakshandeh, K.; Lynne, C. and Corrion, H. (1976):**
Vesicoureteral reflux and end stage renal disease.
J. Urol., 116:557-558.

-
- Barnett, H.L. (1950):**
Kidney function in infants and children.
Pediatrics, 5:171-179.
- Bauer, S.B.; Colodny, A.H. and Retik, A.B. (1982):**
The management of vesicoureteral reflux in children with myelodysplasia. *J. Urol.*, 128:796.
- Bauer, S.B. (1998):**
Anomalies of the kidney and ureteropelvic junction.
In: Walsh, P.C.; Retik, A.B.; Vaughan, E.D.Jr.; Wein A.J. (eds.): *Campbell's Urology*, 7th ed. Philadelphia, W.B. Saunders, pp. 1708-1755.
- Becker, G.J. (1985):**
Reflux nephropathy.
Australian New Zealand Journal of Medicine, 15:668-675.
- Belman, B.A. (1997):**
Vesicoureteral reflux.
Pediatric urology, Vol. 44, 5, pp. 1171-1189.
- Bergstorm, T.; Larson, W. and Lincoln, K. (1972):**
Studies of urinary tract infection in infancy and childhood-XII. Eighty consecutive patients with neonatal infection.
J. Pediatr., 80:858.
- Bollgren I. and Winberg, J. (1976):**
The periurethral aerobic bacterial flora in healthy boys and girls.
Acta Pediatr. Scand., 65:74.

-
- Bonvalet, J.; Champion, M.; Wanstock, F. and Berjal, G. (1972):**
Compensatory renal hypertrophy in young rats, increase in the number of nephrons.
Kidney International, 1:391.
- Bowen, A.D.; Dominguez, R. and Young, L.W. (1981):**
Diagnostic ultrasound, current pediatric applications.
Am. J. Dis. Child., 135:954.
- Brenner, B.M. and Rector, F.C. (1991):**
Radiologic assessment of the kidney. In: *The kidney* (Vol. I), 4th ed., W.B. Saunders Company Harcourt Brace Jovanovich, Inc., Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, Ch. 23.
- Burbige, K.A.; Retik, A.B.; Colodny, A.H.; et al. (1984):**
UTI in boys.
J. Urol., 132-54.
- Burns, M.W.; Burns, J.L.; Krieger, J.N. (1987):**
Pediatric urinary tract infection. Diagnosis, classification, and significance.
Pediatr. Clin. North Am., 34:1111-20.
- Cecilie, G. (1995):**
Pediatric imaging. *RJ.*, 51:62-195.
- Chao, S.M.; Saw, A.H.; Yap, H.K.; Tan, S.P.; Murugasu, B. and Tay, A.H. (1991):**
Comparison of progression of renal failure in children with hypoplastic-dysplastic kidney and chronic glomerulonephritis.
Med. J. Oct., 32:5, 304-6.

-
- Chin, E.; Zhou, J. and Bondy, C.A. (1992):**
Renal growth hormone receptor gene expression: relationship to renal insulin like growth factor system. *Endocrinology*, 131(6):3061-6.
- Choyke, P.L.; Meranze, S. and Pahira, J.J. (1984):**
Imaging of urinary tract diseases: current approaches. *Med. Clin. N. Am.*, 68(6):1164-72.
- Christie, A.B. (1980):**
Infectious diseases: Epidemiology and clinical practice, 3rd edition, Churchill Livingstone.
- Cook, H.J.; Roesenfield, A.T. and Taylor, K.J.M. (1977):**
Ultrasonic demonstration of intrarenal anatomy. *AJR.*, 129:331-335.
- Coppa, G.; Gabrielli, O.; Giorgi, P.; et al. (1990):**
Preliminary study of breast feeding and bacterial adhesion to uroepithelial cells. *Lancet*, 335:596.
- Coppoletta, J.M. and Wolbach, S.B. (1933):**
Body length and organ weights of infants and children. Study of body length and normal weights of more important organs of body between birth and 12 years of age. *Amer. Jr. Path.*, 9:55.
- Cosgrove, D.O. (1985):**
Spleen and lymphatic system in Barnett and Morley, P. (eds.), *Clinical diagnostic ultrasound*, 1st ed., Blackwell Scientific Publications, Oxford, London, Edinburgh, pp. 407.

-
- Crélin, E.S. (1973):**
Functional anatomy of the newborn.
New Haven, Connecticut, Yale University Press.
- Currarino, G. (1965):**
Roentgenographic estimation of kidney size in normal individuals with emphasis on children.
Am. J. Roentgen., 93:464.
- Davdits, H.H.; Kaulen, H. and Alberent, K.F. (1973):**
U/S diagnosis in the disease of the kidney.
J. Urol., 12:283.
- Dinkel, E.; Ertel, M.; Dittrich, M.; Peters, H.; Berres, M.; Schulte, and Wissermann, H. (1985):**
Kidney size in childhood, sonographic growth charts for kidney length and volume.
Pediatri. Radiol., (15):38-43.
- Edelman, C.M. (1992a):**
Ultrasonographic, computed tomography and magnetic resonance imaging. In: Pediatric Kidney Diseases, 2nd edition (Vol. I), Ass. Editors Bernstein, J.J.; Meadow, S.R. and Spitzer, A. Little and Brown Company, printed in the United States of America.
- Edelman, C.M. (1992b):**
Response of the developing kidney to nephron loss. In: Pediatric-kidney disease, 2nd edition (Vol. I), Ass. Editors, Bernstein, J.; Meadow, S.R. and Spitzer, A. Little and Brown Company, Printed in the United States of America.

-
- Edelmann, C.M. and Spitzer, A. (1969):**
The maturing kidney. A modern view of well balanced infants with imbalanced nephrons.
J. Pediatr., 75:509-519.
- Edelmann, C.M.; Ogwo, J.E.; Fine, B.P. and Martinez, A.B. (1973):**
The prevalence of bacteriuria in full-term and premature newborn infants.
J. Pediatr., 82:125.
- Effmann, E.L.; Ablow, R.C. and Siegel, N.J. (1977):**
Renal growth.
Radiologic Clinics of North America, 15(1):3-17.
- Eklof, O. and Ringertz, H. (1976):**
A method for kidney size assessment in children.
Acta Radiol. Diagn. Sept., 17:617.
- El Dahr, S.S. and Lewy, J.E. (1992):**
Urinary tract obstruction and infection in the neonate.
Clin. Perinatol., 1991:213-22.
- El-Hatw, M.K., Salah, H.; Idris, A.; Shaker, O. and Wagieh, S. (M.D.) (1998):**
Urinary interleukin-8 and Tc99m DMSA scintigraphy as diagnostic parameters in evaluating children with recurrent urinary tract infections.
The Gaz. Egypt. Paed., 46(1):89-100.
- Elder, J.S. (2000):**
Urologic disorders in infants and children, in Behrman, R.E.; Kliegman, R.M. and Jenson-Hal, B. (Eds.): *Nelson Textbook of Pediatrics*, 16th ed., Philadelphia, W.B. Saunders, pp. 1619-1655.

-
- Elder, J.S.; Peters, C.A.; Arant, B.S.; et al. (1997):**
Pediatric vesicoureteral reflux guidelines, panel summary report on the management of primary vesicoureteral reflux in children.
J. Urol., 157:1846.
- Elison, B.S.; Taylor, D.; Vanderwall, H.; et al. (1992):**
Comparison of DMSA scintigraphy with IVU for detection of renal scarring and its complication with VUR. Brit. J. Urol., 69:294-302.
- Ellen, R.P. and Gibbons, R.J. (1974):**
Parasites affecting the adherence and tissue tropism of *Streptococcus pyogenus*. Infect. Immun., 9:85.
- Emamian, S.A.; Nielsen, M.B. and Pedersen, J.F. (1995):**
Intraobserver and interobserver variations in sonographic measurements of kidney size in adult volunteers. A comparison of linear measurements and volumetric estimates.
Acta Radiol., 36(4):399-401.
- Emery, J.L. and Mithal, A. (1960):**
The weight of kidney in late intrauterine life nad childhood.
J. Clin. Path., 13:490.
- Fayad, I.M.; Shoaib, S.; Shafee K, M. and Ziada., G.(1992):**
Urinary tract infection in pediatric age group. M.Sc. Thesis, Pediatr. Med. Cairo University.

- Ferris, M.E.; Brannan, P. and Portman, R.J. (1993):**
Neonatal nephrology. In: Merenstein, G.B.; Gardner, S.L. (Eds.), Handbook of Neonatal Intensive Care, 3rd edition, 399-427.
Mosby Year Book.
- Fetterman, G.H.; Shuplock, N.A.; Philipp, F.J. and Gergg, H.S. (1965):**
The growth and maturation of human glomeruli and proximal convolutions from term to adulthood studies by microdissection.
Pediatrics, 35:601.
- Fortino, S. (1989):**
The solitary kidney: A model of glomerular hyperfiltration in humans.
Am. J. Kidney Dis., 13:88-98.
- Gabow, P.A. (1993):**
Autosomal dominant polycystic kidney disease.
N. Engl. J. Med., 329:332.
- Garin, E.H.; Campos, A. and Homsy, Y. (1998):**
Primary vesicoureteral reflux: review of current concepts.
Pediatr. Nephrol., Apr., 12:3, 249-56.
- Gatewood, O.M.B.; Glasser, R.J. and Vanhoutte, J.J. (1965):**
Roentgen evaluation of renal size in pediatric age groups.
Am. J. Dis. Child., 110:162.

-
- Ginsburg, C.M. and McCracken, G.H. (1982):**
Urinary tract infection in young infants.
Pediatrics, 69:509.
- Glassberg, K.L.; Stephens, F.P. and Lebowitz, R.L. (1987):**
Renal dysgenesis and cystic disease of the kidney. A report of the committee on terminology, nomenclature and classification, section on urology.
American Academy of Pediatrics, Journal of Urology, 138:1085-1092.
- Glazebrook, K.N.; McGrath, F.P. and Steele, B.T. (1993):**
Prenatal compensatory renal growth: documentation with U.S. Radiology, 189(3):733-5.
- Godley, M.L.; Ransley, P.G.; Pakhouse, H.F.; Gordon, I.; Evans, K. and Peters, A.M. (1990):**
Quantitation of vesico-ureteric reflux by radionuclide cystography and urodynamics.
Pediatr. Nephrol., 4:485-490.
- Goldberg, B. (1981):**
"Renal tumor" in diagnostic ultrasonic in urology and nephrology, 1st edn., by Watanabe, Holems, Holm, Goldberg, Igaku Shoin Tokyo. New York.
- Gonzalez, E.T. (1992):**
Posterior urethral valves and other urethral anomalies. In: Walsh, P.C.; Ketia, A.B.; Stamey, T.A. and Vaughan, E.D. (Eds.), *Campbell's Urology*, 6th edition, 1827-1890. W.B. Saunders Company.

Gonzalez, R. (1996):

Urologic disorders in infants and children, in Behrman, R.E.; Kliegman, R.M. and Arvin, A.M. (Eds.): Nelson Textbook of Pediatrics, 15th ed. Philadelphia, W.B. Saunders, pp. 1528-1534.

Gonzalez, R. (1996):

Urologic disorders in infants and children. In Richard A. Behrman, Robert M. Kliegman, Ann M. Arvin (eds.), Nelson Textbook of Pediatrics, 15th (ed.), 491:1527.

Goonasekera, C.D.; Gordon, I. and Dillon, M.J. (1998):

15-year follow-up of reflux nephropathy; Institute of Child Health and Great Ormond Street Hospital for Children NHS Trust, London, UK.
Clin. Nephrol., 50:4, 224-31.

Gordon, I. (1994):

Imaging the kidneys and urinary tract. In: Holliday, M.A.; Barratt, T.M.; Avner, E.D. and Kogan, B.A. (Eds.), Pediatric Nephrology, 3rd Edn., Philadelphia, London, pp. 421-437.

Gordon, I. (1990):

Urinary tract infection in paediatrics. The role of diagnostic imaging.
Br. J. Radiol., 63 (751):507-51.

Gordon-Cardo, C.; Lloyd, K.O. and Finstad, C.L. (1986):

Immunoanatomic distribution of blood group antigens in the human urinary tract: Influence of secretor status. Lab. Invest., 55:444.

-
- Gotoff, S.P. (1996):**
Infections of the newborn. In: Nelson, W.E.; Vaughan, V.C.; Behrman, R.E. (Eds.), Nelson Textbook of Pediatrics, 15th edition, 509. W.B. Saunders Company.
- Greenfield, S.P.; Ng, M. and Wan, J. (1997):**
Experience with vesicoureteral reflux in children: clinical characteristics.
J. Urol., 158:574-577.
- Ham, P. and Piepsz, A. (1991):**
Estimation of glomerular filtration rate in infants and children using a single plasma sample method.
J. Nucl. Med., 32:1294-1297.
- Hammermann, M.K.; O'Shea, M. and Miller, S.B. (1993):**
Role of growth factors in regulation of renal growth.
Annu. Rev. Physiol., 55:305-21.
- Han, B.K. and Babcock, D.S. (1985):**
Sonographic measurements and appearance of normal kidney in children.
Amer. J.R., 145:611-616, September.
- Hansen, M.H. and Shortliffe, L.M. (1998):**
Progressive renal shrinkage after simple pyelonephritis.
Urology, 52:5, 893-6.
- Hanson, L.A.; Fasth, A. and Jodal, U. (1981):**
Biology and pathology of urinary tract infection.
J. Clin. Pathol., 34:695-700.

-
- Haugstvedt, S. and Lundberg, J. (1980):**
Kidney size in normal children measured by sonography.
Scand. J. Urol. Nephrol., 14:251-255.
- Hayden, C.K.; Swischuk, L.E. and Fawcett, H.D. (1986):**
Urinary tract infections in childhood: A current imaging approach.
Radiology, 6:1023-38.
- Heideman, H.D. and Rosenbaum, H.D. (1970):**
A study of renal size after contralateral nephrectomy.
Radiology, 94:599.
- Helen, C.; Donald, S.; Brian, K. and Francis, B. (1994):**
Imaging children, Vol. I:563-586.
- Hellerstein, S.; Puggan, E. and Welchert, E. (1982):**
Serum C-reactive protein and the site of UTI.
J. Pediatr., 100, 21-25.
- Hellstrom, A.; Hansen, E.; Hanson, S.; Hjalmas, K. and Jodal, U. (1991):**
Association between urinary symptoms at 7 years old and previous urinary tract infections.
Arch. Dis. Child., 66:232-234.
- Heyman, S. (1994):**
Radionuclide studies of the genitourinary tract. In: Miller, J.H.; Gelfand, M.J. (Eds.), Pediatric nuclear imaging.
Philadelphia, London, PP. 195-251.

-
- Hodson, C.J.; Davies, Z. and Prescod, A. (1975):**
Renal parenchymal radiographic measurement in infants and children.
Ped. Radiol., 3:16.
- Hodson, C.J.; Drewe, J.A.; Karn, M.N. and King, A. (1962):**
Renal size in normal children. A radiographic study during life.
Arch. Dis. Child., 37:616.
- Hohenfellner, F.; Fogo, A. and Kon, V. (1999):**
Renin-angiotensin genes in renal development and occurrence and progression of renal diseases.
Semin. Nephrol., 19:2, 148-54.
- Holland, N.H.; Jackson, E.c.; Kazee, M.; Conrad, G.R. and Ryo, U.Y. (1990):**
Relation of UTI and VUR to renal scarring, follow-up study.
J. Pediatr., 116(5):565-571.
- Holmes, J.; Watanabe, H.; Holm, H.H. and Goldberg, B.B. (1981):**
Diagnostic ultrasound in urology and nephrology.
Igaku Shoin Medical Publisher, 52-61.
- Horster, M.; Kember, B.J. and Valtan, H. (1971):**
Intracortical distribution of number and volume of glomeruli during postnatal maturation in the dog.
J. Clin. Invest., 50:796-800.

-
- Horster, M. and Valtin, H. (1971):**
Postnatal development of renal function.
Micropuncture clearance studies in the dog.
J. Clin. Invest., 50:779.
- Hricak, H.; Slovis, T.L. and Callen, C.W. (1983):**
Neonatal kidneys: Sonographic anatomic correlation.
Radiology, 147:699-702.
- International Reflux Study Committee (1981):**
Medical versus surgical treatment of primary
vesicoureteral reflux.
Pediatrics, 67:392-400.
- James, A. and Zagzebski, (1989):**
Physics of diagnostic ultrasound. In: Textbook of
diagnostic ultrasonography. Edited by Hagen-Ansert,
S.L. The C.V. Mosby Co.
- Jawetz, E.; Joseph, L.M. and Edward, A. (1991):**
Review of medical microbiology, 9th edition,
Appleton and Lange.
- John, H.M. and Michael, J.G. (1994):**
Pediatric nuclear imaging. 1st ed., (195-220).
- Johnson, C.E.; Debaz, B.P.; Shwin, P.A. and
Bartolomeo, R.D. (1986):**
Renal ultrasound evaluation of urinary tract infections
in children.
Pediatrics; 78(5):871-878.
- Johnson, C.C. (1991):**
Definitions, classification and clinical presentation of
urinary tract infection.
Med. Clin. North Am., 2:241-52.

-
- Johnston, J.H. and Goodwin, W.E. (1974):**
Reviews in pediatric urology. Excerpta Medica, Amsterdam, American Elsevier Publishing Company, Inc., New York, p. 25-29.
- Jones, K.V. and Asscher, A.W. (1992):**
Urinary tract infection and vesicoureteral reflux. In: Edelman, C.M. (Ed.), Pediatric Kidney Disease, 2nd edition, 1943-1982. Little, Brown and Company.
- June, C.H.; Browning, M.D.; Smith, L.P.; et al. (1985):**
Ultrasonography and computed tomography in severe urinary tract infection.
Arch. Intern. Med.; 145:841-845.
- Kangarloo, H.K.; Gold, R.H.; Fine, R.N.; et al. (1985):**
Urinary tract infection in infants and children evaluated by ultrasound.
Radiology, 154:367-373.
- Kaufman, J.M.; Hardly, R. and Hayslett, J.P. (1975):**
Age-dependent characteristics of compensatory renal growth. Kidney International, 8:21.
- Keating, M.A. and Atala, A. (1998):**
Vesicoureteral reflux and megaureter. In Walsh E.D.; Retik, A.B.; Vaughan, E.D. Jr.; et al. (eds.): Campbell's Urology, ed. 7, Vol. 2, Philadelphia, W.B. Saunders, p. 1859.
- Kelalis, P.P.; King, L.R. and Belman, A.B. (1985):**
Ultrasonography of the urogenital system in: Clinical pediatric urology (Vol. I), 2nd ed., W.B. Saunders Co., Philadelphia, London, Toronto.

-
- Kher, K.K. and Leichter, W.E. (1992):**
Urinary tract infection. In: Kher, K.K.; Makker, S.P. (Eds.), *Clinical Pediatric Nephrology*. McGraw-Hill, Inc., 101-117.
- Kher, K.K. and Makker, S.P. (1992):**
Clinical Pediatric Nephrology, 277-314.
- Kincaid-Smith, P.S.; Bastos, M.G. and Becker, G.J. (1984):**
Reflux nephropathy in the adult, in Hodgon, C.J.; Heptinstall, R.H. and Winberg, G.J. (Eds.): *Reflux Nephropathy Update*. Basel, Karger, pp. 94-101.
- King, L.R.; Kazmi, S.O. and Belman, A.B. (1974):**
Natural history of vesicoureteral reflux: outcome of a trial of nonoperative therapy.
Urol. Clin. North. Am., 1:144.
- King, L.R. (1992):**
Vesicoureteral Reflux, Megaureter and Ureteral Reimplantation. In: Walsh, P.C.; Retik, A.B.; Stamey, T.A.; Vaughan, E.D. (Eds.), *Campbell's Urology*, 6th edition, 1689-1715. W.B. Saunders Company.
- Kisane, J.M. (1990):**
Renal cysts in pediatric patients.
Pediatric Nephrology, 4:29.
- Kist, M.; Irving, E. and Hotmant, F. (1990):**
Purification and characterization of the hemagglutinins Expressed by two uropathogenic *E. coli* strains.
Infect. immun., 58:695.

-
- Kleiner, B.; Filly, R.A.; Mack, L. and Callen, P.W. (1986):**
Multicystic dysplastic kidney. Observations of contralateral disease in the fetal population.
Radiology, 161:27-29.
- Koff, S.A. and Murtaugh, D.S. (1983):**
The uninhibited bladder in children: Effect of treatment on recurrence of urinary infection and on vesicoureteral reflux resolution.
J. Urol., 130:1138.
- Koff, S.A.; Peller, P.A.; Young, D.C. and Pollifrone, D.L. (1994):**
The assessment of obstruction in the newborn with unilateral hydronephrosis by measuring the size of the opposite kidney.
J. Urol., 152 (2 pt. 2):596-9.
- Koff, S.A. (1992):**
Relationship between dysfunctional voiding and reflux.
J. Urol., 148:1703.
- Kremer, H.; Dobrinski, W. and Mikyska, M. (1982):**
Ultrasonic in vivo and vitro studies on the nature of the ureteral jet phenomenon.
Radiology, 142:175.
- Kremkan (1980):**
Acoustic shadowing due to refractive and reflective effects.
AJR., 132:973-977.

-
- Kunin, C.M.; Deutscher, R. and Paquin, A. (1964):**
Urinary tract infection in school children: An epidemiologic, clinical and laboratory study.
Medicine, 43:91.
- Larsson, S.H. and Aperia, A. (1991):**
Renal growth in infancy and childhood-experimental studies of regulatory mechanisms.
Pediatr. Nephrol. Jul., 5(4):439-42.
- Latham, R.H.; Running, K. and Stamm, W.E. (1983):**
Urinary tract infection in young women caused by *Staph. saprophyticus*.
JAMA, 250-270.
- Lauffer, I. and Griscom, N.T. (1971):**
Compensatory renal hypertrophy.
Am. J. Roentgen., 113:464.
- Lebowitz, R.L.; Hopkins, T. and Colodny, A.H. (1975):**
Measuring the kidneys: Practical applications using a growth and hypertrophy chart.
Pediatr. Radiol., (4):37-42.
- Lenaghan, D.; Whitaker, J.G.; Jensen, F.; et al. (1976):**
The natural history of reflux and long term effects of reflux on the kidneys.
J. Urol., 50:479-484.
- Leonidas, J.C.; McCauley, R.G.K.; Klauber, G.C. and Fretzayas, A.M. (1985):**
Sonography as a substitute for excretory urography in children with urinary tract infection.
A.J.R., 144(4):815-819.

-
- Levitt, S.B. (1981):**
Medical versus surgical treatment of primary vesicoureteral reflux. Report of the 5th member panel of the international reflux study committee.
Pediatrics, 67:392.
- Lindberg, U.; Mansor, L.A. and Jodal, M. (1975):**
Asymptomatic bacteriuria in school girls: II-Differences in *E. coli* causing asymptomatic and symptomatic bacteriuria.
Acta. Pediatr. Scand., 64:432.
- Lohr, J.A.; Donowitz, L.G. and Sadler, J.E. (1989):**
Hospital-Acquired urinary tract infection.
Pediatrics, 83:193.
- Lomberg, H.A.; Cedergren, B.; Leffler, H.; Nilsson, B.; et al. (1986):**
Influence of blood group on the availability of receptors for attachment of uropathogenic *E. coli*.
Infect. Immun., 51:919-26.
- Londe, S. (1978):**
Causes of hypertension in the young.
Pediatr. Clin. North Am., 25:55-65.
- Longcope, W.T. and Winkenwerder, W.L. (1933):**
Clinical features of the contracted kidney due to pyelonephritis.
Bull Johns Hopkins Hosp., 53:255-287.
- Lyons, E.A.; Murphy, A.V. and Arneil, G.C. (1972):**
Sonar and its use in kidney disease in children.
Arch. Dis. Child., 47:777-786.

-
- Maherzi, M.; Guignard, J.P. and Torrado, A. (1978):**
Urinary tract infection in high-risk newborn infants.
Pediatrics, 62:521.
- Majd, Potter, B.M.; Guzzeta, P.C.; et al. (1983):**
Effect of captopril on efficacy on renal scintigraphy in
detection of renal artery stenosis [Abstract].
J. Nucl. Med., 24:23.
- Majed, M.; Rushton, H.G. and Ghondra, R.S. (1990):**
Focal intrarenal blood flow changes in experimental
acute pyelonephritis.
Abstract 334, *Radiology*, 177 (P), Supple, 142.
- Marrie, T.J.; Harding, G.K.M. and Ronald, A.R. (1979):**
Influence of mucoid on antibody coating of
Pseudomonas aeruginosa.
J. Inf. Dis., 139:537.
- McRae, C.U.; Shanon, F.T. and Utley, W.L. (1974):**
Effect on renal growth reimplantation of refluxing
ureters.
Lancet, 1:1310.
- Merenich, W.M. and Popky, G.L. (1991):**
Radiology of renal infection.
Med. Clin. N. Am., 2:425-69.
- Mostafa, B. H. and GAAFAR, H. (1994):**
Vesicoweterial reflux and its relation to urinary tract
infections. M.Sc. Assay, *Pediatr. Med.* Cairo
University.

Mostafa . B. H.; Shakhs, N.A.S and Abdel Hamid A.M. (1997):

Duplex study in children with complicated winary tract infection. M.Sc. Thesis, Pediatr.Med. Cairo University.

Moustafa, M.; Amin, A.; El-Hadad, S.M.; Eissa, K.; Soliman, N. and Wageih, S.H. (1996):

Diagnosis of vesico-ureteric reflux by different methods and its role to reflux nephropathy in Pediatrics European Congress of N.M., 14-15, September, Copenhagen (Oral Presentation).

Nash, M.A. and Edelmann, C.M. (1973):

The developing kidney. *Nephron.*, 11:71-90.

Noe, H.N.; Wyatt, R.J.; Peeden, J.N.Jr.; et al. (1992):
The transmission of vesicoureteral reflux from parent to child. *J. Urol.*, 148:1869.

O'Hanley, P.; Low, D.; Romero, I.; Lark, D.; Vosti, D. and Schoolmid, G. (1985):

Gal-Gal binding and hemolysin phenotypes and genotypes associated with uropathogenic *E. coli*. *N. Engl. J. Med.*, 313:414-20.

Oliver, J.T.; Rubenstein, M.; Meyer, R. and Bernstein, J. (1962):

Congenital abnormalities of the urinary system growth of the kidney in childhood-determination of normal weight. *J. Ped.*, 61:256.

-
- Pazin, G.J. and Braude, A.T. (1977):**
Infectious diseases: Salmonella typhi Bacilli in urine.
2nd edition, W.B. Saunders Company.
- Peters, C.A.; Gaertner, R.C.; Carr, M.C. and Mandell, J. (1993):**
Fetal compensatory renal growth due to unilateral ureteral obstruction.
J. Urol., 150 (2 pt. 2):597-600.
- Pisacane, A.; Graziano, L.; Massarella, G.; et al. (1992):**
Breast feeding and urinary tract infection.
J. Pediatr., 120:87.
- Pollack, H.M.; Arger, P.H.; Goldberg, B.B. and Mullholand, S.G. (1978):**
Ultrasonic detection of non opaque renal calculi.
Radiology, 127:233-237.
- Pope, J.C. 4th; Showalter, P.R.; Milam, D.F. and Brock, J.W. (1994):**
Intrahepatic pressure monitoring in the partially obstructed porcine kidney.
Urology, 44(4):565-71.
- Puri, P.; Cascio, S.; Lakshmandan, G. and Colhoun, E. (1998):**
Urinary tract infection and renal damage in sibling vesicoureteral reflux.
J. Urol., 160:3 pt 2, 1028-30; discussion 1038.

-
- Pursley, M. and Cloherty, J.P. (1991):**
Identifying the high-risk newborn and evaluating gestational age. In: Cloherty, J.P.; Stark, A.P. (Eds.), Manual of neonatal care. 3rd edition, 85-101, Little, Brown and Company.
- Race, R.R. and Sanger, R. (1975):**
Blood groups in man, 6th edition, 547. Blackwell Scientific Publications.
- Ransley, P.G. (1982):**
VUR. IN: Williams, E.I.; Johnston, J.M. (eds.): Pediatric Virology, 2, London, Butterworths.
- Richard, L.S. and Ronald, S.G. (1985):**
Infectious diseases of the female genital tract. Williams and Wilkins, 120-140.
- Rickwood, A.M.K.; Carty, H.M.; McKendrick, T.; Williams, M.P.L.; et al. (1992):**
Current imaging of childhood urinary infections: Postoperative survey.
BMJ., 304:663-665.
- Ring, K.S.; Benson, M.C.; Bandyk, M.G. and Sawczuk, I.S. (1992):**
Detection of cellular proliferation during compensatory renal growth using flow cytometry.
Nephron.; 61(2):200-3.
- Rizzoni, G.; Perale, R.; Bui, F.; et al. (1986):**
Radionuclide voiding cystography in intrarenal reflux detection. Ann. Radiol., 29:415-420.

-
- Robbins, J.B. (1988):**
Immunologic mechanisms. In: Barnett, H.L. (ed.):
Pediatrics, New York, Appleton-Century-Crofts,
Chapter 10, p. 387.
- Romero, R. (1988):**
Infantile polycystic kidney disease. In romero, R.;
Gianluigi, P. and Philippe, J. (eds.). Prenatal
diagnosis of congenital anomalies, 1st (ed.), 8:266.
- Rosenbaum, D.M.; Korngold, E. and Teele, R.L. (1984):**
Sonographic assessment of renal length in normal
children. Am. J., 142:467-469 (March).
- Rosenberg, A.R.; Rossleigh, M.A.; Brydor, M.P. and
Bess, S.G. (1992):**
Evaluation of acute urinary tract infection in children
by DMSA Scintigraphy: A prospective study.
J. Urol., 148:1746-1749.
- Ross, J.H. and Kay, R. (1999):**
Pediatric urinary tract infection and reflux.
Am. Fam. Physician, Mar., 59:6, 1472-8, 1485-6.
- Rubbin, R.H.; Tolkoff-Rubin, N.E. and Cortan, R.S.
(1991):**
Urinary tract infection, pyelonephritis, and reflux
nephropathy. In: Brenner, B.M.; Rector, F.C. (Eds.).
The kidney, 4th edition, W.B. Saunders Company.
- Rubin, R.H. (1987):**
Infections of the urinary tract.
Inf. Dis. Scient. Am., 7:1-15.

Sanders, R.C. (1980):

The place of diagnostic ultrasound in the examination of kidney.

J. Urology.

Sanders, R.C. and Hartman, D.S. (1984):

The sonographic distinction between neonatal multicystic kidney and hydronephrosis.

Radiology, 151:621.

Sandler, M.P.; Coleman, R.E.; Wackers, F.J.; Paton, J.A.; Gottscha, K.A. and Hoffer, P.B. (1996):

Diagnostic nuclear medicine in pediatric nephrology and urology.

J. Pediatrics, 2:1369-1398.

Sargent, M.A. and Wilson, B.P. (1992):

Observer variability in the sonographic measurement of renal length in children.

Clinical Radiology, 46 (344-347).

Sargent, M.A. and Gupta, S.C. (1993):

Sonographic measurement of relative renal volume in children: comparison with scintigraphic determination of relative renal function.

A.J.R. Am. J. Roentgenol., 161(1):157-60.

Saskia, V.W. and David, K.E. (1994):

Practical Pediatric Radiology, 53-526.

Savage, D.C.L. (1975):

Natural history of overt bacteriuria in school girls.

Kidney International, 8:590.

-
- Schesinger, A.E.; Hernandez, R.J.; Zerlin, J.M.; et al. (1991):**
Interobserver and intraobserver variations. In:
Sonographic renal length measurement in children.
Am. J., 159 (1029-1032).
- Schoolink, G.K.; Arant, B.S. and Carnfeld, D. (1987):**
Uropathogenic, E. coli. Molecular mechanisms of
adherence. Adv. Exp. Med. Biol., 224:53.
- Selzman, A.A. and Elder, J.S. (19??):**
Contralateral vesicoureteral reflux in children with a
multicystic kidney.
J. Urol., 153:1252.
- Sfakianakis, G.N.; Bourgoignie, J.j.; Jafe, D.; et al. (1987):**
Single-dose captopril scintigraphy in the diagnosis of
renovascular hypertension.
J. Nucl. Med., 28:1383-1392.
- Shackelford, G.D.; Kees Folts, D. and Cole, B.R. (1992):**
Imaging the urinary tract. Clin.Perinat., 19(1):85-117.
- Shanon, A.; Feldman, W.; McDonald, P.; Mantin, D.J.;
Shillingen, J.F. and Wolfish, N. (1992):**
Evaluation of renal scars by technetium labeled
dimercaptosuccinic acid, intravenous urography and
ultrasonography: a comparison study.
J. Ped., 120:399-403.
- Shanson, D.C. (1982):**
Microbiology in Clinical Practice, 1st edition, 355.

-
- Shapiro, E. and Elder, J.S. (1998):**
The office management of recurrent urinary tract infection and vesicoureteral reflux in children.
Urol. Clin. North Am., 25:4, 725-34, X.
- Shaul, D.B. and Harrison, E.A. (1997):**
Classification of anorectal malformation-initial approach, diagnostic tests, and colostomy.
Semin. Paediatric. Surg., Nov., 6:4, 187-95.
- Sheinfeld, J.; Schaeffer, A.J. and Cordon-Cardo, C. (1989):**
Association of the Lewis blood group phenotype with recurrent urinary tract infections in women.
N. Engl. J. Med., 320:773.
- Shimada, K.; Matsui, T.; Ogino, T. and Koma, F. (1989):** New development and progression of renal scarring in children with primary VUR.
Int. Urol. Nephrol., 21(2):153-158.
- Shkolnik, A. (1985):**
Ultrasonography of the urogenital system. In: Clinical pediatric urology. Edited by Kelalis, P.; Urology edited by Kelalis, P.; King, R.L. and Belman, A.B., 2nd ed., W.B. Saunders co., Philadelphia, 181-200.
- Shortliffe, L.M. (1995):**
The management of urinary tract infections in children without urinary tract abnormalities.
Urol. Clin. North Am., 22:67.

-
- Shortliffe, L.M. (1998):**
Urinary tract infections in infants and children. In:
Walsh, E.D.; Retik, A.B.; Vaughan, E.D.Jr.; et al.
(eds.): Campbell's Urology, ed. 7, Vol. 2.
Philadelphia, W.B. Saunders, p. 1681.
- Siegel, S.R.; Siegel, B.; sokoloff, B.Z.; et al. (1980):**
Urinary tract infection in infants and preschool
children. Am. J. Dis. Child., 134:369-372.
- Silber, S. and Mahin, R.L. (1974):**
Compensatory and obligatory renal growth in rates.
Am. J. Physiol., 226:114.
- Sixt, R. and Stokland, E. (1998):**
Assessment of infective urinary tract disorders.
Q.J. Nucl. Med., 42(1):119-25.
- Smellie, J.M. and Schaeffer, A. (1986):**
Urinary infectins in children. Postgrad. Med. J.,
61:895-905.
- Smellie, J.M.; Rigden, S.P.A. and Prescod, N.P. (1995):**
Urinary tract infection: A comparison of four methods
of investigation.
Arch. Dis. Child., 72:247-250.
- Smith, T.; Gordon, I. and Kelly, J.P. (1998):**
Comparison of radiation dose from intravenous
urography and 99Tcm DMSA scintigraphy in children.
Br. J. Radiol., 71:843, 314-9.
- Spencer, J. R and Schaeffer, A (1986):**
Pediatric urinary tract infections. Urol. Clin. North.
Am., 13:661-667.

-
- Steele, B.T.; Robitaille, P. and DeMaria, J. (1989):**
Follow-up evaluation of prenatally recognized
vesicoureteral reflux.
J. Pediatr., 115:95.
- Svanborg Eden, C.; Kulhavy, R.; Marild, S.; et al. (1985):**
Urinary immunoglobulins in healthy individuals and
children with acute pyelonephritis.
Scand. J. Immunol., 21:305.
- Svanborg-Eden, C.; Larsson, P. and Lomberg, H. (1980):**
Attachment of proteus mirabilis bacteria to human
urinary tract epithelial cells in different from that of
E. coli.
Infect. Immun., 27:804.
- Swoboclnik, W.; Herrmann, H. and Jens, E. (1991):**
Atlas of ultrasound, anatomy, Thieme-Medical
Publisher, Inc., New York.
- Talment, C.A. (1980):**
Renal ultrasonography and adrenal glands. In: Taylor,
K.J.W.; Jacobson, P.; Talmet, A.; Winters, R. (eds.),
Manual of ultrasonography, 1st ed., Churchill
Livingstone, New York, Edinburgh, London.
- Tanagho, E.A. (1992):**
Surgical anatomy of the genitourinary tract. In:
Walsh, P.C.; Retik, A.B.; Stamey, T.A.; Vaughan,
E.A. (eds.), Campbell's Urology, 6th edition, W.B.
Saunders Company.

-
- Tay, J.S.; Vellayappan, K.; Tan, L.K.; et al. (1977):**
Pediatric ultrasonography. In: the accuracy of the
ultrasound scan in the estimation of renal size in
children.
J. Singapore Pediatr. Soc., 19:234-237.
- Thomas, C.G.A. (1983):**
Medical microbiology, 5th edition, Baillière Tindall.
- Thompson and Tanashi, Y. (1981):**
In diagnostic ultrasound in urology and nephrology.
Ed. by (Watanabe, H.; Holmes, J. and Hom, H.).
- Tsai, J.D.; Huang, F.Y. and Tsai, T.C. (1998):**
Asymptomatic vesicoureteral reflux detected by
neonatal ultrasonographic screening.
Pediatr. Nephrol., 12(3):206-9.
- Tufro-McReddie, A.; Johns, D.W.; Geary, K.M.; et al.
(1994):**
Angiotensin II type I receptor: role in renal growth
and gene expression during normal development.
Am. J. Physiol., 266 (6 pt 2):F911-8.
- Vallee, J.P.; Vallee, M.P.; Greenfield, S.P.; Wan, J. and
Springate, J. (1999):**
Contemporary incidence of morbidity related to
vesicoureteral reflux. Urology, 53:4, 812-5.
- Vanden Abbelle, A.D.; Treves, S.T. and Lebowitz
(1987):**
Vesicoureteral reflux in asymptomatic siblings of
patients with known reflux: Radionuclide cystography.
Pediatrics, 79:147.

-
- Vernier, R.L. and Smith, F.G. (1968):**
Fetal and neonatal kidney in Assali Biology of gestation, Vol. 11, PP. 225-260 (Academic Press, New York).
- Wallace, M.A.; Rothwell, D.L. and Williams, D.I. (1978):**
The long-term follow-up of surgically treated vesicoureteric reflux.
J. Urol., 50:479-484.
- Warady, B.A.; Hebert, D.; Sullivan, E.K.; et al. (1995):**
Annual report of the North American Pediatric Renal Transplant Cooperative Study.
Pediatr. Nephrol., 11:49-64.
- Weitzel, D.; Troger, J. and Straub, E. (1977):**
Renal sonography in pediatric patients.
Pediatr. Radiol., 6:19-26.
- Wettergren, B.; Fasth, A.; Jacobsson, B.; et al. (1980):**
UTI during the first year of life in a Goteborg area 1977-79.
Pediatr. Res., 14:981.
- Wettergren, B.; Jodal, U. and Jonasson, G. (1985):**
Epidemiology of bacteriuria during the first year of life. Acta. Pediatr. Scand., 74:925.
- Whiteworth, J.A. and Lawrence, J.R. (1994):**
Textbook of renal disease. 2nd edition, 3:263.

-
- Willi, U.V. and Treves, S.T. (1985):**
Radionuclide voiding cystography. In: Treves, S.T. (Ed.), *Pediatric Nuclear Medicine*, New York, Springer-Verlag, 150-120.
- Wilson, R.D. and Baird, P.A. (1985):**
Renal agenesis in British Columbia.
Am. J. Med. Genet., 21:153.
- Winberg, J. (1986):**
Urinary tract infection in infants on children. In: Walsh, P.C.; Gittes, R.F.; Perlmutter, A.D. (eds.), *Campbell's Urology*, W.B. Saunders Company.
- Winberg, J.; Andersen, H.J. and Bergstrom (1974):**
Epidemiology of symptomatic urinary tract infection in childhood.
Acta Paediatr. Scand., 252 (Suppl. 1).
- Wiswell, T.E. and Roscelli, J.D. (1986):**
Corroborative evidence for the decreased incidence of urinary tract infections in circumcised male infants.
Pediatrics, 78:96.
- Wiswell, T.E.; Miller, G.H. and Gelston, H.M. (1988):**
The effect of circumcision status on periurethral bacterial flora during the first year of life.
J. Pediatr., 113:442.
- Wolf, G. (1993):**
Vasoactive substances as regulators of renal growth.
Exp. Nephrol., 1(3):141-51.

-
- Woodard, J.R. and Rushton, H.S. (1987):**
Reflux nephropathy.
Ped. Clin. North. Am., 34(5):1349-1364.
- Wysznska, T.; Chichocka, E.; Wieteska-Klimczak, A.; et al. (1992):**
A single pediatric center experience with 1025 children with hypertension.
Acta. Paediatr., 81:244-246.
- Youssef, S.M. (1989):**
Study of urinary tract infection in infants and children suffering from protein-energy malnutrition. M.Sc. Thesis, Pediatr. Cairo University.
- Zerin, M.; Ritchey, M.L. and Chang, A.C.H. (1993):**
Incidental vesicoureteral reflux in neonates with antenatally-detected hydronephrosis and other renal abnormalities. Radiology, 187:157.
- Zerin, J.M. and Blane, C.E. (1994):**
Sonographic assessment of renal length in children: a reappraisal.
Pediatr. Radiol., 24(2):101-6.