

REFERENCES

Abd El-Khalek, K.A.; El-Kholy, M.; Rafik, K.; Fathalla, M. and Heikal, E. (1991):

Effect of triiodothyronine on cAMP and pulmonary function tests in bronchial asthma. *J. Asthma.*, 28 (6): 425.

Abou Raya, C.M.K. (1997):

Serum level of carboxyterminal propeptide of human type I procollagen in asthmatic children treated with steroids., MD thesis, Ped. Faculty of Medicine, Alexandria University.

Abou-Shala, N. and Mac Intyre, N. (1996):

Emergent management of acute asthma. *Medical Clinics of North America.*, 80: 677-699.

Agertoft, L. and Pedersen, S. (1994):

Effects of long-term treatment with an inhaled corticosteroid on growth and pulmonary function in asthmatic children. *Respir. Med.*, 88: 373-381.

Aggarwal, B.B. and Puri, R.K. (1997):

Common and uncommon features of cytokines and cytokine receptors. In: *Human Cytokines. Their Role in Disease and Therapy.* Aggarwal, B. and Puri R.(eds). Blackwell Science. USA., P-P1-21.

Alexander, A.G.; Barnes, N.C.; Kay, A.R. and Corrigan, C.J. (1995):

Clinical response to cyclosporin in chronic severe asthma is associated with reduction in serum soluble IL-2 receptors concentrations. *Eur. Respir. J.*, 8 (4): 574-8.

Anderson, S.D.; Dawskas, E. and Smith, C.M. (1989):

Exercise-induced asthma: a difference in opinion regarding the stimulus. *Allergy Proc.*, 10: 215-26.

Arai, K. I.; Lee, F. and Miyajima, A. (1990):

Cytokines: Coordinators of immune and inflammatory responses. *Annu. Rev. Biochem.*, 59: 783-802.

Armitage, R.J.; Beckmann, M.P. and Idzerda, R.I. (1990):

Regulation of interleukin -4 receptors on human T-cells. *Int. Immunol.*, 2: 1039-1045.

Ayala, L.E. and Ahmed, T.(1991):

Is there a loss of protective muscarinic receptor mechanism in asthma. *Chest.*, 96:1285-12910.

Barner, M.; Mohrs, M.; Brombacher, F. and Kopf, M. (1998):

Differences between IL-4R alpha-deficient and IL-4 deficient mice reveal a role for IL-13 in the regulation of Th2 responses. *Curr-Biol.*, 8(11): 669-72.

Barnes, P.J. (1986 b):

Endogenous catecholamines and asthma. *J. Allergy Clin. Immunol.*, 81: 919-34.

Barnes, P.J. (1991):

Neuropeptides and asthma. *Am. Rev. Respir. Dis.*, 143: 528-532.

Barnes, P.J. (1995):

Is asthma a nervous disease ? The Parker B. Francis Lecturship *Chest.*, 107(3 suppl.) 119s-125s.

Barnes, P.J. (1996 a):

What is the role of nerves in chronic asthma and symptoms. *Am. J. Respir. Crit. Care. Med.*, 153: 55-58.

Barnes, P.J. (1996 b):

Neuroeffector mechanisms: The interface between inflammation and neural responses. *J. Allergy. Clin. Immunol.*, 98: 573-83.

Barnes, P.J.; Chung, K.F. and Page, C.P. (1988 a):

Platelet activating factor as a mediator of allergic disease. *J. Allergy Clin. Immunol.*, 81: 919-934.

Barnes, P.J. and Pedersen, S. (1993):

Efficacy and safety of inhaled corticosteroids in asthma. *Am. Rev. Respir. Dis.*, 148 S1-S26.

Barnes, P.J.; Rodger, I.W. and Thomson, N.C. (1992):

Pathogenesis of asthma. In Barnes P.J., Rodger, I.W. and Thomson, N.C.(eds) : *Asthma Basic Mechanism and Clinical Management* 1st ed. Ch. 24, P. 391-411. Academic Press.

Barness, L.A. (1981):

Manual of Pediatric Physical Diagnosis. 5th edition. Year Book Medical Publishers, Chicago P. 11.

Benfield, Q.F.; Odoherty, K. and Davies, B. H. (1982):

Status asthmaticus and the syndrome of inappropriate secretion of anti-diuretic hormone. Thorax.,37: 47-148.

Bierman, C.W. and Shapiro, G.G. (1996):

Evaluation and treatment of the patient with asthma. In: Allergy, asthma and immunology from infancy to adult hood 3rd edition. Bierman, C.W., Pearlman, D.S.; Shapiro, G.G., and Busse, W.W. Editors. Saunders Company. Philadelphia.

Bjorksten, B. (1995):

How to improve allergy prevention- a critical analysis. ACI News 7/1: 4-9.

Bochner, B.S.; Klunk, D.A.; Sterbinsky, S. A. et al. (1995):

IL-13 selectively induces vascular cell adhesion molecule-1 expression in human endothelial cells. J.Immunol., 154: 799-803.

Boushey, H.A.; Holtzman, M.J.; Sheller, J.R. and Nadel, J.A. (1992):

Bronchial hyperreactivity. Am. Rev. Respir. Dis., 121: 389-414.

Bousquet, J.; Chanez, P.; Lacoste, J.Y. et al. (1990):

Eosinophilic inflammation in asthma. N.Engl.J. med., 323: 1033-9.

Bousquet, J.; Chanez, P.; Lacoste, J.Y. et al. (1991):

Indirect evidence of bronchial inflammatory mediators in BAL fluid of patients with asthma. J. Allergy Clin.Immunol., 88: 649-60.

Brewster, C.E.P.; Howarth, P.H.; Djukanonic, R., et al. (1990):

Myofibroblasts and subepithelial fibrosis in bronchial asthma. Am. J. Respir. Cell. Mol. Biol., 3: 507-511.

Broide, D.H. (1994):

Cytokines-orchestrators of human allergic reactions. ACI News 6-1: 12-14.

Broide, D.H.; Eisman, S.; Ramsdell, J.W.; Ferguson, P.; Schwartz, L.B. and Wasserman, S.I. (1990):

Airway levels of mast cell-derived mediators in exercise -induced asthma. Am. Rev. Respir. Dis., 141: 563-8.

Broid, D.H.; Gleich, G.S. et al (1991):

Evidence of ongoing mast cell and eosinophil degranulation in symptomatic asthmatic airway. J.Allergy Clin. Immunol., 80. 637-48.

Buckly, R.H. (2000):

T., B, and NK cell systems. In Nelson, W.E.; Behrman, R.E.; Kliegman, R.M. and Arvin, A.M.(eds): Nelson, Textbook of pediatrics. 17th ed. WB Saunders company. Philadelphia.

Burd, P.R.; Thompson, W.C.; Max, E.E. and Mills, F.C. (1995):

Activated mast cells produce interleukin 13. J.Exp. Med., 181: 1373-1380.

Burkholter, D. and Schiffer, P. (1995):

The epidemiology of atopic diseases in Europe. ACI News 714: 113-125.

Burney, P.G.J. (1993):

Current questions in the epidemiology of asthma. In: Holgate, S.T.; Austen, K.F.; Lichtenstein, L.M. and Kay, A.B. editors. Asthma. London: Academic Press.

Burstein, H.J; Tepper, R.I.; Leder, P. and Abbas, A.K. (1991):

Humoral immune functions in IL-4 transgenic mice. J. Immunol., 147: 2950.

Busse, W.W. (1990):

Respiratory infections: Their role in airway responsiveness and the pathogenesis of asthma. J. Allergy Clin. Immunol., 85: 671-683.

Busse, W.W. (1991):

Exercise-induced asthma: A role for the eosinophils. J. Allergy Clin. Immunol., 88: 696-8.

Busse, W.W.; Sedgwick, J.B.; Jarjour, N.N. and Calhoun, W.J. (1994):

Eosinophils and basophils in allergic airway inflammation. J. Allergy Clin. Immunol., 94: 1250-4.

Callard, R.E.; Matthews, D.j. and Hibbert, L. (1996):

IL-4 and IL-13 receptors: Are they one and the same ? Immunol Today., 17: 108-10.

Callard, R.E. and Turner, M.W. (1990):

Cytokines and Ig switching: evolutionary divergence between mice and humans. *Immunol Today*, 11: 200-205.

Canny, G.J.; Reisman J.; Healy, R. et al. (1989):

Acute asthma: observations regarding the management of a pediatric emergency room. *Pediatrics*, 83: 507-512.

Clark, T.J.H. (1992):

Definition and clinical categories of asthma. In: Clark, T.J.H.; Godfrey, S. and Lee, T.H. eds. *Asthma 3rd ed.* Chapman, and Hall, London.

Clifford, R.D.; Pugsley, A.; Rodford, M. and Holgate, S.T. (1987):

Symptoms, atopy and bronchial response to methacholine in parents with asthma and their children. *Arch. Dis. Child.*, 62: 66-73.

Cockcroft, D.W. (1987):

Airway hyperresponsiveness: Therapeutic implications. *Ann. Allergy*, 59: 405-414.

Cockcroft, D.W. (1993):

Practical issues in asthma management: Correct use of inhalation devices. *Ann. Allergy*, 71: 83-4.

Cockcroft, D.W. and Murdock, K.Y. (1987):

Comparative effects of inhaled salbutamol, sodium cromoglycate and beclomethasone dipropionate on allergen-induced early asthmatic responses, late asthmatic responses and increased bronchial responsiveness to histamine. *J. Allergy Clin. Immunol.*, 79: 734-40.

Cookson, WCOM.; Craddock, C.F.; Benson, M.K. et al. (1989):

Falls in peripheral eosinophil counts parallel the late asthmatic response. *Am. Rev. Respir. Dis.*, 139: 458-62.

Corrigan, C.J. (1997):

Cytokines (Interleukines). In: "Allergy and Allergic Disease". Eds. Kay A.B. Blackwell Science, London, PP 340-53.

Corrigan, C.J.; Haczku, A.; Gemou-Engesaeth, V. et al. (1993):

CD4T-lymphocyte activation in asthma is accompanied by increased serum concentrations of interleukin-5. Effect of glucocorticoid therapy. *Am. Rev. Respir. Dis.*, 147: 450-7.

Corrigan, C.J. and Kay, A.B. (1991):

The roles of inflammatory cells in the pathogenesis of asthma and of chronic obstructive pulmonary disease. *Am. Rev. Respir. Dis.*, 143: 1165-1168.

Corrigan, C.J. and Kay, A.B. (1993):

T-cells and eosinophils in the pathogenesis of asthma. *Immunol. Today.*, 13: 501-7.

Cousins, D.J.; Richards, D.; Kemeny, D.M. et al. (2000):

Dnase footprinting of the human IL-5 gene promoter. *Immunology.*, 99 (1): 101-8.

Cypcar, D.; Stark, J. and Lemanske, R.F. (1992):

The impact of respiratory infections on asthma. *Pediatr. Clin. North Am.*, 39(6): 1259.

Defrance, T.; Carayon, P.; Billian, G. and Guillemot, J.C. (1994):

IL-13 is a B-cell stimulating factor. *J. Exp. Med.*, 179: 135-43.

Devouassoux, G.; Foster, B.; Scott, LM. et al. (2000):

Polynuclear basophils, the key to allergic reactions. Modulation by chemokines. *J. Allergy. Clin. Immunol.*, 17(3): 629-40.

de-Vries, J.E. (1998):

The role of IL-13 and its receptor in allergy and inflammatory responses. *J. Allergy Clin. Immunol.*, 102 (2) : 165-9.

de-Waal Malefyt, R.; Abrams, J.S.; Zurawski, S.M. et al. (1995):

Differential regulation of IL-13 and IL-4 production by human CD8+ and CD4+ Th0, Th1 and Th2 T cell clones and EBV-transformed B-cells. *Int. Immunol.*, 7: 1405-16.

de-Waal Malefyt, R.; Figdor, G.G.; Huijbens, R.; Clupepper, J. and Dang, W. (1993):

Effects of IL-13 on phenotype, cytokine production, and cytotoxic function of human monocytes. *J. Immunol.*, 151: 6370-6381.

Di Cosmo, B.F.; Gebra, G.P.; Piearcilla, D. et al (1994):

Airway epithelial cell expression on IL-6 in transgenic mice: uncoupling of airway inflammation and BHR. *J. Clin. Invest.*; 94: 2028-35.

Duff, A.L. and Platts-Mills, T.A. (1992):

Allergens and asthma. *Pediatr. Clin. North. Am.*, 39(6): 1277-1291.

Duff, A.L.; Pomeranz, E.S.; Gelber, L.E. et al. (1993):

Risk factors for acute wheezing in infants and children: viruses, passive smoke and IgE antibodies to inhalant allergens. *Pediatrics.*, 92-535.

Ebisawa, M.; Yamada, T.; Bickel, C.; Klunk, D. and Schleimer, R.P. (1994):

Eosinophil transendothelial migration induced by cytokines. The effect of chemokine RANTES. *J. Immunol.*, 153: 2153-2160.

El-Gamal, Y.; Ali, R.H.; Moussa, M.I.; El-Moselhi, S.; Mokhtar, G.M. and Khasbak, M.A. (1990):

Prevailing viruses in acute episodes of bronchial asthma. *Egypt. J. Pediatr.*, 7 (3-4): 233-41.

El-Hefney, A.; Ekladius, E.M.; Nasser, S.K.; El-Heneidy, F.M.; Nour, S. and El-Sayed, M.S. (1991):

Bronchial asthma in Egyptian children. An epidemiological, environmental, clinical and immunological study. Final Progress Reports FRCU, Grant 82014. Supreme Council University.

El-Hefney, A.; El-Heneidy, F. and Awad, M.F. (1989):

Epidemiologic study of the incidence of bronchial asthma among school children between 6-12 years in Tanta. M. Sc. Thesis, Faculty of Medicine, Cairo University.

El-Heneidy, F. and Abou El-Ezz, A. (1997):

Environmental pollution and childhood asthma. *J. Arab Child.*; June 1999.

El-Heneidy, F.; El-Hefny, A. and El-Beleidy, A.C. (1989):

Common inhalant allergens in extrinsic atopic asthmatic children in rural areas in Egypt. *Med. J. Cairo University.*, 57/4: 897.

- Elias, J.A. and Zitnik, R.J. (1992):**
Cytokine-cytokine interactions in the context of cytokine networking. *Am. J. Respir. Cell Mol. Biol.*, 7: 365-367.
- El-Khorasany, A.M.A. (1991):**
Extrinsic allergic bronchioalveolitis in children., MD thesis, Ped. Faculty of Medicine, Cairo University.
- Elsasser, B.V. and Von, K.S. (1993):**
Cytokines as therapeutic and diagnostic agents *Tumor Biol.*, 14: 69-94.
- Empey, D.W.; Laitinen, L. A. and Jacobs, L. (1986):**
Mechanisms of bronchial hyper-reactivity in normal subjects after upper respiratory tract infections. *Am. Rev. Respir. Dis.*, 133: 131.
- Emre, V.; Roblin, P. M.; Celling, M. et al. (1994):**
The association of Chlamydia pneumonia infection and reactive airway disease in children. *Arch. Pediatr. Adolesc. Med.*, 148: 727-32.
- Fedyk, E.R.; Adawi, A.; Looney, R.J. and Phipps, R.P. (1996):**
Regulation of IgE and cytokine production by cAMP: Implications for extrinsic asthma. *Clinical Immunol. Immunopath.*, 81: 101-113.
- Feldman, M. (1996):**
Cytokines. *Immunol. Today.*, June. (3) 11. 8-11.10.
- Ferguson, A.C. (1988):**
Persisting airway obstruction in asymptomatic children with normal peak expiratory flow rates. *J. Allergy Clin. Immunol.*, 82: 19-22.
- Fish, J.E. (1980):**
Asthma pathophysiology. In: *Allergic Diseases Diagnosis and Management*. Roy and Patherson, Eds, Lippincott. 8: 204.
- Fitzpatrick, M.F.; Mackay, T.; Walters, C.; Tai. P.C. et al. (1992):**
Circulating histamine and eosinophil cationic protein levels in nocturnal asthma. *Clin. Sci.*, 83: 227-232.
- Fraenkel, D.J. and Holgate, S.T. (1996):**
Etiology of asthma: Pathology and mediators. In: *Allergy, asthma and immunology from infancy to adulthood*. 3rd ed. Bierman CW,

Pearlman DS, Shapiro GG and Busse WW, Eds. Saunders company. Philadelphia. 443-471.

Frew, A.J. (1995):

How useful are T-cell clones in investigating allergy?
Clin. Exp. Allergy., 25: 1143-4.

Friedman, N.; Ackerman, M.; Wald, E. et al. (1984):

Asthma and bacterial sinusitis in children. J. Allergy Clin. Immunol., 74: 185-9.

Fushimi, T.; Okayama, H.; Shimura, S.; Saitoh, H. and Shirato, K. (1998):

Dexamethasone suppresses gene expression and production of IL-13 by human mast cell line and lung mast cells J. Allergy Clin. Immunol., 102 (1): 134-42.

Galli, S.J. (1993):

New concepts about the mast cell. N. Engl. J. med., 328: 257-265.

Gergen, P.J.; Turkeltaub, P.C. and Kovar, M.G. (1987):

The prevalence of allergic skin test reactivity to eight common aeroallergens in the U.S. population. Results from the second National Health and Nutrition Examination Survey. J. Allergy Clin. Immunol., 80: 669-79.

Gerritsen, J.; Koeter, G.H.; De Monchy, J.G.R. et al. (1989):

Allergy in subjects with asthma from childhood to adulthood. J. Allergy Clin. Immunol., 85: 116-125.

Gibbs, B.F.; Vollrath, I.B.; Albrecht, C.; Amon, U. and Wolff, H.H. (1998):

Inhibition of IL-4 and IL-13 release from immunologically activated human basophils due to the actions of anti-allergic drugs. Naunyn-schmiedebergs Arch. Pharmacol., 357(5): 573-8. (abstract)

Godfrey, S. (1992):

Childhood asthma. In: Clark, T.J.H.; Godfrey, S. and Lee, T.H. eds. Asthma 3rd ed.; Chapman, and Hall, London.

Graves, P.E.; Kabesch, M.; Halonen, M. et al. (2000):

A cluster of 7 tightly linked polymorphism in the IL-13 gene is associated with total serum IgE levels in three populations of white children. J. Allergy. Clin. Immunol., 105(3) : 506-13.

- Greenough, A. Maconochie, J.; Yokel, B. (1990):**
Recurrent respiratory symptoms in the first year following delivery.
J. Perinat. Med., 18: 489.
- Grunig, G.; Warnack, M.; Wakil, A.E.; Venkayya, R.; Brombocher, F. et al. (1998):**
Requirement for IL-13 independently of IL-4 in experimental asthma comments in: Science., 282 (5397): 2160.
- Hamasaki, Y.; Abe, M. and Myazaki, S. (1994):**
Induction of leukotriene C4 activity by retinoic acid and its downregulation by glucocorticoids. ACI News., 614: 109-113.
- Hamelmann, E. and Gelfand, E.W.(2001):**
IL-5 induced airway eosinophilia-the key to asthma?. Immunol Rev., 179: 182-91.
- Hargreave, F.E.; Ryan, G.; Thomson, N.C. et al. (1981):**
Bronchial responsiveness to histamine or methacholine in asthma: measurement and clinical significance. J. Allergy Clin. Immunol., 68: 347-355.
- Harm, D.L.; Kotses, H. and Cree, T.L. (1985):**
Improving the ability of -peak expiratory flow rates to predict asthma. J. Allergy Clin. Immunol., 76: 688-94.
- Hasanein, B.; Khalifa, S.G.; Yousef, A.; Yousef, M.S. et al. (1997):**
The serum level of IL-4 as an indicator of T cell activation in extrinsic atopic asthma in children. J. Arab Child (JAC) 10 (2): 307-329.
- Hattevig, G.; Kjellman, B. and Bjorksten, B. (1993):**
Appearance of IgE antibodies to ingested and inhaled allergens during the first 12 years of life in atopic and non atopic children. Pediatr. Allergy. Immunol., 4: 182-186.
- Henderson, W.R. (1994):**
Role of leukotrienes in asthma; Annals of Allergy., 72(3): 272-8.
- Heinzmann, A.; Mao, X.Q.; Akaiwa, M. et al. (2000):**
Genetic variants of IL-13 signalling and human asthma and atopy., 1, 9(4) : 549- 59.

Hill, M.R. and Kamada, A.K. (1991):

Pathogenesis of asthma. Implication for therapy. *Drug Intell Clinical Pharmacy*, 25: 993-1005.

Hill, M.; Szeftler, S.J. and Larsen, G.L. (1992):

Asthma pathogenesis and the implicate for therapy in children. *Pediatric Clinics of North America: Asthma.*, 39: 6; 1205-1224.

Holgate, S.T. (1996):

The immunopharmacology of mild asthma. *J. Allergy Clin. Immunol.*, 98: S7-16; S1-2.

Holgate, S.T. and Finnerty, J.P. (1988):

Recent advances in understanding the pathogenesis of asthma and its clinical implications. *Quat. J. Med.*, 66: 5-19.

Holgate, S.T.; Hardy, C.; Robinson, C. et al. (1986):

The mast cell as a primary effector cell in the pathogenesis of asthma. *J. Allergy Clin. Immunol.*, 77: 274-282.

Hopp, R.J.; Townley, R.G.; Biven, R.E.; Bewtra, A.K. and Nair. N.M. (1990):

The presence of airway reactivity before the development of asthma. *Am. Rev. Respir. Dis.*, 141: 2-8.

Host, A.; Host, A.H. and Ibsen, T. (1994):

Peak expiratory flow rate in healthy children aged 6-17 years. *Acta. Pediatr.*, 83(12): 1255-7.

Huang, S.K.; Xiao, H.Q.; Kleine-Tebbe, J. et al. (1995):

IL-13 expression at the site of allergen challenge in patients with asthma. *J. Immunol.*, 155: 2688-94.

Humbert, M.; Durham, S.R.; Kimmitt, P. et al. (1997):

Elevated expression of messenger ribonucleic acid encoding IL-13 in the bronchial mucosa of atopic and non-atopic subjects with asthma. *J. Allergy Clin. Immunol.*, 99: 657-65.

Imboden, J.B. (1994):

T-lymphocytes and natural killer cells. In "Basic and Clinical Immunology" 8th ed. Stites D.P, Terr, A.I. and Parslow, T.G eds. Appleton and Lange. California.

International Pediatric Asthma Consensus Group (IPACG) (1992):

"Asthma a Follow-up statement." Arch. Dis. Child., 67: 240-8.

Iwamoto, I. (1994):

The role of adhesion molecules in selective eosinophil recruitment. ACI News., 6/6: 170-5.

Izuhara, K. (2001):

Involvement of IL-4 and IL-13 in the pathogenesis of allergic diseases. J. Allergy Clin. Immunol., 107(6):1001-8.

Jaffar, Z.; Roberts, K.; Pandit, A.; Linsley, P.; Djukanovic, R. and Holgate, S. (1999):

B7 costimulation is required for IL-5 and IL-13 secretion by bronchial biopsy tissue of atopic asthmatic subjects in response to allergen stimulation. Am. J. Respir. Cell. Mol. Biol., 20 (1): 153-62.

Jelinke, D.F. and Lipsky, P.E. (1988):

Inhibitory influence of IL-4 on human B-cell responsiveness. J. immunol., 141:164.

Johansson, S.G.O. (1981):

Determination of IgE antibody and its clinical significance. Proceeding of the Annual Meeting Of European Academy Of Allergology and Clinical Immunology. Clemolt Ferrand (ed. Molina) Lavoisier, (1): 71-76.

Johnston, S.L.; Sanderson, G.; Pattemore, P.K. et al. (1996):

The relationship between upper respiratory infections and hospital admissions for asthma: A time trend analysis. Am. J. Respir. Crit. Care Med. 154: 654-60.

Jones, A. (1994):

Asymptomatic bronchial hyperreactivity and the development of asthma and other respiratory tract illnesses in children. Thorax., 49: 757-761.

Kaliner, M. (1989):

Asthma and mast cell activation. J. Allergy Clin. Immunol., 83; 510-520.

Kaliner, M. and Lemanske, R.L. (1992):

Rhinitis and asthma. JAMA., 268: 2807-2829.

Kallenbach, J.; Baynes, R.; Fine, B.; Dajee, D. and Bezwoda, W. (1992):

Persistent neutrophil activation in mild asthma. *J. Allergy Clin. Immunol.*, 90: 272-274.

Kaplan, P.W.; Rocha, W.; Sanders, D.B. et al.(1986):

Acute steroid induced tetraplegia following status asthmaticus. *Pediatrics*. 78 (1): 121-123.

Kartasamita, C.B.; Rosmayudi, O.; Demedts, M. and the Respiratory Disease Working Group (1994):

Total serum IgE and eosinophil count in children with and without a history of asthma, wheezing, or atopy in an urban community in Indonesia. *J. Allergy Clin. Immunol.*, 94: 981-8.

Katona, I.M.; Urbon, J.F.; Kang, S.S.; Paul, W.E. and Finkelman, F.D. (1991):

IL-4 requirements for the generation of secondary in vivo IgE responses. *J.Immunol.*, 146: 4215.

Kerem, E.; Canny, G.; Tibshirani, R.; Reisman, J. et al.(1991):

Clinical physiologic correlations in acute asthma of childhood *Pediatr.*, 87: 481-486.

Khalifa, S.G.; Gomaa, B.H. and Ezzat, H.E.M. (1996):

Association of IL-1 α and respiratory syncytial virus infection, a possible role in the pathogenesis of bronchial asthma in children. *Egypt. J. Med. Microbiol.*, Vol. (5), 161:172.

Khatab, N.A.; El-Gazzar, A.G.; Eman, A.A. et al., (1997):

Soluble IL-2 receptors and eosinophils in patients with bronchial asthma before and after salbutamol and anhydrous theophylline therapy. *Egypt J. Chest Dis. and Tuberculosis*, 44: 43-50.

Kimura, M.; Tsuruta, S. and Yoshida, T. (2000):

IL-4 production by PBMCs on stimulation with mite allergen is correlated with the level of serum IgE antibody against mite in children with bronchial asthma. *J.Allergy clin. Immunol.*, 105(2pt1) : 327-32.

Kita, H.; Tsukasa, O.; Okubo, Y. et al.(1991):

GM-CSF and IL-3 release from human peripheral blood eosinophils and neutrophils. *J. Exp. Med.*, 174: 745-8.

Kondo, S.; Ito, M.; Saito, M. et al. (1994):

Progressive bronchial obstruction during the acute stage of respiratory tract infection in asthmatic children. *Chest.*, 106: 100-4.

Koning, H.; Neijens, H.J.; Baert, M.R. et al. (1997):

T-cell subsets and cytokines in allergic and non-allergic children. I. Analysis of IL-4, IFN- γ and IL-13 mRNA expression and protein production. *Cytokines.*, 9 (16): 416-26.

Kotsimbos, T.C.; Ernst, P. and Hamid, Q.A. (1996):

IL-13 and IL-4 are coexpressed in atopic asthma. *Proc. Assoc. Am. Physicians.*, 108/5: 368-73.

Krishnaswamy, G.; Liu, M.C.; Su, S.N.; Kuami, M. et al. (1993):

Analysis of cytokine transcripts in the bronchoalveolar lavage cells of patients with asthma. *Am. J. Respir. Cell Mol. Biol.*, 9: 279-286.

Kroegel, C.; Julius, P.; Matthys, H. et al. (1996):

Endobronchial secretion of interleukin-13 following local allergen challenge in atopic asthma: relationship to IL-4 and eosinophilic counts. *Eur. Respir. J.*, 9 (15): 899-904.

Laitinen, L.A.; Laitinen, A. and Haahtela, T. (1990):

Inflammatory cell population in the airways of newly diagnosed asthmatic patients: A quantitative ultra-structural study (Abstract). *Euro. Respir. J.*, 3 (suppl 10): 156.

Lalloo, U.G.; Barnes, P.J. and Chung, K.F. (1996):

Pathophysiology and clinical presentation of cough, *J. Allergy. Clin. Immunol.*, 98: 591-7.

Lancet (1986):

NANC nerves in the airways; Editorial. *Lancet* ii: 1235-1254.

Leffert, F. (1980):

The management of chronic asthma. *J. Pediatr.* 97: 875.

Le Souef, P.; Gellhoed, G. and Turner, D. (1989):

Response of normal infant to inhaled histamine. *Am. Rev. Respir. Dis.*, 139: 62.

Leung, D.Y. (1994):

Mechanisms of the human allergic response. *Pediatric Clinic of North America.*, 41: 727-43.

Levy, F.; Kristofic, C.; Heusser, C. et al. (1997):

Role of IL-13 in CD4 T-cell-dependent IgE production in atopy. *Int. Arch. Allergy Immunol.*, 112/1: 49-58.

Li, H.; Sim, T.C. and Alam, R. (1996):

IL-13 released by and localized in human basophils. *J. Immunol.*, 156: 4833-8.

Li, L.; Xia, Y.; Nguyen, A.; Lai, Y.H.; Feng, L.; Mosmann, T.R. and Lo, D. (1999):

Effects of Th2 cytokines on chemokine expression in the lung: IL-13 potently induces eotaxin expression by airway epithelial cells. *J. Immunol.*, 1; 162 (5): 2477-87.

Liu, M.C.; Hubbard, W.C.; Proud, D. et al. (1991):

Immediate and late inflammatory responses to ragweed antigen challenge of the peripheral airways in allergic asthmatics. *Am. Rev. Respir. Dis.*, 144: 51-8.

Luttmann, W.; Konchel, B.; Froster, M. et al. (1996):

Activation of human blood eosinophils by IL-13. *J. Immunol.*, submitted.

Mackay, T.W.; Brown, P.; Wallace, W. et al. (1992):

Does inflammation play a role in nocturnal asthma? (Abstract). *Am. Rev. Respir. Dis.*, 145: A 22.

Mackay, T.W.; Fitzpatrick, M.F. and Douglas, N.J. (1991):

Non-adrenergic, non-cholinergic nervous system and overnight airway caliber in asthmatic and normal subjects. *Lancet.*, 388: 1289-92.

Macleod, J. (1979):

Clinical examination. 5th edition Churchill Livingstone. 1-15.

Martin, R.J.; Clcutto, L.C.; Smith, H.R.; Ballard, R.D. and Szeffler, S.J. (1991):

Airways inflammation in nocturnal asthma. *Am. Rev. Reprsir. Dis.*, 143: 351-357.

Martinez, F.D.; Wright, A.L.; Taussing, L.M. et al. (1995):

Asthma and wheezing in the first six years of life. *N. Engl. J. Med.*, 332: 133.

McFadden, E.R. (1990):

Hypothesis: exercise-induced asthma as a vascular phenomenon. *Lancet.*, 335: 880-3.

McFadden, E.R. (1994):

Evolving concepts in the pathogenesis and management of asthma. *Advances in Internal Medicine.*, 39: 379-394.

McKenzie, G.J.; Bancroft, A.; Grencis, R.K. and McKenzie, A.N. (1998):

A distinct role for interleukin-13 in Th2-cell- mediated immune responses. *Curr. Biol.*, 8 (6): 339-42.

Mckenzie, A.N.J.; Culpepper, J.A.; De Waal Malefyt, R. et al. (1993a):

IL-13, a T-cell derived cytokine that regulates human monocytes and B-cell function. *Proc. Natl. Acad. Sci. USA.*, 90: 3735-9.

Mckenzie, G.J.; Fallon, P.G.; Emson, C.L.; Grencis, P.K. and McKenzie, A.N. (1999):

Simultaneous disruption of IL-4 and IL-13 defines individual roles in T- helper cell type 2- mediated responses. *J. Exp. Med.*, 189(10): 1565-72.

McKenzie, A.N.; Xi, D.A.; Largeaspada, A. et al., (1993b):

Structural comparison and chromosomal localization of the human and mouse IL-13 genes. *J. Immunol.*, 150: 5436.

Menz, G.; Ying, S.; Durham, S.R. et al. (1998):

Molecular concepts of IgE- initiated inflammation in atopic and non-atopic asthma. *Allergy.*, 53(45 suppl) : 15-21.

Midander, J. (1993):

Clinical documentation of inflammation markers in asthma. *Clin. Exp. Allergy.*, 23: s13-s14.

Minty, A.; Chalon, P.; Derocq, J.M. et al. (1993):

IL-13 is a new human lymphokine regulating inflammatory and immune responses, *Nature.*, 362: 248-50.

Mitchell, D.M. (1991):

New concepts in asthma. In: Recent Advances in Respiratory Medicine. (5) Ch. 3 P. 51. Publish. Churchill Livingstone.

Miyajima, A. (1992):

Common subunits of cytokine receptors and the functional redundancy of cytokines. Trends Biochem. Sci., 17: 378.

Miyajima, A.; Mui, A.L.F.; Ogoroche, T. and Sakamaki, K. (1993):

Receptors for GM-CSF, IL-3 and IL-5. Blood., 83: 1960-1974.

Montefort, S.; Roche, W.R.; Howarth, P.H. et al. (1992):

Intracellular adhesion molecule (ICAM-1) and endothelial leukocyte adhesion molecule-1 (ELAM-1) expression in the bronchial mucosa of normal and asthmatic subjects. Eur. Respir. J., 5: 815-23.

Moqbel, R.; Levi-Schaffer, F. and Kay, A.B. (1994):

Cytokine generation by eosinophils. J. Allergy Clin. Immunol., 94: 1183-8.

Morgan, W.J. and Martinez, F.D. (1992):

Risk factors for developing wheezing and asthma in childhood. Ped. Clin. North. Am., 39(6): 1186.

Moser, R.; Fehr, J.; Olgiati, L. et al. (1992):

Migration of primed human eosinophils across cytokines-activated endothelial cell monolayers. Blood., 79: 2937-45.

Mueller, G.A. and Eigen, H. (1992):

Pediatric pulmonary function testing in asthma. Pediat. Clinic North. Am., 39(6): 1243-85.

Nakajima, H.; Nakao, A.; Watanabe, Y.; Yoshida, S. and Iwamoto, I. (1994):

IFN- α inhibits antigen-induced eosinophil and CD4⁺ T-cell recruitment into tissue. J. Immunol., 153: 1264-1270.

Naseer, T.; Minshall, E.I.M.; Leung, D.Y.M. et al. (1997):

Expression of IL-12 and IL-13 mRNA in asthma and their modulation in response to steroid therapy. Am. J. Respir. Crit. Care Med., 155: 845-851.

- National Asthma Education Program Expert Panel Report (1991):**
Guidelines for the diagnosis and management of asthma. *J. Allergy Clin. Immunol.*, 88: 425-438.
- Needleman, J.P.; Kaifer, M.C.; Nold, J.T. et al.(1995):**
Theophylline doesnot shorten hospital stay for children admitted for asthma.*Arch. Pediatr.Adolesc. Med.*, 149: 206-9.
- Nicola, N.A. (1995):**
Guide Book to cytokines and their receptors. Oxford, University Press.
- Obiri, N.I.; Leland, P.; Murata, T. et al.(1997):**
The IL-13 receptor structure differs on various cell types and may share more than one component with IL-4 receptor. *J. Immunol.*, 158: 756-64.
- O'Byrne, P.M.; Dolovich, J. and Hargreave, F.E. (1987):**
Late asthmatic responses. *Am.Rev. Respir. Dis.*, 136: 740-51.
- Okudaira, H.; Mori, A.; Suko, M. et al.(1994):**
Enhanced production and gene expression of IL-5 in bronchial asthma-management of atopic diseases with agents that down regulate IL-5 gene transcription. *ACI News.*, 6/1: 19-25.
- Ollerenshaw, S.L. and Woolcock, A.J. (1992):**
Characteristics of the inflammation in biopsies from large airways of subjects with asthma and subjects with chronic airway flow limitation. *Am. Rev. Respir. Dis.*, 145: 922-927.
- Oosterhoff, Y.; Kauffman, H.F.; Rutgers, B. et al.(1995):**
Inflammatory cell number and mediators in bronchoalveolar lavage fluid and peripheral blood in subject with asthma with increased nocturnal airway narrowing. *J. Allergy Clin. Immunol.*, 96: 219-29.
- Oppenheim, J.J.; Ruscetti, F.W. and Faltynek, C. (1991):**
Properties of the novel proinflammatory supergene intercrine cytokine family. *Annu. Rev. Immunol.*, 9: 617-620.
- Oppenheim, J.J.; Ruscetti, F.W. and Faltynek, C. (1994):**
Cytokines. In: *Basic and Clinical Immunology*. 8th edition. Stites D.P., Terr. A.I. and Parslow, T.G. Editors. Appleton and Lange. California. P-P 105-123.

Pacheo, S. and Shearer, W. (1994):

Laboratory aspects of immunology. *Pediatr. Clin. North. Am.*, 41: 623.

Packe, G.E.; Freeman, W. and Ruth, M. (1994):

Rates of change in peak expiratory flow and diurnal variation in peak flow in patients recovering from acute severe asthma. *Clinical. Science.*, 86: 59-62.

Paganine, F.; Seneterre, E.; Chanez, P. et al. (1996):

Computed tomography of the lungs in asthma: influence of disease severity and etiology. *Am. J. Respir. Crit. Care Med.* 153: 110-4.

Page, C.P. (1991):

One explanation of the asthma paradox: Inhibition of nocturnal anti-inflammatory mechanism by β_2 - agonists. *Lancet.*, 337: 717-20.

Pantelidis, P.; Jones, M.G.; Walsh, K.I. et al. (2000):

Identification of four novel IL-13 gene polymorphism. *Genes-Immun.*, 1(5) : 341-5.

Pastorello, E.A.; Incorvaia, C.; Ortolani, C. et al. (1995):

Studies on the relationship between the level of specific IgE antibodies and the clinical expression of allergy: 1-definition of levels distinguishing patients with symptomatic from patients with asymptomatic allergy to common aeroallergens. *J. Allergy Clin. Immunol.*, 96: 580-7.

Paul, W.E. (1992):

The role of IL-4 in the regulation of B-cell development, growth, and differentiation. In "IL-4: Structure and Function". (ed. H spits) CRC Press, Boca Raton, P. 57.

Pawankar, R.U.; Okuda, M.; Hasegawa, S. et al. (1995):

Interleukin-13 expression in the nasal mucosa of perennial allergic rhinitis. *Am. J. Reprsir. Crit. Care Med.*, 152: 2059-67.

Pearlman, D.S. and Lemanske, R.F. (1996):

Asthma: Principles of diagnosis and treatment. In: Allergy, asthma and immunology from infancy to adulthood 3rd ed. Bierman CW, Pearlman DS, Shapiro GG and Busse, WW. Eds. Saunders Company. Philadelphia. 484-519.

Peat, J.K.; Tovey, E.R.; Toelle, B.G. et al. (1996):

House dust and dust mite allergens: A major risk factors for childhood asthma. *Am. J. Crit. Care Med.*, 153: 141-146.

Peat, J.K. and Woolcock, A.J. (1991):

Sensitivity to common allergens. *J. Clin. Exp. Allergy.*, 27: 573-81.

Peden, D.B. (1995):

The effect of air pollution in asthma and respiratory allergy. The American experience. *ACI News.*, 7/1: 19-22.

Perrin, L.F. and Laurent, P.E. (1993):

Asthma and neuropeptides, *Eur. J. Med.*, 2 (3): 164-9.

Phelan, P.D.; Olinsky, A. and Robertson, C. (1994):

Respiratory illness in children. 4th Ed. Blackwell. London: 113: 183.

Piacentini, G.L. and Kaliner, M.A. (1991):

The potential roles of leukotrienes in bronchial asthma. *Am. Rev. Respir. Dis.*, 143: s96-s99.

Picado, C. (1996):

Classification of severe asthma exacerbations: A proposal. *Eur. Respir. J.*, 9: 1775-1778.

Platts-Mills, T.A.E.; Woodfolk, J.A.; Chapman, M.D. and Heymann, P.W. (1996):

Changing concepts of allergic disease: The attempt to keep up with real changes in life styles. *J. Allergy Clin. Immunol.*, 98: 5297-306.

Plaut, M.; Pierce, J.H.; Watson, C.J. et al. (1989):

Mast cell lines produce lymphokines in response to crosslinkage of FCεRI or to Ca ionophore. *Nature.*, 339: 64.

Postma, D.S.; Bleecker, E.R.; Amelung, P.J. et al. (1995):

Genetic susceptibility to asthma, bronchial hyper-responsiveness coinherited with a major gene for atopy. *New. Eng. J. Med.*, 333: 894-900.

Postma, D.S.; Keyzer, J.J.; Koeter, G.H.; Sluiter, H.J. and De Vriesk (1985):

Influence of the parasympathetic and sympathetic nervous system on nocturnal bronchial obstruction. *Clin. Sci.*, 69: 251-8.

Poston, R.; Chanez, P.; Locaste, J.Y.; litchfield, P.; Lee, T.H. and Bousquet, J. (1992):

Immunological characterization of the cellular infiltration in asthmatic bronchi. *Am. Rev. Respir. Dis.*, 145: 918-22.

Pride, N.B. (1992):

Normal airway physiology, In: Clark, T.J.H.; Godfrey, S. and Lee, T.H. eds. "Asthma" 3rd ed. Chapman, and Hall, London PP. 15-78.

Prieto, J.; Lensmar, C.; Roquet, A. et al. (2000):

Increased IL-13 mRNA expression in bronchoalveolar lavage (BAL) cells of atopic patients with mild asthma after repeated low-dose allergen provocations. *Respir. Med.*, 94(8): 806- 14.

Proud, D. (1993):

The epithelial cell as a target and effector or cell in airway inflammation. In: Holgate, S.T., Austen K.F.; lichtenstein, L.M. and Kay A.B. (eds). *Asthma: physiology, immunopharmacology and treatment*. Fourth international symposium, London, Academic Press Limited.

Provisional Committee on Quality Improvement (1994):

Practice parameters: The office management of acute exacerbations of asthma in children. *Pediatrics.*, 93: 119.

Punnonen, J.; Aversa, G.; Cocks, B.G.; Mckenzie, A.N.J. Menon, S.; Zurawski, G.; De Vries, J. E. and Waal Malefyt, R.D. (1993):

IL-13 induces IL-4 independent IgG4 and IgE synthesis and CD23 expression by human B-cells. *Proc. Natl. Acad. Sci. USA.* 90: 3730-4.

Punnonen, J.; Aversa, G.; Cocks, B.G. et al., (1994):

Role of IL-4 and IL-13 in synthesis of IgE and expression of CD23 by human B cells. *Allergy.*, 49: 576- 86.

Rachelefsky, G. (1997):

Childhood asthma and allergic rhinitis: The role of leukotrienes. *J. Pediatr.*, 131: 348-55.

Radwan, Z.; Abdel Rehim, I.; Badawi, A. et al. (1993):

Gastroesophageal reflux and bronchial asthma: 15th Egyptian Annual Congress of Allergy and Immunology.

- Radwan, Z.; Amin, G.; Abdel Rehim, I. et al. (1995):**
Childhood asthma and passive smoking. Egypt. J. Pediatr., 12/2: 291-304.
- Remes, S.T. and Korppi, M. (1996):**
Asthma and atopy in school children in a defined population. Acta. Pediatr., 85: 965-70.
- Rennard, S.I. (1995):**
Is asthma an epithelial disease? Chest. 107 (3 suppl.) 127S-131S.
- Robertson, C.; Rubin Feld, A. and Bowes, G. (1990):**
Death from asthma in Victoria a 12 month survey. Med. J. Aust., 152: 511-517.
- Robinson, D.; Hamid, Q.; Ying, S. et al. (1992):**
Predominant Th2-like bronchoalveolar lavage T-lymphocyte population in atopic asthma. New Engl. J. med., 326: 295-304.
- Robinson, D.S.; Hamid, Q.; Bentley, A.; Ying, S.; Kay A.B.; and Durham, S. (1993 a):**
Activation of CD4+T-cells, increased Th2-type cytokine mRNA expression, and eosinophil recruitment in bronchoalveolar lavage after allergen inhalation challenge in patients with atopic asthma. J. Allergy Clin. Immunol., 92: 313-324.
- Robinson, D.; Hamid, Q.; Ying, S.; Bentley, A.; Asoufi, B.; Durham, S. and Kay, A.B. (1993 b) :**
Prednisolone treatment in asthma is associated with modulation of bronchoalveolar lavage cell IL-4, IL-5 and IFN- γ cytokine gene expression. Am. Rev. Respir. Dis., 148: 401-406.
- Roitt, I.M. (1994):**
The Acquired immune response, the production of effectors In: Essential Immunology. 8th Edition. Blackwell science Ltd Oxford, London, Edinburgh. Chapter 10 P. 175.
- Roitt, I.; Brostoff, J. and Male, O. (1996):**
Immunology. 4th ed. Mosby-London.
- Romagnani, S. (1997):**
Regulation of IgE synthesis. In "Allergy and Allergic Diseases" (ed. AB Kay). Blackwell science, London, PP. 96-112.

Russel, G. (1993):

Asthma and growth. Arch. Dis. Child., 69: 695-698.

Saban, R.; Dick, E.C.; Fishleder, R.J. and Buckner, C.K. (1987):

Enhancement by parainfluenza-3 infection of contractile responses to substance P and Capsaicin in airway smooth muscle from the guinea pig. Am. Rev. Respir. Dis., 136: 586.

Sanderson, C.F. (1992):

IL-5, eosinophils and disease. Blood., 97: 3101.

Schreur, H.J.; Diamant, Z. and Vanderschoot, J. (1996):

Lung sounds during allergen induced asthmatic responses in patients with asthma. Am. J. Respir. Crit. Care. Med., 153: 1474-1480.

Schroeder, J.T.; Mac Glashan, D.W. Jr. and Lichtenstein, L.M. (1999):

Mechanisms and pharmacologic control of basophil-derived IL-4 and IL-13. Int. Arch. Allergy Immunol., 118 (2-4): 87-9.

Schwartz, L.B. and Kepley, C. (1994):

Development of markers for human basophils and mast cells. J. Allergy Clin. Immunol., 94: 1231-1240.

Sears, M.R.; Burrows, B.; Flannery, E.M. et al. (1991):

Relation between airway responsiveness and serum IgE in children with asthma and in apparently normal children. N. Engl. J. Med., 325: 1067-71.

Sedgwick, J.B.; Calhoun, W.J.; Gleich, G.J. et al. (1991):

Immediate and late airway response of allergic rhinitis patients to segmental antigen challenge: Characterization of eosinophil and mast cell mediators. Am. Rev. Respir. Dis., 144: 1274- 1281.

Shimizu, Y.; Shichijo, M.; Hiramatsu, K.; Takeuchi, M.; Nagai, H. and Takagi, K. (1998):

Mite antigen-induced IL-4 and IL-13 production by basophils derived from atopic asthma patients. Clin. Exp. Allergy., 28(4): 497-503.

Sibbald, B.; Horn, M.E.C.; Brain, E.A. and Gregg, I. (1980):

Genetic factors in childhood asthma. Thorax., 35: 671-74.

Sigurs, N.; Bjarnason, R. and Sigurbergsson, F. (1995):

Asthma and IgE antibodies after RSV bronchiolitis. A prospective cohort study with matched controls. *Pediatrics.*, 95: 500-505.

Silverman, M. and Mckenzie, S. (1998):

Respiratory disorders. In: Campell, A.G. and McIntosh, N (eds): *Forfar and Arneil's Textbook of Pediatrics* Churchill Livingstone. 5th ed., 610-622.

Sly, R.M. (2000):

Allergic disorders. In: Nelson, W.E.; Behrman, R.E.; Kliegman, R.M. and Arvin, A.M. (eds): *Nelson, Textbook of Pediatrics*. 17th ed. W.B. Saunders Company. Philadelphia.

Smith, H.R. and Henson, P.M. (1987):

Mediators of asthma. *Seminars in Respiratory Medicine*. 8: 287-301.

Smith, L.J. (1991):

The role of PAF in asthma. *Am. Rev. Respir. Dis.*, 143: 5100-102.

Spector, S.; Gutman, A.; Nicklas, R. et al. (1995):

Parameters for the diagnosis and treatment of asthma; a joint effort of American Academy of Allergy, Asthma and Immunology and the American College of Allergy, Asthma and Immunology. *J. Allergy Clin. Immunol.*, 96: 707-870.

Spencer, D.A. (1992):

An update on PAF. *Clin. Exp. Allergy.*, 22: 521-524.

Spina, D. (1996):

Airway sensory nerves: A burning issue in asthma. *Thorax.*, 51: 335-337.

Sporik, R.; Holgate, S.T.; Platts-Mills, T.A.E. and Cogswell, J. (1990):

Exposure to house dust mite allergen (Der P1) and the development of asthma in childhood. *N. Eng. J. Med.*, 323: 502-7.

Springall, D.R.; Howarth, P.H.; Counihan, H. et al. (1991):

Endothelin immunoreactivity of airway epithelium in asthmatic patients. *Lancet.*, 337: 697-701.

Squires, J.E. and Bartels, H. (1989):

Evaluation and management of children with fevers of presumed infectious aetiology. In *Current Therapy in Pediatrics-2*. Eichenwald, H.F. and Stroder, J. (eds), BC Decker Toronto: 20-24.

Stites, D.P. (1994):

Clinical laboratory methods for detection of cellular immunity. In: *Basic and Clinical Immunology*. 8th ed. Stites, D.P.; Terr, A.I. and Parslow, T.G. eds. Appleton and Lang California.

Sullivan, T.J. (1992):

Eosinophils and asthma. *Ped. Clin. of North Am.*, vol. No. 6p: 1365.

Sunyer, J.; Anta, J.M.; Castellsague, J. et al. (1996):

Total serum IgE is associated with asthma independently of specific IgE levels. *Eur. Respir. J.*, 9: 1880-1884.

Swain, S.L.; Weinberg, A.D.; English, M. et al. (1990):

IL-4 directs the development of Th2-like helper effectors. *J. Immunol.*, 145: 3796-806.

Swinburn, C.R.; Hodspith, B.N.; Brostoff, J. and Jhonson, N.M. (1983):

Intrinsic and extrinsic asthma, a shared lymphocyte abnormality. *Clin. Allergy.*, 13: 521.

Takizawa, H.; Ohtoshi, T. and Ito, K. (1994):

Human bronchial epithelial cells produce cytokines relevant to airway inflammation. *ACI News.*, 6/5: 46-49.

Tang, C.; Rolland, J.M.; Ward, C. et al. (1996):

Seasonal comparison of cytokine profiles in atopic asthmatics and atopic non-asthmatics. *Am. J. Respir. Crit. Care Med.*, 154: 1615-22.

Tanimoto, Y.; Takahashi, K. and Kimura, I. (1992):

Effects of cytokines on human basophil chemotaxis. *Clin. Exp. Allergy.*, 22: 1020-5.

Terr, A.I. (1994):

Inflammation. In: *Basic and Clinical Immunology*. 8th ed. Stites, D.P., Terr, A.I. and Parslow, T.G. Editors. Appleton and Lange. California.

Thomas, L.L.; Haskell, M.D.; Sarmiento, E.U. and Bilimoria, Y. (1994):

Distinguishing features of basophil and neutrophil activation by major basic protein. *J. Allergy.Clin. Immunol.*, 94: 1171-6.

Thorne, K.J.I.; Richardson, B.A.; Mazza, G. et al.(1990):

A new method for measuring eosinophil activating factors, based on the increased expression of CR3 α chain (CD11b) on the surface of activated eosinophils. *J. Immunol. Methods.*, 133: 47-54.

Till, S.; Durham, S.; Dickason, R. et al.(1997):

IL-13 production by allergen-stimulated T-cells is increased in allergic disease and associated with IL-5 but not IFN- γ expression. *Immunology.*, 91: 53-57.

Tucci, F.; Resti, M.; Fontana, R. and Lami, C.A. (1994):

GER and bronchial asthma: Prevalence and effect of cisapride therapy (see comment) *J. Ped. Gastro Entrol. Nut.*, 19(4): 477-8.

Turner- Warwick, M. (1988):

Epidemiology of nocturnal asthma. *Am. J. Med.*, (Suppl. 1B). 85: 6-8.

Tutor, J.D.; Mason, C.M.; Dobard, E. et al.(1994):

Loss of compartmentialization of alveolar tumor necrosis factor after lung injury. *Am. J. Respir. Crit. Care Med.*, 149: 1107-11.

Vachier, I.; Damon, M.; Le Douehen, C. et al.(1992):

Increased oxygen species generation in blood monocytes of asthmatic patients. *Am. Rev. Respir. Dis.*, 146: 1161-6.

Van Der Pouw Kraan, TCTM.; Boeije, LCM.; Troon, J.T.M. et al.(1996):

Human IL-13 production is negatively influenced by CD3 engagement. Enhancement of IL-13 production by cyclosporin A. *J. Immunol.*, 156: 1818-23.

Van Der Pouw Kraan, TCTM.; Van Der Zee, J.S.; Boeije, I.C.M. and De Groot, E.R. (1998):

The role of IL-13 in IgE synthesis by allergic asthma patients. *Clin. Exp. Immunol.*, 111: 129-135.

Venge, P. (1993):

Soluble markers of allergic inflammation. *ACI News.*, 5/5: 128-132.

Vrugt, B.; Djukanovic, R.; Bron, A. and Albers, R. (1996):

New insights into the pathogenesis of severe corticosteroid-dependent asthma. *J. Allergy Clin. Immunol.*, 98: 522-6.

Walker, C.; Bode, E.; Boer, L. et al.(1992):

Allergic and non allergic asthmatics have distinct pattern of T-cell activation and cytokine production in peripheral blood and bronchoalveolar lavage. *Am. Rev. Respir. Dis.*, 146: 109-115.

Walker, C.; Brann, R.K.; Boer, C. et al.(1994):

Cytokine control of eosinophils in pulmonary diseases. *J. Allergy Clin. Immunol.*, 94: 1262-71.

Walsh, G.M.; Hartnell, A.; Wardlaw, A.J.; Kurihara, K.; Sanderson, C.J. and Kay A.B. (1990):

IL-5 enhances the in vitro adhesion of human eosinophils, but not neutrophils, in a leukocyte integrin (CD11/18)- dependent manner. *Immunology.*, 71: 258-265.

Warner, J.O. (1997):

Childhood asthma. In "Allergy and Allergic Diseases" (Ed. AB. Kay). Blackwell Science, London. PP. 1451-1463.

Warner, J.O.; Gotz, M.; Landau, L.L. et al.(1989):

Management of asthma :A consensus statement. *Arch. Dis. Child.*, 64: 1065-79.

Wasserfallen, J.; Schaller, M.; Feihl F. and Perret C.H. (1990):

Sudden asphyxic asthma: A distinct entity ? *Am. Rev. Respir. Dis.*, 142: 108-111.

Wewers, M.D.; Gadek, J.E. and Marsh, C.B. (1997):

Proinflammatory cytokines. In: Crystal, R.G.; West, B. J. et al. (eds.): *The Lung: Scientific Foundations*. 2nd ed. Ch. 9 P: 117-32. Publisher: Lippincott- Raven, Philadelphia.

Williams, W.R.; Pawlowicz, A. and Davis, B.H. (1990):

In vitro tests for the diagnosis of aspirin-sensitive asthma. *J. Allergy Clin. Immunol.*, 86: 445.

Wills-Karp-M. (2001):

IL-12 / IL-13 axis in allergic asthma. J. allergy Clin. Immunol., 107(1): 9-18.

Wilson,N.M. (1994):

The significance of early wheezing. Clin. Exp. Allergy., 24: 522-529.

Wilson, R.; Dowling, R.B. and Jackson, A.D. (1996):

The effects of bacterial products on airway cells and their function. Am. J. Respir. Crit. Care Med., 154: (Supp): 5197-5201.

Wittig, H.; Bellot, J.; Fillippi,L. and Royal, G. (1980):

J. Allergy Clin. Immunol., 66: 305.

Witt, C.; Stuckey, M.S.; Woolcock, A.J. et al.(1986):

Positive allergy prick skin tests associated with bronchial histamine responsiveness in an unselected population. J. Allergy Clin. Immunol., 77: 698-702.

Wood, R.E. (2000):

Diagnostic procedures. In: Behrman, R.E.; Kliegman, R.M. and Arven, A.M. (eds.): Nelson, Textbook of Pediatrics. 17th ed. WB Saunders Company. Philadelphia. 1181-1185.

Woolcock, A.J. (1996):

How does inflammation cause symptoms ? Am. J. Respir. Crit. Care Med., 153: s21-s22.

Wright, A.; Holberg, G. and Martinez, F. (1989):

Breast feeding and lower respiratory tract illness in the first year of life. Br. Med. J., 299: 946.

Wright, A.; Holberg, C. and Martinez, F. (1991):

Relationship of parental smoking to wheezing and non wheezing lower respiratory tract illness in infancy. J. Pediat., 118: 207.

Young, S.; Le Souef, P.N.; Gellhoed, G.C. et al.(1991):

The influence of a family history of asthma and parental smoking on airway responsiveness in early infancy. N.Engl.J. Med., 324: 1168-73.

Yssel, H. and Groux, H. (2000):

Characterization of Tcell subpopulations involved in the pathogenesis of asthma and allergic diseases. *Int. Arch. Allergy Immunol.*, 121(1) : 10-18.

Zeiger, R.S.; Heller, S.; Mellon, M. et al.(1986):

Effectiveness of dietary manipulation in the prevention of food allergy in infants. *J. Allergy Clin. Immunol.*, 78: 224.

Zhu, Z.; Homer, R.J. Wang, Z.; Chen. Q.; Geba, G.P.; Wang, J.; Zhang, Y. and Elias, J.A. (1999):

Pulmonary expression of IL-13 causes inflammation, mucus hypersecretion, sub-epithelial fibrosis, physiologic abnormalities and eotaxin production. *J. Clin. Invest.*, 103 (6): 779-88.

Zimmerman, B.; Chambers, C. and Forsyth, S. (1988b):

Allergy in asthma: II. The highly atopic infant and chronic asthma. *J. Allergy Clin. Immunol.*, 81: 71-77.

Zimmerman, B.; Feanny, S.; Reisman, J. et al.(1988a):

Allergy in asthma I. The dose relationship of allergy to severity of childhood asthma. *J. Allergy Clin. Immunol.*, 81: 63-70.

Zurawski, S.M.; Chomarat, P.; Djossou, O. et al. (1995):

The primary binding subunit of the human IL-4 receptor is also component of the IL-13 receptor. *J. Biol. Chem.*, 270: 13869-78.

Zurawski, G. and de Vries, J.E. (1994):

IL-13, an IL-4 like cytokine that acts on monocytes and B-cells, but not on T-cells. *Immunol. Today.* 15: 19-26.