


REFERENCES



REFERENCES

- Adamson P.B., Huang M.H., Vanoli E., et al. (1994):
Unexpected interaction between 2-adrenergic blockade and heart
variability before and after myocardial infarction: a longitudinal
study in dogs at high and low risk for sudden death.
Circulation, 90: 976-982.
- Agabin Rosei E., Aldershvile J., Ambossio G., et al. (2001):
Five-minute recording of heart rate variability in chronic heart
failure patients: clinical usefulness.
The European cardiologist Journal, 6: 12.
- Agarwal B.L. (1981):
Rheumatic heart disease unabated in developing countries.
Lancet, 2: 910 - 911.
- Akselrod S., Cordon D., Ubel F.A., et al. (1981):
Power spectrum analysis of heart rate fluctuation: a quantitative
probe of beat to beat cardiovascular control.
Science, 213:220-222.
- Akselrod S., Gordon B., Madwed JB, et al. (1985):
Hemodynamic regulation: investigation by spectrum analysis.
Am. J. Physiol., 249: 867-875.

- Albert D.A., Harel L. and Karrison T. (1995):
The treatment of rheumatic carditis: a review and meta-analysis.
Medicine, 74: 1-12.
- Amoils B., Morrison R.C. and Waddes AA. (1986):
Aberrant expression of HLA-DR antigen on valve fibroblasts from
patients with active rheumatic carditis.
Clin. Exp. Immunol., 66: 88 - 94.
- Anderson J. (1984):
Rheumatic heart disease. In: Muris Textbook of Pathology. J.R.
Anderson and Willerston, J.T. (Eds).
English Language Book Society/Edward Arnold, Twelfth Edition:
592.
- Anderson J. (1985):
Rheumatic heart disease. In: Muris Textbook of Pathology J.R.,
Anderson and Willerstone J.T. (Eds).
English Language Book Society/Edward Arnold, Twelfth Edition:
1520- 1526.
- Appel M.L., Berger R.D., Saul L.P., et al. (1989):
Beat to beat variability in cardiovascular variability.
J. Am. Coll. Cardiol., 14:1139-1148.

- Arai Y., Saul J.P. and Albrecht P. (1989):
Modulation of cardiac autonomic activity during and immediately after exercise.
Am. J. Physiol., 256: 132-41.
- Aron A.M., Freeman J.M., Carter S., et al. (1965):
The natural history of Sydenham's chorea.
Am. J. Med., 38(83): 9561.
- Azevedo E.C.L. (1991):
Febre reumatica. In: Oliveira SKF. Azevedo ECL, editors.
Reumatologia pediatria.
Rio De Janeiro: Medsi., 139-51.
- Bahattacharya S. and Tandon R. (1986):
The diagnosis of rheumatic fever and evaluation of Jones criteria.
Int. J. Cardiol., 12:285-294.
- Bailey J.J., Berson A.S., Garson A. Jr., et al. (1990):
Recommendations for standardization and specifications in automated electrocardiography.
Circulation, 81: 730-739.

- Baird R.W., Bronz M.S., Kraus W., et al. (1991):
Epitopes of group A streptococcal M protein shared with antigen of
articular cartilage and synovium.
J. Immunol., 146: 3132 - 3137.
- Barlow J.B., Marcus R.H., Pocock W.A., et al. (1990):
Mechanism and management of heart failure in active rheumatic
carditis.
S. Afr. Med. J., 78: 188 - 189.
- Barlow J.R., Bosma C.K., Pocock W.A. and Marchand P. (1978):
Late systolic murmur and non-ejection ('mid-late') systolic clicks.
Br. Heart J., 30: 203 - 218.
- Beachy E.H., Stollerman G.H., Johnson R.H., et al. (1979):
Human immune response to immunization with a structurally
defined polypeptide fragment of streptococcal M Protein.
J. Exp. Med., 150: 862-77.
- Ben Hamida M. and Hamza F. (1979):
Sydenham's chorea in Tunisia: a report of 65 cases.
Ann. Med. Intern., 130: 359-64.

- Bernardi L., Ricordi L. and Lazzari P. (1992):
Impaired circulation inodulation of sympathovagal activity in diabetes.
Circulation, 86:1443-1452.
- Bernardi L., Salvucci F. and Saudi R. (1990):
Evidence for an intrinsic mechanism regulating heart rate variability in the transplanted and the intact heart during submaximal dynamic exercise?
Cardiovasc. Res., 24: 969-981.
- Bessen D., Jones K.E. and Fischetti, V.A. (1989):
Evidence for two distinct classes of streptococcal M protein and their relationship to rheumatic fever.
J. Exp. Med., 169: 269-283.
- Bianchi A.M., Mainardi L.T., Petrucci E., et al. (1993):
Time-variant spectrum analysis for the detection of transient episodes in HRV signal.
IEEE Trans Biomed Eng., 40: 136-144.
- Bigger J.T., Fleiss J.L., Polnikzky L.M. and Schneider W.J. (1991):
Time course of recovery of heart period variability after myocardial infarction.
J. Am. Coll. Cardiol., 78:1643-1649.

Bigger J.T., Fleiss J.L., Rolnitzky L.M. and Steinman R.C. (1992*):

Stability over time of heart period variability in patients with previous myocardial infarction and ventricular arrhythmias.

Am. J. Cardiol., 69: 718-723.

Bigger J.T., Fleiss J.L., Steinman R.C., et al. (1992):

Frequency domain measures of heart period variability and mortality after myocardial infarction.

Circulation, 85: 164-171.

Binkely P.F., Haas G.J., Starling R.C., et al. (1993):

Sustained augmentation of parasympathetic tone with angiotensin-converting enzyme inhibitors in patients with congestive heart failure.

J. Am. Coll. Cardiol., 21:655-661.

Bisno A.L. (1991):

Group A streptococcal infections and acute rheumatic fever.

N. Engl. J. Med., 325: 783-93.

Bisno A.L. (1997):

Rheumatic fever. In: Kelly WN, Harris Jr. E., Ruddy S. et al., editors, Textbook of rheumatology, 5th ed. Philadelphia (PA): W.B. Saunders, 1225-1240.

- Borne P.V., Montano N. and Pagani M. (1996):
Absence of low-frequency variability of sympathetic nerve activity
in severe heart failure.
Circulation, 84:204-205.
- Brown H.F., DiFrancesco D. and Noble S.J. (1979):
How does adrenaline accelerate the heart?
Nature, 280: 235-236.
- Cairns L.M.. (1988):
Immunological studies in rheumatic fever, The immunology of
rheumatic fever.
NZ. Med. J., 101: 388 - 397.
- Callahan J.A., Seward J.B. and Nishimura R.A. (1985):
Two dimensional echocardiography guided pericardiocentesis
experience in 117 consecutive patients.
Am. J. Cardiol., 55: 476-479.
- Camm A.J., Malik M.B., Bigger J.T., et al. (1996):
Heart rate variability; Standards of measurement, physiological
interpretation and, clinical use.
Circulation, 93: 1043-1065.

- Carmo H.F., Vilela R.G., Alvarenga S.L. et al. (1994):
Rheumatic fever in Goiania, Brazil. *Rev. Bras. Reumaiol.*, 34: 61-4.
- Casadei B., Pipilis A., Sessa F., et al. (1993):
Low- doses of scopolamine increase cardiac vagal tone in the acute phase of myocardial infraction.
Circulation, 88: 353-357.
- Casolo G., Balli E., Taddei T., et al. (1989).
Decreasing spontaneous heart rate variability in congestive heart failure.
Am. J. Cardiol., 69: 482-485.
- Casolo G.C., Stroder P. and Signorini C. (1992):
Heart rate variability during the acute phase of myocardial infarction.
Circulation 85:2073-2079.
- Commitee on rheumatic fever and infective endocarditis of the council on cardiovascular disease in the young, (1984):
Prevention of rheumatic fever.
Circulation, 70: 1118A-1122A.

- Chess G.F., Tam R.M.K. and Calaresu F.R. (1975):
Influence of cardiac neural inputs on rhythmic variations of heart period in the cat.
Am. J. Physiol., 228:775-780.
- Chun L.T., Raddy V. and Yamamoto L.G. (1987):
Rheumatic fever in children and adolescent in Hawaii Pediatrics, 449-552.
- Cumming R.R. (1974):
Acute rheumatic fever.
Can. Med. Assoc., J., 111:818-21.
- Czoniezer G., Amezcua F., Pelargonio S. et al. (1964):
Therapy of severe rheumatic carditis: comparison of adrenocortical steroids and aspirin.
Circulation 1964: 29: 813-819.
- da Silva N.A. and Pereira B.A. (1997):
Acute rheumatic fever: still a challenge. *Rheum. Dis. Clin. North Am.*, 23: 545-568.
- Dajani A.S., Ayoub E. Biennan F.Z., et al. (1993):
Guidelines for the diagnosis of rheumatic fever: Jones criteria. Updated 1992.
Circulation, 87: 302-7.

- Dajani A.S., Bison A.L. and Chung K.J. (1988):
Prevention of rheumatic fever.
Circulation, 78: 1082-1086.
- Dajani A.S., Tauhert K. and Ferrieri P., et al. (1995):
Treatment of acute streptococcal pharyngitis and prevention for
rheumatic fever: a statement for health professionals.
Pediatrics, 96: 758-64.
- Dale J.B. and Beachey F.H. (1985):
Epitopes of streptococcal M proteins shared with cardiac myosin.
J. Exp. Med., 162: 583-891.
- Dale J.B., Chiang E.Y. and Lederer J.W. (1993):
Recombinant tetravalent group A streptococcal vaccine.
J. Immunol., 151: 2188-94.
- Davis M. J. (1980):
Pathology of cardiac valves, 180. Butterworths, London and Boston.
- De Moor M.M., Lachman P.L. and Human D.G. (1986):
Rupture of tendinous chords during acute rheumatic carditis in
young children.
Int. J. Cardiol., 12: 535-357.

- DiFrancesco D., Ferroni A., Marranti M. and Tromba C. (1986):
Properties of the hyperpolarizing-activated current (I_F) in cells
isolated from the rabbit sino-arterial node.
J. Physiol., 377: 61-88.
- Dillon H.C. (1984):
Antibiotic therapy: Influence of duration, frequency, route of
administration and compliance. In: Shulman S.T. (ed) management
of pharyngitis in an era of declining rheumatic fever.
Columbus, Ohio: Ross Laboratories, 42-83.
- Disciascio G. and Taranta A. (1980):
Rheumatic fever in children.
Am. Heart J., 99:635-58.
- Dos Reis G.A. and Barenski M.A. (1980):
Role of macrophage-dependent determinant selection in induction
phase of streptococcal carditis.
Lancet, 2: 777-779.
- Dougherty C.M., Burr R.L. (1992):
Comparison of heart rate variability in survivors and non-survivors
of sudden cardiac arrest.
Am. J. Cardiol., 70:441-448.

Dreifus L.S., Agarwal J.B. and Botvinick E.H. (1993):

(American collage of Cardiology Cardiovascular Technology Assessment Committee). Heart rate variability for risk stratification of life-threatening arrhythmias.

J. Am. Coll. Cardiol., 22: 948-950.

Editorial (1989):

Mitral valve prolapse.

Lancet, 7: 1173 - 1175.

El-Khateeb M.S. (1988):

Serological assessment of streptococcal extracellular antigenes.

J. Trop. Pediatr., 34: 251-253.

Ewing D.J., Martin C.N., Young R.J. and Clarke B.F. (1985):

The value of cardiovascular autonomic function tests: 10 years experience in diabetes.

Diabetic Care 8:491-498.

Fallen E.L., Kamath M.V., Ghista D.N. and Fitchett D. (1988):

Spectral analysis of heart rate variability following human heart transplantation: evidence for functional reinnervation.

J. Auton. Nerv. Syst., 23: 199-206.

Fecklam R.R. (1987):

Specificity study of kits for detection of group A streptococci directly from throat swabs.

J. Clin. Microbial, 25: 504-508.

Feinstein A.R, Spagnuolo M. and Gill F.A. (1961):

Rebound phenomenon in acute rheumatic fever. I. Incidence and significance.

Yale J. Biol. Med., 33:259-278.

Fogler G.M. and Hagar R. (1989):

Doppler echocardiographic findings of mitral and aortic valvular regurgitation in children manifesting only with rheumatic arthritis.

Am. J. Cardiol., 63: 1278-1280.

Frankish J.D. (1984):

Rheumatic fever prophylaxis Gibson experience.

N.Z. Med. J., 97: 674-675.

Frey B., Binder T., Teufelsbauer H., et al. (1993):

Heart rate variability and patient outcome in advanced heart failure (Abstract).

J. Am. Coll. Cardiol., 21:286A.

- Furlan R., Guretti S. and Crivellaro W. (1990):
Continues 24 hour assessment of the neural regulation of
systematic arterial pressure and RR variabilities in ambulant
subjects.
Circulation, 81: 537-547.
- Furlan R., Piazza D. and Dell'Orto S. (1993):
Early and late effects of exercise and athletic training on neural
mechanisms controlling heart rate.
Cardiovasc. Res., 27: 482-483.
- Ganguly N.K., Anand I.S. and Khan A.K. (1982):
T-cell and T-cell subset in rheumatic heart disease.
Indian J. Med. Res., 76: 854-858.
- Gerber M.A., Spadaccini L.J. and Wright L.L. (1984):
Latex agglutination tests for rapid identification of group A
streptococci directly from throat swap.
S. J. Pediatr., 105: 702-709.
- Gibofsky A. and Zabriskie J.B. (1997):
Rheumatic fever: etiology, diagnosis and treatment. In: Koopman
WJ. editors. Arthritis and allied conditions.
13th ed. Baltimore (MD): Williams & Wilkins, 1581-1594.

- Gibofsky A., McCarty M., Veasy G., et al. (1995):
A rose by any other name...[editorial].
J. Rheumatol., 22: 379-381.
- Gilligan D.M., Chan W.L., Nitroyannopoulos P. and Oakley C.M. (1993):
Autonomic function in hypertrophic cardiomyopathy.
Br. Heart. J., 69:525-529.
- Gled Hill R.F. and Thompson P.D. (1990):
Standard neurodiagnostic tests in Sydenham's chorea.
J. Neurol. Neurosurg. Psychiatry, 53: 534- 535.
- Goffen Y.A., Leclerc J.L. and Primo G.C. (1984):
Histopathology of the aortic valve in patients with a previous
history of acute rheumatic fever. An analysis of 63 surgical
specimens.
Acta. Cardiol.. 39(5): 329.
- Goldsmith D.P. and Long S.S. (1982):
Post streptococcal disease of children-a changing syndrome.
Arthritis Rheumatol., 25: 518.
- Gordis L. (1985):
The virtual disappearance of rheumatic fever in the United States.
Circulation, 72: 1155-62.

- Grossman P., Karemaker J. and Wieling W. (1991):
Prediction of tonic parasympathetic cardiac control using
respiratory Sinus Arrhythmia: The need for respiratory control.
Psychophysiology, 28:201-216.
- Hafez M., Abdallah A. and EL-Shennawy F. (1990):
Immunogenic study of the response to streptococcal carbohydrate
antigen of the cell wall in rheumatic fever.
Ann. Rheum. Dis.; 49: 708-714.
- Hafez M., El-Battoty M.F. and Hawas S. (1989):
Evidence of inherited susceptibility of increased adherence to
pharyngeal cells of children with rheumatic fever.
Br. Rheumatol., 76: 937-935.
- Hafez M., El-Shennawy F. and Salab S. (1988):
Studies of peripheral blood lymphocyte in assessment of disease
activity in rheumatic fever.
Br. J. Rheumatol., 27: 181-186.
- Haffejee (1992):
Rheumatic fever and rheumatic heart disease: the current status of
its immunology, diagnostic criteria and prophylaxis.
Quarterly Journal of Medicine, 305: 641-658.

- Haffejee, Gouts P. and Mossa A. (1984):
Serum MB - creatin kinase is not elevated in active rheumatic carditis.
J. Trop. Med. Hyg., 87: 215 - 218.
- Hirsch M. Karia J. Akselrod S. (1995):
Heart rate variability in the fetus. In: Malik M., Camrn A.J., eds.
Heart Rate variability.
Armonk, NY: Future, 517-531.
- Holmberg S.D. and Faish G.A. (1983):
Streptococcal pharyngitis and acute rheumatic fever in Rhode Island.
JAMA., 250:2307-2312.
- Holmer C. and Shulman S.T. (1991):
Clinical aspects of acute rheumatic fever.
J. Rheumatol., 18: 2-13.
- Hosier D.M. Craenen J.M., Teske D.W., et al. (1987):
Resurgence of acute rheumatic fever.
Am. J. Dis. Child., 141: 730-733.
- Hudson R.E.B. (1977):
Cardiovascular pathology, Vols 1-3. Edward Arnold, London
Twelfth Edition P.P., 1550- 1555.

- Huikuri H.V., Kessler K.M. and Ferracall E. (1990):
Reproducibility and circadian rhythm of heart rate variability in healthy subjects.
Am. J. cardiol., 65: 391-393.
- Hull S.S., Vanoli E., Adamson P.B. et al. (1995):
Do increase in markers of vagal activity imply protection from sudden death? The case of scopolamine.
Circulation, 91:2516-2519.
- Hull S.S., Vanoli E., Adamson P.B., et al. (1994):
Exercise training confers anticipatory protection from sudden cardiac death during acute myocardial ischaemia.
Circulation, 89: 548-52.
- Husby G., Vander Rijn U. and Zabriskie J.B. (1976):
Antibody reacting with cytoplasm of subthalamic and caudate nuclei neurones in chorea and acute rheumatic fever.
J. Exp. Med., 144: 1094-1110.
- Inoue K., Miyake S., Kumashiro M., et al. (1990):
Power spectrum analysis of heart rate variability in traumatic quadriplegic human.
Am. J. Physiol., 258: H1722-1726.

International Rheumatic Fever Study Group (1991):

Allergic reactions to long term benzathine penicillin prophylaxis for rheumatic fever.

Lancet, 337: 1308-1310.

Jalife J., Michaels D.C. (1944):

Neural control of sino-atrial pacemaker activity. In: Leivy MN, Schwartz PJ, eds. Vagal Control of The Heart: Experimental Basis and Clinical Implications.

Armonk: Future, 173-205.

Kamath M.V. and Fallen E.L. (1993):

Power spectral analysis of heart rate variability: a noninvasive signature of cardiac autonomic function.

Crit Revs Bioimed Eng., 2 1:245-311.

Kaplan M.E. (1969):

The cross-reaction of group A streptococci with heart tissue and it's relation to induced autoimmunity in rheumatic fever.

Bull. rheum. Dis., 19:560.

Kaplan M.H. (1963):

Immunologic relationship of streptococcal and tissue antigens: properties of an antigen in certain strains of group A streptococci exhibiting an immunologic crossreaction with human heart tissue.

J. Immunol., 90: 595-606.

- Kaufman E.S., Bosner M.S., Stein P.K. and Bigger J.T. (1993):
The effect of enalapril and digoxin on heart period variability in normal subjects.
Am. J. Cardiol., 72: 95-99.
- Kautzner J. (1995):
Reproducibility of heart rate variability measurement. In: Malik M, Camm A.J., Eds. Heart rate variability.
Armonk, NY: Future, 165-171.
- Kay S.M. and Marple S.L. (1981):
Spectrum analysis: a modern perspective.
Proc IEEE., 69:1380-1419.
- Kennedy H.N. (1992):
Ambulatory (Holter) electrocardiography technology.
Clin. Cardiol., 10: 341-356.
- Khandke K.M., Fanwell T. and Manjula B.N. (1987):
Difference in the structural features of streptococcal M protein from nephritogenic and rheumatogenic serotypes.
J. Exp. Med., 166: 151-162.

- Kienzle M.G., Ferguson D.W., Birkett C.L., et al. (1992):
Clinical hemodynamic and sympathetic neural correlates of heart rate variability in congestive heart failure.
Am. J. Cardiol., 69:482-485.
- Kleiger R.E., Bigger J.T., Bosner M.S., et al. (1991):
Stability over time of variables measuring heart rate variability in normal subjects.
Am. J. Cardiol., 68:626-630.
- Kleiger R.E., Bigger J.T., Bosner M.S., et al. (1991):
Stability over time of variables measuring heart rate variability in normal subjects.
Am. J. Cardiol., 68: 262-630.
- Kraus W. and Beachey E.H. (1988):
Renal autoimmune epitope of group A streptococci specified by M protein tetrapeptide II: - Arg - Leu - Arg. Proc. Natl. Acad. Sci. U.S.A., 85: 4516- 4520.
- Kujala G.A., Doshi H. and Brick J.E. (1989):
Rheumatic fever and post streptococcal glomerulonephritis a case report.
Arthritis Rheumatol., 32: 236-239.

- La Rovere M.T., Mortara A., Sandrone G. and Lombardi F. (1993):
Autonomic nervous system adaptation to short term exercise training.
Chest, 101: 299-303.
- Lancefield R.C. (1962):
Current knowledge of the type specific M antigens of group A streptococci.
J. Immunol., 89: 307-13.
- Land M.A. and Bisno A.L. (1983):
Acute rheumatic fever. A vanishing disease in Suburbia.
JAMA, 249: 895-898.
- Lembo N.I., Dell Italia L.J. and Crawford M.H. (1988):
Mitral valve prolapse in patients with prior rheumatic fever.
Circulation, 77: 830 - 836.
- Levy M.N. (1971):
Sympathetic-parasympathetic interactions in the heart.
Circ. Res., 29:437-45.
- Levy M.N. and Schwartz P.J. eds (1994):
Vagal control of the heart: Experimental basis and clinical implications. Armonk: Future.

- Loeffler A.M., Neches W.H., Ortenzo M., et al. (1995):
Identification of cases of acute rheumatic fever managed on an outpatient basis. *Pediatr. Infect. Dis. J.*, 14: 975-978.
- Lombardi F., Torzillo D. and Sandrone G. (1992):
Beta-blocking effect of propafenone based on spectral analysis of heart rate variability.
Am. J. Cardiol., 70:1028-1034.
- Lucreziotti S., et al. (2000):
HRV from a 5 minute electrocardiographic recording provides significant prognostic information in patients with severe CHF.
Am. Heart J., 139: 108-1095.
- Majeed H.A., Klluffash F.A. and Yousef A.M. (1988):
The rheumatogenic and nephritogenic strains of the group A streptococcus: the Kuwait experience. *NZ. Med. J.*; 101: 398 - 401.
- Majeed H.A., Yousef A.M. and Pokonie J. (1991):
Human heart sarcolemmal sheath antibodies in children with non suppurative sequelae of group A streptococcal infection: a follow up study.
Am. Rheum. Dis., 50: 752 - 754.

Malfatto G., Rosen T.S., Steinberg S.F., et al. (1990):

Sympathetic neural modulation of cardiac impulse initiation and repolarization in the newborn rat.

Circ. Res., 66:427-437.

Malik M. and Camm A.J. (1993):

Components of heart rate variability. What they really mean and what we really measure.

Am. J. Cardiol., 72:821-822.

Malik M. and Camm A.J. (1994):

Heart rate variability and clinical cardiology.

Br. Heart J., 71: 3-6.

Malik M., Cripps T., Farrell T. and Camm A.J. (1989*):

Prognostic value of heart rate variability after myocardial infarction: a comparison of different data processing methods.

Med. Biol. Eng. Comput., 27: 603-611.

Malik M., Farrell T., Cripps T. and Camm A.J. (1989):

Heart rate variability in relation to prognosis after myocardial infarction: selection of optional processing techniques.

Eur. Heart J., 10:1060-1074.

Malik M., Xia R., Odemuyiwa O., et al. (1993):

Influence of the recognition artifact in the automatic analysis of long term electrocardiograms on time-domain measurement of heart rate variability.

Med. Biol. Eng. Comprt., 31:539-544.

Malliani A., Lombardi F. and Pagoin M. (1994):

Power spectral analysis of heart rate variability: a tool to explore neural regulatory mechanisms.

Br. Heart J., 71: 1-2.

Malliani A., Pagani M., Lombardi P. and Cerutti S. (1991):

Cardiovascular Neural regulation explored in the frequency domain.

Circulation, 84:1482-1492.

Marcus R.H., Sareli P. and Pocok W.A. (1989):

Functional anatomy of severe mitral regurgitation in active rheumatic carditis.

Am. J. Cardiol., 63: 577-584.

Markowitz M. (1988):

Evolution and critique of changes in the Jones criteria for the diagnosis of rheumatic fever.

Nz. Med. J., 101: 392-394.

Markowitz M. and Gords L. (1972):

Thr biology og group AB-Haemolytic Streptococci. In: Rheumatic fever, 2nd edition. W.B. Saunders Co., Philadelphia, 14: 22.

Maruyama S., Yoshiok H. and Fujita K. (1979):

Sensitivity of group a streptococci to antibiotics: Prevalence of resistance to erythromycin in Japan.

Am. J. Dis. Child., 133: 1143-1145.

Mbaissouroum M., O'Sullivan C., Brecher S.J. and Xiao M.B. (1993):

Shortened left ventricular filling time in dilated cardiomyopathy: additional effects on heart rate variability.

Br. Heart J. 69: 327-331.

Merri M., Farden D.C., Mottley J.G. and Titlebaum E.L. (1990):

Sampling frequency of the electrocardiogram for the spectral analysis of heart rate variability.

IEEE. Trans. Biomed. Eng., 37: 99-106.

Middleton D.B., D'Amico F. and Merenstein J.H. (1988):

Standardized symptomatic treatment versus penicillin as initial therapy for streptococcal pharyngitis.

J. Pediatr., 113: 1089-1094.

- Miller M.C., Gray E.D. and Mansour M. (1989):
Cytokins and immunoglobulins in rheumatic heart disease
production by blood and Tonsillar cells.
J. Rheumatol., 16: 1436 - 1442.
- Mivakava M., Ohkubo O., Fuchigami T., et al. (1995):
Effectiveness of haloperidol in the treatment of chorea minor.
Brain.
Dev. 27: 191-196.
- Mlalik M. and Camm A.J. (1994):
Heart rate variability and clinical cardiology.
Br. Heart J., 71: 3-6.
- Molgaard H., Mickley H., Pless P., et al. (1993):
Effects of metoprolol on heart rate variability in survivors of acute
myocardial infarction.
Am J Cardiol., 71:1357-1359.
- Montano N, Grecchi Ruscone T., Porta A. and Lombardi F. (1994):
Power spectrum analysis of heart rate variability to assess the
changes in sympathovagal balance during graded orthostatic tilt.
Circulation 90: 1826-1837.

Mortara A. et al. (1997):

Heart rate variability in chronic heart failure.

Circulation, 96: 3450-3458.

Mortara A; Specchia G., La Rovere M.T., et al. (1996):

Patency of infarct-related artery. Effect of restoration of restoration of anterograde flow on vagal reflexes. (Automatic Tone and Reflexes After Myocardial Infarction) Investigators.

Circulation, 93(6): 1114-1122.

Mortimer E.A., Vaisman S., Vigneau A., et al. (1959):

The effect of penicillin on acute rheumatic fever and valvular heart disease.

N. Engl. J. Med., 260: 101-12.

Nair D.V., Kabir H.A. and Thankam S. (1980):

Epidemiologic survey of rheumatic heart disease in school children in Allepey.

Ind. Heart. J., 32: 65 - 71.

Neutz J.M. (1988):

Rheumatic fever and rheumatic heart disease in the western pacific region.

NZ. Med. J., 101: 404-406.

Ng K.S.K. and Gibson D.G. (1990):

Relation of filling pattern to diastolic function in severe left ventricular disease.

Br. Heart J., 45:709- 714.

Niemela M.J., Airaksinen K.E. and IKaheimo M.J. (1990):

Vagal heart rate control after percutaneous transluminal coronary angioplasty.

Eur. Heart J., 11: 320-322.

Nolan J., et al. (1998):

Heart rate variability andites prognostic value in patients with idiopathic or ischaemic chronic heart failure.

Circulation, 98: 1510-1516.

Nolan J., Flapan A.D., Capewell S., et al. (1992):

Decreased cardiac parasympathetic activity in chronic heart failure and its relation to left ventricular function.

Br Heart J 67:432.

Norton R. (1990):

Sudden death in young aboriginal adults with rheumatic heart disease.

Med. J. Australia, 153: 162-164.

O'Connor G.T., Buring J.E. and Yusuf S. (1989):

An overview of randomized trials of rehabilitation with exercise after myocardial infarction.

Circulation, 80: 234-44.

Padmavati S. and Gupta V. (1988):

Reappraisal of the Jones criteria: the Indian experience.

NZ. Med. J., 101: 391 - 392.

Padmavati S., Group V. and Prakash (1987):

Penicillin for rheumatic fever prophylaxis: 3-weekly or 4-weekly Schedules

J. Assoc. Phys. Ind., 35: 753-755.

Pagani M., Lombardi F. and Guzzetti S. (1986):

Power spectral analysis of heart rate and arterial pressure variabilities as a marker of sympathetic-vagal interaction in man and conscious dog.

Circ. Res., 59:178-193.

Pagani M., Malfatto G. and Pierini S. (1988):

Spectral analysis of heart rate variability in the assessment of autonomic diabetic neuropathy.

J. Auton. Nerv. System., 23: 143-153.

Parati G., Di Rienzo M., Groppelli A., et al. (1995):

Heart rate and blood pressure variability and their interaction in hypertension. In: Malik M, Camm AJ, Eds. Heart Rate Variability Armonk; NY: Future, 465-478.

Pattarroyo M.E., Winchester R.J. and Vcjerano A., et al. (1979):

Association of a B-cell alloantigen with susceptibility to rheumatic fever.

Nature, 278: 173-174.

Penaz J., Roukenz J. and Van der Waal H.J. (1968):

Spectral analysis of some spontaneous rhythms in the circulation.

In: Drischel H., Tiedt N., eds., Leipzig: Biokybernelik, Kerl. Marx. Vnir., 233-241.

Persellin S.T., Ramie Z.G. and Moatem F. (1982):

Immunopathology of rheumatic pericarditis Arthritis Rheumatol., 25: 1054 - 1058.

Phyllis K.S., Matthew S.B., Kleiger R.E. and Conger B.M. (1994):

Heart rate variability: A measure of cardiac-autonomic tone.

Am. Heart J. 127: 1376-1381.

Piha S.J. (1991):

Cardiovascular autonomic reflex tests: Normal responses and age-related reference values.

Clia. Physiol., 11: 277-290.

Poirier T.P., Kehoe M.A. and Beachey E.H. (1988):

Protective immunity evoked by oral administration of attenuated a salmonella typhimurium expressing cloned streptococcal M protein.

J. Exp. Med., 168: 25-32.

Pomerance A. (1975):

Cardiac involvement in rheumatic and collagen disease. In: the pathology of the heart. Pomerance A and Davis M (Eds). Blackwell Scientific Publication, 282.

Pomeranz M., Macauley R.J.B. and Candill M.A. (1985):

Assessment of autonomic function in humans by heart rate spectral analysis.

Am. J. Physiol., 248: 151-153.

Pope R.M. (1989):

Rheumatic fever in the 1980s. Bull. Rheum.

Dis., 38: 1-8.

Raizada V., Williams R. and Chopra R. (1983):

Tissue distribution of lymphocyte in rheumatic heart valves as defined as defined by monoclonal anti-T cells antibodies.
Am. J. Med., 74; 90-96.

Rajapakse C., Al Bala S., Al Dallah A. and Kmal H. (1990):

Streptococcal antibody cross reactivity with HLA-DR4 positive B-lymphocytes. Basis of the DR4 associated genetic predisposition to rheumatic fever and rheumatic heart disease.
Br. J. Rheumatol., 29: 468-470.

Rathon M.H. and Barton L.L. (1989):

Acute rheumatic pericarditis.
Pediatr. Inf. Dis. J., 8: 183-184.

Raz I., Fische J., Israeli A. and Chisin R. (1985):

An unusual cases of rheumatic pneumonia.
Arch. Intern. Med., 145: 1130 - 1137.

Reddy D.V., Chun L.T. and Yammamoto L.G. (1989):

Acute rheumatic fever with advanced degree A-V Block.
Clin. Pediatr., 28: 326-328.

Regelman W.E., Talbot R. and Cairns L. (1989):

Distribution of cell bearing 'rheumatic' antigens in peripheral blood of patients with rheumatic fever / rheumatic heart disease.

J. Rheumatol., 28: 304-309.

Reyes V.P., Raju S., Wynne J., et al. (1994):

Percutaneous balloon valvuloplasty compared with open surgical commissurotomy for mitral stenosis.

N. Engl. J. Med., 331: 961-967.

Rimoldi O., Pierini S., Ferrari A., et al. (1990):

Analysis of short term oscillations of R-R and arterial pressure in conscionse dogs.

Am. J. Physiol., 258: 967-976.

Rose A.G. (1986):

Etiology of acquired valvular heart disease in adults, a survey of 18.132 autopsies and 100 consecutive valve replacement operations.

Arch. Pathol. Lab. Med., 100: 385-8.

Rottman J.N., Steinman R.C., Albrecht P., et al. (1990):

Efficient estimation of the heart period power spectrum suitable for physiologic or pharmacologic studies.

Am. J. Cardiol., 66: 1522-1524.

- Sakmann B., Noma A. and Trautwein W. (1983):
Acetylcholine activation of single muscarinic K⁺ channels in
isolated pacemaker cells of the mammalian heart.
Nature, 303: 250-253.
- Sandrone G., Mortara, A. Torzillo D., et al. (1994):
Effects of beta blockers (Atenolol or Metoprolol) on heart rate
variability after acute myocardial infarction.
Am. J. Cardiol., 74:340-345.
- Sands K.E., Appel M.L., Lilly L.S., et al. (1989):
Power Spectrum analysis of heart rate variability in human cardiac
transplant recipients.
Circulation, 79: 76-82.
- Saul J.P., Albercht P., Berger R.D. and Cohen R.J. (1988):
Analysis of long term heart rate variability: methods, scaling and
implications.
IEEE Computer Society Press, Washington, 419-422.
- Saul J.P., et al. (1988*):
Heart rate ability and the potential relationship between autonomic
activity and right ventricular performance.
Am. J. Cardiol., 61: 1292-1299.

- Saul J.P., Rea R.F., Eckberg D.L., Berger R.D. and Cohen R.J. (1990):
Heart rate and muscle sympathetic nerve variability during reflex
changes of autonomic activity.
Am. J. Physiol., 158: 713-721.
- Sayers B.M. (1973):
Analysis of heart rate variability.
Ergonomics, 16: 17-32.
- Scherer P., Ohler J.P. and Hirche H. (1993):
Definition of a new beat to beat parameter of heart rate variability
(Abstr).
Pacing Clin. Electrophys., 16: 939.
- Schwartz P.J. and Stone H.L. (1985):
The role of the autonomic nervous system in sudden coronary
death.
Ann. NY. Acad. Sci., 382:162-180.
- Schwartz P.J., Vanoli E., Stremba-Badiaie M., DeFerrari G.M. (1988):
Autonomic mechanisms and sudden death. New insights from the
analysis of baroreceptors reflexes in conscious dogs without a
myocardial infarction.
Circulation., 78: 769-779.

- Siecel A.C., Johnson E.E. and Stollerman G.H. (1961):
Controlled studies of streptococcal pharyngitis in a pediatric population: factors related to the attack of rheumatic fever.
N. Engl. J. Med., 265:559-65.
- Stollerman G.H. (1956):
Rheumatic fever.
Arch. Intern. Med., 98: 211-20.
- Spagnuolo M. and Feinstein A.R. (1961): Rebound phenomenon in acute rheumatic fever. II. Treatment and prevention.
Yale J. Biol. Med., 33:279-298.
- Spagnuolo M., Kloth H., Tarantu A., et al. (1971):
Natural history of rheumatic aortic regurgitation. Criteria predictive of death, congestive heart failure, and angina in young patients.
Circulation, 44: 368-80.
- Stastny P. (1978):
Association of the B cell alloantigen DR-W4 with rheumatoid arthritis.
New Engl. J. Med., 298:869-871.
- Steinfeld L., Dimich I., Rappaport H. and Baron M. (1975):
Late systolic murmur of rheumatic mitral insufficiency.
Am. J. Cardiol., 35: 397 - 401.

Stnreich R. et al. (1998):

Shortterm electro cardiographic recordings are a useful method of evaluation in the non-laboratory setting.

Heart, 30: 156-162.

Stollerman G.H. (1971):

Rheumatogenic and nephritogenic streptococci.

Circulation; 43: 915-921.

Stollerman G.H. (1996):

The nature of rheumatogenic streptococci.

Sinai. J. Med., 653: 144-57.

Stollerman G.H. (1997):

Rheumatic fever.

Lancet, 349: 935-42.

Stollerman G.H., Lewis A.J., Schulyz I., et al. (1956):

Relationship of immune response to group A streptococci to the course of acute, chronic and recurrent rheumatic fever.

Am. J. Med., 20(2): 163-9.

Stollerman G.H., Markowitz M. and Taranta A. (1965):

Jones criteria (revised) for guidance in the diagnosis of rheumatic fever.

Circulation, 32: 664 - 668.

Sulliman K., Flatau A., Shimony Z. and Garty I. (1985):

Rheumatic carditis presenting as acute myocardial infarction.
Israel.

J. Med. Sci., 27: 445-450.

Sullivan T.J., Yecies L.D., Parkeh C.W. and Wender H.J. (1982):

Desensitization of patients allergic to penicillin using orally
administered beta lactam antibiotics.

J. Allergy Clin. Immunol., 69: 275-282.

Swedo S.E. (1994):

Sydenham's chorea: a model for childhood autoimmune
neuropsychiatric disorders.

JAMA, 272: 1788-1791.

Talbot R.G. (1988):

Rheumatic fever in the Hamilton health district: A nine year
prospective study.

Tanja V., Mehra N.K. and Reddy K.S. (1989):

HLA-DQ/DR antigens and reactivity to B cells alloantigen D8/17
in Indian patients with rheumatic heart disease.

Circulation, 80: 335-340.

- Tanz R.R., Pocher J.R., Corydon K.E. and Kabat K. (1991):
Clindamycin treatment of chronic pharyngeal carriage of group A streptococci.
J. Pediatr., 119: 123-128.
- Taranta A. and Markowitz M. (1989):
Rheumatic fever. 2nd ed. London: Kluwer Academic Publishing.
- Taranta A., Klienbergen E., Feinstein A.R. et al. (1964):
Rheumatic fever in children and adolescents. A long-term epidemiologic study of subsequent prophylaxis, streptococcal infections, and clinical sequelae. Relation of the rheumatic fever recurrence rate per streptococcal infection to preexisting clinical features of the patients.
Ann. Intern. Med., 60(5): 58-67.
- Thomas G.f., Besterman B.M.M. and Hollman A. (1972): Rheumatic pericarditis.
Am. Heart, 48: 29 - 36.
- Thomas G.T. (1961): Five year follow-up on patients with rheumatic fever treated by bed rest, steroids or salicylates.
MJ, 1: 1635-1639.

Timmis H.H., Hardy J.D., Watson D.G., et al. (1966):

 mitral valve replacement in a child during active rheumatic carditis:
 successful management of sixteen episodes of ventricular
 fibrillation.

 nn. Surg., 164: 1034-40.

Tomaru T., Uchida U., Mohri N. and Maori (1987):

 Post-inflammatory mitral and aortic valve prolapse a clinical and
 pathological study.

 Circulation, 76: 68-76.

Tompkins D.G., Boxerbaum B. and Liebman J. (1972):

 long-term prognosis of rheumatic fever patients receiving regular
 intramuscular benzathine penicillin.

 Circulation, 45: 543-51.

Tuininga Y.S., Vonvelthuisen D.J., Brouwer J., et al. (1994):

 heart rate variability in left ventricular dysfunction and heart failure:
 effects and implications of drug treatment.

 Am. Heart J., 72:509-513.

Turi Z.G., Reyes V.P. Raju S., et al. (1991):

 percutaneous balloon versus surgical closed commissurotomy for
 mitral stenosis circulation, 83: 1179-1185.

Vaisman S., Guash J., Vignau A., et al. (1965):

he failure of penicillin to alter acute rheumatic vasculitis.

AMA, 194(12): 1284-6.

Van Der Bel Khan J. and Becker A.E. (1986):

The surgical pathology of rheumatic and floppy mitral valves.

Distinctive morphologic features upon gross examination.

Am. J. Surg. Pathol., 10(4): 282.

Van Hoogenhuyze D.K., Weinstein N., Martin G.J., et al., (1991):

Reproducibility and relation to mean heart rate variability in normal subjects and in patients with congestive heart failure secondary to coronary artery disease.

Am. J. Cardiol., 1668-1676.

Vasan R.S., Shrivastava S., Vijayakumar M.D., et al. (1996):

chocardiographic evaluation of patients with acute rheumatic fever and rheumatic carditis.

irculation, 94: 73-82.

Veasey L. G., Wiedmeier S. E. and Orsmond G. S. (1987):

Resurgence of acute rheumatic fever in the intermountain area of the U.S.A.

New Engl. J. Med., 316: 421-427.

Veasy L.G., Tani L.Y. and Hill H.R. (1994):

Persistence of acute rheumatic fever in the intermountain area of
United States.

Pediatr., 124 (I): 9-16.

Vybiral T., Glaser D.H. and Morris G. (1993):

Effects of low dose scopolamine on heart rate variability in acute
myocardial infarction.

J. Am. Cardiol., 22: 1320-1326.

Wald E.R. (1993):

cute rheumatic fever.

Curr. Probl. Pediatr., 23: 264-270.

Wald E.R., Dashefsky B. and Feid T.C. (1987):

Acute rheumatic fever in Western Pennsylvania and the tristate
area.

Pediatrics; 80: 371-374.

Walker K.G., Human D.G. and DeMoor M.M.A. (1987):

The problem of compliance in rheumatic fever.

S. Afr. Med. J., 72: 781-783.

- Weidebach W., Goldberg A.C. and Chiarella J.M., et al. (1994):
LA class II antigens in rheumatic fever: analysis of the DR locus
by restriction fragment length polymorphism and oligotyping.
Hum. Immunol., 40: 253-8.
- Weis M.E. and Adkinso N.F. (1988):
Immediate hypersensitivity reactions to penicillin and related
antibiotics.
Clin. Allergy, 18: 515-540.
- Westlake R.M., Graham T.P. and Edwards K.M. (1990):
An outbreak of acute rheumatic fever.
Pediatr. Inf. Dis. J., 19: 79-100.
- WHO (1988):
Rheumatic fever and rheumatic heart disease: Report of a WHO
study group.
WHO Technical Report Series, 764, Geneva, 5-58.
- Williams R.C., Raizada V., Prakash K., et al. (1985):
Studies of strepto fever.
J. Lab Clin. Med., 531-536.
- Williams R.C.J.R. (1982):
Host factor in rheumatic fever and rheumatic heart disease.
Hosp. Practice., 17: 125-138.

- Wilson N.J. and Neutze J.M. Editorial:
echocardiographic diagnosis subclinical carditis in acute rheumatic fever.
Int. J. Cardiol., 50: 1-6.
- World Health Organization (1980):
Community control of rheumatic heart disease in developing countries: a major public health problem.
WHO Chronicle, 34(9): 336-46.
- Yeragani V.K., Pohl R. and Balon R. (1992):
Effect of imipramme treatment on heart rate variability measures.
Neuro psychobiology, 26:27-32.
- Zabel M., Klingenheben T. and Hohnloser S.H. (1994):
Changes in autonomic tone following thrombolytic therapy infarction: assessment by analysis of heart rate variability. J. Cardiovasc.
Electrophysiol., 4: 211-218.
- Zuanetti G., Latini R., Neilson J.M.M., Shwartz P.J. Ewing D.J. and the Antiarrhythmic Drug Evaluation Group (ADEG) (1991):
Heart rate variability in patients with ventricular arrhythmias: effect of antiarrhythmic drugs.
J. Am. Coll. Cardiol., 17: 604-612.