

REFERENCES

REFERENCES

- Abe K, Fujimura H, Nishikawa Y et al [1991]:** Marked reduction in CSF lactate and pyruvate levels after Co.Q therapy in a patient with mitochondrial myopathy, encephalopathy, lactic acidosis and stroke like episodes [MELAS].
Acta Neurol Scand : 83: 356-359
- Altman, D.G. [1993]:** Practical statistics for medical research. Chapman & Hall. London. Glasgow, Newyork. Melbourne - Madras.
- Angelini,C, Lucke.S, and Cantarutti. F [1976]:** Carnitine deficiency of skeletal muscle: Report of a treated case. Neurology 26: 633.
- Anthony, VM [1991]:** Infantile Pompe's disease, Lipid storage and partial carnitine deficiency.
Muscle Nerve 14[5]; 435-440.
- Apra J, Campos V, Gutierrez - Molina M, Cruz-Martinez, et al [1994]:** Benign mitochondrial myopathy with decreased succinate cytochrome-c-reductase activity.
Acta. Neurol. Scand, 90:281-284.
- Arenas-J, Gonzalez- Crespo-MR, Campos-Y et al [1996]:** Abnormal Carnitine distribution in the muscles of patients with idiopathic inflammatory myopathy.
Arthritis-Rheum , Nov; 39[11] : 1896-74.
- Arogov Z , Barash V, Soffer D. [1994]:** Adult-onset muscle weakness in phosphofructokinase deficiency due to exon 5/intron 5 junction point mutation. A unique disorder or the natural course of this glycolytic disorder ? Neurology; 44: 1097-1100.
- Asami-T, Kikuchi-T, Asami-K et al [1996]:** Effect of clondine on the height of a child with glycogen storage disease Type VI: a 13 year follow-up study.
Acta-Paeditr-Jpn ; Oct ; 38 [5] : 524-8.

-
- Bank w, chance B [1994]:** An oxidative defect in metabolic myopathy: diagnosis by noninvasive tissue oximetry. *Ann. Neurol*; 36:830-837.
- Bennett MJ, Hale DE, Pollitt RJ et al [1996]:** Endocardial fibroelastosis and primary carnitine deficiency due to a defect in the plasma membrane Carnitine transporter. *Clin Cardiol* ; 19:243-6.
- Bennett MJ, weinberger MJ, Kobori JA et al [1996]:** Mitochondrial short-chain L,3-hydroxyacyl-Co A dehydrogenase deficiency: a new defect of fatty acid oxidation. *Pediatric Res.* 39: 185-188.
- Bertini E, Dionisi-Vici, Garavaglia B et al [1992]:** Peripheral sensory-motor polyneuropathy, pigmentary retinopathy, and fatal cardiomyopathy in long-chain 3- hydroxy-acyl. Co A dehydrogenase deficiency. *Eur. J. Pediatr*; 151: 121-6.
- Bertocci LA, Lewis SF, Fleckenstein JL, et al [1991]:** ³¹P NMR evaluation of energy metabolism in muscle lactate dehydrogenase deficiency . *Neurology* ; 41: 2245.
- Bieber L.L, Emaus R, Valkner K. et al [1982]:** Possible functions of short-chain and medium-chain carnitine acyltransferase. *Fed. Proc.* ; 41: 2858 - 62.
- Bieber L.L, [1988]:** Carnitine. *Ann Rev. Biochem*; 57: 261-83
- Birch-Machin MA, Shepherd IM, Watmough NJ et al [1989] :** Fatal lactic acidosis in infancy with a defect of complex III of the respirastory chain. *Pediatr Res*; 25 suppl 5: 553-9.
- Bodensteiner JB[1992]:** Normal Skeletal Muscle morphophysiology. *Ped. Clin. N.Am* ; 39; Vol 4, 823-825.
- Bohmer T, Rydning, A and Solberg H.E. [1974]:** Carnitine levels in human serum in health and disease. *Clin. Chim. Acta*; 57: 55-61.
-

- Bornemann A, Besser R, shin YS, et al [1996]:** A mild adult myopathic variant of type IV glycogenosis. *Neuromuscul Disord.* Mar; 6[2]: 95-9.
- Borum P.R [1981]:** Possible carnitine requirement of the newborn and the effect of genetic disease on the carnitine requirement. *Nutr. Rev.* 39:385-390.
- Borum, P.R. York, C.M. and Bennett, S.G. (1985) :** *Am. J. Clin. Nutrition* 41 : 653-56.
- Bremer J. [1983]:** Carnitine metabolism and functions. *Physiol. Rev;* 63: 1421-1460.
- Brenningstall GN. [1990]:** Carnitine deficiency syndromes. *Pediatr. Neurology;* 6: 75-81.
- Bresoline N, Zeviani M, Bonilla E, Miller R.H et al [1985] :** Fatal infantile cytochrome C-Oxidase deficiency: decrease of immunologically detectable enzyme in muscle. *Neurology,* 35: 802-12.
- Brewster MA. [1996] :** Vitamins. *Clinical Chemistry.* ed.3, Mosby-year book 784-786.
- Brooke MH [1986]:** A clinician's view of neuromuscular disease, ed 2. Baltimore, Williams & Wilkins.
- Brooks D.E. and McIntosh J.E.A.[1975] :** Turnover of carnitine by rat tissue. *Biochem.j.* 148: 439-445.
- Brumback RA, Feeback DL, Leech RW. [1992]:** Rhabdomyolysis in childhood, Vol.39 No.[4] : 821-847.
- Buchthal F, Guld C, Rosenfalck P [1957]:** Multielectrode study of the territory of a motor unit. *Acta. Physiol. scand ;* 39:83-104.
- Burke J, Hwang P, Anderson L et al [1987] :** intron/exon structure of the human gene for the muscle isozyme of glycogen phosphorylase proteins ; 2: 177-187.

-
- Campbell A.G.M and McIntosh N [1998] :** Inborn error of metabolism. Forfar and Arneil's Text book of pediatrics. Fifth ed. Churchill Livingstone. Newyork, Edinburgh, London, Madrid, Melbourne, San francisco and Tokyo 1123-1140.
- Campos, Y. Huertas R, Bautistaj, et al. [1993] :** Muscle carnitine deficiency and Lipid storage myopathy in patients with mitochondrial myopathy. Muscle Nerve, July 16[7]: 778-81.
- Campos, Y. Huertas R, Lorenzo G et al. [1993] :** Plasma Curnitine insufficiency and effectiveness of L. Carnitine therapy in patients with mitochondrial myopathy Muscle Nerve, 16: 150-153.
- Carpenter K, Pollitt RJ, Middleton B. [1992] :** Human liver long - chain 3-hydroxy acyl-CoA dehydrogenase is a multifunctional membrane-bound beta-oxidation enzyme of mitochondria. Biochem Biophys Res. commun ; 183: 443-8.
- Carter, A.L and Frenkel, R [1978]:** The relationship of choline and carnitine in choline deficient rat . J. Nutr.; 108: 1448-1754.
- Chalmers RA, Stanley CA, English N et al [1997] :** Mitochondrial carnitine-acylcarnitine translocase deficiency as sudden neonatal death. j. ped; 131: 220-225.
- Chapoy PR et al [1980] :** Sytemic Carnitine deficiency - a treatable inherited Lipid - storage presenting as Reye's Syndrome. N. Engl. J. Med. 303: 1389.
- Chen YT, Burchell A. [1995] :** Glycogen storage disease. In scriver CR, Beaudet Al, sly ws, valle D, eds. The metabolic and molecular basis of inherited disease. ed 7, New york; Mc Graw- Hill, 935-65.
- Chen YT [1996]:** Disorders of carbohydrate metabolism. Rudolph's Pediatrics ed 20, Printice Hall international. 330-333.
-

-
- Chi CS, Mak S-C, Shian W.J. et al [1992]:** Oral glucose lactate Stimulation test in mitochondrial diseases. *Ped. Neurol*; 8: 445-449.
- Christiansen, R.Z [1977]:** Regulation of palmitate metabolism by carnitine and glucagon in hepatocytes isolated from fasted and carbohydrate refeed rats. *Biochim. Biophys. Acta*; 488: 249-324.
- Ciafaloni E, Ricci E, Shanske S et al [1992]:** MELAS: Clinical features, Biochemistry and Molecular Genetics. *Ann Neurol*, 31:391.
- Clark JB, et al [1984] :** Mitochondrial myopathies: Disorders of the respiratory chain and oxidative phosphorylation. *J. Inher. Metab Dis.* 7 [suppl. 1]: 62.
- Coates PM, Hale DE, Finocchiro G et al [1988] :** Genetic deficiency of short-chain acyl-Co A dehydrogenase in cultured Fibroblast from a patient with muscle carnitine deficiency and severe skeletal muscle weakness. *j. clin. Investig.* 81 : 171.
- Confavreux C, Garassus P, Vighetto A et al [1991]:** Familial Hypokalemic periodic paralysis : Prevention of paralytic attacks with lithium gluconate. *J.Neurol.Neurosurg.Psychiatry* ; 54: 87-88.
- Cornelio F, DiDonato S [1985]:** Myopathies due to enzyme deficiencies. *J. Neurol.* 232: 329-340.
- Dalakas Mc, Leon-Monzon ME, Bernardini I, et al [1994] :** Zidovudine induced mitochondrial myopathy is associated with muscle carnitine deficiency and Lipid storage. *Ann. Neurol*, Apr; 35 [4]: 482-7.
- Danta,G, Hilton, R.C and Lynch, P.G[1975] :** Chronic progressive external ophthalmoplegia, *Brain* 98: 473.
- De-Barsy-T [1992] :** Clinical and biochemical correlations in certain metabolic myopathies. *Bult-Mem-Acad-R-Med-Belg*, 147[10] : 385-92; discussion 392-3.
-

-
- De-Kerviler E, Leroy-willing A, Duboc D, et al [1996]:** MR quantification of muscle fatty replacement in Mc Ardle's disease. *Magn-Reson-Imaging*, 14 [10]: 1137-41.
- Demauger F, Bonnefont JP, Colonna M, et al [1991]:** Infantile form of carnitine palmitoyltransferase II deficiency with hepatomuscular symptoms and Sudden death. Pathophysiological approach to carnitine palmitoyltransferase II deficiency. *J.Clin Invest* 87-859.
- De Sliva SM, Kuncl RW, Griffin JW, et al [1990] :** Paramyotonia congenita or hyperkalemic periodic paralysis ? Clinical and electrophysiological features of each entity in one family. *Muscle Nerve* 13 : 21 - 26.
- Devivo DC, Tein I [1990] :** Primary and Secondary disorders of carnitine metabolism. *Int. Pediatr*; 5: 134.
- Devivo DC [1996]:** Hereditary myopathies. *Rudolph's Pediatrics* ed 20. Printice Hall international, 1982-1986.
- Devivo DC and Di Mauro S [1996]:** Mitochondrial disorders. *Rudolph's Pediatrics*. ed 20. Printice Hall international, 2034-2037.
- Di Mauro S, Dalakas M, Miranda AF [1983] :** Phosphoglycerate Kinase deficiency: Another cause of recurrent myoglobinuria. *Ann Neurol*. 13: 11-19.
- Di Mauro S, Bonilla E, Eviani M et al [1985] :** Mitochondrial myopathies [Review] *Ann Neurol*; 17: 521-38.
- Di Mauro S, Moraes CT [1993] :** Mitochondrial encephalomyopathies. *Arch Neurol*; 50: 1197-1200.
- DiMauro S, Tsujino S. [1994]:** Nonlysosomal glycogenosis in: Engel AG, Franzini-Armstrong C, eds. *Myology. Basic and Clinical*. ed 2, New York : MC Graw-Hill : 1557-1561.
-

- Di Prampero PE [1981]** : Energetics of muscular exercise. Rev physiol. Biochem Pharmacol, 89 : 143-222.
- Ding JH, de Barsy T, Brown BI et al [1990]**: Immunoblot analysis of glycogen debranching enzyme in different subtypes of glycogen storage disease type III. J. Ped ; 116:95-100.
- Doriguzzic, Plmucci, Mongini T et al [1989]** : Endocrine involvement in mitochondrial encephalomyopathy with partial cytochrome C-oxidase deficiency. J Neurol Neuro surg Psychiat 52:122-5.
- Dorin RI, Field JC, Boyle PJ et al [1996]** : Insulin resistance limits glucose utilization and exercise tolerance in myophosphorylase deficiency and NIDDM. J. Appl. Physiol, 81 [3] : 1273-1278.
- Duboc d, Jehnson P, Tran Dinh S et al [1987]**: Phosphorus NMR spectroscopy study of muscular enzyme deficiencies involving glycogenolysis and glycolysis. Neurology, 37: 663-671.
- Dubowitz V [1985]**: Muscle Biopsy. A Practical approach, ed 2, London, Balliere Tindall.
- Dubowitz V: [1989]** : A colour atlas of Muscle Disorders in Childhood. W.S. Cowell Ltd. IPSwich, England.
- Eanes, R.Z and Biniek RL [1980]** : The twenty four hours urinary excretion of carnitine in normal and hypothyroid children. Biochem. Med; 24: 110-117.
- Egger. J, Lake B.D, and Wilson J [1981]**: Mitochondrial cytopathy. A multisystem disorder with ragged - red fibres on muscle Biopsy . Arch Dis child 56 : 741.
- Elpeleg ON, Josphe A, Branski D et al. [1993]**: Recurrent metabolic decompensation in profound carnitine palmitoyltransferase II deficiency. J. Ped; 122: 917 - 919.

- El-schahawi M, Tsujino S, Shanske S, et al [1996]* : Diagnosis of Mc Ardle's disease by molecular genetic analysis of blood. *Neurology*; 47: 579-580.
- Erfle J.D, Sauer F.D and Fisher L.J [1974]*: Interrelationships between milk carnitine and blood and milk components and tissue carnitine in normal and Ketotic cows. *J. Dairy Sci* 57: 671-676.
- Felice KJ, Grunnet ML and Simo A.A.F [1996]*: Selective atrophy of type I muscle fibers in Mc Ardles' disease. *Neurology*;47:581-583
- Fenichel GM [1997]*: A signs and symptoms approach. *Clinical Pediatric Neurology* third ed. W.B. Saunder company.
- Finegold D.N and Bergman I [1988]*: High protein feeding in an infant with Pompe's disease. *Neurology* 38: 824.
- Fishbein WN [1990]* : Medical implications of the lactate and ammonia relationship in anaerobic exercise. *Int. j. Sports. Med.* II [Suppl 2] S 91-S 100.
- Fukuhara N, Tokiguchi S, Shiwakawa K et al [1980]* : Myoclonus epilepsy associated with ragged -red fibres [mitochondrial abnormalities] : disease entity or a syndrome ? *J Neurol Sci*; 47: 117-33.
- Genuth S.M and Hoppel CL [1981]*: Acute hormonal effects on carnitine metabolism in thin and obese subjects: responses to Somatostatin. Glucagon, and insulin. *Metabolism*; 30:393-401.
- Hagenfeldt L, Venizelos N, Von Döbelin U [1995]*: Clinical and Biochemical presentation of long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency. *J. Inher. Metab. Dis.* ; 18: 245-8.
- Haller RG, Dempsey WB, Feit H et al [1983]*: Low muscle level of pyridoxine in Mc Ardle's syndrome . *Am. J. Med*, 74: 217-220.

- Harvey jw, Calderwood May MB, Gropp KE, et al [1990]:** Polysaccharide storage myopathy in canine phosphofructokinase deficiency [Type VII glycogen storage disease]. *Vet. Pathol*, 27:1-8.
- Hay ww, Groothuis JR, Hayward AR et al [1997]:** *Lipids: Current : Pediatric Diagnosis and treatment*, Chapter 11. Appleton & Lange, P. 262.
- Heimann-Patterson TD [1993]:** Neuroleptic malignant syndrome and malignant hyperthermia. *Med. Clin. Noth. Am*, 71: 477-492.
- Hirano M, Pavlakis SG [1994]:** Mitochondrial myopathy, encephalopathy, lactic acidosis, and stroke-like episodes [MELAS]: current concepts. *J. Child. Neurol*, 9: 4-13.
- Holt, I.J, et al [1989]:** Mitochondrial myopathies: clinical and biochemical features of 30 patients with major deletions of muscle mitochondrial DNA. *Ann. Neurol*, 26: 699.
- Hopewell R, Yeater R, ulirich I [1988]:** The effect of three test meals on exercise tolerance of an individual with Mc Ardle's disease. *J Am. Coll. Nutr*, 7:485-489, 1988.
- Hug G, Soukup S, Ryan M, et al [1984]:** Rapid prenatal diagnosis of glycogen storage disease type II by electron microscopy of uncultured amniotic - fluid cells. *N. Engl. j. Med*, 310: 1018.
- Hug G, Soukup S, Berry H et al [1989]:** Carnitine palmitoyl transferase [CPT]: Deficiency of CPT II but not of CPT I with reduced total and Free Carnitine but increased acyl carnitine. *Ped. Res*, 25: 115 A.
- Hug GH, Bove KE, Soukup S.[1991]:** Lethal neonatal multiorgan deficiency of carnitine palmitoyltransferase II. *N. Engl. J. Med*, 325: 1862-4.
- Iafolla AK, Thompson RJ JR, Roe CP [1994]:** Medium-chain Acyl-Coenzyme A dehydrogenase deficiency: Clinical course in 120 affected children. *J. pediatr*, 124: 409-415.

-
- Ishikawa A, Tanaka S, Ogawa Y, et al [1994] :** A case of nemaline myopathy combined with recurrent rhabdomyolysis. No-To-Hatatsu, Jul, 26[4] : 340-344.
- Jackson S, Bartlett K, Land j, et al [1991] :** Long chain 3 hydroxy acyle - CoA dehydrogenase deficiency. *Pediatr. Res*, 29: 406-11.
- Jackson S, Singh Kler R, Bartlett K et al [1995]:** Combined defect of long-chain 3-hydroxy acyl. CoA dehydrogenase, 2-enoyl-Co A hydratase and 3-oxoacyl-CoA thiolase in: Coats PM, Tanaka K, editors. New development in fatty acid oxidation. New york: Mc Graw - Hill, 1501-34.
- Keleman J et al [1982]:** Familial myoadenylate deaminase deficiency and exertional myalgia. *Neurology*, 32: 857-863.
- Kleijer WJ, Van-der-kraan-M, Kroos-MA et al [1995] :** Prenatal diagnosis of glycogen storage disease type II: enzyme assay or mutation analysis? *Ped-Res*, jul; 38[1]: 103-6.
- Kliegman RM [1996] :** Glycogen storage diseases. *Nelson Textbook of Pediatr. Ed. 15*, 396-399.
- Kliegman RM [1996]:** Metabolic diseases. *Nelson Textbook of pediatric Ed. 15*, W.B. Saunder company. 388-397.
- Koo B, Becker LE, Chuang S et al [1993]:** Mitochondrial encephalomyopathy, lactic acidosis, stroke-like episodes [MELAS]: Clinical, radiological, pathological, and genetic observation. *Ann. Neurol*, 34: 25-32.
- Kornfeld M, Lebaron M[1994]:** Glycogenesis Type VIII *J. Neuropathol. Exp. Neurol* 43: 568.
- Labrune P, Trioche P, Duvaltier I et al [1997] :** Hepatocellular adenomas in glycogen storage disease type I and III: A series of 43 patients and review of literature. *J. Pediatr-Gastroenterol-Nutr*, Mar; 24[3]:276-9.
-

- Largilliere C, Vianey-saban C, Fontaine M et al [1995]:** Mitochondrial very long chain Acyl-CoA dehydrogenase deficiency-A new disorder of fatty acid oxidation. Arch. Dis. Child, 73: F103-F105.
- Lebo RV, Gorlin F, Fletterick Rj, et al [1984]:** High resolution chromosome sorting and DNA spot blot analysis assign Mc Ardle's syndrome to chromosome 11. Science, 225: 57-59.
- Lewis SF, Vora S, Haller RG [1991]:** Abnormal oxidative metabolism and O₂ transport in muscle phosphofructokinase deficiency. J.Appl. Phys. 70: 391-398.
- Lyon G, Adams R.D. and Moloday, E.H [1996] :** Neurology of hereditary metabolic diseases in children. Mc Graw -Hill, New York.
- MacLennan DH, Phillips Ms [1992]:** Malignant hyperthermia, Science, 256; 789-794.
- Maebashi M, Kawamura N, Sato M.S. etal [1977]:** Urinary excretion of carnitine and serum concentrations of carnitine and lipids in patients with hypofunctional endocrine diseases: involvement of adrenocorticoid and thyroid hormones in ACTH-induced augmentation of carnitine and lipids. Metabolism, 26: 357-361.
- Maire I, Mandon G, Mathieu M, [1989]:** First trimester prenatal diagnosis of glycogen storage disease type III. J. Inherited. Metab. Dis, 12 [suppl.2]: 292-4.
- Manuelidis EE, Roke LB [1989]:** Transmission of Alper's disease [Chronic progressive encephalopathy] produces experimental Creutzfeldt-Jacob disease in hamsters. Neurology , 39: 615-621.
- Massa R, Lodi R, Barbiroli B et al [1996] :** Partial block of glycolysis in late onset phosphofructokinase deficiency. Acta-Neuropathol-Berl, 91(3): 322-9.

-
- Matthews, PM, Marchington, DR, Squier, M et al [1993]:** Molecular genetic characterization of an X-linked form of Leigh's syndrome. *Ann. Neurol*, 33: 652-655.
- Mays PA [1993]:** Oxidation of fatty acids: Ketogenesis. *Harper's Biochemistry*, Twenty-third edition - Appleton & Lange 220-223.
- Mehlman, M.A.A, Therriault D.G and Tobin, RB [1971]:** Carnitine -C14 metabolism in choline deficient, aloxan-diabetic and insulin treated rats. *Metabolism*, 20:100-107.
- Melegh B, Kerener j and Bieher, L.L. [1987]:** *Biochem pharm* 36: 3405-9
- Menkes JH [1990]:** Diseases of the motor unit. *Text book of Child Neurology*. Ed.4, Lea & Febiger. Philadelphia london 701-721.
- Menkes JH [1990] :** Metabolic diseases of the nervous system. *Text book of Child Neurology*. Ed.4, Lea & Fibiger Philadelphia - London, 71-74.
- Mineo I, Kono N, Yamada Y et al [1990]:** Glucose infusion abolishes the excessive ATP degradation in working muscles of a patient with Mc Ardles's disease. *Muscle Nerve*, 13:618-620.
- Mitchell, ME [1978]:** Carnitine metabolism in human subjects *Am.J.Clin. Nutr*, 31: 293-306.
- Moraes CT, Schon EA, DiMauro S. [1991]:** Mitochondrial diseases: toward a rational classification. In Appel SH ed: *Current Neurology*. Vol II, Mosby-year book, St.Louis: 83.
- Munnich A, Rustrin P, Rotig A, et al [1992]:** Aspects of mitochondrial disorders. *J. inherit. Metab. Dis*, 15: 448-55.
- Nadal D, Baerlocher, K. [1988]:** Menkes' disease. Long-term treatment with copper and D-penicillamine - *Eur, J, Pediatr*, 147: 621.
-

- Nakajima H, Kono N, Yamasaki T, et al [1990]:** Genetic defect in the muscle phosphofructokinase deficiency. Abnormal splicing of the muscle phosphofructokinase gene due to a point mutation at the 5'- splice site. *J. Biol. Chem*, 265:9392-9395.
- Nase S, Kunze KP, Sigmund M et al [1995]:** A new variant of the type IV glycogenosis with primary cardiac manifestation and complete branching enzyme deficiency. In vivo detection by heart muscle Biopsy. *Eur. Heart. J*, Nov; 16[11]: 1698-704.
- Nashef L, Lane RJM [1989]:** Screening for mitochondrial cytopathies: The sub-anaerobic threshold exercise test [SATET]. *J. Neurol. Neurosurg. Psychiatry*, 52: 1090-1094.
- Navorro-Quesada -Fj, Liuch-Fernandez-MD, Vaguro-Abellan-M, et al [1997]:** Evaluation of the effect of long-term valporic acid treatment on plasma levels of carnitine, ammonia and amino acids related to the urea cycle in pediatric epileptic patients. *Rev. Neuro*, Jul; 25[143]: 1037-1044.
- Nelson JS, Parisi JE and Schochet SS [1993]:** Metabolic myopathies. Principles and Practice of Neuropathology. Mosby. 535-560.
- Netzloff, ML, Kohrman AF, Jones M.Z et al [1981]:** Carnitine deficiency associated with renal Fanconi Syndrome. *J. Neuropath. Exp. Neurol*, 40:351.
- Ogier H, Slama A, Touati G, et al [1995]:** Neonatal hyperammonemia caused by a defect of carnitine - acylcarnitine translocase. *J. Pediatr*, 127: 723-8.
- Ogier H, Lombes A, Scholte HR et al [1998]:** De Toni-Fanconi-Debre' Syndrome with Leigh syndrome revealing severe muscle cytochrome C oxidase deficiency. *J. Pediatr*, 112: 734-9.
- Ogilvie J, Pourfarzam M, Jackson S et al [1994]:** Very long chain Acyl-CoA dehydrogenase deficiency presenting with exercise induced myoglobinuria. *Neurology*, 44: 467-473.

-
- Ohtani y, Endo F and Matsuda I [1982]:* Carnitine deficiency and hyperammonemia associated with valporic acid therapy. *J. Pediatr*, 101: 782-785.
- Panteghini-M [1995]:* Enzyme and muscle disease; *curr-opin-Rheumatol*, Nov; 7[6]: 469-74.
- Parvin R, Ginoulakis L, Lande S.V et al [1981]:* Effect of pituitary turnover of MLT-F4 on carnitine levels in the serum Liver and heart of rats. *Life. Sci*; 10: 1047-1049
- Pavlakis SG, Phillips PC, Di Mauro S et al [1984]:* Mitochondrial Myopathy, Encephalopathy, lactic acidosis, and stroke like episodes: a distinctive clinical syndrome. *Ann Neurol*, 16: 481-8.
- Petty RKH, Harding AE, Morgan-Hughes JA [1986]:* The clinical features of mitochondrial myopathy, *Brain*, 109: 915-38.
- Phillips CI, Gosden CM [1991]:* Leber's hereditary optic neuropathy and Kearns-sayere syndrome: Mitochondrial DNA mutations. *Surv Ophthalmol*, 35: 463-472.
- Poels PJ, Braakhekke JP, Joosten EM et al [1990]:* Dantrolene sodium does influence the second-wind phenomenon in McArdle's disease: Electrophysiological evidence during exercise in a double-blind placebo-controlled, cross-over study in 15 patient. *J. Neurol. Sci.*, 100: 108-112.
- Pollitt RJ, Losty H, Westwood A [1987]:* 3-hydroxy dicarboxylic aciduria: A distinctive type of intermittent dicarboxylic aciduria of possible diagnostic significance. *J. Inher. Metab. Dis*, 10:266.
- Pollitt RJ [1995]:* Disorders of mitochondrial long-chain fatty acid oxidation. *Inher. Metab. Dis*, 18: 473-490.
- Poulton KR, Curtis -EM, Rossi-ML [1997]:* Muscle pyruvate kinase deficiency: Glycogen storage disease or Mitochondrial myopathy? *Funct. Neurol.* ; Jan-Feb; 12[1]: 25-32.
-

-
- Quistad GB, Staiger CE and Schooley DA [1986]:** Drug. Metab. Dispos; 14, 521-26.
- Ray PN, Murphy EG, Thompson MW, et al [1990] :** Duplicational Mutation at the Duchenne muscular dystrophy locus, its frequency, distributions, origin, and phenotype genotype correlation. A.M.J. Hum. Genet. 46: 682-695.
- Reardon W, Ross RJM, Sweeney MG et al [1993]:** Diabetes mellitus associated with a pathogenic point mutation in mitochondrial DNA. Lancet 1992, 340: 1376-9. Comment in : Lancet 1993; 341: 347-9, comment in : Lancet, 1993: 341: 1291-2.
- Rebouche, C.J and Engel, A.G [1983]:** Carnitine metabolism and deficiency syndromes. Mays. Clin. Proc, 58: 533-540.
- Reichmann, H [1993]:** Therapy of metabolic myopathies. Nervenarzt, Oct; 64[10]: 627-32.
- Rinaldo P [1994] :** Laboratory diagnosis of inborn errors of metabolism. in : Suchy FJ, editor, Liver disease in children, St. Louis: Mosby-year book; p 294-308.
- Roe CR, Hoppel CL, Stacey T.E et al [1983]:** Metabolic response to carnitine in methylmalonic aciduria. Arch. Dis. Child, 58: 916-920.
- Roe CR, Millington Ds, Kahler SG et al [1990]:** Carnitine homeostasis in the organic aciduria. Prog. Clin. Biol. Res, 321: 383-402.
- Sabina RL et al [1992]:** Molecular analysis of the myoadenylate deaminase deficiencies. Neurology, 42: 170-179.
- Sarnat HB [1996]:** Encephalopathies. Nelson Text book of Pediatric. ed. 15. W.B Saunder company, 1714-1716.
- Shahar E; et al [1988]:** Familial carnitine deficiency: Further evidence for autosomal recessive transmission with variable expression. J. Neurol. Neurosurg. Psychiatry, 51: 298.
-

- Shen J, Bao, Y. Liu HM; et al [1996]* : Mutations in exon 3 of the glycogen debranching enzyme gene are associated with glycogen storage disease type III that is differentially expressed in liver and muscle. J. Clin. Invest, Jul 15; 98[2]: 352-7.
- Shen J, Liu HM, Bao, Y. et al [1997]*: Polymorphic markers of the glycogen debranching enzyme gene allowing linkage analysis in families with glycogen storage disease type III. J. Med. Genet ; 34: 34-38.
- Shihabi Z.K, Oles K.S, McCormick C.P. et al [1992]*: Serum and tissue Carnitine assay based on dialysis. Clin. Chem. 38[8]:1414-1417.
- Shoffner JM, Lott M, Lezza AMS et al [1990]*: Myoclonic epilepsy and ragged-red fiber disease [MERRF] is associated with a mitochondrial DNA tRNA^{Lys} mutation. Cell, 61: 931.
- Sinkeler Sp, Joosten MG, Wever RA et al [1988]*: Myoadenylate deaminase deficiency : A clinical, genetic, and biochemical study in nine families. Muscle Nerve, 11:312.
- Skyllouriotis - ML, Marx-M, Bittner - RE et al [1997]*: Myoadenylate deaminase deficiency, hypertrophic cardiomyopathy and gigantism syndrome. Ped. Neurol, Jul. 17[1]: 61-6.
- Snoswell A.M and Linzell, J.L [1975]*: Carnitine Secretion into milk of ruminants. J. Dairy. Sci, 42: 371-380.
- Snoswell, A.M. and Henderson, G.D. (1980)* : Carnitine metabolism in ruminant animals. In : carnitine Biosynthesis, Metabolism and functions, edited by Frenkle, R.A. and McGarry, J.D. New York : Academic Press, p. 191 - 205.
- Sorbi S and Blass JP [1982]*: Abnormal activation of pyruvate dehydrogenase in Leigh disease. Neurology, 32: 555.
- Stanley CA, Treem WR, Hale DE et al [1990]*: A genetic defect in Carnitine transport causing primary carnitine deficiency. Progr. Clin. Biol. Res, 321: 457-64.
- Stanley CA, Deleew S, Coates PM et al [1991]*: Chronic cardiomyopathy and weakness or acute coma in children with a defect in carnitine up take. Ann Neurol, 30: 709-16.

- Stanley CA, Hale DE, Berry GT, et al [1992]:** A deficiency of carnitine - acylcarnitine translocase in the inner mitochondrial membrane. *N. Engl. J. Med*, 327: 19.
- Stanley CA, Sunaryo F, Hale DE et al [1992]:** Elevated Plasma Carnitine in the hepatic form of carnitine palmitoyl transferase - I deficiency. *J. Intierit. Metab. Dis*, 15: 785.
- Stanley CA [1996]:** Disorders of mitochondrial fatty acid oxidation. *Nelson textbook of pedeatric* ed. 15, W.B Saunder company. 360-363.
- Straussberg R, Elpeleg ON, Amir J et al [1997]:** Recurrent myoglobinuria as a presenting manifestation of very long chain Acylcoenzyme A dehydrogenase deficiency. *Pediatrics*, 894-896.
- Stumpf DA, Parker WD, and Angelini, C [1985]:** Carnitine deficiency, Organic Acidemias, and Reye's syndrome. *Neurology*, 35: 1041.
- Sugie H, Kabayashi J, Sugie Y, et al [1988]:** Infantile Muscle glycogen storage disease: Phosphoglucomutase deficiency with decreased muscle and Serum carnitine Level. *Neurology*, 38: 602-605.
- Sugiyama N, Seki T, Kidouchi K; et al [1992]:** Clinical availability of non-isotopic carnitine assay system using carnitine dehydrogenase and acylcarnitine hydrolase. *Clin. Chem*, 38[6]: 1070-1071.
- Tada H, Kurita T, Ohe T. [1995]:** Glycogen storage disease type III associated with ventricular tachycardia. *Am. Heart Journal*, Oct. 130; 4: 911-912.
- Takahashi M, Ueda S and Misaki H [1992]:** A highly sensitive method for determination of serum L. Carnitine and Acylcarnitine using enzymatic cycling reaction. *Clin. Chem*, 38[6] : 985-9.
- Tanphaichitr V, Leelahagul P. [1993]:** Carnitine metabolism and human carnitine deficiency. *Nutrition*, 9: 246-254.

-
- Tein I, De vivo Dc, Hale DE et al [1991]:* Short - chain L-3- hydroxyacyl-CoA dehydrogenase deficiency in muscle: A new cause for recurrent myoglobinuria and encephalopathy. *Ann. Neurol*, 30: 415-419.
- Tompson JE, Smith M, Castillo-M et al [1996]:* MR in children with L-Carnitine deficiency. *AJNR-Am-J-Neuroradiol*, Sep, 17[8]: 1585-8.
- Torel-Ergur A, Tanzer-F, Cetinkaya-O.[1997]:* Serum Free Carnitine Levels in Children with recurrent pulmonany infections. *Acta-Paediatr-Jpn*. Aug; 39[4] 406-408.
- Treem WR, Stanley CA, Finegold DN et al [1988]:* Primary carnitine deficiency due to a failure of carnitine transport in kidney, muscle, & fibroblast. *N. Eng.J.Med*, 319: 1331-6.
- Treem WL, Stanley CA, Hale De et al [1991]:* Hypoglycemia, hypotonia and Cardiomyopathy: the evolving clinical picture of long - chain. Acyl-CoA dehydrogenase deficiency. *Pediatrics*, 87: 328-33.
- Triomphe-TJ [1997]:* Glycogen Storage disease: A basic understanding and guide to nursing care. *J. Pediatr. Nurs*, Aug, 12 [4] 238-49.
- Tulinus, M.H. and Hange, I [1991] :* EEG finding in children and adolescent with mitochondrial encephalopathies : a study of 25 cases. *Brain Dev.*, 13: 167-173.
- Tyni T, Paloti A, Viinikka L, et al [1997]:* Long Chain 3 Hydroxyacyl-CoA dehydrogenase deficiency with the G 1528 C mutation: Clinical presnetation of thirteen patients. *J. Ped*, 130: 67-76.
- Uchida y, Izai K, Orii T, Hashimto T. [1992]:* Novel fatty acid B-Oxidation enzymes in rat liver mitochondria. II.Purification and properties of enoyl-coenzyme A hydratase/3-hydroxy acyle-CoA/3-Ketoacyle- COA thiolase trifunctional protein. *J. Biol. Chem*, 267: 1034-41.
-

- Ugawa Y, Inove K, Take mura T et al [1986]:** Accumulation of glycogen in sural nerve axon in adult-onset type III glycogenosis. *Ann. Neurol*, 9: 294-297.
- Valle D [1987]:** An overview of current therapy. *Hosp. Pract*, 22: 167-82.
- Van Coster R, Lombes A, De Vivo, et al [1991]:** Cytochrome c Oxidase - associated Leigh syndrome: phenotypic features and pathogenetic speculations. *J. Neurol. Sci*, 104: 97-111.
- Van Erven PMM; et al [1986]:** Disturbed oxidative metabolism in subacute necrotizing encephalomyelopathy [Leigh syndrome]. *Neuropediatrics*, 17: 28.
- Van Erven PMM, Cillessen JPM, Eckhoff EMW et al [1987]:** Leigh Syndrome, a mitochondrial encephalo [myo]pathy. [Review] *Clin. Neurol. Neurosurg*, 89: 217-30.
- Veldee MS [1994]:** Nutrition. *Tietz Text Book of clinical chemistry*. Second ed. W.B. Saunder company p. 1243.
- Venizelos N, IJlst L, Wanders RJA, Hagenfeldt L. [1994]:** B-Oxidation enzymes in fibroblasts from patients with 3-hydroxydicarboxylic aciduria. *Pediatr. Res*, 36: 111-4.
- Vikre-Jorgensen, J [1993]:** Cardiomyopathy caused by Carnitine deficiency: *Ugeskr-Laeger*, Oct, 18, 155[42]: 3390-2.
- Vockley J [1994]:** The changing face of disorders of fatty acid oxidation. *Mayo. Clin. Proc*, 69: 249-57.
- Von Dobelin U, Venizelos N, Westgren M et al [1994]:** Long chain 3-hydroxyacyl COA. Dehydrogenase in chorionic villi, Fetal liver and Fibroblasts and prenatal diagnosis of 3-hydroxyacyl-COA dehydrogenase deficiency. *J. Inter. Metab. Dis*, 17: 185-8.
- Wada-H, Nishio-H et al [1996]:** Benign infantile mitochondrial myopathy caused by reversible cytochrome C oxidase deficiency. *Bibliographic Citation: No-to-Hatt at SU. Sep; 28[5]: 443-7.*

-
- Wanders R, IJlst L, Duran M, et al [1991]:* Long-chain 3 - hydroxyacyl-CoA dehydrogenase deficiency: Different clinical expression in three unrelated patients. *J. Inher. Metab. Dis.*, 14:325-8.
- Wanders RJA, IJlst L [1992]:* Long -chain 3 hydroxyacyl-CoA dehydrogenase in Leucocyte and chorionic villus fibroblast: Potential for pre-and postnatal diagnosis. *J. Inher. Metab. Dis.*, 15: 356-8.
- Wanders RJA, IJlst L, Poggi F, et al [1992]:* Human trifunctional protein deficiency: a new disorder of mitochondrial fatty acid B-oxidation. *Biochem. Biophys. Res. Commun.*, 188: 1139-45.
- Warmolts JR, Engel WK [1972]:* Open biopsy electromyography: Correlation of motor unit behaviour with histochemical muscle fiber type in human limb muscle. *Arch. Neurol.*, 27: 512-517.
- Wartmann RL [1991]:* Metabolic myopathies. *Curr. Opin-Rheumatol.* Dec 3[6]: 925-33.
- Watts RWE and Gibbs DA [1986]:* Lysosomal storage diseases: Biochemical and clinical aspects, London, Taylor and Francis.
- Willems PJ, Hendrickx J, Van der Auwera BJ, Et al [1991]:* Mapping of the gene for X-chromosome region Xp 22. *Genomics*, 9: 565.
- Winter S, Jue K, Prochazka J. et al [1995]:* The role of L-Carnitine in pediatric cardiomyopathy. *J. Child Neurology*, Nov; 10 suppl. 2: 845-51.
- Wolkowicz P, Pownall HJ and Mc Millin-wood, J.B [1982]:* Pyrenebutyrylcarnitine and coenzyme A; fluorescent probes for lipid metabolic studies in artificial and natural membrane. *Biochemistry*, 21: 2990-2996.
-

- Yamaguchi S, Indo Y, Coats PM et al [1993]:** Identification of very long-chain Acyl-CoA dehydrogenase deficiency in three patients previously diagnosed with long-chain Acyle-CoA dehydrogenase deficiency. *Pediatr. Res*, 34: 111.
- Yang BZ, Ding JH, Brown BI et al [1990]:** Defenitve Prenatal diagnosis for type III glycogen stronge disease. *Am. J. Hum. Genet*, 47:735-739.
- Zeviani M, Gellera C, Antozzi C et al [1991]:** Maternally inherited myopathy and Cardiomyoathy: Association with mutation in mitochondrial DNA RNA ^{Leu [uur]} *Lancet*, 338: 143-7.