

REFERENCES

REFERENCES

- Aboul Nasr, A.L., Tawfik, H.N., and Aboul Einein M. (1973):
Lymphoreticular Tumors and Leukemias in Egypt. J.
Natl. Ca. Inst., 50 : 1619
- Abramson, J.H., Pridan, H., Sacks, M.I., Avitzour M. and
Peritz, E.A. 1978: A case-control study of Hodgkin's disease in
Israel. J. Natl. Cancer Inst., 618, 307.
- Advisory Committee on the Biological Effects of Ionizing Radia-
tion, National Academy of Sciences- National Research Council.
The Effects on population of exposure to low levels of ionizing
radiation. Washington D.C., U.S. Government Printing Office;
1979.
- Altman R.P., Randolph, J.G., Lilly, J.R.: Sacrococcygeal teratoma
: American Academy Of Pediatrics. Surgical Section Surgery 1973.
J. Pediatr. Surg. G:389-398, 1974
- A.J., and Schwartz, A.D.,: Malignant disease of infancy,
childhood and adolescence. 2nd (ed) Philadelphia, W.B. Saunders
Co., 1983, PP 297-329.

Anderson J.L., Bieber CP, Fowlers RE, Stinson EB. Idiopathic cardiomyopathy, age and suppressor-cell dysfunction as risk determinants of Lymphoma after cardiac transplantation. Lancet. 1978; 2:1174-7

Aron B. Wilm's tumor. A clinical study of 81 children. Cancer 33 : 637 -646, 1974.

Arneil G.C: Cyclophosphamide and the pubertal testis. Lancet 1972; 1259 - 60.

Axelsson O., Dahlgren E., Jansson C.D., Rehnlund S.O.: Arsenic exposure and mortality: A case-referent study from a Swedish copper smelter. Br. J. Int. Med. 1978; 35 : 3 - 15

Bennett MH. Farrer-Brown G., Henry K, Jelliffe AM., : Classification of non-Hodgkin's lymphomas. Lancet 1974; 2 : 405 - 406.

Blumberg B.S. London WT: Hepatitis B virus. Pathogenesis and prevention of primary cancer of the liver. Ca : 50 : 2657 - 2665, 1982.

Blair A. Hayes H.M. Jr.: Causes of death among U.S. veterinarians, 1966 - 1977. Int. J. Cancer. 1980:25 : 181 - 185.

Botnick LE. Goodman, R, Jaffe N, Filler R, Cassady G.R.: Stages I-III Hodgkin's disease in children. Ca. 1977; 39 : 599 - 603.

Bowers TK. Moldow, C.F., Bloomsfield, C.D. and Yunis, E.G., 1977.: Familial Hodgkin's disease and the major histocompatibility complex Voxsang., 33, 273.

Broder S. Poplack D., Whang-Peng J. et al. Characterization of Suppressor-cell Leukemia.

Evidence for the requirement of an interaction of two T-cells in the development of human suppressor effector cells. N. Engl J. Med. 1978; 298:66-72.

Brown NG. Teratomas and Yolk sac tumors. J. Clin Pathol 29: 1021-1025, 1976.

Brown TC. Peters, M.V.; Bergsagel, D.E. and Reid, J. 1975: A retrospective analysis of clinical results in relation to the Rappaport histological classification, Brit. J. Ca., 31 supp., 174-186.

Bryne GE. Rappaport classification of non-Hodgkin's lymphoma: Histologic features and clinical significance. Cancer Treat. Rep. 61:935-951, 1977.

Buehler SK Firme, F., Fodor, G., Fraser, G.R., Marshall. W.H. and Vaze, F. 1975: Common variable immunodeficiency Hodgkin's disease and other malignancies in a Newfoundland family. Lancet, i, 195.

Carabell S. Cassady JR, Weinstein H et al: The role of radiation therapy in the treatment of pediatrics non_hodgkin's lymphomas. Ca. 42:2193-2205, 1978.

Carbone PP, Kaplan H.S, Musshoff K, Smithers DW, Tubiana M.:
Report of the Committee on Hodgkin's disease, Staging classification, Cancer Res., 1971; 31: 1860-1861.

Canellos PG, Came SE, Skarin HT.: Chemotherapy in the treatment of Hodgkin's disease. Semin. Hematol 1983; 20 : 1 - 24.

Cham WC, Tan CTC, Martinez A et al: Involved field radiation therapy for early stage Hodgkin's disease in children. Ca. 1976; 37 : 1625 - 1632.

Chiazzi L. Jr., Nichols WE, Wong O.: Mortality among employees of PVC fabricators. JOM. 1977; 19:623-8.

Chilcote RR, Baehner RL, Hammond D,: Children's Cancer study group. Sepsicaemia and meningitis in children splenectomized for Hodgkin's disease. N. Engl. J. Med. 1976; 295 : 798 - 800.

Chung EB. Enzinger, F.M.: Infantile fibrosarcoma. Ca. 38:729-739, 1976.

Cohen LF. Balow, J.E., Magrath, I.T., et al: Acute tumor lysis syndrome. A review of 37 patients with Burkitt's lymphoma. Am. J. Med. 68:486-491, 1980.

Court-Brown WM, Doll R.: Mortality from cancer and other causes. Radiotherapy for ankylosing spondylitis. Br. Med. J. 1965; 2:1327-32.

D'AGOSTINO A.N., Soule, E.H., Miller, R.H.:
Primary malignant neoplasms of nerves (malignant neurilemmomas) in patients with manifestations of multiple neurofibromatosis (von-Recklinghausen's disease) Ca. 16: 1003 - 1014, 1963

D'AGOSTINO A.N., Soule, EH, Miller, R.H.: Sarcomas of peripheal nerves and somatic soft tissues associated with multiple neurofibromatosis (von-Recklighausen disease) Ca 16; 1015-1027, 1963.

De Groot GW. Gaiman C, Winter JSD: Cyclophosphamide and the pubertal gonad: A negative report. J. Pediatr 1974; 89: 123 - 125.

Devita VT. Hellman, S. and Rosenberg, S.A. 1984: Cancer principles of practice of oncology (2nd) ed.

In Chapter 42: Pizzo, Ph. A.; Cassady J.R.; Miser, J.S. and Filler, R.M.: Solid tumors of childhood. P. 1511 - 1589. J.B. Lippincott Co., Philadelphia, London, Mexico-City, New York, St. Louis, San-Paulo, Sydney.

Doll R. Payne, P., Waterhouse, J: Cancer Incidence In Five Continents. A Technical Report. Berlin, Heidelberg, New York, Springer-Verlag, 1966.

Doll R. Muir. G, Waterhouse J., eds., IUCC, Cancer Incidence In Five Continents, Vol. 2., Berlin: Springer-Verlag, 1970.

Donaldson SS. Retinoblastoma. In Levine. A.S.: Cancer in the Young, pp.683-694. New York, Masson publishing, 1982.

Dorfman RF. Classification of non-Hodgkin's lymphoma (letter)
Lancet 1974; 1: 1295-1296.

Ellsworth R. In Duane T.D. ed.: Clinical ophthalmology, vol. (3)
pp: 1-18. New York, Harper and Row, 1976.

Enziger FM Shirak, M.: Alveolar Rhabdomyosarcoma. An analysis of
110 cases. Cancer 24:18-31, 1969.

Eremin O. Ashby J., Stephens JP.: Human natural cytotoxicity in
the blood and lymphoid organs of healthy donors and patients with
malignant disease. Int. J. Cancer 1978; 21 : 35 - 41.

Fienman NL. Yokovac, W.C. Neurofibromatosis in childhood. J.
Ped. 76:339-346, 1970.

Filler RM Hagen, J.: Liver tumors. Surg. Clin. North Am.
61:1209-1217, 1981.

Fisher RI. Implications of persistent T cell abnormalities for the etiology of Hodgkin's disease.

Cancer Treat. Rep., 66 : 681 - 687, 1982.

FIN SH Adeyema, S.D., Mancer, K.: Benign sacrococcygeal teratoma in infants and children: A 25 year experience. Ann. Surg. 191 : 382 - 384, 1980.

FOX AG Collier PF.: Mortality experience of workers exposed to vinyl chloride monomer in the manufacture of PVC in Great Britain. Br. J. Med. 1977; 34:1-10.

Fraumeni JF. Jr., Miller, R.W., Mill. S.A: Primary carcinoma of liver in childhood. An epidemiologic study. J. Natl. Cancer Inst. 50 : 1087 - 1099, 1968.

Fraumeni JF. Jr., Geiser C.F., Maning MD: Wilm's tumor and congenital hypertrophy: Report of five new cases and review of literature. Pediatrics 40 : 886 - 899, 1967.

Fraumeni JF.: Stature and malignant tumors in childhood and adolescence. Cancer 20 : 967 - 973 , 1967.

Fraumeni JF Jr., Li, F.P.: Hodgkin's disease in childhood: An epidemiologic study. J. Nat. Cancer Inst. 42: 681-691, 1969.

Fraumeni JF Glass, A.G.: Rarity of Ewing's Sarcoma among U.S. negro children. Lancet 1 : 336 - 367, 1970.

Fraumeni F. Jr., and Li, F.P.: Hodgkin's disease in childhood, J. Nat. Cancer Inst., 42, 681, 1969.

Frydecka I Becker M.: Delayed hyposensitivity reactions in patients with acute leukemia and blastic crisis of chronic granulocytic leukemia.

Arch Immunol Ther. Exp. 1980; 28 : 645 -647.

Gad el Mawla N. El Deeb B. B., ABU- Gabal, A.; Abdel Hadi, S.;

Hamza, M.R.; Zikri, Z. Kh.; El Srafi, M; El-Khoudary, A.; El-Saifi, M.; Aboul Einein, M.; and El-Bolkainy, M.N.: Pediatric Hodgkin's disease in Egypt. Ca 2 : 1129 - 1131, 1983.

Galian A. Lecestre, M.J., Scotto, J., et al: pathological study of alpha-chain disease with special emphasis in evolution - Cancer, 39 : 2081 - 2101, 1977.

Gerard - Marchant R. Hamlin I., Lennert K., Rilkee, F., Stansfield AG, Van Unik JAM.: Classification of NHL. Lancet 1974; 2 : 406 - 408.

Geser A. Dethe, G., Lenoir, G., et al: Final case reporting from the Ugandan prospective study of the relationship between EBV and Burkitt's lymphoma. Int. J. Ca., 29 : 397 - 400, 1982.

Gilchrist and Evans, R.G., 1985:

Contemporary Issues in pediatric Hodgkin's disease. Ped. clinics of North America - vol. 32 No. 3 : 721.

Gilchrist GS. and Evans, R.G., 1985:

Contemporary Issues in Pediatric Hodgkin disease. Ped. Clin Of North America. vol 32; No 3, : 724.

Gilchrist GS and Evans, P.G., 1985., Contemporary Issues in Pediatric Hodgkin's disease. Ped. clinics of North America - Vol 32. No. 3 : 721 - 734.

Glatstein E McHardy-Young S., breast N., Eltringham JR., Kriss JP.: Alterations in serum thyrotropin (TSH) and thyroid function following radiotherapy in patients with Malignant lymphoma. J. Clin. Endocrinol. Metab 1971; 32 : 833 - 841.

Glass A.G. Fraumeni J.F., Jr: Epidemiology of bone cancer in children.

J. Natl. Can Inst. 44 : 187 - 199, 1970.

Goodman R. Jaffe N., Filler R., Cassady JR.: Herpes zoster in children with stage I-III Hodgkin's disease. Radiotherapy. 1976; 118 : 429 - 431.

Greene M.H. The epidemiology of non-Hodgkin lymphoma and mycosis fungoides. In schottenfeld Di Fraumeni JF, eds. The epidemiology and prevention of cancer 1981. In press.

Greene MH. Miller RW.: Familial non-Hodgkin lymphoma. Histologic diversity and relation to other cancers. Am. J. Med. Gen 1978; 1 : 437 - 43.

Grossi CE Cadoni A., Zicca A., Leprini A., Ferrarini A.,: Large granular lymphocytes in human peripheal blood.: Ultrastructural and cytochemichal characterization of the granules. Bl. 1982; 59 : 277-283.

Gross R.E. Clatworthy, H.W. Jr., Meeker, I.A. Jr: Sacrococcygeal teratomas in infants and children. A report of 40 cases. Surg. Gynaecol. Obstet. 92: 341 - 354, 1951.

Grundy GW Creagan ET., Fraumeni, JF: non-Hodgkin lymphoma in childhood: Epidemiologic features. JNCI 151: 767-776, 1973.

Grufferman S. Cole P., Smith PG., Lukes RJ.: Hodgkin's disease in siblings. N. Engl J. Med. 1977; 296:248-250.

Grufferman S. cole, P., Smith, P.G. and Lukes, R.J., 1977. Hodgkin's disease in siblings. N. Engl. J. Med., 304, 135.

Gutensohn and Cole 1981: Childhood social environment and Hodgkin's disease. N. Engl. J. Med, 304, 135-140, 1981.

Gutensohn N. Social class and age at diagnosis of Hodgkin's disease. New epidemiologic evidence for the "two disease hypothesis". Cancer Treat Rep, 66:689-695, 1982.

Gutensohn N.M. and Shapiro, D.S.: Social class risk factors among children with Hodgkin's disease. Int. J. Cancer: 30, 433-435, 1982.

Hansson M. Karve K., Kiessling R., Klein G.: Intra and Inter-species reactivity of human and mouse natural killer (NK) cells. J. Immunol 1978; 6:121-128.

Hansson M. Kiessling R., NK. Surveillance of primitive normal cells in the thymus and bone marrow. In: Serrou B., Rosefield C., Herberman R.B. eds. Human cancer Immunology: Natural Killer Cells, Vol 2: Amsterdam, New York, Oxford, Elsevier. Biomedical Press, 1982; 7 - 14.

Harris J. Sengar D., Stewart T., Hyslop D: The effects of immunosuppressive chemotherapy on immune function in patients with malignant disease. Ca 1976; 37 : 1058 - 1069.

Harris RE Baehner, R.R., Gleiser, S., Weaver, D.D. and Hodes, ME. 1981. Cartilage - hair hypoplasia, defective T-cell function and Diamond-Black fan anaemia in an Amish child. Am. J. Med Genet, 8, 281.

Hanson MR. McKeen, K.A., Glaubiger, D.L. et al: Ewing's sarcoma: A description study of 154 patients. Proc. Am. Soc. clin Oncol. 1(abstr-712), 1982.

Hardell L. :Malignant lymphoma of histiocytic type and exposure

to phenoxyacetic acids or chlorophenols. Lancet 1979; 1 : 55 - 6.

Hawrylowicz CM. Rees RG, Hancock BW, Potter CW.: Depressed spontaneous natural killing and interferon augmentation in patients with malignant lymphoma. Eur. J. Clin. Oncol. 1982; 18 : 1081 - 1088.

Herberman RB. Ortaldo JR.: Natural Killer Cells: Their role in defences against disease. Science 1981; 214 : 24 - 30.

Herberman RB Nann ME, Lavrin D.H.: Natural cytotoxic reactivity of mouse lymphoid cells against syngenic and and allogenic tumors: II characterization of effector cells. Int. J. Cancer 1975; 16: 230 - 236.

Henderson BE Dworsky R., Menck H., et al. Case-control study of Hodgkin's disease: II herpes virus group antibody titers and HL-A type.

J. Natl. Cancer Inst. 1973; 51 : 1443 - 1447.

Herrmann, F., Sieber G., Janer B., Lochner A., Komischke B., Ruhl H.: Evaluation of the circulating and splenic lymphocytic subpopulations in patients with Hodgkin's and non-Hodgkin's lymphomas.

Blood 1983; 47 : 41 - 51.

Henle, G., W., Clifford, P., et al: Antibodies to Epstein-Barr Virus in Burkitt's Lymphoma and control groups.

J. Natl. Ca. Inst., 43 : 1147 - 1157, 1969.

Heyn, RN., Hollan, R., Newton, W.A. et al: The role of combined chemotherapy in the treatment of rhabdomyosarcoma in children.

Cancer 34 : 2128 - 2142, 1974.

Horning, SJ., Hoppe RT, Kaplan H.S., Rosenberg SA.: Female reproductive potential after treatment for Hodgkin's disease. N.

Engl. J. Med. 1981; 304 : 1377 - 1381.

Hors, J., and Dauset, J.: HLA and susceptibility to Hodgkin's disease. Immunol. Rev., 70 : 167 - 192, 1983.

Hoogstraten, B., 1986: In Haematologic malignancies Ch. 5 non-Hodgkin's lymphoma.
p. (77 - 95)
published by Springer-Verlag Berlin, Heidelberg, New York, London, Paris, Tokyo, 1986.

Howard, RO., Berg, W.R., Albert, D.M., et al: Retinoblastoma and chromosome abnormality.
Arch ophthalmol. 92 : 490 - 493, 1974.

Ishak, KG., Glunz, P.R.: Hepatoblastoma and hepatocarcinoma in infancy and childhood : Report of 47 cases. Cancer 20: 396 - 422, 1967.

Ishak, KG., Rabin, L.: Benign tumors of the liver. Med. Clin. North Am. 59 : 995 - 1013, 1975.

Jaffe, N., :Neuroblastoma. Review of the literature and an examination of factors contributing to its character.
cancer treat. Rev. 3 : 61 - 82, 1976.

Jelliffe, AM., Thomson A.D.: Prognosis in Hodgkin's disease.
Br. J. Cancer. 1955; 9 : 21 - 36.

Jenkin, D., Freedman M., McClure P., Peters V, Saunders F., Son-
ley M.: Hodgkin's disease in children: treatment with low dose
radiation and MOPP without staging laparotomy. Cancer 1979; 44 :
80 - 86.

Jenkin, D., Chan, H., and Freedman, M: Hodgkin's disease in
children: Treatment results with MOPP and dose, extended field
irradiation. Cancer Treat. Rep., 66 : 949 - 959, 1982.

Jensen, R.D., Miller, R.W.: Retinoblastoma: Epidemiologic charac-
teristics. N. Engl. J. Med. 283 : 307 - 311, 1971.

Jensen, RD., Drake, R.M.: Rarity of Ewing's tumor in negroes.
Lancet 1 : 777, 1970.

Kaplan, HS., : Hodgkin's disease 2nd ed.

Cambridge, Mass: Harvard University Press, 1980: 16 - 51.

Kaplan, HS., : Hodgkin's disease: Multidisciplinary contributions to the conquest of a neoplasm. Radiology 1977; 123 : 551 - 558.

Kay, HD., Bonnard GD, West WH, Herberman RB.: a functional comparison of Fc receptor bearing lymphocytes active in natural cytotoxicity and antibody dependent cellular cytotoxicity. J. Immunol. 1977; 118 : 2058 - 2066.

Kersey, JH., Spector BD, Good RA: Immunodeficiency cancer Registry. Int. J. cancer 12 : 333 - 347, 1973.

Kerzin - Storrar, L., Faed, M.J.W., MacGillivray, J.B/, Smith, P.G.: Incidence of familial Hodgkin's disease. Br. J. Cancer, 47 : 702 - 712, 1983.

Kiessling, R., Hochman PS, Haller O, Shearer GM, Wigzell H., Cudkowicz G.: Evidence for a similar or common mechanism for natural killer cell activity to haemopoietic grafts. Eur. J. Immunol. 1977; 7 : 655 - 666.

Krikorian, JR., Burke JS, Rosenberg SA, Kaplan H.S.,: Occurrence of non-Hodgkin's lymphoma after therapy for Hodgkin's disease. N. Engl. J. Med. 1979; 300: 452 - 458.

Kinlen, LJ., Shief AGR, Peto J., Doll R.: a collaborative study of cancer in patients who have recieved immunosuppressive therapy.

Br. Med. J. 1979; 2 : 1461 - 6.

Kissane, JM., Askin, F.B., Foulkers, M et al: Ewing's sarcoma of bone: Clinicopathologic aspects of 303 cases from the intergroup. Ewing's sarcoma study. Hum. Pathol 14 : 773 - 779, 1983.

Knudson, AG., Jr.: Mutation and Cancer. Statistical study of retinoblastoma.

Proc. Natl. Acad. Sci. USA 68 : 810 - 823, 1971.

Knudson, AG., Jr.: Retinoblastoma. A prototypic history of neoplasm.

Semin. Oncol. 5 : 57 - 60, 1978.

Kohl, S., Pickering LK, Sullivan MP., Walters DL,: Impaired monocyte macrophage cytotoxicity in patients with Hodgkin's disease. Clin Immunopathol. 1980; 15: 557-585.

Lacher, MJ., Durant JR, Combined Vinblastine and chlorambucil therapy of Hodgkin's disease.
Ann. Intern. Med; 62 : 468 - 476, 1965.

Lack, EE., Neave, C., Vawter, G.F: Hepatoblastoma: A clinical and pathological study of 54 cases.
Am. J. Surg. Pathol. 6 : 693 -705, 1982

Lange B., Littman P., Schnauffer L., Evans A.: Treatment of advanced Hodgkin's disease in pediatric patients. Cancer 1978; 42 : 1141 - 1145.

Lennox, EL., Draper, G.F., Sanders, B.M.: Retinoblastoma : A study of natural history and prognosis of 286 cases. Br. Med. J.

3 : 731 - 734, 1975.

Lewis E.B. : Leukemia, multiple myeloma, and aplastic anaemia in American radiologists, Science 1963, 142:1492-4

Li, F.P., Fraumeni, J.F. Jr., Mantel N., Miller RW.: Cancer Mortality among chemists. J. Natl. Cancer Inst., 1969; 43 : 1159 - 64.

Li, FP., Tu, JT., Liu F.S. et al : Rarity Of Ewing's Sarcoma In China. Lancet. 1 : 1255, 1980.

Li, FP., Willard DR, Goodman R. et al : Malignant lymphoma, after diphenylhydantoin (Difantin) therapy. Ca 36:1359-1362, 1975.

Link, MP., : Non-Hodgkin's lymphoma in children. Ped. clinics of North America. Vol. 32, No. 3, 1985.

Link, MP., : Non-Hodgkin's lymphoma in childhood. Clin. Haematol
8 : 699 - 716, 1978.

Link, MP., : Non-Hodgkin's lymphoma in children. Ped. clinics of
North America. Vol. 32; 699-720 No. 3, 1985.

Dunn, J.E.: Ewing's Sarcoma in negroes, Lancet 1 : 1171, 1970.

Littman, PA., D'Angio GJ.: Growth considerations in the radiation
therapy of children with cancer. Ann. Rev. Med 1979; 30 : 405 -
415.

Lukes, RJ. : Lymphoma of the functional approach to pathology of
malignant lymphoma. In Clause M. ed. Clinical lymphangiography.
Baltimore: Williams and Wilkins, 1977 : 141 - 159.

Mac Mahon, B. : Epidemiology of Hodgkin's disease. Ca. Res.
1966; 26 : 1189 - 1200.

Magrath, IT., : Malignant lymphoma. In levine AS (ed). Cancer
in the young; pp 473 - 574. New York. Masson, 1982.

Magrath, IT., Lee, Y.J., Anderson, T., et al : Prognastic factors in Burkitt's lymphoma. Importance of total tumor burden. Ca., 45 : 1507 - 1515, 1980.

Magrath, IT., Janus C., Edwards BK et al:
An effective therapy for both undifferentiated (including Burkitt's lymphomas) and lymphoblastic lymphomas in children and young adults. Bl: 63 : 1102 - 1111, 1984.

Mahour, GH., Soule, E.H., Mills, S.D. et al : Rhabdomyosarcoma in infants and children: A clinico-pathologic study of 75 cases, J. Pediatr. Surg. 2: 402 - 409, 1967.

Mantovani, A., Luini D., Peri G., Vecchi, A., Spreafico, F. Effect of chemotherapeutic agents on natural cell-mediated cytotoxicity in mice. J. Natl. Cancer Inst. 1978; 61 : 1255 - 1261.

Mann, RB., Jaffe ES, Braylan, R.C. et al : Non-endemic Burkitt's lymphoma: A-B cell tumor related to germinal centers. N. Engl J. Med. 295 : 270 - 285, 1976.

Marshall, WH., Barnard, J.M., Buehler, S.K., Crumley, J. and Lar-
sin, B. 1977. HLA in familial Hodgkin's disease. Results and a
new hypothesis.
Int. J. Ca., 19, 450.

Mathe, G., Rappaport, H., O'Connor, GT et al: Histological and
cytological typing of neoplastic disease of hematopoietic and
lymphoid tissues. In WHO international histological class-
ification of tumors. No. 14 Ca.: World Health Organization,
1976.

Matholo, NM., Johnson, D.G.: Surgical treatment of hepatic
haemangioma in the newborn. Arch. Surg. 106 : 725-777, 1973.

McBride, EA., and Fenelly, J. 1977: Immunological depletion con-
tributing to familial Hodgkin's disease. Eur. J. Ca., 13, 549.

McKeen, EA., Bodurtha, J., Meadows, A.T. et al: Rhabdomyosarcoma complicating multiple neurofibromatosis. J. Pediatr. 94 : 992 - 993, 1978.

Miller, RW : Mortality in childhood Hodgkin's disease. An etiologic clue. JAMA 198 : 1216 - 1217, 1966.

Miller, RW : Contrasting epidemiology of childhood, osteosarcoma. Ewing's Tumor, and Rhabdomyosarcoma. Natl. Ca. Inst. Monog. 56 : 9 - 14, 1981

Miller, RW. Dalager, N.A. Fatal rhabdomyosarcoma among children in the United States. 1960 - 1969. Ca. 34 : 1897 - 1900, 1974.

Monson, RR Nakano KK,: Mortality among rubber workers. Am. J. Epidemiol. 1976 ; 103 : 284 - 96.

Moss, HA. Nannis ED, Poplack DG: The effects of prophylactic treatment of the central nervous system on the intellectual functioning of children with acute lymphocytic leukemia. Am. J. Med 71 : 47 - 52, 1981.

Murphy, SB : Classification, staging, and end results of treatment of childhood non-Hodgkin lymphoma: Dissimilarities from lymphomas in adults. Semin Oncol 7 : 332 - 339, 1980.

Murphy, SB : Current concepts in cancer. Children non-Hodgkin lymphoma.
N. Engl. J. Med.; 299 : 1446 - 1448, 1978.

Murphy, SB: Management of childhood non-Hodgkin lymphoma. Ca. treat Rep.; 61 : 1161 - 1173, 1977.

Murphy, S., Hustu H: A randomized trial of combined modality therapy in childhood non-Hodgkin lymphoma.
Cancer 45:630-637, 1980.

Mustafa, A. (1977): Clinical study of presentation and therapy a malignant lymphoma. M.D. thesis, Facul. of Med., Cairo Univ.

Napoli, V.M., Cambell W.G. Jr.: Hepatoblastoma in an infant sister and brother. Ca: 39; 2647 - 2650, 1977.

Nassar, V.H. Salem, P.A., Shadid M.J., et al: Mediterranean abdominal lymphoma or immunoproliferative small intestinal disease, II. pathological aspects.
Ca., 41:1340-1354, 1978.

Nathwani, BM, Kim., H, Rappaport, H., et al: Non-Hodgkin lymphoma. A clinicopathologic study comparing two classifications.
Ca 41 : 303 - 325, 1978.

National Cancer Institute sponsered study of classification of non-Hodgkin's lymphomas: Summary and description of a Working Formulation for clinical usage.
Ca. 1982; 49 : 2112 - 2135.

Noseworthy, J., Lack, E.E., Kozakwich, H.P. et al : Sacrococcygeal germ cell tumors in childhood: An update experience with 118 patients.

J. Pediatr. Surg. 16: 358 - 364, 1981.

Nunn, ME, Herberman R.B., Molden HT,: Natural cell mediated cytotoxicity in mice against non-lymphoid tumor cells and some normal cells.

Int. J. Ca. 1977; 20 : 381 - 391.

Olin, GR.: The hazards of a chemical laboratory environment. A study of the mortality in two Cohorts of Swedish Chemists. Am. Ind. Hyg. Assoc. J. 1978; 38 : 557 - 562.

Order, SE., Hellman S.: Pathogenesis of Hodgkin's disease. Lancet 1972; 571 - 573.

Ortaldo, JR. Bonnard GD, Kind PD, Herberman RB.: Cytotoxicity by cultured human lymphocytes characteristics of effector cells and specificity of cytotoxicity. J. Immunol 1979; 122 : 1489 - 1494.

Ortega, J.A., Rivaro, G.E., Isaacs, M. et al: The influence of chemotherapy on the prognosis of rhabdomyosarcoma. Med. Pediatr. Oncol. 1 : 227 - 234, 1975.

Peters, M.V. Middlemiss KCH.: A study of Hodgkin's disease treated by irradiation. Am. J. Roentgenol. 1958.: 78 : 114 - 121.

Peters, M.V.: a study of survivals in Hodgkin's disease treated radiologically. Am. J. Roentgenol 1950 : 63 : 229 - 311.

Peters, HH., Dalluge H., Zawateky R., Euler, S., Leibold W., Kircher H.,: Human peripheal null lymphocytes II producers of type I interferon upon stimulation with tumor cells, Herpes simplex virus and Corynaebacterium parvum. Eur. J. Immunol. 1980; 10 : 547 - 552.

Pizzo, PA., Cassady, J.R.; Miser, J.S.; Filler, RM; Cancer principles of practice of oncology 2nd ed.
J.B. Lippincott Co., Philadelphia, London, Mexico-City, New York,

St. Louis, St. Paulo, Sydney.

Pritchard, D.J., Soule, E.H., Taylor W.F. et al : Fibrosarcoma: A clinicopathologic and statistical study of 199 tumors of the soft tissue of the extremities and trunk. Cancer 33 : 888 - 897, 1974.

Probert, J.S., Parker BR., Kaplan H.S.: Growth retardation in children after megavoltage irradiation of the spine. Ca. 1973; 32 : 634 - 639.

Randolph, J.G., Altman, R.P., Arensman, R.M., et al : Liver resection in children with hepatic neoplasms, Ann Surg. 187 : 559 - 605, 1978.

Raney, R.B., Littman, P., Jarret, Petal: Results of multimodality therapy for children with neurogenic sarcoma. Med. Pediatr. Oncol. 7 : 229 - 236, 1979.

Rappaport, H.,: Tumors of the Hematopoietic system In: Atlas of

tumor pathology, Section 3. fascicle 8. Washington D.C., US Armed forces Inst. of Pathol., 1966.

Razis, D.V., Diamond, H.D. and Craver, L.F., 1959. Familial Hodgkin disease: its significance and implications. Ann. Int. Med., 51, 933.

Reboul, F., Donaldson SS, Kaplan H.S.: Herpes Zoster and varicella infection in children with Hodgkin's disease. Cancer 1978; 41 : 95 - 99.

Robert, J.S., Parker BR., Kaplan H.S.: Growth retardation in children after megavoltage irradiation of the spine. Ca. 1973; 32 : 634 - 639.

Robert, J.S., Parker B.R.: The effects of radiation therapy on bone growth. Radiology 1975; 114 : 155 - 162.

Robinson, J.E., Brown, N., Andiman, W., et al: Diffuse polyclonal B-cell lymphoma during primary infection with EBV N. Engl. J.

Med., 302 : 1293 - 1297, 1980.

Rosenberg, S.A., Kaplan H.S.: Evidence for an orderly progression in the spread of Hodgkin's disease. Cancer Res 26 : (I), 1225 - 1235, 1966.

Rosenberg, SA., : Report of the Committee on the staging of Hodgkin's disease. Cancer Res. 1966; 26 : 1310.

Rosenstock, J.G., D'Angio GJ, Kieswetter W.,: The incidence of complications following staging laparotomy for Hodgkin's disease in children. Radiology 1974; 120 : 531 - 555.

Saijo, N., Shimizu E., Shibuya M. et al : Effect of chemotherapy on natural killer activity and antibody dependent cell-mediated cytotoxicity in carcinoma of the lung. Br. J. Cancer 1982; 46 : 180 - 189.

Salem, P.A., Nassar, V.H., Shadid, M. J. et al: Mediterranean abdominal lymphoma or immunoproliferative small intestinal disease.

Part I. Clinical aspects. Ca., 40 : 2941 - 2947, 1977.

Saksela, E., Tarkkanen J., Carpen O., Virtanen J.: Morphological and functional characteristics of human NK system. In: Serrou B., Rosenfield C., Herberman RB., Eds. Human Cancer Immunology: Natural Killer cells Vol. 2. Amsterdam, New York, Oxford: Elsevier, biomedical press, 1982; 81 - 82.

Schnitzer, B., Nishiyama, R.H., Heidelberg, K.P. and Weaver, D.K.: Hodgkin's disease in children, Cancer, 3, 560, 1973.

Schwarz, R., and Andreschewitz, J. : Malignant lymphoproliferative diseases. Interactions between immunological abnormalities and oncogenic viruses.

Ann. Rev. Med., 19:1269, 1969.

Sherins, R.J., Olweny CLM, Ziegler JL.: Gynaecomastia and gonadal dysfunction in adolescent boys treated with MOPP, N. Engl. J. Med. 1978; 299:12-16.

Sherins, R.J., DeVita, V.T.: Effect of drug treatment for lymphoma on male reproductive capacity. Ann. Int. Med. 1973; 79:216-220.

Shnipper, L.E.: The Epstein-Barr virus and human lymphoproliferative disorders. Prog. Hematol; 12:290-297, 1981.

Shope, T.C., Khalifa, A.S.; Smith, S.T.; and Cushing B., : Epstein-Barr virus antibody in childhood Hodgkin's disease. Am. J. Dis. Child. 1982; 136:701-703.

Soule, E.H., Pritchard, D.J.: Fibrosarcoma in infants and children. A review of 110 cases. Ca. 40:1711-1721, 1977.

Spector, BD, Perry G.S. III, Good RA et al : In Twomey JJ, Good RA (eds): The immunopathology of lymphoreticular neoplasms, pp 203-237.

Stanfield, P.: Fever in children in the tropics. Brit. Med. J.

1:761-763, 1969.

Stevens, D., Mengan T.: Interferon, antibody and other host factors in herpes zoster. T. Clin. Invest 1972:51:1170.

Steinberg, A.D., Klassen LW.: Role of suppressor T-cells in lymphopoietic disorders. Clin. Haematol 1977,6 : 439 - 78.

Stout, A.P.: Fibrosarcoma in infants and children. Ca. 15 : 1025 - 1040, 1962.

Storm, F.K., Eilber, F.R., Mirra, J. et al: Neurofibrosarcoma. Ca 45:126-129, 1980.

Sweet, W.H., Sandson, J.I., Ayers, J.C., McDonough, J.F., and Schwartz, W.B. 1981. N.Engl. J. Med., 304 (3) 169-170.

Tabershaw, I.R., Cooper WC.: A mortality study of petroleum Refinery workers. Washington, D.C. American petroleum Inst; 1974. Med. Res Rep #EA 7402.

Takasugi, M., Ramseyer A., Takasugi J.: Decline of natural non-selective cell mediated cytotoxicity in patients with tumor progression. Cancer Res. 1977; 37 : 413 - 418.

Tan, C.T., De Sousa, M., and Good, R.A.: Distinguishing features of the immunology of Hodgkin's disease in children. Ca. treat Rep., 66:949-975, 1982.

Third international cancer survey. incidence biometry branch, NCI, NIH. J. Natl. Cancer Inst. 1973; 51:767

Tindle, B.H. 1984. Malignant lymphomas Teaching Monograph. Am. J. Pathol. Juli Vol. 116 No.1: 119 - 174.

Torres, A., Martinez, F., Gomez, P. et al : Simultaneous Hodgkin's disease in three siblings with identical HLA-genotype Ca., 46:838-843, 1980.

Tsokos, G.C., Balow, J.E., Spiegel, R.J., et al : Renal and meta-

bolic complications of undifferentiated and lymphoblastic lymphomas. Medicine 60 : 218 - 229, 1981.

Upton, A.C.: Experimental radiation induced leukemia. In: proceedings of the International Symposium on Radiation-Induced leukemogenesis and related viruses. Amsterdam: North Holland Publishing Co., 1976.

Validserri, R.O., Yunis E.J.: Sacrococcygeal teratomas.
A review of 68 cases.
Ca. 48: 217 - 221, 1981.

Vessey, MP, Epidemiological studies of the occupational hazards of anaesthesia review. Anaesth 1978; 33:430-8.

Vianna, N.J., Greenwald P., Davies JNP. Hodgkin's disease: An infectious disease in Lacher MJ., ed. New York: John Wiley and Sons, 1979; 405 - 415.

Wang, Y.: Classification of non-Hodgkin lymphoma. AJR 147:205-

208, 1986.

Weinstein, HJ, Link, MP,: non-Hodgkin lymphoma in childhood.
Clin Haematol 8:699-716, 1979.

Weinstein, H., Vance Z., Jaffe N., et al : Improved diagnosis for
patients with mediastinal lymphoblastic lymphoma. Bl.53.687-694,
1979.

Weinstein, HJ., Cassady JR., Levey R.: Longterm results of the
APO protocol (vincristine, Adriamycin, and prednisone) for treat-
ment of mediastinal lymphoblastic lymphoma. J. Clin. Oncol 1(9):
537 - 541, 1983.

West, WH, Cannon GB, Kay HD., Bonnard GD., Herberman. RB: Nature
of cytotoxic reactivity of human lymphocyte against a myeloid
cell line: characterization of effector cells. J. Immunol. 1977,
119:335-361.

Williams, J. Thompson E., Smith KL. Longterm results of treat-
ment of children and adolescents with Hodgkin's disease. Cancer

1980; 46:2123-2135.

Wilbur, J.R.: Combination chemotherapy of embryonal rhabdomyosarcoma. Ca. chemother. Rep. 58:281-284, 1974.

Wilms, M., Die Mischgeschwulste der Nieren, pp 1-90. Leipzig, Arthur Georgi, 1899.

Wright, D.H.: The epidemiology of Burkitt's tumor Cancer Res., 27:2424-2438, 1967.

Young, J.L., Miller, R.W.: Incidence of malignant tumors in US children. J. Pediatr. 86 : 254 - 258, 1975.

Young, R.C., DeVita, V.T., Johnson R.R.: Hodgkin's disease in childhood. Bl. 1973; 42 : 163 - 174.

Zeigler J.L., Drew W.L., Miner, R.C., et al: Outbreak of Burkitt's-like lymphoma in a homosexual man. Lancet 2. 631-633, 1982.