

REFERENCES

REFERENCES

Abdel-Wahab, M.F. (1978):

Fever of undetermined origin in Egypt Ain-Shams
Med. J. 29(1&2): 149.

Akiba, T. (1959):

Proc. Jap. Med. Assoc. 5: 279.

Allen, N.; Nomanbhoy, Y. and Green, D. (1969):

Typhoid fever with consumption coagulopathy.
JAMA. 208: 689-690.

Amira, Kourah (1983):

A study on bacterial gastroenteritis in Egyptian
children. Thesis submitted in partial fulfilment
for the M.D. Paediat.

Annual Summary (1971):

Salmonella Surveillance. Center for Disease
control, issued October (1972).

Annual Summary (1977):

Morbidity and Mortality. Center for Disease
control, issued September (1978).

Annual Summary (1977):

Salmonella surveillance. Center for Disease
control, issued March (1979).

Ashcroft, M.T.; Oxon, D.M.; Singh, B.; Nicholson, C.C.; Ritchie, J.M.; Sobryan, E. and Williams, F. (1967):

A seven year field trial of two typhoid vaccines in Guyana. Lancet 2: 1056.

Ayhan, A.; Gokoz, A. and Karacadeg, S. (1973):

The liver in typhoid fever, Am. J. Gastroenterology 59: 141-146.

Berglof, F.E. (1963):

Arthritis and intestinal infection. Acta. Rheum. Scand. 9: 141.

Bernard, R.P. (1965):

The zermatt typhoid out-break in 1963. J. Hyg. 63: 537.

Besznyak, I.; Pinter, E. and Turbok, E. (1965):

Thoracic empyema and lung abscess due to Salmonella. Stanley. Arch. Surg 91: 1023.

Bodey, G.P.; Rodriguez, V.; Chang, H.Y. and Naboni, G. (1978):

Fever and infection in leukaemic patients. Cancer 41: 1610.

Boynhoff, M.; Miller, C.P. and Martin, W.R. (1964):

Resistance of the mouse's intestinal tract to experimental Salmonella infection: oral inoculation. J. Exp. Med. 120: 805.

Briem, H.; Evangard, B. and Jonsson, M. (1978):

Reiter's syndrome complicating Salmonella enteritis infection. Lancet 2:112.

Burris, D. (1982):

Malaria in infection, in children ed. by wedgwood, R.J. Davis, S.D., Raye. C.G. and Kelley, V.C.: Harper and Row Publisher, Combridge, New York, London Sydney, 1421.

Butler T.; Linth, N.N.; Arnold, K.; Adrickman, M.D.;

Chau, D.M. and Muoi, M.M. (1977):

Therapy of antimicrobial. resistant typhoid fever. Antimicrob. Agents chemothes. 11: 645.

Capron, A. and Comus, D. (1978):

Alecture on Immunology of Schistosomiasis. In Bacteriology Dept., Faculty of Medicine Cairo University, P. 1-30.

Cherry, W.B. and Thomason, B.M. (1969):

Fluorescent antibody Techniques for Salmonella and other enteric pathogens. Public Health. Rep. 84: 887.

Cucin, R.L.; Coleman, M. and Echart, J.J. (1973):

The diagnosis of miliary tuberculosis.

David, J.R. and Black, R.L. (1960):

Salmonella arthritis. Medicine, 39:385.

Deodhar, N.S. (1965):

Subjective reactions after intradermal and subcutaneous. T.A.B. immunization: A study of 917 school children. Indian J. Med. Sci 19: 291.

Dinareello, C.A. and Wolff, S.M. (1979):

Fever of unknown origin in: principles and practice of infectious diseases ed. by Mandell, G.L., Douglas, J.R. and Bennett, J.E. Copyright A wifly medical publication. New York, Brisbane Toronto.

Dritz, S.K. and Braff, E.H. (1977):

Sexually transmitted typhoid fever; N. Engl.

J. Med. 296: 1359

Dronfield, M.W.; Fletcher, J. and Langman, M.J. (1974):

Coincident Salmonella infections and ulcerative colitis: Problems of recognition and management. Br. Med. J. 1: 99.

Ekladios, E.M.; Higashi, G.I.; Ageeb, M.; El-Ghorab, N.M. and Gheith, H. (1978):

Proc. Int. Conf. Schisto., Cairo, Vol. II. P. 609.

El-Behairy, E. et al., (1972):

A clinical study of infantile diarrhoea in upper Egypt. The Gaz. of the Egypt. Paed. Assoc. 20:1.

Esposito, A.L. and Gleckman, R.A. (1978):

Neoplastic diseases presenting as FUO, J.A. Geriatr. Soc., 26(11): 498.

Falcao, D.P.; Trabulsi, L.R.; Hickman, F.W. and Farmer, J.J. III (1975):

Unusual Enterobacteriaceae: Lactose-positive Salmonella typhimurium which is endemic in Sao-paulo, Brazil. J. Clin. Microbial 2: 349.

Feigin, R.D. (1983):

Typhoid fever: Nelson Textbook of Paediatric Ed. by Behrman R.E. and Vaughan III, V.C. (12th ed). W.B. Saunders Comp. 666:670 Japan. (copyright).

Ferreira, J.M.; Bassoi, O.N. and shiroma, M. (1976):

Tropi. Dis. Bull., Vol. 73, Abstr. 2643.

Franco, M.M. and Gelfand, M. (1976):

Cent. Africa J. Med., 22: 47.

Friedman, A. (1954):

An evaluation of chloramphenicol therapy in typhoid fever in children paediatrics 14: 28.

Gabr, M. (1976):

Gastroenteritis in Egypt, certain epidemiological aspects. The Gaz. of Egypt. Paed. Assoc. J. 23: 109.

Galloway, H.; Clark, N.S. and Blackhall, M. (1966):

Paediatric aspects of the Aberdeen typhoid outbreak. Arch. Dis. Child. 41: 63.

Gangarosa, E.J.; Bennett, J.V.; Wyatt, C. and Pierce, P.E. (1972):

An epidemic associated episome? J. Infect. Disease 126: 215.

Geddes, A.M.; Pugh, R.N.H. and Nye, F.J. (1975):

Treatment and follow up studies with Co-trimoxazole in enteric fever and in typhoid Caarriers. J. Antimicrob. Chemother 1:51.

Gerhard, W.W. (1837):

On the typhus fever which occurred at philadelphia in the spring and summer of 1836. Am. J. Med. 20: 289.

Giannella, R.A.; Rout, W.R. and Formal, S.B. (1973):

Pathogenesis of Salmonellosis. J. Clin. Invest. 52: 441.

Gilman, R.H. and Hornick, R.B. (1976):

Duodenal isolation of Salmonela typhi by string capsule in acute typhoid fever. J. Clin. Microbiob. 3: 456.

Gilman, R.F.H.; Terminel, M.; Levine, M.M.; Hernandez--

Mendoza, P. and Hornick, R.B. (1975):

Relative efficacy of blood, urine, rectal swab, bone-marrow, and rose-spot cultures for recovery of Salmonella typhi in typhoid fever. Lancet 1: 1211.

Gilman, R.H.; Islam, S.; Rabbani, H. and Ghosh, H.
(1979):

Identification of gallbladder typhoid carriers
by astring device. Lancet 1: 795.

Greisman, S.E.; Hornick, R.B. and Woodward, T.E.
(1964):

The role of endotoxin during typhoid fever
and tularemia in man: I-Hyperreactivity to
endotoxin during infection. J. Clin. Invest.
43: 1747.

Gulati, P.D.; Saxena, S.N. and Gupta, P.S. (1968):

Changing pattern of typhoid fever. Am. J.
Med. 45: 544-548.

Gupta, J.C.; Bhagwat, A.G. and Bhandari, N.R. (1964):

Unusual local manifestation of Salmonella
infections: J. Indian Med. Assoc., 42: 31.

Hassan, A. and Farid, Z. (1974):

Fever of undertermined origin. N. Engl. J.
Med. 290: 807.

Hathout, S.E.; Abd El-Ghaffar, Y. and Awany, A.Y.
(1967):

Am. J. Trop. Med. Hyg., 16: 462.

Havens, W.P. Jr. and Wenner, H.A. (1946):

Infectious hepatitis complicated by secondary
invasion with Salmonella. J. Clin. Invest.
25: 45-52.

Hejfec, L.B.; Levina, L.A.; Kuz'minova, M.L.; Salmon, L.U.; Salvana, A.M. and Vasil'eva, A.V. (1968):
Controlled field trials of paratyphoid B vaccine and evaluation of the effectiveness of a single administration of typhoid vaccine. Bull WHO 38: 907.

Hennigar, G.R.; Thabet, R.; Bundy, W.E. and Sutton, L.C. (1953):
Samonellosis complicated by pancarditis. Report of a case with autopsy findings. J. Paediatr. 43: 524.

Hook, E.W.; Compbell, C.J.; Weens, H.S. and Cooper, G.R. (1957):
Salmonella osteomyelitis in patients with sickle-cell anemia. N-Engl. J. Med. 257: 403.

Hornick, R.B. (1981):
Salmonella infections. In: Feigin, R.D. Cherry, I.D. (eds): Textbook of paediatric Infectious Diseases. Philadelphia, W.B. Saunders.

Huckstep, R.L. (1962):
Typhoid fever and other Salmonella Infections
Edinburgh E.S. livingston.

Hyams, J.S.; Durbin, W.A.; Grand, R.J. and Goldman, D.A. (1980):
Salmonella bacteremia in the 1st. year of life. J. Paediatr. 96: 57.

Joffe, H.S.; Prosser, G.L.; Chesler, E. and Schrire, V. (1974):

Salmonella endocarditis. Successful treatment in childhood. Am. J. Dis. child 127: 578.

Ragwa-Nyanzi, J.A. (1971):

Typhoid fever in African children. J. Trop. Pediatr. 17: 105.

Kamal, A.M. (1957):

J. Egyptian Pub. Health Association 32: 167.

Kamat, S.A. and Herzog, C. (1977):

Typhoid: clinical picture and response to chloramphenicol. Infect 5: 85.

Kazemi, M.; Gumpert, T.G. and Marks, M.T. (1973):

A controlled trial of sulfamethoxazole. Trmetho prin, ampicillin or no therapy in the treatment of Salmonella gastroenteritis in children. Journal of paediatrics. 83: 646.

Kerr, W.R.; Joyce, D. and Payne, D.J. (1966):

The laboratory diagnosis of chronic brucellosis, Lancet 2: 1181.

Krugman, S. and Katz, S.L. (1981):

Salmonella infections including typhoid fever; Infectious diseases of children (7th ed.) The C.V. Mosby company, Saint louis.

LaI, S.; Modawal, K.K.; Fowle, A.S. and Peach, B. (1970):

Acute brucellosis treated with trimethoprim and sulphamethoxazole, Br. M. J. 3: 256.

Lawson, J.H. (1977):

Enteric fever, A synopsis of fevers and their treatment, (12th ed.), LLOYD-LUKE, 75: 85.
London.

LeVanDien, and Arnold, K. (1974):

Typhoid fever with myocarditis. Am. J. Trop. Med. Hyg. 23: 218-221.

Louis, P.C.A. (1836):

Recherches Anatomiques, Pathologiques et therapeutiques Sur La Maladie connue sous Les Noms de Gastroenterite, Fievre Putride, Ataxique, Typhoide, etc. Paris: Bailiere, 1829. 2 vols
Translated by Henry Q. Bowditch. Boston.

Luder, J. and Tomson, P.R. (1963):

Salmonella meningitis in the new borne Postgrad. Med. J. 39: 100.

Maegraith, B. [ed.] (1984):

The typhoid fevers. in clinical tropical diseases (8th ed.) Blackwell scientific pub. 503: 514.
Oxford, London.

Mahmoud, Mohammed Lubani (1978):

Diarrhoen in the 1st year of life. Thesis submitted in partial fulfilment for the degree of M.Sc. Paed.

Mallory, F.B. (1898):

A histologic study of typhoid fever. J. Exp. Med. 3: 611-620.

Manriquez, L.; Salcedo, M.; Borgono, J.M.; Marzulb,

E.; Kroljevic, R.; Paredés, L. and Valdivieso, R. (1965):

Clinical trials with ampicillin in typhoid fever and paratyphoid A. Br. Med. J. 5454: 152.

McCall, C.E.; Martin, W.T. and Boring, J.R. (1966):

Effeciency of cultures of rectal swabs and faecal speciemens in detecting Salmonella carriers: Correlation with numbers of Salmonella excreted. J. Hyg., 64: 261.

Melzer, M.; Altmann, G.; Rakowszcyk, M.; Yosipovitch, Z.H. and Barasilai. B. (1965):

Salmonella infectiosn of the kidney. J. Urol. 94: 23.

Merchant, S.M. (1955):

Indian J. Child Hlth 41: 519.

Merselis, J.G. Jr.; Kaye, D.; Connolly, C.S. and Hook, E.W. (1964):

The typhoid carrier state: Quantitative bacteriology and preliminary observations on therapy. E.Afr. Med. J. 41: 219.

Middelkamp J.N. (1965):

Typhoid fever in infants and children. Med. Times 93: 956.

Morgan, H.R. (1943):

Pathologic changes produced in rabbits by a toxic somatic antigen derived from eberthella typhosa. Am. J. Pathol. 19: 135-145.

Mourad, K.A.H. et al., (1977):

Bacteriology of Diarrhoea in Egyptian children. The Gaz. of the Egypt. Paed. Assoc. 26: 183.

Nelson, J.D. (1973):

Suppurative mastitis in infants. Am. J. Dis. Child 125: 458.

Nelson, J.D. (1983):

Salmonella infections; infections in children, Edited by wedgwood R.J., Davis, S.D., Ray, C.G. and Kelley, V.C., Harper and Row, Publishers, Inc., 780: 811, Philadelphia.

Nolan, C.M. and White, P.C. Jr. (1978):

Treatments of typhoid carrier with omoxicillin. JAMA, 239:2352.

Hovak, R. and Feldman, S. (1979):

Salmonellosis in children with cancer. Am.
J. Dis. Child. 133: 298.

Ottens, H. and Dickerson, G. (1969):

Nature 223: 506.

**Overturf, G.; Marton, K.I. and Mathies, A.W. Jr.
(1973):**

Antibiotic resistance in typhoid fever. N.
Engl. J. Med. 289: 463.

Paniker, C.K. and George, K. (1965):

Otogenic brain abscess caused by Salmonella
typhi murium.
J. Indian Med. Assoc. 45:451.

Pelley, R.P.; Ruffier, J.J. and Warren, K.S. (1976):

Am. Soc. Microbiol., 13, 117.

Pillay, N.; Adams, E.B. and North-Coombes, D. (1975):

Comparative trial of amoxycillin and chloram-
phenicol in treatment of typhoid fever in adults.
Lancet, 2:333.

Rabinowitz, S.G. and MacLeod, N.R. (1972):

Salmonella meningitis: A report of 3 cases
and review of the literature.
Am. J. Dis. Child., 123:259.

**Ramachandrau, S.; Godfrey, J.J. and Perera, M.V.F.
(1979):**

Typhoid hepatitis. JAMA, 230:236.

Riley, H.D. and Jr, Deardorff, M. (1962):

Salmonella meningitis.

J. Okla. Med. Assoc., 55:10.

Robertson, R.P.; Wahab, M.F.A. and Raasch, F.O. (1968):

Evaluation of chloramphenicol and ampicillin
in Salmonella enteric fever.

N. Engl. J. Med., 278:171.

Rosenstein, B.J. (1967):

Salmonellosis in infants and children. Epidem-
iologic and therapeutic considerations.

J. Paediatr., 70:1

**Sakr, R.; Mohy El-Din, O.; Abdel Kalik, M.; Affifi,
N. and El-Komy, A. (1978):**

Proc. Int. Conf. Schisto. Cairo, II, 678 (Abst.).

Sanders, D.Y.; Sinal, S.H. and Morrison, L. (1974):

Chronic Salmonellosis in infancy.

Clin. Paediatr., 8:640.

**Sanford, J.P.; Linh, N.N.; Kutscher, E.; Arnold, K.
and Gould, K. (1976):**

Oxolinic acid in the treatment of typhoid fever
due to chloramphenicol-resistant strains of
S. typhi. Antimicrob. Agents Chemother., 9:387.

Saphra, I.; and Winter, J.W. (1957):

Clinical manifestations of Salmonellosis in
man: An evaluation of 7779 human infections
identified at the New York Salmonella Center.
N. Engl. J. Med., 256:1128.

Sardesal, H.V.; Karandikar, R.S. and Harsho, R.C. (1973):

Comparative trial of co-trimoxazole and chloramphenicol in typhoid fever.

Br. Med. J., 1:559.

Schroeder, S.A.; Terry, P.M. and Bennett, J.V. (1968):

Antibiotic resistance and transfer factor in *Salmonella*, United States, (1967), JAMA, 205:903.

Scioli, C.; Guisti, G. and Balestrieri, G. (1967):

Comparison of ampicillin and chloramphenicol in treatment of typhoid fever. Ann N.Y. Acad. Sci., 145:423.

Scragg, J.N. (1976):

Further experience with amoxycillin in typhoid fever in children.

Br. Med. J., 2:1031.

Seth, C.K. and Puri, R.K. (1963):

The neurological complications of typhoid fever. Indian J. Child Health, 12:335.

Simon, H.J. and Miller, R.C. (1966):

Ampicillin in the treatment of chronic typhoid carriers.

N. Engl. J. Med., 274:808.

Smith, D.H. (1966):

Salmonella with transferable drug resistance.

N. Engl. J. Med., 275:625.

Smith, E.R. and Badley, B.W.D. (1971):

Treatment of Salmonella enteritis and its effect
on the carrier state.

Can. Med. Assoc. J., 104:1004.

Snyder M.J.; Perroni, J. and Gonzalez, O. (1976):

Comparative efficacy of chloramphenicol,
ampicillin and co-trimoxazole in the treatment
of typhoid fever.

Lancet, 2:1155.

Sower, N.D. and Wheelan, TJ, Jr. (1962):

Suppurative arteritis due to Salmonella.

Surgery, 52:851.

**Spring, H.; Gangarosa, E.J.; Williams, M.; Hornick,
R.B. and Woodward, T.W. (1966):**

Histopathology of the upper small intestines
in typhoid fever.

Am. J. Dig. Dis., 11:615.

Sutton, R.N. (1975):

Clinical aspects of infection with Epstein-Barr
virus. J. Roy. Coll. Phys. London, 9:120.

Svenungsson, B.; Jorbeck, H. and Lindberg, A.A. (1979):

Diagnosis of Salmonella infections: Specificity
of indirect immunofluorescence for rapid identi-
fication of Salmonella enteritids and usefulness
of enzyme-linked immunosorbent assay. J. Infect.
Dis., 140:927.

Topley, W.W.C. (1964):

Principles of bacteriology and immunology. Arnold,
London.

Trousseau, A. (1826):

De La maladie a laquelle M. Bretonneau... a
donne Le nom de dothie enterie ou dothiententerite.
Arch. Gen. Med., 10:67,169. Quoted from
Nelson, J.D. Edited by: Wedgwood, R.J. et al.,
Harper and Row publishers, Inc., Philadelphia,
1983.

Tynes, B.S. and Utz, J.P. (1962):

Factors influencing the cure of Salmonella
carriers. Ann. Intern. Med., 57:871.

Typhoid symposium (1970):

J. Egypt. Pub. Hlth. Assoc., 45:21, 85.

Uwaydeh, M. (1976):

Cefazolin in the treatment of acute enteric
fever. Antimicrob. Agents Chemother., 10:52.

Vasquez, V.; Calderon, E. and Rodriguez, R.S. (1972):

Chloramphenicol resistant strains of Salmonella
typosa. N. Engl. J. Med., 280:1220.

Watson, K.C. (1967):

Intravascular Salmonella typhi as a manifestation
of the carrier state. Lancet, 2:332-334.

Watson, K.C. (1978):

Enteric fevers: Diseases of children in the subtropic and tropics, edited by Jelliffe, D.B. and Stanfield, J.P. (3rd. edn.) Edward Arnold, 692:696, London.

Weissman, J.B.; Rice, P.A.; Krogstad, D.J. Baine, W.B. and Gangarosa, E.J. (1973):

Risk of severe intestinal infection to the traveler in Mexico.
J. Infect. dis., 128:574.

Welch, T.P. and Martin, N.C. (1975):

Surgical treatment of typhoid perforation.
Lancet, 1:1078.

Welton J.C.; Marr, J.S. and Freidman, S.M. (1979):

Association between hepatobiliary cancer and typhoid carrier state.
Lancet, 1:791.

Winkelstein, J.A. and Drachman, R.H. (1968):

Difficiency of pneumococcal serum opsonizing activity in sickle cell disease.
N. Engl. J. Med., 279:459.

Woodward, T.E. and Smadel, J.E. (1975)

Management of typhoid fever and its complications.
Ann. Intern. Med., 60:144.

Woodward, T.E.; Smadel, J.E.; Ley, H.L.; Jr. Green, R. and Mankikar, S.D. (1948):

Priliminary report on the beneficial effect of chlormycetin in the treatment of typhoid fever.

Ann. Intern. Med., 29:131.

Young, S.W.; Higashi, G.; Kamel, R.; El-Abdin, A.Z. and Mikhail, I.A. (1974):

Trop. Dis. Bull. vol. 71, Abstr. No. 1050.

Zimmerman, L.M. and Verth, J. (1961):

Great ideas in the history of surgery. Baltimore, Williams and Wilkins, 447.