

REFERENCES

1. Anand, S.K.: Acute renal failure in the neonate.
Pediatr. Clin. North Am., 29:791-800.
1982.
2. Anand, S.K.: Acute renal failure in the perinatal
period. Clin. Perinatal 8 : 241, 1981.
3. Aoki, A.: Development of the human renal glomerulus.
I. Differentiation of the filtering membrane
Anat. Record, 155, 399 (1966).
4. Aperia, A., and Elinder, G.: Distal tubular sodium
reabsorption in the developing rat kidney.
Am. J. Physiol., 240 : F. 487 - F 491, 1981.
5. Aperia, A., and Zetterstrom. R.: Renal control of fluid
homeostasis in the newborn infant. Clin.
Perinatal, 9 : 523 - 588, 1982.
6. Arant, B.S., Jr.: Intrauterine fetal surgery: Medical
and ethical considerations. In: Brodehl. J.,
and Ehrich. J.H.H. (eds.): Paediatric
Nephrology. Berlin. Springer-Verlag. 1984.
7. Arant. B.S., Jr.: The kidney in the newborn. In Rudolf,
A.M. (ed): Pediatrics. Norwalk, Appleton-
Century-Crofts, 1982.

8. Arant. B.S., Jr.: Normal factors influencing renal function during the perinatal period. Clin. Perinatol., 8 : 225 - 240, 1981.
9. Arant, B.S.: Developmental patterns of renal functional maturation compared in the human neonate. J. Pediatr., 92 : 705, 1978.
10. Arant, B.S., Jr. Edelman. C.M., Jr., and Spitzer, A.: The congruence of creatinine and inulin clearance in children: Use of the Technicon AutoAnalyzer. J. Pediatr., 81 : 559-561, 1972.
11. Aschinberg, L.C. Zeis, P.M., Hageman. J.R., et al., : Acute renal failure in the newborn. Crit. Care Med., 5: 36 - 42, 1977.
12. Ash, J.M., and Gilday, D.L.: Renal nuclear imaging and analysis in pediatric patients. Urol. Clin. North Am., 7 : 201-214, 1980.
13. Assadi, F., Delivoria-Papadopoulos, M., Pereira, G., et al., : Fibrinogen degradation products in acute renal failure of the newborn. Clin. Nephrol., 19 : 74-81, 1983.
14. Avery, M.E., Oppenheimer, E.H., and Gordon, H.H.: Renal-vein thrombosis in newborn infants of diabetic mothers. N. Engl. J. Med., 256: 1134-1138, 1957.

15. Barajas, L., Latta, H. A three-dimensional study of the Juxta-glomerular apparatus in the rat, light and electron microscopic observation. Lab. Invest. 12 : 257, 1963.
16. Bejjani, B., and Belman, A.B.: Ureteropelvic junction obstruction in newborns and infants. J. Urol., 128 : 770-778, 1982.
17. Bell, E.F., Warburton, D., Stonestreet, B.S., et al., Effect of fluid administration on the development of symptomatic patent ductus arteriosus and congestive heart failure in premature infants. N. Engl. J. Med. 302:596-604, 1980.
18. Bellinger, M.F.: Hydronephrosis: In Nelson, N.M.: Current Therapy in Neonatal Perinatal Medicine 1985-1996. Toronto, B.C. Decker, 1985.
19. Bergstrom, T., Larson, H., Lincolon, K. and Winberg, J. Studies of urinary tract infection in infancy and childhood XII: 80 Consecutive cases with neonatal infection J. Pediatr., 80: 858, 1972.
20. Bernatein, J.: The morphogenesis of renal parenchymal maldevelopment (renal dysplasia) Pediatr. Clin. North Am., 18 : 395, 1971.

21. Bernslein, J. and Landding B.H.: Extra neural lesions associated with neonatal hyperbilirubinemia and kernicterus. Am. J. Pathol. 40 : 371, 1962.
22. Betkerur, M.V., Yeh. T.F. Miller, K., et al.: Indomethacin and its effect on renal function and urinary kallikrein excretion in premature infants with patent ductus arteriosus. Padiatrics, 68 : 99-102, 1981.
23. Blane, C.E. Koff, S.A., and Bowerman, R.A.: Nonobstructive fetal hydronephrosis: Sonographic recognition and therapeutic implications. Radiology. 147 : 95-99, 1983.
24. Boineau, F.G. Rothman, J., and Lewy, J.E.: Nephrosonography in the evaluation of renal failure and masses in infants. J. Pediatr., 87 : 195 - 201, 1975.
25. Braren V. Goodard J. Brill B.A. and Touyajj: Beta 2-microglobulin as a renal diagnostic agent. Urology 13 : 624, 1979.
26. Broberger U. and Aperia A.: Renal function in infants with hyperbilirubinemia. Acta-Pediatr. Scand. 68 : 75, 1979.

27. Brodhel, J., Francken, A. and Gellissen, K.: Maximal tubular reabsorption of glucose in infants and children. *Acta Pediatr.* 61: 413, 1972.
28. Brodhel, J. and Gellissen, K.: Endogenous renal transport of free amino acids in infancy and childhood. *Pediatrics* 92: 395, 1968.
29. Bucci, G. Scalamandre, A., Savignoni, P.G. et al.: The systemic systolic blood pressure of newborns with low weight. *Acta Paediatr. Scand.* 229 : 5 - 22. 1972.
30. Burkholder, P.M.: Atlas of human glomerular pathology. Harper and Row, Hagerstown, Maryland, P. 12, 1974.
31. Carriere, S., and Daigneault, B.: Effect of retransfusion after hemorrhagic hypotension on intrarenal distribution of blood flow in dogs. *J. Clin. Invest.*, 49 : 2205-2217, 1970.
32. Campbell, S., Wladimicroff, J.W. and Dewhurst, C.J.: The antenatal measurement of fetal urine production. *J. Obstet. Gynaecol. Br. Commonw.* 80 : 680, 1973.

33. Chevalier, R.L., Campbell, F. and Brendbridge, A.N.A.G.:
Prognostic factors in neonatal acute renal
failure. *Pediatrics*, 74: 265-272, 1984.
34. Clarkson, A.R. MacDonald, M.K. Fuster, V., et al.:
Glomerular coagulation in acute ischaemic
renal failure. *Q.J. Med.*, 39: 585-599, 1970.
35. Collins, G.M. Taft. P., Green, R.D., et al., Adenine
nucleotide levels in preserved and ischemi-
cally injured canine kidneys. *World J. Surg.*,
1:237-243, 1977.
36. Cort. R.L.: Renal function in the respiratory distress
syndrome. *Acta Pediatr.*, 51: 313-323, 1962.
37. Coulthard. M.G.: Comparison of methods of measuring
renal function in preterm babies using
insulin. *J. Pediatr.*, 102:923-930, 1983.
38. Cowan. R.H., Jukkola, A.F., and Arant, B.S., Jr.:
Pathophysiologic evidence of gentamicin
nephrotoxicity in neonatal puppies. *Pediatr.*
Res. 14 : 1204-1211, 1980.
39. DeMartino, C., Accinfi, L., Procicchiani, G.: Ultra-
structural study on contractile structures
in mammalian nephron. Their development in a
metonephros of human embryo. *Z. Zell-forsch.*,
140:101 (1973).

40. Demartino, C, Zamboni, L.: A morphological study of the mesonephros of the human embryo, J. Ultrastruct. Res., 16 , 399 , 1966.
41. Drew, J.H. and Acton, C.M.: Radiologic findings in newborn infants with urinary infection. Arch. Dis. Child. 51 : 628, 1976.
42. Dubois, A.M.: The embryonic kidney morphology, biochemistry and Physiology, Vol. 1. Academic Press New York, London, P.1, 1969.
43. Edelman, C.M., Jr.: Development aspects of renal function. In Warshaw, J. B. Bloom. R.S. and Sinclair, J.C. (eds.). Developmental Aspects of fluid and Electrolyte Homeostasis. Evansville, Indiana, Mead Johnson and Co. 1978.
44. Edelman, C.M., Ogwo, J.E., Fine, B.P. & Martinez, A.B. The Prevalence of bacteruria in full term and premature newborn infants. J. Pediatrics 82 : 25 (1973).
45. Edelman, C.M. Jr. and Spitzer, A.: The maturing kidney. A modern view of well-balanced infants with imbalanced nephrons. J. Pediatr., 75:509, 1969.

46. Edelman, C.M. Boichis, H., Gruskin, A.B. and Acosta, M.I. Renal bicarbonate reabsorption and hydrogen ion excretion in normal infant. J. Clin. Invest. 69 : 1309, 1967.
47. Effmon, E.L. et al., Renal growth Radiol. Clinic. N. Amr. 15 : 3, 1977.
48. Engelke, S.C., Shah, B.L., Vasan, U., et al.: Sodium balance in very low-birth-weight infants. J. Pediatr., 93: 837-841, 1978.
49. Engle, W.D. and Arant, B.S., Jr.: Urinary potassium excretion in the critically ill neonate. Pediatrics, 74 : 259-264, 1984.
50. Engle, W.D. Arant, B.S., Jr., Wiriyathian, S. et al., : Diuresis and respiratory distress syndrome: Physiologic mechanisms and therapeutic implications. J. Pediatr., 102: 912-917, 1983.
51. Engle, W.D. Magness, R.R., Faucher, D.J., et al.: Sodium (Na) balance (B) in the growing preterm infant. Pediatr. Res., 19 : 376A, 1985.
52. Fawer, G.L., Torrado, A., and Guignard, J.P.: Single injection clearance in the neonate. Biol. Neonate, 35:321-324, 1979.

53. Feldman, H. and Guignard, J.P.: Plasma creatinine in the first month of life. Arch. Dis. Child. 57 : 123 (1982).
54. Fetterman, G.H. et al.: Growth and maturation of glomeruli and proximal tubules. Pediatrics. 35 : 601, 1965.
55. Fine, H., Keen E.N.: The arteries of the human kidney. J. Anat. 100 : 881, 1966.
56. Fine, R.N.: Haemodialysis in children. Am. J. Dis. Child 119 : 498, 1970.
57. Furzen, J.A. Gabriele, G., Wheeler, J.M. et al.: Regional blood flows in newborn lambs during endotracheal continuous airway pressure and continuous negative pressure breathing. Pediat. Res. 15 : 874-878, 1981.
58. Gersony, W.M., Peckham, G.J. Ellison, R.C., et al.: Effects of indomethacin in premature infants with patent ductus arteriosus: Results of a national collaborative study. J. Pediatr. 101: 895-906, 1983.

59. Goldsmith, D.I.: Clinical and laboratory evaluation of renal function. In Edelmann, C. (ed.) Pediatric Kidney Disease. Boston. Little. Brown, 1978.
60. Gonzalez, R., and Sheldon, C.A.: Septic obstruction and uremia in the newborn. Urol. Clin. North. Am. 9 : 297 - 303, 1982.
61. Grandchamp. A. Veyrat. R. Rosset. E., et al.: Relationship between renin and intrarenal hemodynamics in hemorrhagic hypotension. J. Clin. Invest., 50: 970-978, 1971.
62. Guignard, J.P.: Glomerular filtration rate in the first three weeks of life. J. Pediatr. 87 : 268 1975.
63. Harrison, M.R.: Perinatal management of the fetus with a correctable defect. In Callen, P.W.(ed.): Ultrasonography in Obstetrics and Gynecology. Philadelphia, W.B. Saunders, 1983.
64. Harrison, M.R., Filly, R.A., Parer, J.T., et al.: Management of the fetus with a urinary tract malformation. J.A.M.A. 246:635, 1981.
65. Hazinski, T.A.: Furosemide decreases ventilation in young rabbits. J. Pediatr. , 106:81-85, 1985.

66. Hellstrom, W.J.G. Kogan, B.A., and Jeffrey, R.B.: The natural history of prenatal hydronephrosis with normal amounts of amniotic fluid. J. Urol., 132:8947-950, 1984.
- 67? Henderson, K.C., and Torch. E.M.: Differential diagnosis of abdominal masses in the neonate. Pediatr. Clin. North. Am., 24 : 557-578, 1977.
68. Heptinstall, R.H.: Anatomy, Pathology of the kidney. Second edition. Boston, Little Brown Company P. 44, 1974.
69. Holliday, M.A.: Development abnormalities of the kidney in children. Hosp. Pract., 13: 101-112, 1978.
70. Hoover, D.L., and Duckett, J.W.: Posterior urethral valves, unilateral reflux and renal dysplasia: A syndrome. J. Urol., 128 : 994-997, 1982.
71. Huttunen N.P. : Congenital nephrotic syndrome of finnish typ. Arch. Dis. Child. 51 : 344, 1976.
72. Hoyer J.R. Anderson C.E.: Congenital nephrotic syndrome Clin. Perinatol. 8 : 335, 1981.
73. Hoger, J.R. Mauer, S.M. et al.: Successful renal transplantation in three children with congenital nephrotic syndrome. Lancet 1 : 1410, 1973.

74. John D. Mahan, M.D., S. Michael Mauer, and Robert
congenital nephrotic syndrome. J. Pediat.
105 : 549, 1984.
75. John, E.G.; Levitsky, S., and Hastreiter.A.R.: Manage-
ment of acute renal failure complicating
cardiac surgery in infants and children.
Crit. Care Med., 8 : 562-569, 1980.
76. Jones, D.B., Mueller,C.B. Menefee : The cellular and
extracellular morphology of the glomerular
stalk. Am. J. Pathol. 41 : 373 (1962).
77. Kefalides R.A.S. Winzler, R.J.I. The chemistry of
glomerular basement membrane and the relation
to collagens, Biochemistry, 5:702 (1966).
78. Kenneth V. Lieberman, M.D., Lorraine Nardi, M.D.:
Treatment of acute renal failure in an
infant using continuous arteriovenous hemo-
filtration. J. Pediat. 111:646, 1985.
79. Kincaid-Smith, P.: Coagulation and renal disease,
Kidney Int., 2 : 183-190, 1972.
80. Kriz, W. et al.: The renal vasculature: anatomical
functional aspect. Int. Rev. Physiol. 11:1,
1976.

81. Langman, J.: Embryologie medical. Masson, Paris, 1972.
82. Laouari, D., and Kleinknecht. C.: The role of nutritional factors in the course of experimental renal failure. Am. J. Kidney Dis., 5 : 147-156, 1985.
83. Lattai H: Ultrastructure of the glomerulus and juxta-glomerular apparatus in orloff, J. and Berliner, R.W. (eds). Handbook of physiology, Section 8, The kidney Baltimore: The Williams and Wilkins. Co. 1973.
84. Lorenz.J.M., Kleinman. L.I.Kotagel.U.R.,et al.: Water balance in very low-birth-weight infants: Relationship to water and sodium intake and effect on outcome. J. Pediatr., 101:423-432, 1982.
85. Maherzi, M. Guignard, J.P., Torrado, A.: Urinary tract infection in high risk newborn infants. Pediat. 62 : 521: 1978.
86. Majd M. and Belman A.B.: Nuclear cytography in infants and children. Urol. Clin. N. Am. 6 : 395,1979.
87. Marquez J.M., Douglas M.E. Downs, J.B., et al.,: Renal function and cardiovascular responses during positive airway pressure. Anesthesiology 50 : 393, 1979.

88. Marvin Forland: A review of clinical nephrology.
Structure of the kidney 1977.
89. McCance, R.A. and Von Finck, M.A.: The titrable
acidity, PH. Ammonia and Phosphate in the
urine of very young infants Arch. Dis.
Child. 22 : 200 1947.
90. McCrorg W.W.: Developmental nephrology Cambridge.
Mass Harvard Univ. Press 1972.
91. McFayden. I.R. Wigglesworth, J.S., and Dillon, M.J.:
Fetal urinary tract obstruction: Is active
intervention before delivery indicated?
Br. J. Obstet.Gynecol. 90 : 342-349, 1983.
92. Mendoza, S.A.,Griswold W.R., Kopold, G.R., et al.:
Inturaturine diagnosis of renal anomalies
by ultra sonography. Am. J. Dis. Child.:
137: 1042, 1979.
93. Mauer, S.M., Lynch R.E.: Hemodialysis techniques for
infants and dchildren. Ped. Clin. Am.:23:
843, 1976.
94. Moffat, D.B.: The fine structure of the blood vessels
of renal medulla with particular reference
to the control of the medullary circulation.
J. Ultrastruct. Res. 19 : 532 (1967).

95. Moore, E.S., Galvez, M.B., Paton, J.B., et al.: Effects of positive pressure ventilation on intra-renal blood flow in infant primates.
Pediat. Res. 8 : 792-796, 1974.
96. Nash, M.A., and Edelmann, C.M., Jr.: The developing kidney: Immature function or inappropriate standard. Nephron. 11:71-90, 1973.
97. Norio R.: Heredity in the congenital nephrotic syndrome.
Ann. Pediatr. Fenn 12 (Suppl. 27): 1, 1966.
98. Norman, M.E. and Assadi, F.K.: A prospective study of acute renal failure in the newborn infant.
J. Pediatric. 63 : 475, 1979.
99. Oliver, J.: Nephrons and kidney . A quantitative study of developmental and evolutionary mammalian renal architectons. Harper and Row, New York, Evanston. London (1968).
100. Osathanoudh, V. and Potter, E.L.: Development of human kidney as shown by microdissection.
Arch. Path. 76 : 271, 1963.
101. Patten B.M.: Human embryology, McGraw-Hill, New York, Toronto, Sidney, London (1968).

102. Phillipson, E.H. Wolfson, R.N., and Kedia, K.R.:
Fetal hydronephrosis and polyhydramnios
associated with vesico-urethral reflux. J.
Clin. Ultrasound, 12 : 585-587, 1984.
103. Potter, E.L. and Thierstein S.T.: Glomerular deve-
lopment in kidney as index of fetal maturity
J. Pediat. 22 : 695 (1943).
104. Panicucc. F, Vispi, M. et al.: Comprehensive study of
haemostasis in nephrotic syndrome. Nephron
33 : 9, 1983.
105. Rahman, N. Boineau, F.G., and Lewy, J.E.: Renal failure
in the perinatal period . Clin. Perinatol.,
8 : 241-250, 1981.
106. Roberts, R.J.: Drug therapy in infants: Pharmacologic
principles and clinical experience.
Philadelphia. W.B. Saunders Co., 1984.
107. Ross, B., Cowett, R.M., and Oh, W.: Renal function of
low birth weight infants during the first
two months of life. Pediatr. Res., 11:1162-
1164, 1977.
108. Richard, E., Behrman: Neonatology Disease of the fetus
and infant. Staint Louis. Mosby Company 485,
1973.

109. Robillard, J.E., Weitzman, R.E., Burmeister, L., et al.,
Developmental aspects of the renal response to
hypoxemia in the lamb fetus. *Circ. Res.* 98 :
1281, 1981.
110. Schwartz, G.J., Feld. L.G., and Langford, D.J.: A simple
estimate of glomerular filtration rate in full-
term infants during the first year of life.
J. Pediatr. 104 : 849-854, 1984.
111. Schulz, D.M., Glordano, D.A.: Weights of organs of
organs of fetus and infant. *Arch. Path.* 79 :
244, 1962.
112. Sertel, H., and Scopes, J.: Rates of creatinine clearance
in babies less than one week of age, *Arch. Dis.*
Child. , 48 : 717 - 720, 1973.
113. Siegel, N.J.: Amino acids and adenine nucleotides in
acute renal failure. In Brenner, B.M., Lazarus,
J.M. and Myers, B.D. (eds.): *Acute Renal*
Failure. Philadelphia. W.B. Saunders Co., 1983.
114. Siegel, N.J., Avison, M.J., Reilly, H.F., et al.:
Enhanced recovery of renal ATP with post-
chemic infusion of ATP-MgCl₂ determined by
³¹P-NMR. *Am. J. Physiol.*, 245: F530-F534, 1983.

115. Siegel, N.J., Gaudio, K.M., and Kashgarian, M.: Adenine nucleotides in the prevention of ischemic acute renal failure. In Robinson, R.R.: Nephrology, Vol. I, New York, Springer-Verlag, 1984.
116. Siegel, S.R., and Oh. W.: Renal function as a marker of human fetal maturation. Acta Paediatr. Scand., 65 : 481-485, 1976.
117. Silber, S.J.: Growth of baby kidneys transplanted into adults. Surg. Forum. 26 : 579, 1975.
118. Silberis and Malvin, R.L.: Compensatory and obligatory renal growth. in rats. Amer. J. Physiology 229 : 119, 1974.
119. Smith, J.P.: Anatomical features of the human renal glomerular efferent vessels. J. Anat. 90 :290, 1956.
120. Smith, D.W.: Recognizable patterns of Human Malformation. Philadelphia. W.B. Saunders Co., 1976.
121. Slovis, P.L. and Perbmutter, A.D.: Recent advances in Pediatric urological ultra sound J. Urol. 123: 613, 1980.
122. Spitzer, A.: Renal physiology and functional development. In: Edelman. C.M., Jr. (ed.): Pediatric Kidney Disease. Boston, Little, Brown and Co. 1978.

123. Starck, D.: Embryologie, Georg Thieme, Verlag, Stuttgart, 1965.
124. Stevenson, J.G.: Fluid administration in the association of patent ductus arteriosus complicating respiratory distress syndrome. J. Pediatr., 90: 257-261, 1977.
125. Stonestreet, B.S., Bell, E.F. and Oh W., Validity of endogenous creatinine clearance in the low birth weight infants. Pediatr. Res. 13 : 1012, 1979.
126. Stonestreet, B.S., and Oh, W.: Plasma creatinine levels in low-birthweight infants during the first three months of life. Pediatrics, 61:788-789, 1978.
127. Stonestreet, B.S., Rubin, L. Pollak, A. et al.: Renal function of low birth weight infants with hyperglycemia, and glucosuria produced by glucose infusion. Pediatrics 66 : 561, 1980.
128. Svenningsen, N.W.: Renal acid base titration studies in infants with and without metabolic acidosis in the postneonatal period. Pediatr. Res. 8 : 659 , 1974.

129. Szeffler, S.J., Wynn, R.J., Clarke, D.F., et al.:
Relationship of gentamicin serum concentrations to gestational age in preterm and term neonates. *J. Pediatr.*, 97 : 312-315, 1950.
130. Torrado, A. Guignard, J.P., Prod'hom, L.S., et al.:
Hypoxaemia and renal function in newborns with respiratory distress syndrome (RDS). *Helv. Paediatr. Acta.* 29: 399-405, 1974.
131. Tulassay, T., Machay, T., Kiszal, J., et al.: Effects of continuous positive airway pressure on renal function in prematures. *Biol. Neonate*, 35 : 258-263, 1979.
132. Tulassay, T., Ritvay, J., Bora, Z., et al.: Alterations in creatinine clearance during respiratory distress syndrome. *Biol. Neonate*, 35:258-263, 1979.
133. Velcek, F.T., Butt, K.M.H. Moel. D., et al.: Successful renal transplantation in infancy. *J. Pediatr. Surg.* 12 : 10751- 1078 , 1977.
134. Wassner, S.J.: Acute renal failure. In Nelson, N.M.:
Current Therapy in Neonatal-Perinatal Medicine 1985-1986. Toronto, B.C. Decker, 1985.

135. William D. Engle: Evaluation of renal function and acute renal failure. Clin. North. Am.: 137; 1986.
136. William D. Engle and Billy, S. Arant: Neonatal hyperbilirubinemia and renal function. J. Pediat. 100 :113, 1982.
137. Wiggelinkhuizen, J., Kaschula Ro, McDonald: The congenital nephrotic syndrome. South Am. Med. J. 46 : 689, 1972.
138. Lau So, Tkachuck J.Y., Hasegawa D.K., Edson J.R.: Plasminogen and antithrombin III: deficiencies in childhood, nephrotic syndrome associated with plasminogenuria and antithrombinuria. J. Pediatr. 96 : 390, 1980.
139. Yeh. T.F., Wilks.A., Singh. J., et al.: Furosemide prevents the renal side effects of indomethacin therapy in premature infants with patent ductus arteriosus. J. Pediatr., 101:433-437, 1982.
140. Yvon Groisille: Development of the kidney in nephrology. Hamburger, Gronier, Grunfield Chapter 2, 1979. Willey Flammarion.