

REFERENCES

References

Advisory Committee of Immunization Practice (1982): Measles prevention. MMWR 31:217-231.

Alexander, E.R., Bansmer, C.A.M. and Harris, E.S. (1964): Measles vaccination in infants: Use of killed-live combination. Am. J. Dis. Child; 108:470-478.

American Academy of Pediatrics (1982): Report of the Committee of Infectious Disease: The 1982 Red book, Ed. 19. Evanston IL. p.136.

Amler, R.W., Orenstein, W.A. and Bart, K.J. (1983): Aerosolized measles vaccine-will it open the window. Rev. Infect. Dis.; 5: 524-526.

Amler, R.W., Orenstein, W.A. and Bart, K.J. (1984): The immune response to aerosolized measles vaccine. J.A.M.A., 251: 2408-2412.

Arakawa, S. (1949): Experimental study on measles virus (second report). Jap. J. Exp. Med., 20: 351-366.

Baratta R.O., Ginter M.C., Price M.A., Walker J.W., Skinner R.G., Parther E.C. and David J.K. (1970): Measles (rubeola) in previously immunized children. Pediatrics, 46: 397-402.

Barkin, R.M. (1975): Measles mortality: Analysis of the primary cause of death. Am. J. Dis. Child. 129: 307-309.

Bass, J.W., Halsted S.B., Fischer, G.W., Podgore, J.K., Pearl, W.R., Schydlower, M., Wiebe, R.A. and Ching F.M. (1976): Booster vaccination with further attenuated measles-virus vaccine. J.A.M.A., 235: 31-34.

Bech, V. (1960): Titer of complement fixing measles antibody in sera collected at random from healthy persons in Copenhagen. Acta. Path. et Microb. Scand., 50: 322-330.

Bellanti, J.A. (1971): Mechanism of immunity in viral diseases. In "Immunology" W.B. Saunders, Company, Philadelphia, pp. 269-291.

Bellanti, J.A. and Robbins, J.B. (1985): Immunoprophylaxis: The use of vaccines. In "Bellanti J.A.: Immunology III". W.B. Saunders Company, Philadelphia, London, Toronto, Mexico City, Rio de Janeiro, Tokyo, pp. 508-533.

Bellanti, J.A. Sanga, R.L., Klutinis, B., Brandt, B. and Artenstein, M.S. (1969): Antibody in serum and nasal secretions in children immunized with inactivated and attenuated measles-virus vaccines. N. Engl. J. Med., 280: 628-633.

Black, F.L. (1959): Serologic epidemiology in measles. Yale. J. Biol. and Med., 32: 44-50.

Buckle, G. and Rogers, K.D. (1957): Studies with measles virus: II Isolation of virus and immunologic studies in persons who have had the natural disease. J. Immunol., 78: 341-355.

Buser, F. (1967): Side reactions to measles vaccination suggesting arthus phenomenon. N. Engl. J. Med., 277: 250-257.

Cabass, V.J., Kiser, K.H., Clarke, F.H. and Stebbins, M.R. (1963): Measles and Polio virus antibodies in commercial preparations of human globulin. J. Immunol., 90: 81-85.

Caronia, G. (1927): Aetiologie und prophylax der Masern. Ergebn d. inn Med. U. Kinderh 32: 119-214.

(Sited after Enders, J.F., Katz, S.L., Milovanovic, M.V., and Holloway, A., 1960).

Cherry, J.D., Feign, P.D., Lobes, L.A. Jr. (1972): Atypical measles in children previously immunized with attenuated measles-virus vaccines. Pediatrics, 50: 712-717.

Currier, R.W., Hardy, G.F. and Conrad, J.L. (1972): Measles in previously vaccinated children: Evaluation of an outbreak. *Am. J. Dis. Child.*, 124: 854-857.

Cutchins, E.C. (1961): A comparison of hemagglutination inhibition, neutralization, and complement fixation tests in the assay of antibody to measles. *J. Immunol.*, 88: 788-791.

Decida-Tous, J., Cherry, J.D., Spencer, M.J., Melliver, R.C., Boyer, K.M., Dudley, J.P., Zahrodnik, J.M.; Krause, P.J. and Walbergh, E.W. (1978): Measles vaccination. *Am. J. Dis. Child.*, 132: 287-290.

Dover, A.S., Escobar, J.A., Duenas, A.I. and Neal, E.C. (1975): Pneumonia associated with measles. *J.A.M.A.*, 234: 612-616.

Enders, J.F. and Katz, S.L. (1966): Present status of live rubeola vaccine in United States. Pan American Health Organization, 147: 295-300.

Enders, J.F., Katz, S.L., Milovanovic, M.V., and Holloway, A. (1960): Studies on attenuated measles-virus vaccine: I. Development and propagation of the vaccine: Techniques of assay of effects of vaccination. *N. Engl. J. Med.*, 263: 155-159.

Enders, J.F. and Peebles, T.C. (1954): Propagation in tissue culture of cytopathogenic agents from patients with measles. *Proc. Soc. Exp. Biol. Med.* 86: 277-286.

Fireman, P., Friday, G. and Kumate, J. (1969): Effect of measles vaccine on immunologic responsiveness. *Pediatrics*, 43: 264-272.

Fulginiti, V.A. and Arther, A.H. (1969): Altered reactivity to measles virus, skin test reactivity, and antibody response to measles virus antigen in recipients of killed measles vaccine. *J. Pediatr.*, 75: 609-616.

Fulginiti, V.A., Eller, J.J., Downie, A.W. and Kempe, C.H. (1967): Altered reactivity to measles virus: Atypical measles in children previously immunized with inactivated measles-virus vaccine. *J.A.M.A.*, 202: 1075-1080.

Fulginiti, V.A., Leland, O.S. and Kempe, C.H. (1963): Evaluation of measles immunization methods. *Am. J. Dis. Child.*, 105:5-9.

Gallagher, M.R., Welliver, R., Yamanaka, T., Eisenberg, B., Sun, M. and Ogra, P.L. (1981): Cell-mediated immune response to measles: Its occurrence as a result of naturally acquired or vaccine-induced infection and in infants of immune mothers. *Am. J. Dis. Child.* 135: 48-51.

Gershon, A.A. and Krugman, S. (1979): Measles virus. In "Lennette E.H. and Schemidt, N.J.: Diagnostic Procedures for Viral, Rickettsial, and Chlamydial Infections". 5th ed. American Public Health Association, Washington, D.C., pp. 665-693.

Good, R.A. and Solomon, J.Z. (1956): Disturbance in gamma globulin synthesis as "experiments of nature". *Pediatrics*, 18: 109-149.

Halsey, N.A., Modlin J.F., Jabbour, J.T., Dudley, L., Eddins, D.L. and Ludwig, D.D. (1980): Risk factors in subacute sclerosing panencephalitis. A case-control study. *Am. J. Epid.*, 111: 415-424.

Heffner, R.R., and Schluederberg, A. (1967): Specificities of the primary and secondary antibody responses to myxoviruses. *J. Immunol.*, 98: 668-672

Hektoen, L. (1905): Experimental measles, *J. Infect. Dis.* 2. 238-255.
(Sited after Enders, J.F., Katz, S.L., Milovanovic M.V., and Holloway, A., 1960).

Hillenan, M.R., Buynak, E.B. and Weibel, R.E. (1968): Development and evaluation of Moraten measles-virus vaccine. *J.A.M.A.*, 206: 487-491.

Hilleman, M.R., Stokes, J. Jr., Buynak, E.B., Weibel, R.E., Halenda, R. and Goldner, H. (1962): Enders live measles-virus vaccine with human immunoglobulin: Evaluation of efficacy. *Am. J. Dis. Child.*, 103: 372.

Home F., (1749): Medical facts and experiments, pp. 288, London: Miller, A. (Sited after Enders, J.F., Katz, S.L., Milovanovic, M.V. and Holloway A., 1960).

Ikic, D., Juzbasic, M. and Beck, M. (1972): Attenuation and characteristics of Edmonston-Zagreb measles virus. *Ann. Immunol. Hung.* 16: 175-181.

Jespersen, C.S., Littauer, J. and Saglid, U. (1977): Measles as a cause of fetal defects. *Acta. Pediatr. Scand.*, 66: 367-372.

Johnson, R.T. (1970): Subacute sclerosing panencephalitis. *J. Infect. Dis.*, 121: 227.

Kamin, P.B., Fein, B.T. and Britton, H.A. (1965): Use of live attenuated measles-virus vaccine in children allergic to egg protein. *J.A.M.A.*, 193: 1125-1126.

Katz, S.L. (1983): International symposium: Summary and recommendations. *Pediatrics*, 71: 653-654.

Katz, S.L., Kempe, C.H., Black, F.L., Lepow, M.L., Krugman S., Haggerty, R.J. and Enders, J.F. (1960): Studies on attenuated measles-virus vaccine: VII. General summary and evaluation of the results of vaccination. *N. Engl. J. Med.*, 263: 178-180.

Kempe, C.H., Esther, W.O., Leone, S.T. and Jhon, C.M. (1960): Studies on attenuated measles-virus vaccine: III. Clinical and antigenic effects in institutionalised children. *N. Engl. J. Med.*, 263: 161-164.

Krause, P.J., Cherry J.D., Carney J.M., Naiditch M.J., O'connor K. (1980): Measles specific lymphocyte reactivity and serum antibody in subjects with different measles histories. *Am. J. Dis. Child.*, 134: 567-571.

Krause P.J., Cherry J.D., Decida-Tous, J., Champion, J.G., Strassburg, M., Sullivan, C., Spencer, M.J. Bryson, Y.J., and Welliver, R.C. (1979): Epidemic of measles in young adults: Clinical, epidemiologic, and serologic studies. *Ann. Intern. Med.* 30: 873-876.

Krause, P.J., Cherry, J.D., Naiditch, M.J., Decida-Tous, J. and Walberg, E.J. (1979): Revaccination of previous recipients of killed measles vaccine: Clinical and immunologic studies. *J. Pediatr.*, 93: 565-571.

Krugman, R.D., Rosenberg, R., McIntosh, K. and Meyer, B.C. (1977): Further attenuated live measles vaccine: The need for revised recommendations. *J. Pediatr.*, 91: 766-767.

Krugman, S. (1977): Present status of measles and rubella immunization in the United States: A medical progress report. *J. Pediatr.*, 90:1-12.

Krugman, S., Giles, J.P., Friedman, H. and Stone, S. (1965): Studies on immunity to measles. *J. Pediatr.*, 66: 471-488.

Krugman, S., Giles, J.P. and Jacobs (1963): Studies with further attenuated live measles vaccine. *Pediatrics* 31: 919-928.

Labowskie, R.J., Edelman, R., Rustigian, R. and Bellanti, J.A. (1974): Studies of cell-mediated immunity to measles virus by *in vitro* lymphocyte mediated cytotoxicity. *J. Infect. Dis.*, 129: 233-239.

Lachmann, P.J. (1975): Complement. In "Gel PGH, Conbs, R.R., and Lachmann P.J. (eds.): *Clinical Aspects of Immunology*". Blackwell Scientific Publication, Oxford (Chapter 14).

Landrigan, P.J. and Witte, J.J. (1973): Neurologic disorders following live measles-virus vaccine. *J.A.M.A.*, 223: 1459-1462.

Leikin, S., Whang-Pen, J. and Oppenheim, J.J. (1974): *In vitro* transformation of human cord blood lymphocytes by antigens. In "Harris J.E. (ed.): *Proceeding of the Fifth Leukocyte Culture Conference*." New York Academic Press. Inc., pp. 389-402.

Lennon, R.G., Isacson, P., Rosales, T., Elsea, W.R., Karzon, D.T., and Winkelstein, W. (1967): Skin test with measles and polio vaccines in recipients of inactivated measles-virus vaccine: Delayed dermal hypersensitivity. *J.A.M.A.*, 200: 275-280.

Lepow, M.I. and Nankervis, G.A. (1969): Eight years serologic evaluation of Edmonston live measles vaccine. *J. Pediatr.*, 75: 407-411.

Leptook, A., Wind, E., and Nussbaum, M. (1978): Pulmonary lesions in atypical measles. *Pediatrics*, 62: 42-45.

- Linnemann, C.C. Jr., Dine, M.S., Bloom, J.E. and Schiff, G.M. (1972): Measles antibody in previously immunized children. *Am. J. Dis. Child.*, 124: 53-57.
- Linnemann, C.C. Jr., Dine, M.S., Roselle, G.A. and Askey, P.A. (1982): Measles immunity after revaccination. Results in children vaccinated before 10 months of age. *Pediatrics*, 69: 332-335.
- Linnemann, C.C. Jr., Hegg, M.E., Rotte, T.C., Phair, J.P. and Schiff, G.M. (1973): Measles IgM response during reinfection of previously vaccinated children. *J. Pediatr.*, 82: 798-801.
- Maris, F.P. (1949): Vaccination of children with various chorioallantoic passage of measles virus: Follow-up study. *Pediatrics*, 4: 1-8.
- McGraw, T.T. (1986): Reimmunization following early immunization with measles vaccine: A prospective study. *Pediatrics*, 77: 45-48.
- Miller, D.L. (1964): Frequency of complications of measles. *Br. Med. J.*, 2: 75-78.
- Millian, S.J., and Schaffer, M. (1965): Measles neutralizing and H.I. titer of human gamma globuline preparations. *Public Health Report*, 80: 65-67.
- Morely, D.C., Martin, W.J. and Allen, I. (1967): Measles in West Africa. *West Africa Med. J.*, 16: 24-31.
- Murphy, M.D., Brunell, P.A., Lievens, A.W. and Shehab, Z.M. (1984): Effect of early immunization on antibody response to reimmunization with measles vaccine as demonstrated by enzyme-linked immunosorbent assay (ELISA). *Pediatrics*, 74: 90-93.
- Nadler, R.R., Horwitz, M.S. and Rousear, J. (1968): Atypical xanthem following exposure to natural measles. Eleven cases in children previously inoculated with killed vaccine. *J. Pediatr.*, 72: 22.
- Nahmias, A.J., Griffth, D., Salsburry, C. and Yashida, K. (1967): Thymic aplasia with lymphopenia, plasma cells, and normal immunoglobulins: Relation to measles infection. *J.A.M.A.*, 201: 729-734.

National Communicable Disease Centre (1966): Encephalitis surveillance, 1965. Annual summary. Atlanta, July 1: 15.

Norrby, E.L. (1962): Hemagglutination inhibition by measles virus: 4.A simple procedure for production of high potency antigen for hemagglutination inhibition test. Proc. Soc. Exp. Biol. Med. 111: 814-818.

Olding, L.B. and Oldstone, M.R.A. (1974): Lymphocytes from human newborns abrogate mitosis of their mother's lymphocytes. Nature, 249: 161-162.

O'neil, G.C., Stokes, J.Jr., Schaffer, M.F. and Rake, G. (1940): Virus of measles grown in developing chick embryo. Am. J. Dis. Child., 60: 757-759.

Pearlman, D.S. (1967): The influence of antibodies on immunologic response. I. The effect on the response to particulate antigen in the rabbit. J. Exp. Med., 126: 127-129.

Public Health Service Advisory Committee of Immunization Practice (1976): Measles vaccine. MMWR, pp. 359-365.

Ranter, B. and Untracht, S. (1952): Egg allergy in children: Dependence and evaluation in relation to chick-embryo propagated vaccines. Am. J. Dis. Child., 83: 309-316.

Rauh, L.W. and Schmidt, R. (1965): Measles immunization with killed virus, vaccine: Serum antibody titers in experience with exposure to measles epidemic. Am. J. Dis. Child., 109: 232-237.

Reynolds, D.W., and Start, A. (1972): Immunity to measles in children vaccinated before and after 1 year of age. Am. J. Dis. Child., 124: 848-850.

Ritossa, P. and Mole, F. (1941): Versuche zur Zuchtung des Masernvirus auf der chorioallantois des Huhnerembryos. Arch. F. d. ges. virus Jorsch., 2: 53-59.
(Cited after Enders, J.F., Katz, S.L., Milovanovic, M.V., and Holloway, A 1960).

Robson, J.R.K. and Jones, E. (1971): Is the child with poor growth achievement more likely to die of measles?. Clin. Pediatr., 10: 270-271.

Russel, W., Currier, I.I., Montogomry, D.V.M., George, E., Hardy, Jr., Birminham, L. and Lyle, J. (1972): Measles in previously vaccinated children, Am. J. Dis. Child., 124: 857-860.

Rustigian, R., Randall, E. and Winston, S.H. (1971): Measles sensitized lymphocytes in cercopithicus monkey infected by measles-virus. Bacteriol. Proc., 183-185.

Sabin, A.B., Archiga, A.F., Fernandez de Castro, J., Albrecht, P., Sever, J.L. and Shekarchi, I. (1984): Successful immunization of infants with and without maternal antibody by aerosolized measles vaccine. II. Vaccine comparison and evidence of multiple antibody response. J.A.M.A., 251, 2363-2371.

Savini, E. (1923): Essais de Vaccinothérapie preventive dans le typhus exanthématique, La scarlatine, rougeole. Compt. Rend. Soc. de Biol. 89: 694-696.
(Sited after Enders, J.F., Katz, S.L., Milovanovic, M.V., and Holloway, A., 1980).

Schleuderberg, A. (1965): Immune globulins in human viral infections. Nature, 205: 1232-1235.

Schleuderberg, A., Lamm, S.H., Landrigan, P.J. and Francis, L.B. (1973): Measles imunity in children vaccinated before one year of age. Am. J. Epidemiol., 97: 402-409.

Schwarz, A.J. (1962): Preliminary tests of a highly attenuated measles-virus vaccine. Am. J. Dis. Child., 103: 386-388.

Schwarz, A.J. (1964): Immunization against measles: Development and evaluation of highly attenuated live measles vaccine. Ann. Pediatr. Stockholm, 202: 241-252.

Scott, T.F. and Bonanno, D.F. (1967): Reaction to live measles-virus vaccine in children previously inoculated with killed virus-vaccine. N. Engl. J. Med., 277: 248.

Shaffer, M.F., Rake, G., Stokes, J.Jr. and O'neil, G.C. (1941): Studies of measles: II Experimental disease in man and monkey. J. Immunol., 41: 241-257.

Shasby, D.M., Shope, T.C., Downs, H., Herrmann, K.L., Polkowski, J. (1977): Epidemic of measles in a highly vaccinated population. N. Engl. J. Med., 296: 585-589.

Shelton, J.D., Jacobson, J.E., Orenstein, W.A., Schultz, K.F. and Donell, H.D. (1978): Measles vaccine efficacy: Influence of age at vaccination vs. duration of time since vaccination. Pediatrics, 62: 961-962.

Siegel, M. and Fuerst, H.T. (1966): Low birth weight and maternal virus diseases: A prospective study of rubella, measles, mumps, chicken pox, and hepatitis. J.A.M.A., 197: 680-684.

Smith, C.B., Bellanti, J.A. and Chanock, R.M. (1967): Immunoglobulins in serum and nasal secretions following infection with type 1 parainfluenza virus and injection of inactivated vaccine. J. Immunol., 99: 133-141.

Smith, C.B., Purcle, R.H., Bellanti, J.A. and Chanock, R.M. (1966): Protective effect of antibody to parainfluenza type 1 virus. N. Engl. J. Med., 275: 1145-1152.

Snedecor, W.G. (1956): Statistical Methods. Iowa State Collage Press, Ames, Iowa, USA, p.167-172.

Starr, S. and Berkovich, S. (1965): The effect of measles, gamma-globulin modified measles, and attenuated measles-virus vaccine on the course of treated tuberculosis in children. Pediatrics, 35: 97-99.

Stetler, H.C., Orenstein, W.A., Bernier, R.H., Herrmann, K.L., Sirotkin, B., Hopfosperger, D., Schuh, R., Albrecht, P., Lievens, A.W. and Brunelle, P.A. (1986): Impact of revaccinating children who initially received measles vaccine before 10 months of age. *Pediatrics*, 77: 471-476.

StGene, J., George, B.L. and Bush, B.M. (1976): Exaggerated natural measles following attenuated virus immunization. *Pediatrics*, 57: 148-150.

Stokes, J.Jr., Reilly, C.M., Buynak, E.B. and Hilleman, M.R. (1961): Immunologic studies of measles. *Am. J. Hyg.*, 74: 293-303.

Stokes, J.Jr., Weibel, R.E., Halenda, R., Reilly, C.M. and Hillemann, M.R. (1962): Enders live measles-virus vaccine with human immunoglobulin: I. Clinical reactions. *Am. J. Dis. Child.*, 103: 366-369.

Stokes, J.Jr., Weibel, R.E., Villarijos, V.M., Arguedas, J.A.G., Buynak, E.B. and Hilleman, M.R. (1971): Trivalent combined measles, mumps, and rubella vaccine. Findings in clinical and laboratory study. *J.A.M.A.*, 218: 57-61.

Strauss, J. and Zeman, L. (1965): Study of measles neutralizing antibody level in children in first months of their life. *J. Hyg. Epid.*, 11: 40-44.

Taniguchi, H. (1959): Experimental studies on measles virus, Report.II Study on tissue culture of measles virus. *J. Kyoto. Prefectural. M. Univ.*, 65: No.2.

Taniguchi, T., Okuno, Y., Aoyama, A. and Kusumoto, K. (1956): Detection of measles-virus in egg culture and studies on prophylactic inoculation with living measles virus. *M.J. Osaka Unive.*, 6: 1013-1022.

Tyler, H.R. (1957): Neurological complications of rubeola (measles). *Medicin (Baltimore)*, 36: 147-167.

Welling, L. (1968): Written communications.

(Cited in Landrigan and Witte, 1973).

Wilkins, J. and Wehrle, P.F. (1979): Additional evidence against measles vaccine administration less than 12 months of age: Altered immune response following active/passive immunization. J. Pediatr., 94: 865-868.

Wilkins, J., Wehrle, P.F. and Partony, B. (1972): Live further attenuated rubeola vaccine: Serologic response among term and low birth weight infants. Am. J. Dis. Child., 123: 190-192.

Yeager, A.S., Davis, J.H., Ross, L.A. and Harry, B. (1977): Measles immunization: Success and failure. J.A.M.A., 237: 347-351.

Young, L.W., Smith, D.L. and Glasgow, L.A. (1970): Pneumonia of atypical measles: Residual nodular lesion. Am. J. Roentgenol, 110: 439-441.

Zhdanov, V.M. and Fadeeva, L.L. (1959): Problem of development of measles virus. Vopr. Virus, 5: 551-557.