

REFERENCES

REFERENCES

- Abbasi, S., et al. (1984): Long-term assessment of growth, nutritional status, and gastrointestinal function in survivors of NEC. *J. Pediatr.*, 104: 550.
- Adamson, K., Jr and Towell, M.E. (1965): Thermal homeostasis in the fetus and newborn. *Anesthesiology* 26: 531.
- Aherne, W. and Hull, D. (1966): Brown adipose tissue and heat production in newborn infant. *J. Path. Bact.* 91: 223.
- Alojipan, L.C. and Andrews, B.F. (1975). Neonatal sepsis. *Clin. Pediatrics*, 14 (2): 181.
- Atkins E. and Bodel P., (1972): Fever. *N. Eng. J. Med.*, 286: 27.
- Atkins E., Feldman J.D., Francis L., Hursh E., (1972): Studies on the mechanism of fever accompanying delayed hypersensitivity. The role of the sensitized lymphocyte. *J. Exp. Med.* 135: 1113.
- Atkins, E. and Francis, L. (1978): Pathogenesis of fever in delayed hypersensitivity: Factors influencing release of pyrogen-inducing lymphokines. *Infect. Immun.* 21: 806.
- Atkins, E. and Wood, W.B. Jr (1955): Studies on the pathogenesis of fever. II. Identification of an endogenous pyrogen in the blood stream following injection of typhoid vaccine. *J. Exp. Med.* 102: 499-516.

- Beeson P.B. (1948): Temperature-elevating effect of a substance obtained from polymorphonuclear leukocytes. J. Clin. Invest. 27: 524.
- Benner, J., Polley, T., Strodel, W., et al. (1980): Fluid resuscitation in live *Escherichia coli* shock puppies. J. Pediatr. Surg. 15: 527.
- Benzinger, T.H., (1969): Heat regulation: Homeostasis of central temperature in man. Physiol. Rev., 49: 684.
- Bergström, T., Larson, H., Lincoln, K. and Winberg, J. (1972): Studies of urinary tract infections in infancy and childhood. The Journal of Pediatrics (80) No. 5, 858-866.
- Bernheim, H.A., Bodel, P.T., Askenase, P.W., et al. (1978): Effects of fever on host defense mechanisms after infection in the lizard *Dipsosaurus dorsalis*. Br. J. Pathol. 59: 76.
- Bernheim, H.A., Gilbert, T.M. and Stitt, J.T. (1980): Prostaglandin E levels in third ventricular cerebrospinal fluid of rabbits during fever and changes in body temperature. J. Physiol.; 301: 69.
- Blanchette-Mackie, E.J. and Scow R.O. (1983): Movement of lipolytic products to mitochondria in brown adipose tissue of young rats: an electron microscope study. J. Lipid Res. 24: 229-244.
- Bodel, P., and Atkins, E. (1966): Human leukocyte pyrogen producing fever in rabbits. Proc. Soc. Exp. Biol. Med. 121: 943-946.
- Brück, K. (1961): Temperature regulation in the newborn infant. Biol. Neonate, 3: 65.

- Brück, K. (1968): Which environmental temperature does the premature infant prefer? *Pediatrics* 41: 1027.
- Chin, K.C., Simmonds E.J., and Tarlow M.J., (1986): Neonatal typhoid fever. *Archiv. Dis. Child.* 61: 1228-1230.
- Clark, W.G. and Cumby, H.R. (1976): Antagonism by antipyretics of the hyperthermic effects of a prostaglandin precursor, sodium arachidonate, in the cat. *J. Physiol.* 257: 581.
- Cockburn, F, and Drillien, C.M. (1974): *Neonatal Medicine*. Blackwell Scientific Publications. Oxford, London, Edinburgh, Melbourne. page. 627-662.
- Cohen, S.N. and Strebel, L. (1979): *Nelson Textbooks of Pediatrics*. 11th edition. W.B. Saunders Company, Philadelphia p. 2056-2075.
- Cone, T.E., (1969): Diagnosis and treatment of children with fever. *Pediatrics*, 43: 290-293.
- Craig, W.S. (1963): The early detection of pyrexia in the newborn. *Arch. Dis. Child*, 38: 29-39.
- Cranston, W.I. (1966): Temperature regulation. *Brit. Med. J.*, 2: 69-75.
- Dinarello, C.A. and Wolff, S.M. (1982). Molecular basis of fever in humans. *Am. J. Med.* 72: 799-819.

- Dinarello, C.A. and Wolff, S.M. (1978): Pathogenesis of fever in man. N. Eng. Med. J. 298(11): 607-612.
- Dinarello, C.A. and Wolff, S.M. (1977): Partial purification of human leukocytic pyrogen. Inflammation 2: 179.
- Done, A.K. (1978): Aspirin overdosage: Incidence, diagnosis, and management. Pediatrics, 62(suppl.): 890-897.
- Done, A.K. (1972): Antipyretics: Pediatric pharmacology. Pediatr Clin. North. Am. 19: 167.
- Eden, A.N. and Kauffman, A. (1967): Clinical comparison of three antipyretic agents. Am. J. Dis. Child, 114: 284-287.
- Elin, R.J. and Wolff, S.M. (1973): Nonspecificity of the limus amebocyte lysate test: Positive reactions with polynucleotides and proteins. J. Infect. Dis. 128: 349.
- Esterly, N.B. (1979): Nelson Textbook of Paediatric. 11th edition. W.B. Saunders Company, Philadelphia, p. 1890-1910.
- Feldberg, W. and Gupta, K.P. (1973): Pyrogen fever and prostaglandin-like activity in cerebrospinal fluid. J. Physiol. 228: 41.
- Feldberg, W. and Saxena, P.N. (1971): Fever produced by prostaglandin. J. Physiol. 217: 547-556.

- Gaffney, E.F., Hargeraues, H.K., Semple E. and Vellios, F. (1983): Distinctive light and electron microscopic features and relationship to brown adipose tissue. *Hum. Pathol.*; 14: 677-687.
- Gander, G.W., Brown, R.E. and Goodale, F. (1968) Mechanism of the antipyretic action of glucocorticoids. *Endocrinology*; 82: 195.
- Gentz, J.C.H. and Cornblath, M. (1969): Transient diabetes mellitus of the newborn. *Adv. Pediatr.*, 16: 345-369.
- Glass, L., Silverman, W.A. and Sinclair, J. (1968): Effect of the thermal environment on cold resistance and growth of small infants after the first week of life. *Pediatrics*, 41: 1033.
- Goldmann DA, Leclair J, Macone A. (1978). Bacterial colonization of neonates admitted to an intensive care environment. *J. Pediatr.*, 93: 288-293.
- Gotaff, S.P. (1974). Neonatal immunity. *J Pediatr.* 85: 149.
- Graef, J.W. and Cone, T.E. Jr, (1980): Manual of pediatric therapeutics. Second edition Little, Brown and Company (Inc.) U.S.A.
- Gray O.P., Campell A.G.M., Kerr M.M., Forfar J.O., Keay A.J., Uttley W.S., Cockburn F., Brown J.K., and McCrae W.M. (1984): Textbook of Pediatrics. By Forfar J.O. & Arneil G.C. 3rd edition 1984, Churchill Livingstone. p. 173-174.
- Grey H.M., Briggs W., Farr R.S. (1961): The passive transference of sensitivity to antigen-induced fever. *J. Clin. Invest.* 40: 703.

- Harger, J.H., Pazin, G.J., Armstrong, J.A., Breinig, M.C. and Ho, M. (1983): Characteristics and management of pregnancy in women with genital herpes simple virus infection. *Am. J. Obstet. Gynecol.*, 145, 784-791.
- Harned, H.S., Herrington, R.T. and Ferrerio, J.I. (1970): The effects of immersion and temperature on respiration newborn lambs. *Pediatrics*, 45: 598.
- Hellon, R.F. (1974): Monoamines, pyrogens and cations: their actions on central control of body temperature. *Pharmacol. Rev.* 26: 289-321.
- Hey, E.N. and Katz, G. (1969): Evaporative water loss in the newborn baby. *J. Physiol.* 200: 605.
- Hey E.N. and Mount L.E. (1967): Heat loss from babies in incubators. *Arch. Dis. Child.*, 42, 75-84.
- Hull, D. and Chellappah (1983): On keeping babies warm. "Recent advances in perinatal medicine". Vol. 1. Edited by M.L. Chiswick. Churchill Livingstone, Edinburgh. p. 153-168.
- Hutchison J.H. and Cockburn, F. (1986): Practical pediatric problems. (6th edition): Lloyd-Luke (Medical Books) Ltd, London WC1 B 3DQ., 345-350.
- Huttenlocher (1979): *Nelson Textbook of Pediatrics*. 11th edition. By W.B. Saunders Company, Philadelphia. p. 1791-1975.

- Isaacs D., Wilkinson A.R., and Moxon E.R. (1987): Duration of antibiotic courses for neonates. Arch. Dis. Child. 62, 727-728.
- Kampschmidt, R.F., Pulliam L.A., Merriman C.R., (1978): Further similarities of endogenous pyrogen and leukocyte endogenous mediator. Am. J. Physiol. 235: C118.
- Kauffman, R.E. (1980): Fever, pediatric therapy, edited by Shirkey, Saint Louis, Toronto, London, the C.V. Mosby Co., p. 287-291.
- King, M.K. and Wood, W.B. Jr. (1958): Studies on the pathogenesis of fever. IV. The site of action of leukocytic and circulating endogenous pyrogen. J. Exp. Med. 107: 291-303.
- Kliegman, R.M. and Fanaroff, A.A (1984): Necrotizing enterocolitis. N. Eng. J. Med., 310: 1093.
- Kliegman, R.M. and Fanaroff, A.A. (1981): Neonatal necrotizing enterocolitis. A nine-year experience. Epidemiology and uncommon observation. Am. J. Dis. Child., 135: 603.
- Kliegman, R.M., Pittard, W.B., and Fanaroff, A.A. (1979): Necrotizing enterocolitis in neonates fed human milk. J. Pediatr., 95: 450.
- Kluger, M.J. (1980): Fever, thermoregulatory "set-point" endogenous pyrogen, prostaglandin E₁, leukocyte endogenous mediator, plasma iron concentrations. Pediatrics, Fever. 66: 720-724.

- Kluge, M.J. (1979): Fever, its biology, evaluation and function
princeton, N.J., Princeton University Press. Quoted by Kluger, M.J.
(1980), 66: 720-724.

- Kosloske, A.M. (1984): Pathogenesis and prevention of necrotizing
enterocolitis: A hypothesis. Pediatrics, 74: 1086.

- Levy G., and Garrettson L.K. (1974): Kinetics of salicylate
elimination by newborn infants of mothers who ingested aspirin before
delivery. Pediatrics, 53: 201.

- Levy, R.L. and Chiarillo, S. (1980): Hyperpyrexia, allergic-type
response and death occurring with low-dose bleomycin administration.
Oncology 37: 316.

- Lewis, G.P. and Piper, P.J. (1975): Inhibition of release of
prostaglandin as an explanation of some of the actions of
anti-inflammatory corticosteroids. Nature, 254: 308.

- Littlefield, L.C. (1978): Principles of pediatrics, Health care of
the young. New York-Hill, Inc., p. 275-279.

- Longe, A.C., Omene, J.A. and Okolo, A.A. (1984): Neonatal meningitis in
Nigerian infants. Acta Pediatr. Scand. 73: 477-481.

- Lovejoy, F.H. (1978): Aspirin and acetaminophen: A comparative view of
their antipyretic and analgesic activity. Pediatrics 62 (Suppl.):
904-909.

- Mayfield, S.R., Bhatia J., Nakamura, K.T., Rio, G.R. and Bell, E.F. (1984): Temperature measurement in term and preterm neonates. J. Pediatr. 104: 271-275.
- McCarthy, P.L. and Dolan, T.F. (1976): Hyperpyrexia in children. Am. J. Dis. Child, (130): 849-851.
- Mitchell, J.R., Thorgeirsson, S.S., Potter, W.Z., et al (1974): Acetaminophen-induced hepatic injury: Protective role of glutathione in man and rationale for therapy. Clin. Pharmacol. Ther. 16: 676.
- Momanaerts W.F.H.M., (1979): Metabolism and body temperature. "Essential of human physiology, by Gorodon Ross, Year book medical publishers, Inc. Chicago, U.S.A., 444-460.
- Motil, K.J. and Blackburn, M.G. (1973): Temperature regulation in the neonate. Clinical pediatrics., Vol. 12 (11): 634-639.
- Muscher, D.M., Fairstein, V. and Young, E.J. (1979): Fever patterns. Arch. Intern. Med., 139: 1225-1228.
- Naington, J., Gandy, G., Walker, J. and Gray, J.J. (1983). Use of normal immunoglobulin in an 11 outbreak in special care baby unit. Lancet ii, 443-446.
- Nordlund, J.J., Wolff, S.M., Levy, H.B. (1970): Inhibition of biologic activity of poly I: poly C by human plasma. Proc. Soc. Exp. Biol. Med.; 103: 439.

- Ogata, E.S. (1986): Carbohydrate metabolism in the fetus and neonate and altered neonatal glucoregulation. *Pediatr. Clin. North. Am.* 33, 1: 25-45.
- Oliver, T.K., Jr and Karlberg, P. (1963): Gaseous metabolism in newly born human infants: the effects of environmental temperature and 15% oxygen in the inspired air. *Am. J. Dis. Child.* 105: 427.
- Petersdorf, R.G. (1975): Alteration in body temperature, *Harrison's principle of internal medicine*, 7th. ed., McGraw-Hill Book Co., New York, p. 43-65.
- Peterson, R.G. and Rumack, B.H. (1978): Pharmacokinetics of acetaminophen in children. *Pediatrics*, 62 (Suppl.): 877-879.
- Philip A.G.S., Hewitt J.R. (1980): Early diagnosis of neonatal sepsis. *Peiatrics*, 65: 1036-1041.
- Radomski, M.W., and T.Orme, (1971). Response of lipoprotein lipase in various tissues to cold exposure. *Am. J. Physiol.* 220: 1852-1856.
- Remington, J.S. and Desmonts, G. (1983): *Toxoplasmosis. Infectious Diseases of the fetus and newborn infant.* (2nd ed.) by Remington, J.S. and Klein, J.O. (1983) W.B. Saunders, Philadelphia, p. 144-263.
- Rivers, R.P.A. (1986): Neonatal opiate withdrawal. *Archiv. Dis. Child.*, 61, 1236-1239.
- Robert, H.A., and Levin, M.J. (1983): How contagious is necrotizing enterocolitis? *Pediatr. Infect. Dis.* 2: 406.

- Robertson, N.R.C. (1986): A manual of neonatal intensive care. (2nd. ed.) Edward Arnold Ltd. London. p. 12-13, 167-196, 204-205, 237-240.
- Robertson, D.M., Paganelli, R., Dinwidde, R., and Levinsky, R.J. (1982): Milk antigen absorption in the preterm neonate. Arch. Dis. Child., 57: 369.
- Rumack, B.H. (1978): Aspirin and acetaminophen. Pediatrics (suppl.) 62: 867-872.
- Ryder, R.W., Shelton, J.D. and Guinan, M.E. (1980): Necrotizing enterocolitis: a prospective multicenter investigation. Am. J. Epidemiol., 112-113.
- Sarff, L.D., Platt, L.H., McCracken, G.H. (1976): Cerebrospinal fluid evaluation in neonates: Comparison of high-risk infants with and without meningitis. J. Pediatr. (88): No. 3: 473-477.
- Saxena, P.N., Beg, M.M. and Singhal, K.C. and Ahmad, M. (1979): Prostaglandin-like activity in the cerebrospinal fluid of febrile patients. Indian J. Med. Res., 70: 495.
- Schmitt, B.D. (1980): Fever Phobia. Am. J. Dis. Child. 134: 176-181.
- Shaw, J.O. and Moser, K.M. (1975): The current status of prostaglandins and the lungs. Chest, 68: 1, 75-80.
- Sodoyez-Goffant, F. and Sodoyez, J.C. (1977): Transient diabetes mellitus in a neonate. J. Pediatr., 91: 395-399.

- Southern, P.M. and Sanford, J.P. (1969): Relapsing fever: A clinical and microbiological review. *Medicine*, 48: 129-149.
- Steele R.W., Tanaka, P.T., Lara, R.P., et al (1970): Evaluation of sponging and oral antipyretic therapy to reduce fever. *J. Pediatr.* 77: 824.
- Stern, R.C. (1977): Pathophysiologic basis for symptomatic treatment of fever. *Pediatrics* 59: 92.
- Stitt, J.T. (1973): Prostaglandin E₁ fever induced in rabbits. *J. Physiol.*, 232: 163.
- Stoll, B.J. Kanto, W.P.Jr., Glass, R.I. et al. (1980): Epidemiology of necrotizing enterocolitis: A case control study. *J. Pediatr.*, 96: 447.
- Strand, F.L. (1978): Regulation of body temperature, food, water intake and metabolism. "Physiology" a regulatory system approach. Macmillan Publishing Co., New York, 378-386.
- Tashyian, A.H., Voelkel, E.F., Mc Donough, J., Levine, L. (1975): Hydrocortisone inhibits prostaglandin production by mouse fibrosarcoma cells. *Nature*, 258: 739.
- Villaverde, M.M. and Macmillan, C.W. (1978): Diagnosis and treatment of fever, fever from symptom to treatment, Van Nostr and Reinhold Co. New York, Alantos, Dallas, London, p. 111.

- Voora,S., Gopal,S., Lilien,L.D., Yeh,T.F. and Pildes R.S. (1982):
Fever in full-term newborns in the first four days of life.
Pediatrics, 69(1): 40-44.
- Walsh,M.C. and Kliegman,R.M. (1986): Necrotizing enterocolitis:
Treatment based on staging criteria. Pediatric Clinics North America.
33(1): 179-201.
- Willies,G.H. and Woolf,C.J. (1980): The site of action of
corticosteroid antipyresis in the rabbit. J. Physiol; 300:1.
- Wolff,S.M. (1973): Biological effects of bacterial endotoxins in
man. J. Infect. Dis. 128 (Suppl): 251.
- Wolfe,L.S., Mamer,O.A. (1975): Measurement of prostaglandin F2
levels in human C.S.F. in normal and pathological conditions.
Prostaglandin, 9: 183.
- Wright W.C., Ank,B.J.,Harbert,J. and Steihm,E.R. (1975): Decreased
bactericidal activity of leucocytes of stressed newborn infants.
Pediatrics 56, 579-584.
- Yagupsky P. and Moses S. (1985): Neonatal borrelia species
infection. Am.J.Dis.Child., 139: 74-76.