

R E F E R E N C E S

- - - - -

- Abel, E.L., (1980) :
The fetal alcohol syndrome: bchavioural teratology, Psychol. Bull., 87,29-50.

- Alberman, E., Creasy, M., Elliott, M. and Spicer, C.
(1976) :
Maternal factors associated with fetal chromosomal anomalies in spontaneous abortions.
Brit. J. Obstet. Gynecol., 83,621-7.

- Anderson, G. and Dalhann, T. (1973) :
Halsoriskerna vid passiv rokning ,Lakartidn, 70,2833-6.

- Andrews, J. and McGarry, J.M. (1972) :
A community study of smoking in pregnancy,
J. Obster. Gyneool., Brit. Commonw.,79,1057-73.

- Arfmann, B.L. and Chapants, N.P. (1962) :
The relative sensitivities of taste and smell in smokers and non-smokers.
J. Gen. Psychol., 66,315-20.

- Armitage, A.K. (1965) :
Effects of nicotine and tobacco smoke on blood pressure and release of catecholamines from the adrenal glands.
Brit. J. Pharmac., 25,515-26.

- Arononw, W.S. and Isbell, M.W. (1973) :
Carbon monoxide: effect on exercise-induced angina pectoris.
Ann. Intern. Med., 79,392-5.

- Asmussen, I. (1977) :
Ultrastructure of the human placenta at term.
Observations on placentas from newborn children
of smoking and non-smoking mothers.
Acta Obster. Gynecol., Scand., 56,119-26.
- Asmussen, I. and Kjeldsen, K. (1975) :
Intimal ultrastructure of human umbilical
arteries. Observations on arteries from
new born children of smoking and non-smoking
mothers.
Circ. Res. 36,579-89.
- Ayres, S.M., Giannelli, S. and Mueller, II. (1970) :
Myocardial and systemic responses to carboxy-
hemoglobin.
Ann. N.Y. Acad. Sci., 174,268-93.
- Bailey, R.R. (1970) :
The effect of maternal smoking on the infant
birth weight .
N.Z. Med. J., 71,293-4.
- Basu, P.K., Pimm, P.E., Shephard, R.J. and Silverman,
F. (1978) :
The effect of cigarette smoke on the human tear
film.
Canad. J. Ophthalmol., 13,22-6.
- Becker, C.G. and Dubin, T. (1977) :
Activation of Factor XII by tobacco glycoprotein.
J. Exp. Med., 146,457-67.

- Behr, M.J., Leong, K.H. and Hones, R.H. (1981) :
Acute effects of cigarette smoking on left
ventricular function at rest and exercise.
Med. Sci. Sports Exercise, 13,9-12.
- Bergman, A.B. and Wiesner, L.A. (1976) :
Relationship of passive cigarette smoking to
sudden infant death syndrome.
Pediatrics, 58,665-8.
- Bisdoni, C.J.W. (1937) :
Alcoholen nicotinever gifiguing bij zuigelingen,
Maandschr. V. Kindergeneeskunde, 6,332-41.
- Blackburn, H., Brozek, J. and Taylor, H.L. (1960) :
Common circulatory measurements in smokers and
non-smokers.
Circulation, 22, 1112-24.
- Blue, J.A. (1970) :
Cigarette asthma and allergy.
Ann. Allergy, 28,110-15.
- Bradt, P.T. and Herrenkohl, R.C. (1976) :
DDT in human milk. What determines the levels?
Sci. Total Environ., 6,161-3.
- British Medical Journal (1978^a) :
Cigarette smoking and spontaneous abortion
(editorial) .
Brit. Med. J., (1),259-60.

- Brown, A. (1923) :
Present day treatment of asthma.
New York. Med. J. and Med.Rev.98,333-6.
- Brunnenmann, K.D. Yu, L. and Hoffmann, D.(1977^b):
Assessment of carcinogenic volatil N-nitros-
amine in tobacco and in mainstream and Side
stream smoke from cigarette" cancer Res.,
3.7-321-22.
- Bulay, O.M. and Wattenberg, L.W. (1970) :
Carcinogenic effects of sub-cutaneous
administration of benzo (a) pyrene during
pregnancy on the progeny.
Proc. Soc. Exp. Biol. Med. 135-6.
- Buncher, C.R. (1969) :
Cigarette smoking and duration of pregnancy.
Amer. J. Obst. Gynecol., 103,942-6.
- Buratowski, J., Warczyrczynski, A. and Plasecki, M.(1974):
Wplyw Malych Stezen Nikotyna Zdolnosc
Adaptacjii Ostrocs Wzrcku u Ludzinre
Palacych Tytoniu, (The effect of small
concentrations of nicotine on the ability
of visual adaptation and acuity in non-
smokers), Polski Tygodnik Lekarski, 29(25),
1077-8.
- Burn, J.H., (1960) :
The action of nicotine on the peripheral
circulation.
Ann. N.Y. Acad. Sci., 90,81-4.
- Butler, N.R. and Alberman, E.D. (1969) :
Perinatal problems. The second report of
the 1985 British perinatal mortality survey,
E.S. Livingstone, Edinburgh.

- Butler, N.R. and Goldstein, H. (1973) :
Smoking in pregnancy and subsequent child development.
Brit. Med. J., 4,573.
- Calvet, J. and Coll, J. (1968) :
Le cancer dans les maladies professionnelles en oto-rhino-laryngologie.
Arch. Mal. Prof., 29,516-19.
- Cameron, P. (1972) :
Second-hand tobacco smoke: children's reactions.
J. School Health, 42,280-4.
- Cameron, P., Kostin, J.S., Zaks, J.M., Wolfe, J.H., Tighe, G., Oselett, B., Stocker, R. and Winton, J. (1969) :
The health of smokers and non-smokers children
J. Allergy, 43,336-41.
- Cameron, P. and Robertson, D. (1973) :
Effect of home environment tobacco smoke on family health .
J. Appl. Psychol., 57,142-7.
- Cherniack, R.M. (1977) :
Smoking and chronic airways obstruction.
National Heart. Lung and Blood Institute,
Division of Lung Diseases, Bethesda, Md.,
Nat. Tech. Inf. Service PB., 272-254, PP. 1-41.

- Christianson, R.E. (1979) :
 Gross differences observed in the placentas
 of smokers and non-smokers.
 Amer. J. Epidemiol., 110,178-87.

- Chu, Y.M., Parlett, R.C. and Wright, G.L. (1970) :
 A preliminary investigation of some immunolo-
 gical aspects of tobacco use.
 Amer. Rev. Resp. Dis., 102.118-23.

- Clarke, B.G., Guyatt, A.R. and Alpers, J.H. (1970) :
 Changes in airway conductance on smoking a
 cigarette.
 Thorax, 25,418-22.

- Cockcroft, D.W., MacComack, D.W., Tarlo, S.M., Hargreave,
 F.E. and Pengelly, L.D. (1979) :
 Nasal airway inspiratory resistance.
 Amer. Rev. Resp. Dis., 119,921-6.

- Colley, J.R.T., Holland, W.W., Corkhill, R.T. (1974) :
 Influence of passive smoking and parental
 phlegm on pneumonia and bronchitis in early
 childhood.
 Lancet., 2(7888),1031-4.

- Comroe, J.S. (1964) :
 The physiological effects of smoking ,
 Physiology for Physicians, 2,1-6.

- Comsteck, G.W., Shah, F.K., Meyer, M.B. and Abbey, H.
 (1971) :
 Low birth weight and neonatal mortality rate
 related to maternal smoking on socioeconomic
 status. Amer. J. Obstet. Gynecol., 111,53-9.

- Conraux, C. and Collard, M. (1975) :
La modification du nystagmus sous l'effet des
dorgues medicamenteuses.
Acta Oto-Rhino-Laryngologica Belg., 29, 113-22.
- Cope, I., Lancaster, P. and Stevens, L. (1973) :
Smoking in pregnancy.
Med. J. Austral, 1.73-7.
- Covert, D.S. and Frank, N.R. (1980) :
Atmospheric particles. Behavior and functional
efiects in J.A. Nadel (ed.) Physiology and
pharmacology of the airways.
Dekker, New York, PP.259-95.
- Crosby, W.M., Metcoff, J., Costiloe, J.P., Mameesh, M.,
Sandstead, H.H., Jacob, R.A., McClain, P.E.,
Jacobson, G., Reid, W. and Burns, G. (1977) :
- Cryer, P.E., Haymond, M.W., Santiago, J.V., and Shah,
S.D. (1967) :
Norepinephrine and epinephrine release and
adrenergic mediation of smoking associated
haemodynamic and metabolic events.
New Engl. J. Med., 295, 573-7.
- DaSilva, A.M.T. and Hamosh, P. (1973) :
Effects of smoking single cigarette on the
small airways.
J. Appl. Physiol, 34, 361-5.

- Davies, D.P., Gray, O.P., Ellwood, P.C. and Abernethy, M. (1976) :
Cigarette smoking in pregnancy: associations with maternal weight gain and fetal growth.
Lancet, (1), 385-7.

- Denson, R., Nanson, J.L. and McWatters, M.A. (1975) :
Hyperkinesia and maternal smoking.
Canad. Psychiatr. Assoc. J., 20,183-7.

- Dohlman, C.H., Friend, J., Kalevar, B., Yagods, D. and Balazs, E. (1976) :
The glycoprotein (mucus) content of tears from normal and dry eye patients.
Exp. Eye. Res. 22, 359-65.

- Dosman, J., Bode, F., Urbanette, J., Martin, R. and Macklem, P.T. (1975) :
The use of helium-oxygen mixture during maximum expiratory flow to demonstrate obstruction in small airways in smokers.
J. Clin. Invest., 55,1090-9.

- Downing, G.C. and Chapman, W.E. (1966) :
Smoking and pregnancy. A statistical study of 5,659 patients.
Calif, Med., 104,187.

- Duffus, G.M. and MacGillivray, I. (1968) :
The incidence of pre-eclamptic toxemia in smokers and non-smokers,
Lancet, (1),994-5.

- Dunn, H.G., McBurney, A.K., Ingram, S. and Hunter, C.M.
 (1976) :
 Maternal cigarette smoking during pregnancy and
 the child's subsequent development: 1. Physical
 growth to the age of 6½ years.
 Canad. J. Publ. Health, 67,499-505.
- Dunn, H.G., McBurney, A.K., Ingram, S. and Hunter, C.M.
 (1977) :
 Maternal cigarette smoking during pregnancy
 and the child's age of 6½ years½
 Cand. J. Publ. Health, 68,43-50.
- Ebert, R.V. and Terracio, M.J. (1975) :
 The bronchiolar epithelium in cigarette
 smokers.
 Amer. Rev. Resp. Dis., 111,4-11.
- Ekblom, B. and Huot, R. (1972) :
 Response to submaximal and maximal exercise
 at different levels of carboxyhemoglobin.
 Acta. Physiol., Scand, 86,474-82.
- Elmenhorst, H. and Schultz, C.H. (1968) :
 Fluchtige Inhaltsstoffe des Tabakrauches .
 Die chemischen Bestandteile der Gas Dampf-
 Beitr. Tabakforsch, 4,90-123.
- Emanuel, W. (1931) :
 Über das Vorkommen von Nicotin in der
 Frauenmilch nach Zigarettengebrauch, Kinderh,
 52,41-6.

- Emele, J.F. (1975) :
Pharmacology of nicotine in J. Steinfeld, W. Griffiths, K. Ball and R.M. Taylor (eds.)
Proceedings of the Third World Conference on Smoking and Health, New York, June, 2-5, Vol. 11. Health consequences. Education. Cessation activities and social action, US Dept. of Health, Education and Welfare, Public Health Service. Nat. Institutes of Health, National Cancer Institute, DHEW Publication 77-1413, PP. 561-7.
- Fabia, J. (1973) :
Cigarettes pendant la grossesse, poids de naissance et mortalité.
Canad. Med. Assoc. J., 109, 1104-9.
- Farago, L. (1968) :
Bericht über Oto-Rhino-Laryngologische Krebsreihenuntersuchungen.
Monatsschrift. Ohrenheilkunde und Laryngo-Rhinologie, 102, 588-601.
- Fedrick, J. (1978) :
Factors associated with low birth weight of infants delivered in term.
Brit. J. Obstetr. Gynecol., 85, 1-7.
- Ferguson, B.B., Wilson, D.J. and Schaffner, W. (1976) :
Determination of nicotine concentrations in human milk.
Amer. J. Dis. Child., 130, 837-9.

- Fergusson, D.M., (1979) :
Smoking during pregnancy.
New Z. Med. J., 89,41-3.
- Feron, V.J., Kruijsse, A., Til, H.P. and Immel, H.R. (1978) :
Repeated exposure to acrolein vapour: subacute
studies in hamsters, rats and rabbits.
Toxicology, 9,47-57.
- Ferri, E.S. and Baratta, E.J. (1966) :
Polonium in tobacco, cigarette smoke, and
selected human organs.
Public Health Rep., 81,121-7.
- Fine, D.H., Ruffeh, F., Lieb, D. and Rounbehler, D.P. (1975) :
Description of the thermal energy analyzer (TEA)
for trace determination of volatile and non-
volatile N-nitroso compounds.
Analyt. Chem., 47,1188-91.
- Fontana, V.J., Redisch, W., Nemir, R.L., Smith, M.K.,
Decrinis, K. and Suleberger, M.B. (1959) :
Studies in tobacco hypersensitivity III
Reactions to skin tests and peripheral
vascular responses.
J. Allergy, 30,241-9.
- Forbes, W.H., Dill, D.B., de Silva, H. and Van Deventer,
F.M. (1937) :
The influence of moderate carbon monoxide
poisoning upon the ability to drive automobiles,
J. Industr. Hyg. Toxicol. 19,598-603.

- Francois, J., de Rouck, A., Catmbre, E. and Zanen, A.
(1974) :
L'etectoradiagnostic des affections retiniennes
(Etude des potentiels de reposet d'action
retiniens).
Bull. Soc. Belge d'Ophthalmol., 166,320-41.
- Gennser, G., Marrsal, K. and Brantmark, B. (1975) :
Maternal smoking and fetal breathing movements.
Brit. J. Cancer, 11,393-402.
- Glasson, W.A. and Heuss, J.M. (1977) :
Synthesis and evaluation of potential atmosph-
eric eye irritants.
Env. Sci. Technol., 11,395-8.
- Goldstein, H. (1977) :
Smoking in pregnancy: some notes on the
statistical controversy.
Brit. J. Prev. Soc. Med., 31,13.
- Goujard, J., Rumeau, C. and Schwartz, D. (1975) :
Smoking during pregnancy, stillbirth and
abruptio placentae.
Biomedicine, 23,20-2.
- Grayson, M. and Keates, R.H. (1969) :
Manual of diseases of the cornea.
Little, Brown and Co, Boston.
- Greiner, I. (1936) :
Nikotinvergiftung, beobachtet bei einem
saugling.
Jahrb of Kinderheilkunde, 96,131-2.

- Grob, K. (1962) :
Zur Gaschromatographie des Cigarettenrauches,
2. Teil: Verfeinerte Trennung mit Hilfe von
Kapillarkolonnen.
Beitr. Tabakforsch., 315-23.
- Guerin, M.R. (1971) :
Detection of sulfur-containing compounds in
the gas phase of cigarette smoke.
Analyt. Letters, 4 (11), 751-9.
- Haagen-Smit, A.J., Brunelle, M.F. and Hara, J. (1959) :
Nitrogen content of smokes from different
types of tobacco.
A.M.A. Arch. Industr. Health, 20, 399-400.
- Haberman-Brueschke, J.D., Brueschke, E.E., Isard, H.J.
and Gershon-Cohen, J. (1965) :
Effect of smoking on skin temperature as dem-
onstrated by the thermograph.
J. Albert Einstein Med. Center, 13, 205-10.
- Hamosh, P. and DaSilva, A.M.T. (1977) :
The effect on expiratory flow rates of
smoking three cigarettes in rapid succession.
Chest, 72, 610-13.
- Hamosh, M., Simon, M.R. and Hamosh, P. (1979) :
Effect of nicotine on the development of fetal
and suckling rats.
Biol. Neonate, 35, 290-7.

- Hansson, E. and Schmitterlow, C.G. (1962) :
Physiological disposition and fate of C¹⁴
labelled nicotine in mice and rats.
J. Pharm. Exp. Therap., 137, 91-102.

- Hardy, J.B. and Mellits, E.D. (1972) :
Does maternal smoking during pregnancy
have a long-term effect on the child.
Lancet., 2, 1332-6

- Harlap, S. and Davies, A.M. (1974) :
Infant admissions to hospital and maternal
smoking .
Lancet, (i), (1857) 529-32.

- Harrison, K.L. and McKenna, H. (1977) :
The effect of maternal smoking on cord
blood erythrocytes.
Austr. N.Z.J. Obst. Gynecol., 17, 160-2.

- Harvaky, J. (1939) :
Tobacco skin reactions and their clinical
significance.
J. Invest. Dermatol., 2, 257-79.

- Hatcher, R.a. and Crosby, K. (1927) :
The elimination of nicotine in the milk.
J. Pharm. Exp. Therap, 32, 1-6.

- Heron, H.J. (1962) :
The effect of smoking during pregnancy.
A review with a preview.
New Z. Med. J., 61, 545-8.

- Herxheimer, A., Griffiths, R.L., Hamilton, B. and Wakefield, M. (1967) :
Circulatory effects of nicotine aerosol inhalations and cigarette smoking in man.
Lancet. (ii), 754-5.
- Himmelberger, D.U., Brown, B.W. and Cohen, E.N. (1978) :
Cigarette smoking during pregnancy and the occurrence of spontaneous abortion and congenital abnormality.
Amer. J. Epidemiol., 108, 844-5.
- Hollingsworth, D.R., Moser, R.J., Carlson, J.W. and Thompson, K.T. (1976) :
Abnormal adolescent primiparous pregnancy: association of rate, human chorionic somatomammotropin production and smoking.
Amer. J. Obstetr. Gynecol., 126, 230-7.
- Horton, A.D. and Guerin, M.R. (1974) :
Quantitative determination of sulfur compounds in the gas phase of cigarette smoke.
J. Chromat., 90, 63-70.
- Hudson, G.S. and Rucker, M.P. (1945) :
Spontaneous abortion.
J. Amer. Med. Assoc., 129, 542.
- Jarvinen, P.A. and Osterlund, K. (1963) :
Effect of smoking during pregnancy on the fetus, placenta and delivery.
Ann. Pediatr. Fenn., 9, 18-26.

- Johansson, C.r. (1976) :
Tobacco smoke in room air-an experimental investigation of odour perception and irritating effects.
Building Services Engineer, 43,254-62.
- Johansson, C.R. and Ronge, H. (1965) :
Akuta irritationseffekter av tobaksrik rumsluft.
Nord. Hyg. Tidskr, 46,45-50.
- Johnson, W.R., Hale, R.W., Nedlock, J.W., Grubbs, H.J. and Powell, D.H. (1973a) :
The distribution of products between mainstream and sidestream smoke.
Tobacco Sci., 17,141-4.
- Johnson, W.R., Hale, R.W., Clough, S.C. and Chen, P.H. (1973b) :
Chemistry of the conversion of nitrate nitrogen to smoke products.
Nature, 243,223-5 .
- Joyner, R.E. (1964) :
Effect of cigarette smoking on olfactory acuity.
Arch. Otolaryngol., 80,576-9.
- Justus, D.E. and Adams, D.A. (1976) :
Evaluation of tobacco hypersensitivity responses in the mouse, A potential animal model for critical study of tobacco allergy.
Internat. Arch. Allergy Appl. Immunol., 51,687-95.

- Kittel, G. (1976) :
Results of clinical olfactometrics studies.
Rhinology, 14,99-108.
- Kline, J., Stein, Z.A., Susser, M. and Warburton, D.
(1977) :
Smoking: a risk factor for spontaneous abortion.
New Engl. J. Med., 297,793-6.
- Knudson, R.J., Lebowitz, M.D., Burton, A.P. and Knudson,
D.E. (1977) :
The closing volume test: evaluation of nitrogen
and bolus methods in a random population.
Amer. Rev. Resp. Dis., 115,423-34.
- Krippner, R.A. and Heimstra, N.W. (1969) :
Effects of smoking on peripheral visual acuity,
unpublished report.
Dept. of Psychology. University of South
Dakota, Vermilion, S. Dakota, PP.1-57.
- Kullander, S. and Kaellen B. (1971) :
A prospective study of smoking and pregnancy.
Acta. Obst. Gynecol., Scand. 59,83-94.
- Lambert, B., Lindblad, A., Nordenskjold, M. and Werelius,
B. (1978) :
Increased frequency of sister chromatid exchanges
in cigarette smokers.
Hereditas, 88,147-9.

- Landesman-Dwyer, S., Killer, L.S. and Streissguth, A.P.
(1978) :
Naturalistic observations of newborns: effects
of maternal alcohol intake.
Alcoholism Clin. Exp. Res., 2,171-7.
- Lauweys, R., Buchet, J.P., Roels, H. and Hubermont, G.
(1978) :
Placental transfer of lead, mercury, cadmium
and carbon monoxide in women. I. Comparison
of the distribution of the biological indices
in maternal and umbilical cord blood.
Env. Res., 15,278-89.
- Lebowitz, M.D., Burrows, B. (1976) :
Respiratory symptoms related to smoking habits
of family adults.
Chest., 69,48-50.
- Lehtovirta, P. and Forss, M. (1978) :
The acute effect of smoking on intervillous
blood flow of the placenta.
Brit. J. Obstetr. Gyn., 85,729-31.
- Lima, A.O. and Rocha, G. (1949) :
Cutaneous reactions reactions to tobacco
antigen in allergic and non-allergic children,
Ann. Allergy, 7,528-31.
- Longo, L.D. (1972) :
Disorders of placental transfer in N.S. Assali
and C.r. Brinkman (eds.), Pahtophysiology of
gestation, Academic Press, New York, PP.1-76.

- Longo, L.D. (1977) :
The biological effects of carbon monoxide on the pregnant woman, fetus and newborn infant.
Amer. J. Obstetr. Gynecol., 129,69-103

- Longo, L.D., Wyatt, J.F., Hewitt, C.W. and Gilbert R.D. (1978) :
A comparison of circulatory responses to hypoxic hypoxia and carbon monoxide hypoxia in fetal blood flow and oxygenation in L.D. Longo and D.D. RENEau (eds.), Fetal and newborn cardiovascular physiology: fetal and newborn circulation Vo.2, Garland STPM Press, New York, PP.259-87.

- Lowe, C.R. (1959) :
Effect of mothers smoking habits on birthweight of their children,
Brit. Med. J., 2,673-6.

- Luquette, A.J., Landiss, C.W. and Merki, D.J. (1970) :
Some immediate effects of a smoking environment on children of elementary school age.
J. Sch. Health. 40,533-6.

- McGarry, J.M. and Andrews, J. (1972) :
Smoking in pregnancy and vitamin B₁₂ metabolism.
Brit. Med. J., 2,74-7.

- MacMahon, B., Alpert, M. and Salber, E.J. (1966) :
Infant weight and parental smoking habits.
Amer. J. Epidemiol. 82,247-65.

- Magee, P.N. and Barnes, J.M. (1966) :
 Carcinogenic nitroso compounds.
 Adv. Cancer. Res., 10, 163-246.

- Malcolm, S. and Shephard, R.J. (1978) :
 Personality and sexual behavior of the
 adolescent smoker.
 Amer. J. Drug. Alcohol. Abuse, 5, 87-96.

- Manning, F.A. and Feyerabend, C. (1976) :
 Cigarette smoking and fetal breathing
 movements.
 Brit. J. Obstetr. Gynec., 83, 262-70.

- Martin, J.C. and Becker, R.F. (1971) :
 The effects of maternal nicotine absorption
 or hypoxic episodes upon appetitive behavior
 of rat offspring .
 Dev. Psychobiol., 4, 133-47.

- Martin, R.R., Lindsey, D., Despas, P., Bruce, D.,
 Leroux, M., Anthonisen, N.R. and Macklem,
 P.T. (1975) :
 The early detection of airway obstruction.
 Amer. Rev. Resp. Dis. 111, 119-25.

- Matzker, J. (1965) :
 Reichen und Lebensalter-Reichen und Lebensalter
 Reichen und Rauchen,
 Unschau, 21, 673.

- Mau, G. and Netter, P. (1974) :
 The effects of paternal smoking on perinatal mortality and the incidence of malformation
 (Die Auswirkungen des väterlichen Zigaretten-
 konsums auf die perinatale Sterblichkeit und die Missbildungshäufigkeit).
 Dtsch. Med. Wschr., 99, 1113-18.

- Mehra, K.S., Roy, P.N. and Khare, B.B. (1976) :
 Tobacco smoking and glaucoma.
 Ann. Ophthalmol., 8, 462-4.

- Meredith, H.V. (1975) :
 Relation between tobacco smoking of pregnant women and birth size of their progeny: a compilation of published studies.
 Human Biol., 47, 451-72.

- Mertens, D.J., Davanagh, T. and Shephard, R.J. (1978) :
 Exercise rehabilitation for chronic obstructive lung disease, Respiration, 35, 95-107.

- Meyer, M.B. (1977) :
 Effects of maternal smoking and altitude on birth weight and gestation in D.M. Reed and F.J. Stanley (eds.), The epidemiology of prematurity .
 Urban and Schwarzenberg, Baltimore, PP. 81-101.

- Meyer, M.B. and Comstock, G.W. (1972) :
 Maternal cigarette smoking and perinatal mortality.
 Amer. J. Epidemiol., 96, 1-10.

- Meyer, M.B., Jonas, B.S. and Tonascia, J.A. (1967) :
Perinatal events associated with maternal
smoking during pregnancy.
Amer. J. Epidemiol., 103,464-76.

- Meyer, M.B. and Tonascia, J.A. (1977) :
Maternal smoking, pregnancy complications and
perinatal mortality.
Amer. J. Obstetr. Gynecol. 128,494-502.

- Meyer, M.B., Tonascia, J.A. and Buck, C. (1975) :
The inter-retationship of maternal smoking
and increased perinatal mortality with other
risk factors. Further analysis of Ontario
Perinatal Mortality Study., 1960-61.
Amer. J. Epidemiol., 100,443-52.

- Miller, H.C., Hassanein, K. and Hensleigh, P.A. (1976) :
Fetal growth retardation in relation to
maternal smoking and weight gain in pregnancy .
Amer. J. Obstetr. Gynecol., 125,55-60.

- Mulcahy, R., Murphy, J. and Martin, F. (1970) :
Placental changes and maternal weight in
smoking and non-smoking mothers.
Amer. J. Obstetr. Gynecol., 196,703-4.

- Mumpowes, R.C., Lewis, J.S. and Touey, G.P. (1962) :
Determination of carbon monoxide in cigarette
smoke by gas chromatography.
Tobacco Sci., 6,142-5.

- Nadel, J.A. and Comree, J.H. (1961) :
 Acute effects of inhalation of cigarette
 smoke on airway conductance.
 J. Appl. Physiol., 16,713-16.

- Nacye , R.L. (1979) :
 Data from US Collaborative Perinatal Project,
 reported to Amer. Heart Assoc. Annual Science
 Writers Forum, Hilton Head Island, S.C.,15
 January 1979.

- Nacye, R.L., Herkness, W.L. and Utts, J. (1977) :
 Abruptio placentae and perinatal dath: a
 prospective study.
 Amer. J. Obstetr. Gynecol., 128,740-6.

- Neurath, G., Dunger, M., Gewe, J., Luttich, W. and
 Wichern, H. (1966)⁸⁷ :
 Untersuchungen der fluchtigen Basen des
 Tabakrauches.
 Beitr. Tabakforsch.,3,563-9.

- Neutel, C.L. and Buck, C. (1971) :
 Effect of smoking during pregnancy on the
 risk of cancer in children.
 J. Nat. Cancer. Inst., 47,59-63.

- Nikonova, T.V. (1977) :
 Transplacental action of benzo (a) pyrene
 and pyrene .
 Bull. Exp. Biol. Med., 84,1025-7.

- Norman, V. and Keith, C.H. (1965) :
Nitrogen oxides in tobacco smoke.
Nature., 205, 915-16.
- Norman-Taylor, N. and Dickinson, V.A. (1977) :
Dangers for children in smoking families.
Community Afed., 128, 32-3.
- Obe, G. and Herha, J. (1978) :
Chromosomal aberrations in heavy smokers.
Human Genetics, 41, 259-63.
- O'Connell, C. and Logan, G. (1974) :
Parental smoking in childhood asthma.
Ann. Allergy, 32, 142-5.
- O'Lane, J.M. (1963) :
Some fetal effects of maternal cigarette
smoking.
Obstetr.Gynecol., 22, 181-4.
- Palmgren, B., Wahlen, R. and Wallander, B. (1973) :
Toxemia and cigarette smoking during pregnancy.
Prospective consecutive investigation of 3,927.
pregnancies. Acta. Obst. Gynecol. Scand.,
52, 183-5.
- Palmgren, B. and Wallander, B. (1971) :
Cigarettrokning och abort, Konsekutiv prospec-
tiv Undersokning av 4,312 Graviditeter.
Lakaridningen, 68(22), 2611-16.

- Parke, D.W., (1975) :
 This doctor is firm: I advise my patients not
 to smoke.
 Amer. Lung. Assoc. Bull., 61,7-9.

- Perlman, H.H., Dannenberg, A.M. and Sokoloff, N. (1942) :
 The excretion of nicotine in breast milk and
 urine from cigarette smoking, Its effect on
 lactation and the nursing.
 J. Amer. Med. Assoc., 120,1003-9.

- Persson, P.H., Grennert, L., Gennser, G. and Kullander,
 S. (1978) :
 A study of smoking and pregnancy with special
 reference to fetal growth .
 Acta Obstetr. Gynecol. Scand. Suppl, 78,33-9.

- Peterson, W.F., Morese, K.N. and Kaltreider, D.F. (1965):
 Smoking and prematurity. A preliminary
 report based on study of 7,740. Caucasians.
 Obst. Gynecol., 26,775-9.

- Philip J. Landrigan, Chairman ,Johan H. Dilibert;
 Johnw.Graef, Richard,J. Jackson, Gerald
 Nathenson, Liaison Representatives, Henry
 Falk, Robert W. Millir and Audray K. Brown
 Committee on environmantal Hazoards,1984-
 1985.
 Involumtoary ~~smoking~~ harard to children
 Paediatrics Vol.,77 No.5 May 1986.

- Pimm, P., Shephard, R.J. andSilverman, F. (1978) :
 Physiological effects of acute exposure to
 cigarette smoke.
 Arch. Env. Health., 33,201-13.

- Pirani, B.B.K. and MacGillivray, I. (1978) :
Smoking during pregnancy: its effects on
maternal metabolism and fetoplacental
function.
Amer. J. Obstetr. Gynecol., 52,257-63.
- Portheine, F. (1972) :
Das Sogennante passive Rauchen, Rehabilitation,
25,33-4.
- Power, G.G. and Longo, L.D. (1975) :
Fetal circulation times and their implications
for tissue oxygenation.
Gynecol., Invest., 6,342-55.
- Quigley, M.E., Sheehan, K.L., Wilkes, M.M., and Yen,
S.S.C. (1979) :
Effects of maternal smoking on circulating
catecholamine levels and fetal heart rates.
Amer. J. Obstetr. Gynecol., 133,685-90.
- Rantakallio, P., Krause, U. and Krause, K. (1979) :
The use of ophthalmological services during
the preschool age, ocular findings and
family background.
J. Pediatr. Ophthalm. Strabismus, 15,253-8.
- Regan, T.J., Franh, M.J., McGinty, J.F., Zobl, E., Hellems,
H.K. and Bing R.J. (1961) :
Myocardial response to cigarette smoking in
normal subjects an dpatients with coronary
disease.
Circulation, 23,365-9.

- Reid, L. (1960) :
Chronic bronchitis and hypersecretion of mucus
in Lectures on the Scientific Basis of Medicine,
8, Butterworth Scientific Publications. London.
- Reintjes, M., Swierenga J. and Bogaard, J.M. (1972) :
Effects of smoking one cigarette on airway
resistance .
Scand. J. Resp. Dis., 53,129-34.
- Resnik, R., Brink, G.W. and Wilkes, M. (1979) :
Catecholamine-mediated reduction in uterine
blood flow after nicotine infusion in the
pregnant ewe.
J. Clin. Invest., 63,1113-36.
- Rode, A., Ross, R. and Shephard, R.J. (1972) :
Smoking withdrawal program.
AMA. Arch. Env. Health, 24,27-36.
- Rosen, F.L. (1954) :
Studies in tobacco allergy.
J. Med. Soc., New Jersey, 51,109-14.
- Rosen, F.L. and Levy, A. (1950) :
Bronchial asthma due to allergy to tobacco
smoke in an infant .
J. Amer. Med. Assoc. 144,620-1.
- Rottenstein, H., Peirce, G., Russ, E., Felder, O. and
Montgomery, H. (1960) :
Influence of nicotine on the blood flow of
resting skeletal muscle and of the digits
in normal subjects.
Ann. N.Y. Acad. Sci., 90,102-13.

- Rowell, P.P. and Sastry, B.V.R. (1977) :
Human placental cholinergic system: effects
of cholinergic blockade on amino acid uptake
in isolated placental villi.
Fed. Proc., 36,981.
- Rowell, P.P. and Sastry, B.V.R. (1978) :
The influence of cholinergic blockade on
the uptake of aminoisobutyric acid by
isolated human placental villi.
Toxicol. Appl. Pharmacol., 45,79-93.
- Royal College of Physicians (London) (1977) :
Smoking or health-the third report from the
Royal College of Physicians.
London, Pitman, London.
- Rush, D. (1979) :
Effects of smoking on pregnancy and newborn
infants.
Amer. J. Obstetr. Gynecol., 135,281-2.
- Russell, C.S., Taylor, R. and Maddison, R.N. (1966) :
Some effects of smoking in pregnancy.
J. Obstetr. Gynecol. Brit. Commonw., 73,742-6.
- Russell, C.S., Taylor, R. and Law, C.e. (1966) :
Smoking in pregnancy, maternal blood pressure,
pregnancy outcome, baby weight and growth and
other related factors. A prospective study.
Brit. J. Prev. Soc. Med., 22,119-26.

- Savel, L.E. and Roth, E. (1962) :
Effects of smoking in pregnancy. A continuing retrospective study.
Obstetr. Gynecol., 20,313-16.
- Saxton, D.W. (1978) :
The behavior of infants whose mothers smoke in pregnancy.
Early Hxm. Dev., 2,363-9.
- Schilling, R.S.F., Letal, A.D., Hui, S.L., Beck, G.J.,
Schoenberg, J.B. and Bouhuys, A. (1977) :
Lung function, respiratory disease and
smoking in families.
Amer. J. Epidemiol., 106,276-83.
- Schiede, E. and Merher, H.J. (1972) :
Effect of benzo () pyrene treatment on the
benzo() pyrene hydroxylase activity in
maternal liver, placenta and fetus of the
rat during Day 13 to Day 18 of gestation.
Naunyn Schmied. Arch. Pharmacol., 272,89-100.
- Schmidt, B. (1970) :
Einfluss des Zigarettenrauchens auf das EOG.
Klin. Monatsblätter für Augenheilkund,
156,523-31.
- Schorah, C.J., Zemroch, P.J., Sheppard, S. and Smithells,
R.W. (1978) :
Leucocyte ascorbic acid and pregnancy.
Brit. J. Nutr., 39,139-49.

- Schwartz, D., Goujard, J., Kaminski, M. and Rumeau-Rouquette, C. (1972) :
Smoking and pregnancy. Results of prospective study of 6,989 women.
Rev. Europ. Et. Clin. Biol., 17,867-79.

- Scott T., Weiss, IRA B., TaGer, Frank E., Spetzer, and Bernard Rosner (1980) :
Peresistent wheeze, its relation to respirtor-yillness, Cigarette smoking , and level of palmonary fuction in a population sample of children.
Ann. Rev. Res. Dis. Volum,122,

- Scott T. Weiss, IRA B. TaGer, Marc Schenker, and Frank E., Speizer., (1983) :
The health effects of involuntery smoking,
Am. Rev. Res. Dis., 1203:933-942.

- Seppanen, A. (1977a) :
Smoking in closed space and its effect on carboxyhaemoglobin saturation of smoking and non-smoking subjects.
Ann. Clin. Res., 9,281-3.

- Seppanen, A. (1977b) :
Physical work cappacity in relation to carbon monoxide inhalation and tobacco smoking .
Ann. Clin. REs., 9,269-74.

- Shephard, R.J. (1966) :
The oxygen cost of breathing during vigorous exercise.
Quart. J. Exp. Physiol., 51,336-50.

- Shephard, R.J. (1976) :
Exercise and training in chronic obstructive lung disease.
Exercise Sports Sci. Rev., 5,263-96.

Endurance Fitness, 2nd edn, Univ. of Toronto Press, Toronto .

Human physiological work capacity.
Cambridge University Press, London.
- Shephard, R.J. (1978b) :
Cigarette smoking and reactions to air pollutants.
Canad. Med. Assoc. J., 118,379-83,392.
- Shephard, R.J. Collins, R and Silverman F., (1979 b)
Passive exposure of asthmatic subjects to cigarette smoke.
Environ. Res., 20,392-402.
- Shephard, R.J. and LaBarre, R. (1979c) :
Effect of cigarette smoke on the eyes and airway.
Int. Arch. Occup. Environ, Health, 43,135-44.
- Shepherd, J.T. (1951) :
Effect of cigarette smoking on blood flow through the hand.
Brit. Med. J. (ii),1007-10.

- Shy, C.M., Creason, J.P., Peathman, M.E., McClain, K.E. and Benson, F.B. (1970) :
The Chattanooga school children study. Effects of community exposure to nitrogen dioxide.
II. Incidence of acute respiratory illness.
J. Air. Poll. Contr. Assoc., 20,572-8.
- Silverman, J.T. (1977) :
Maternal smoking and birthweight.
Amer. J. Epidemiol., 105,513-21.
- Simpson, W.J. (1957) :
A preliminary report on cigarette smoking and the incidence of prematurity.
Amer. J. Obstetr. Gynecol., 73,808-15.
- Sontag, L.W. and Wallace, R.F. (1935) :
The effect of cigaret smoking during pregnancy upon the fetal heart rate.
Amer. J. Obstetr. Gyn., 29,77-83.
- Speer, F. (1968) :
Tobacco and the non-smoker, A study of subjective symptoms.
Arch. Environ. Health., 16,443-6.
- Spira, A., Phillipe, D., Spara, N., Dreyrus, D. and Schwartz, D. (1977) :
Smoking during pregnancy and placental pathology.
Biomed., 27,266-70.

- Stahle, I. and Tibbling, L. (1978) :
 Tobaksallergi hos Patienter med Asthma
 bronchiale.
 Lakartidningen, 75,1711-13.

- Stewart, R.D., Peterson, J.E., Baretta, E.D., Bachand,
 M.T., Hosko, M.J., and Herrmann, A.A. (1970):
 Experimental human exposure to carbon
 monoxide.
 Arch. Env. Health., 21,154-64.

- Sugimura, T., Sato, S., Nagao, M., Yahagi, I., Matsushima,
 T., Seino, Y., Takeuchi, M. and Kawachi, T.
 (1976) :
 Over-lapping of carcinogens and mutagens in P.N.
 Magee, S. Takayama, T. Sugimura and T. Matsushima
 (eds.) Fundamentals in cancer prevention.
 University Park. Park Press, Baltimore.

- Sulzberger, M.B. (1933) :
 Studies in tobacco hypersensitivity. I.A
 Comparison between reactions to nicotine
 and to denicotinized tobacco extract.
 J. Immunol., 24,85-91.

- Suzuki, K., Horiguchi, T., Comas-Urrutia, A.C., Mueller-
 Heubach, E., Morishima, H.O. and Adamsons,
 J. (1971) :
 Pharmacologic effects of nicotine upon the
 fetus and mother in the pregnant Rhesus
 monkey.
 Amer. J. Obstetr. Gynecol., 111,1092-101.

- Sverr, E., Vedal, Marc B., Schenker, Jonathan M., Samet, and Frank E., Speizer (1984) :
Risk factors for childhood respiratory disease and analysis of pulmonary function.
Am. Rev. Respir. Dis., 139:187-192.
- Szadkowski, E., Schultze, H., Schaller, H.H. and Lehnert, G. (1969) :
Zur ökologischen Bedeutung des Schwermetallgehaltes von Zigaretten, Blei, Cadmium und Nickelanalysen des Tabaks sowie der Gas- und Partikelphase.
Arch. Hyg. Bakteriol., 153,1-8.
- Tager, I.B., Weiss, S.T., Rosner, B. and Speizer, F.E. (1979) :
Effect of parental cigarette smoking on the pulmonary function of children.
Amer. J. Epidemiol., 110,15-26.
- Tanaka, M. (1965) :
Studies on the etiological mechanism of fetal developmental disorders caused by maternal smoking during pregnancy.
Nippon Sanka. Fujinka Gakkai Zasshi., 17, 1107-14.
- Taylor, G. (1974) :
Tobacco smoke allergy-does it exist? in R. Rylander (ed.). Environmental Tobacco Smoke. Effects on the Non-Smoker, Scand, J. Resp. Dis. Suppl., 95, pp.50-5.

- Thienes, C.H., Lombard, C.F., Fielding, F.J., Lesser, A.J. and Ellenborn, M.J. (1946) :
Alterations in reproductive functions of white rats associated with daily exposure to nicotine.
J. Pharmacol., Expt. Therap., 87,1-10.
- Thomas, C.B., Bateman, J.L. and Lindberg, E.F. (1956) :
Observations on the individual effect of smoking on the blood pressure, heart rate stroke volume and cardiac output of healthy young adults.
Ann. Int. Med., 44,874-92.
- Thompson, W.B. (1933) :
Nicotine in breast milk.
Amer. J. Obstetr. Gyn., 26,662-7.
- Truhaut, R., de Clercq, M. and Loisillier, F. (1964) :
Sur les toxicites aigue et chronique de la cotinine, et sur son effet cancerigene chez le rat.
Pathol. Biol., 12,39-49.
- Underwood, P., Hester, L.L., Laffitte, T. and Gregg, K.V. (1965) :
The relationship of smoking to the outcome of pregnancy.
Amer. Gynecol., 91,270-6.
- Underwood, P.B., Kesler, K.F., O'Lane, J.M., Callagan, D.A. (1967) :
Parental smoking empirically related to pregnancy outcome.
Obstetr. Gynecol., 29,1-8.

- US Surgeon General (1972) :
 The health consequences of smoking ,
 US Dept. of Health., Education and Welfare,
 Arlington, Va.

- Viczian, M. (1969) :
 Results of spermatozoa studies in cigarette
 smokers Z.F. Haut und Geschlechts-Krankheiten,
 44,183-7.

- Waite, C.L. (1978) :
 Letter to the editor.
 New Engl. J. Med., 299,897.

- Wakeham, H. (1977) :
 Recent trends in tobacco and tobacco smoke
 research in I. Schmelz (ed.), The chemistry
 of tobacco and tobacco smoke. Plenum Press,
 New York PP.1-20.

- Watanabe, R., McIlrath, W.J., Skok, J., Chorney, W. and
 Wender, S.H. (1961) :
 Accunulation of scopoletin in boron-deficient
 tobacco leaves.
 Arch. Biochem. Biophys., 94,241-3.

- Weber-T., Schoop, A., Fischer, T., Gierer, R. and
 Grandjean, E. (1977b):
 Experimentelle Reizwirkungen von Akrolein auf
 den Menschen, Zeitschr.
 Für Arbeitsmedizin, 40(2),117-30.

- Wilson, R.H., Meador, R.S., Jay, B.E. and Higgins, E. (1960) :
The pulmonary pathologic physiology of persons who smoke cigarettes.
New Engl. J. Med., 262, 950-61.
- Wilson, W.S., Duncan, A.J. and Jay, J.L. (1975) :
Effect of benzalkonium chloride on the stability of the pre-corneal tear film in rabbit and man.
Brit. J. Ophthalmol., 59, 667-9.
- Wingerd, J., Christianson, R., Lovitt, W.V. and Schoen, E.J. (1976) :
Placental ratio in white and black women, relation to smoking and anemia.
Amer. J. Obstetr. Gynecol., 124, 671-5.
- Wingerd, J. and Schoen, E.J. (1974) :
Factors influencing length at birth and height at five years,
Pediatrics, 53, 737-41..
- Wingerd, J. and Sponzilli, E.E. (1977) :
Concentrations of serum protein fractions in white women: effects of age, weight, smoking tonsillectomy and other factors,
Clin. Chem., 23, 1310-17.
- Wynder, E.L. and Hoffmann, D. (1967) :
Tobacco and tobacco smoke,
Academic Press, New York.

- Yabroff, I., Myers, E., Fend, V., David, N., Robertson, M., Wright, R. and Braun, R., (1974) :
The role of atmospheric carbon monoxide in vehick accidents, Standard Research Institute-Report on Contract CRC-APRAC Project CAPM. 12-69, pp.1-92.
- Yeung, D.L., (1976) :
Relationships between cigarette smoking oral condtraceptives and plasma vitamins A,E,C, and plasmr triglycendes and cholesterol. Amer.J. Clin. Nutr., 29,1216-21.
- Yoshinaga, K., Rice, C., Krenn, J. and Pilot, R.L. (1979) :
Effects of mcotane on early pregnancy in the rat. Biol. REprod., 20,294-303.
- Younoxzai, M.K., Kacic, A. and Haworth, J.C. (1968) :
Cigarette smoking during pregnancy: the effect upon the haematocrit and acid-base balance of the newborn infant. Canad. Med. Assoc. J., 99,197-200.
- Zussman, B.M. (1970) :
Tobacco sensitivity in the allergic patient. Ann. Allergy., 28,371-7.
