

REFERENCES

- Ahmed, A.R. ; Konqui, A. ; Park, M.S. ; Tiwari, J.L.
and Terasaki, P.I. (1984) :
D.R. Antigen in bullous pemphigoid.
Arch Derm. 120 : 795.
- Akerman, A.B. (1978) :
Intraepidermal vesicular and pustular
dermatosis, subepidermal vesicular der-
matitis. In Histologic diagnosis of
inflammatory skin disease. Henry Kim-
pton publishers , London, pp. 497, 581.
- Alexander, J.O.D. (1978) :
Dermatitis herpetiformis. In Major
problems in dermatology. Ed, Rook, A.
Saunders - London. Vol.4, P.31.
- Arlette, J.P. (1983) :
Zinc and skin, Ped.Cl. of North. Am.
30 (3), 583.
- Asboe-Hansen, G. (1953) :
Bullous keratogenous and pigmentary
dermatitis with blood eosinophilia in
newborn girls : Report of four cases.
Arch. Derm. 67, 152.
- Ashby, D.W. and Lazar, T. (1951) :

Bauer, E.A. and Briggaman, R.A. (1979) :

Mechanobullous diseases (Epidermolysis bullosa). In Dermatology in General medicine, Fitzpatrick, T.B. ; Eisen, A.Z. ; Wolff, K. ; Freedberg, L.E. and Austen, K.F. Mac. Grow-Hill . New York, 2nd ed., P. 334.

Beare, J.M. and Rook, A. (1979) :

The newborn . In Textbook of Dermatology, Rook, A. ; Wilkinson, D.S. and Eblina, F.J.G. Blackwell, Oxford, 3rd ed. Vol.I, P. 185.

Bedi, T.R. and Pinkus, H. (1976) :

Histopathologic spectrum of erythema multiforme. Brit. J. Derm., 95, 243.

Behrman, R.E. and Vaughan, V.C. (1983) :

Diseases of the skin. In Nelson Textbook of pediatric. Ed. Nelson, W.E. W.B. Saunders, Philadelphia, 12 th ed., P. 1680.

Bianchine, J.R. et al., (1968) :

Drugs as etiological factors in the steven - Johnson syndrome. Am. J. Med. 44, 390. Quoted from : Edmond, B.J. ; Huff, J.C. and Weston, W.L. (1983).

Bickers, D.R. (1981) :

Treatment of the porphyrias : Mechanisms of action , J. Invest. Derm. 77, 107.

Bianchine, J.R. ; Marcarroeg, P.M. ; Lasagne, L. ; Azarmuff, D.L. ; Brunk, S.F. ; Hvidberg, E.F. and Owen, J.A. (1968) : Drugs as aetiologic factors in steven Johnson syndrome, Am. J. Med. 44, 390.

Bjellerup, M. (1982) :

Incontinentia pigmenti with dental anomalies : Athree generation study. Acta, Derm. Venereol. 62, 262.

Blooner, J.R. (1981) :

Enzyme defects in the porphyrias and their relevance to the biochemical abnormalities in these disorders. J. Invest. Derm. 77, 102.

Benifazi, E. ; Rigillo, M. and Desimone, B. (1980):
A cquired dermatitis due te zinc deficiency in a premature infant. Acta. Dermatovenereol. 60, 449.

Caplan, R.M. (1963) :

The natural course of urticaria pigmentosa, analysis and follow up of 112 cases. Arch. Derm. 87, 146.

Caplan, P.M. (1965) :

Urticaria pigmentosa and systemic mastocytosis. J.A.M.A. , 194, 1077.

Carney, R.G. (1951) :

Incontinentia pigmenti : A report of five cases and review of the literature Arch. Derm. 64, 126.

Carney, R.G. (1976) :

Incontinentia pigmenti : A world statistical analysis . Arch. Derm. 112, 535.

Champion , R.H. (1979) :

Urticaria , Disease affecting small blood vessels , erythema and telangiectasia. In Textbook of Dermatology Ed. Rook, A. ; Wilkinson, D.S. and Ebling F.J.G. Blackwell. Oxford, 3rd ed. Vol.1 pp. 959, 979.

Chorzelski, T.P. and Jablonska , S. (1979) :

IgA. linear dermatosis of childhood. Br. J. Derm. 101, 535.

Christophers, E. (1978) :

PUVA - treatment of urticaria pigmentosa. Br. J. Derm. 98 , 701.

Coleman, W.P. and Mc Burney, E.I. (1981) :

Skin diseases caused by environmental factors, Bacterial infection of the skin. In pediatric Dermatology . Medical examination publishing Co., Inc., Europe. pp. 94, 347.

Cooper, T.W. and Bauer, E.A. (1984) :

Therapeutic efficacy of phenytain in recessive dystrophic epidermolysis. Arch. Derm. 120, 490.

Danbolt, N. and Closs, K. (1942) :

Acrodermatitis enteropathica. Acta . Derm. Venereol. 23 , 127.

Danboldt, N. (1979) :

Acrodermatitis enteropathica Br. J. Derm. 100, 37.

De Leo, V.A. and Poh Fitzpatrick, M.P. (1981) :

Erythropeietic protoporphyria. In Pediatric Dermatology . Ed. Coleman, W.P. and Mc Burney, E.I. Medical Examination publishing Co., Inc. , Europe P : 109.

De Lee, V.A. ; Poh-Fitzpatrick, M.P. ; Mathews - Roth, M. Harber, L.C. (1976) :

Erythropeietic protoporphyria. Am. J. Med. 60 : 8.

- De Nicola, L.K. and Hanshaw, J.B. (1979) :
Congenital Varicella . J. Ped. 94, 175.
- Dillaha, C.J. ; Lorincz, A.L. and Aavick, O.R. (1953):
Acrodermatitis enteropathica J.A.M.A,
152, 509.
- Domonkos, A.N. ; Arnold, H.L. and Odom, R.B. (1982):
Dermatosis due to physical factors,
Erythema and urticaria, Deficiency dis-
ease, Errors of metabolism and some
genodermatosis. In Andrew's Disease of
the skin , W.B. Saunders, Philadelphia.
7th ed. pp.25 , 144, 607, 657, 691.
- Donald, G.F. ; Hunter, G.A. and Roman, W. (1970) :
Current concepts of cutaneous porphyria
and its treatment with particular ref-
erence to the use of sodium calcium-
edetate. Br. J. Derm. 82, 70.
- Eady, R.A.J. (1983) :
Diagnosing epidermolysis bullosa, .
Br. J. Derm. 108, 621.
- Edmond, B.J. ; Huff, J.C. and Weston, W.L. (1983) :
Erythema multiforme. Ped. Clin. of North.
America 30 (4) P. 631.

- Eisenberg, M. ; Stevens, L.H. and Schofield, P.J. (1978):
Epidermolysis bullosa : new therapeutic
approaches. Aust. J. Derm. 19, 1.
Quoted from Meschella , S.L. and Hurley,
H.J. (1985).
- Elias, P.M. and Levy, S.W. (1976) :
Bullous impetigo. Arch. Derm. 112, 856.
- Elias, P.M. et al., (1976) :
Staphylococcal epidermal necrolysis
species and tissue susceptibility and
resistance. J. Invest. Derm. 66, 80.
Quoted from Elias, P.M. and Fritsch,
P.O. (1979).
- Elias, P.M. ; Fritsch, P. and Epstein, E.H. (1977) :
Staphylococcal scalded skin syndrome.
Arch. Derm. 113, 207.
- Elias, P.M. and Frisch, P.O. (1979) :
Erythema multiforme^e staphylococcal sca-
lded skin syndrome. In dermatology
in General Medicine. Ed. Fitzpatrick,
T.B. ; Eisen, A.Z. ; Wolff, K. ; Freed-
berg, I.E. and Austen, K.P. Mac Graw -
Hill. New York 2nd ed. pp. 295, 306.

Esterly, N.B. and Spraker, M.K. (1985) :

Neonatal skin problems. In Dermatology.
Ed. Meschella , S.L. and Hurley, H.J.
Saunders, Philadelphia. 2nd ed. Vol.I,
P. 1882.

Penske, N.A. ; Lober, C.W. and Paulter, S.E. (1985) :

Congenital bullous urticaria pigmentosa.
Arch. Derm. 121, 115.

Fox, B.J. ; Odom, R.B. and Findlay, R.F. (1982) :

Erythromycin therapy in bullous pemphigoid : possible anti-inflammatory effects . J. Am. Acad. Derm. 7 (4) ,
404.

Fritsch, Pe. and Elias, P.M. (1979) :

Mechanism of vesicle formation and classification . In Dermatology in General medicine. Ed. Fitzpatrick, T.B. ; Eisen, A.Z. ; Wolff, K. ; Freedberg, L.B. and Austen, K.F. Mac Graw - Hill - New York
2nd ed, P. 287.

Frost, P. and Van Scott, E.J. (1966) :

Icthyosiform dermatitis. Classification based on anatomical and cellular kinetic observation. Arch. Derm. 94, 113.

Frost, P. (1975) :

Disorders of cornification . In Dermatology. Ed. Moshella, S.L. ; Pillsbury, D.M. and Hurley, H.J. Saunders , Philadelphia, Vol. 2. P. 1068.

Gedde - Dahl, T. (1971) :

Epidermolysis bullosa : A clinical , genetic and epidermological study. The Johns Hopkins Press, Baltimore. Quoted from Eady, R.A.J. (1983) :

Goldkrand, J.W. (1980) :

Intrapartum inoculation of herpes simplex virus by fetal scalp electrode
J.A.M.A. 243, 157.

Gordon, H.H. (1974) :

Glut^araldehyde for epidermolysis bullosa.
Arch. Derm. 110, 297.

Granerus , G. Roupe, G. and Swanbeck, G: (1981) :

Decreased urinary histamine metabolite after successful P.U.V.A. treatment of urticaria pigmentosa. J. Invest. Derm. 76 , 1.

Grant, R.W. and Keczkcs , K. (1964) :

Persistent nodules in scabies. Arch. Derm. 89, 239.

Hansen, R.C. (1983) :

Staphylococcal scalded skin syndrome,
Toxic shock syndrome and kawasaki dis-
ease. Ped. Cl. of north America - 30 (3)
, 533.

Hashimoto, I. et al., (1976) :

Ultrastructural studies in Epidermolysis
bullosa bullosa hereditaria II. Dominant
dystrophic type of cockayne and Touraine.
Arch. Derm. Res. 255, 285. Quoted from,
Bauer, E.A. and Briggaman, R.A. (1979).

Henkin, R.I. ; Schulman, J.O. and Schulman, C.B. (1973):

Changes in total non diffusable and
diffusable zinc and copper during inf-
ancy. J. Ped., 82, 831.

Herlitz, G. (1935) :

Kongenitaler, nicht syphilitischer
pemphigus. Eine übersicht nebst bes-
chreibung einer neuen krankheitsform.
Acta petiatrica (Stockholm), 17, 315.
Quoted from. Oakey, C.A. ; Wilson, N.;
Ross, J.A. and Barnetson, R. Stc. (1984).

Hintner, H. ; Stingl, G. ; Schuler, G. ; Fritsch, P. ;
Stanley, J. ; Katz, S. and Wolff, K.
(1981) :

Immunofluorescence mapping of antigenic
determinants within the dermal - epid-
ermal junction in mechanobullous dise-
ases. J. Invest. Derm. 76 (2) , 113.

- Holunbar, K. ; Wolff, K. and Konrad, K. (1975) :
Ultra structural localization of immunoglobulins in bullous pemphigoid skin. J. Invest. Derm. 64, 220.
- Honig, P. ; Halzwanger, J. and Leyden, J.J. (1979) :
Congenital herpes simplex virus infection
Arch. Derm. 115, 1329.
- Huff, J.C. ; Weston, W.L. and Tonnesen, M.G. (1983) :
Erythema multiforme : A critical review
of characteristics, diagnostic criteria,
and causes. J. Am. Acad. Derm. (in press).
Quoted from . Edmond, B.J. ; Huff, F.C.
and Weston, W.L. (1983).
- Hunter, J.A.A. et al., (1974) :
Light and electron microscopic studies
of physical injury to the skin. II Friction.
Br. J. Derm. 90, 491. Quoted from .
Fritsch, P.O. and Elias, P.M. (1979).
- Hurwitz, S. and Kohn, G. (1980) :
Viih postgraduate seminar in pediatric
dermatology. J. Am. Acad. Derm. 4 (1),
119.
- Hurwitz, S. (1981) :
The porphyrias, Bullous disorders of
childhood . In Clinical pediatric Derm-
atology. W.B. Saunders, Philadelphia,
pp. 78, 323.

Ippen, H. and Fuchs, T. (1981) :

Congenital porphyria. Clin. Haemat.

9, 323. Quoted from Bickers, D.R. (1981).

Jarrett, M.T. and Ramsdell, W. (1979) :

Infantile acropustulosis. Arch. Derm.

115, 834.

Jennings, L.J.L. (1984) :

Aluminum chloride hexahydrate in treatment of localized epidermolysis bullosa. Arch. Derm. 120, 1382.

Joblonska, S. ; Chorzelski, T.B. and Beutner, E.H.

(1976) :

Dermatitis herpetiformis and bullous pemphigoid, intermediate and mixed forms. Arch. Derm. 112, 45.

Kahn, G. and Rywlin, A.M. (1979) :

Acropustulosis of infancy. Arch. Derm. 115, 831.

Katz, S.I. and Marks, J.M. (1979) :

Dermatitis herpetiformis. In Dermatology in General medicine. Ed. Fitzpatrick, T.B. ; Eisen, A.Z. ; Wolff, K. ; Freedberg, I.F. and Austen, K.F. McGraw - Hill , New York, 2nd ed. P.326.

- Kero, M. ; Polotie , A. and Peltonen, L. (1983) :
Collagen metabolism in two rare forms
of epidermolysis bullosa. Br. J. Derm.
110, 177.
- King, A. ; Micol, C. and Rodin, P. (1980) :
Congenital syphilis. In Venereal diseases.
Bailliere Tindall, 4th ed., P. 104.
- Klaus, S.N. and Winkelman, P.K. (1965) :
Clinical spectrum of urticaria pigme-
ntosa. Proco. Mayo Clin. 40, 923.
Quoted from Lever, W.F. (1982) :
- Klaus, S.N. ; Weinstein, G.D. and Frost, P. (1970) :
Localized epidermolytic hyperkeratosis.
A form of keratoderma of the palms and
soles. Acta. Dermo-venrol . 101, 272.
- Kobayasi, T. (1977) :
Anchoring of basal lamina to elastic
fibers by elastic fibrils. J. Invest.
Derm. 68, 389.
- Koblenzer. P.J. (1967) :
Acute epidermal necrolysis (Ritte Von
Rittershain - Lyell): A clinic-pathologic
study. Arch. Derm. 95, 608.

Komorous, J.M. ; Wheeler, C.E. and Briggaman, R.A.
(1977) :

Intrauterine herpes simplex infections
Arch. Derm. 113, 918.

Lantis, S.H. and Koblenzer, P.J. (1969) :

Solitary mastcell tumour. Arch. Derm.
99, 60.

Larregue, M. and Maleville, J. (1985) :

Infantile scabies, In Pediatric Derm-
atology Booklets, Scientific Documentation.

Leigh, I.M. ; Tidman, M.J. and Eady, R.A.J. (1984) :

Epidermolysis bullosa : preliminary
observation of blister formation in
keratinocyte cultures, Br. J. Derm.
111, 527.

Lever, W.F. and Schumburg-Lever, G. (1982) :

Histology of skin, congenital diseases,
Non infectious, vesicular and bullous
diseases. In Histopathology of the skin.
J.B. Lippincott, Philadelphia. 6th ed.
pp. 8, 57, 92.

Iyell, A. (1956) :

An eruption resembling scalding of the
skin. Br. J. Derm., 99 , 60.

Marino, L.J. (1956) :

Toxic erythema present at birth. Arch.
Derm. 92, 402.

Marks, J. and Shuster, S. (1970) :

Dermatitis herpetiformis : The role
of gluten. Arch. Derm. 101, 452.

Mathews - Roth, M.M. ; Pathak, M.A. ; Fitzpatrick, T.B. ;
Harber, L.C. ; Kass, E.H. (1970) :
Beta-carotene as a photoprotective
agent in erythropoietic protoporphyria
N. Engl. J. Med. 282 : 1231 . Quoted
from Coleman , W.P. and Mc Burney, E.I.
(1981) :

Matoltsy, A.G. (1975) :

Desmosomes, filaments and keratohyaline
granules : Their role in stabilization
and keratinization of epidermis. J.
Invest. Derm. 65 , 127.

Mc Curdy, J. and Beare , J.M. (1967) :

Congenital bullous ichthyosiform eryth-
roderma. Br. J. Derm. 79, 294.

Melish, M.E. and Glasgow, L.A. (1971) :

The staphylococcal scaled skin syndrome :
The expanded clinical syndrome . J. Ped.
78, 958.

Melish, M.E. (1981) :

Bacterial skin infections, In Textbook of pediatric infectious diseases. Ed. Feligin, R.W. and cherry, J.D. Saunders, Philadelphia . Vol. II. P. 649.

Milne,,J.A. (1972) :

Bullous diseases. In an introduction to the Diagnostitc Histopathology of the skin. Ed. Edward Arnold. Colchester and Beccles, 1st ed. P. 187.

Miyagawa, S. ; Ishii, H.; Kitamura, W. and Sakamoto, K.
(1983) :

Bullous pemphigoid in man and hist nephew. Arch. Derm. 119, 605.

Molokhia, M.M. and Portnoy, B. (1969) :

Neutron activation of trace elements in skin III. Zinc. in normal skin, Br. J. Derm. 81 , 759.

Moschella, S.L. and Hurley, H.J. (1985) :

Structure and function of skin, Bullous diseases, Hereditary cutaneous disorders. In Dermatology. Saunders, Philadelphia. 2nd pp. 20, 567, 1200.

Mosher, D.B. ; Fitzpatrick, T.B. and Ortonne, J.P.
(1979) :

Abnormalities of pigmentation. In
Dermatology in General medicine. Ed.
Fitzpatrick, T.B. ; Eisen, A.Z., Wolff,
K. ; Freedberg, L.E. and Austen, K.F.
Mac Graw - Hill, New York. 2nd ed.,
P. 615.

Moynahan, E.J. (1974) :

Acrodermatitis enteropathica A lethal
inherited human zinc deficiency diso-
rder. Lancet, 2, 399. Quoted from
Moynahan, E.J. (1983).

Moynahan, E.J. and Grupper, C. (1979) :

Acrodermatitis enteropathica and other
zinc deficiency disorder. In Dermatology
in General medicine, Ed. Fitzpatrick,
T.B. ; Eisen, A.Z. ; Wolff, K. ; Free-
dberg, L.E. and Austen, K.F. Mac Graw -
Hill. New York. 2nd ed. P. 1371.

Moynahan, E.J. (1983) :

Acrodermatitis enteropathica and immu-
nological role of zinc. In Immunoder-
matology Ed. Sofai, B. and Good, R.A.
Plenum medical. New York. P. 437.

Nagington, I. and Rook, A. (1979) :

Virus and related infections. In Textbook

of Dermatology Ed. Rook, A. ; Wilkinson,
D.S. and Ebling , F. Blackwell, J.G.
Oxford , 3rd ed. Vol.1 . P. 607.

Nesbitt, L.T. (1981) :

Vesicobullosus skin eruption. In Pediatric Dermatology . Ed., Coleman, W.P.
and Mc Burney. Medical examination
publishing, Co. Inc., Europ, P. 183.

Niemi, K.M. ; Kero, M. ; Kanerva, L. and Mattila, R.
(1976):

Epidermolysis bullosa simplex. Arch.
Derm. 119, 138.

Oakley, C.A. ; Wilson, N. ; Ross, J.A. and Barnetson,
R. STC. (1984) :

Junctional epidermolysis bullosa in
two siblings clinical observation ,
collagen studies and electron microscopy.
Br. J. Derm. 111 , 533.

Olaisen, B. and Gedde - Dahl, T. (1973) :

Glutamic pyruvic transaminase. Epidermolysis bullosa simplex (Ogna). Linkage
in man. Hum Hered. 23, 189. Quoted
from Bauer, E.A. and Briggaman, R.A.
(1979).

- Orfanos, C.E. ; Lever, S.G. and Lever, W.F. (1974) :
Dermal and epidermal types of erythema
multiform : Histopathologic study of
24 cases. Arch Derm. 109, 682.
- Parvay, L.S. and Chien, L.T. (1980) :
Neonatal herpes simplex virus infection
introduced by fetal monitor scalp ele-
ctrodes. Ped. 65, 65, 1150.
- Pearson, R.W. (1962) :
Studies on the pathogenesis of epider-
molysis bullosa. J. Invest. Derm.,
39 , 551.
- Pearson, R.W. (1971) :
The mechanobullous diseases; (epiderm-
olysis bullosa) . In Dermatology in
General medicine. Ed. Fitzpatrick, T.B.;
Arndt, K.T.; Clark, W.H. ; Eisen, A.Z.;
Vansco, E.J. and Vaughan, J.H. Mac Graw -
Hill. New York. 1st ed. P. 589.
- Pearson, R.W. ; Potter, B. and Strauss, F. (1974) :
Epidermolysis bullosa hereditaria letalis.
Arch. Derm. 109, 349.
- Pearson, R.W. (1977) :
Advances in the diagnosis and treatment
of blistering diseases. A selective
review, In Year Book of Dermatology.
Year Book Medical publishers, INC.
London. P. 7.

Pearson, R.W. and Malkinson, D.F. (1978) :

Vesicular and bullous diseases, blister formation . In year Book of Dermatology. Year Book Medical publishers, INC. London. P. 213.

Ramamurthy, R.S. (1976) :

Transient neonatal pustular melanosis. J. Ped. 88, 831. Quoted from Schachner, L. and Press, S. (1983) .

Ramussen, J.E. (1976) :

Erythema multiforme in children : Response to treatment with systemic corticosteroids. Br. J. Derm. 95, 181.

Reed, W.B. ; College, J. ; Francis, M.J.O. ; Zachariae, H. ; Mohs, M.A. and Sneddon, I.B. (1974): Epidermolysis bullosa dystrophica with epidermal neoplasm. Arch. Derm. 110, 894.

Robison, J.W. Odom, R.B. (1978) :

Bullous pemphigoid in children. Arch. Derm. 114, 899.

Rogers, R.B. ; Yancey, K.B. ; Allen, B.S. and Guill, M.F. (1983) :

Phenytoin therapy for junctional epidermolysis bullosa. Arch. Derm. 119, 925.

Rook, A. and Wilkinson, D.S. (1979) :

The principles of Diagnosis. In Text-
book. of Dermatology Ed. Rook, A. ;
Wilkinson, D.S. and Ebling F.J.G. Black-
well Oxford. 3rd ed. Vol.1 P. 47.

Safai, B. ; Rappaport, I.; Matsuoka, L. ; Sogn, D. ;

Haines, K. and Lewin, M. (1981) :
Childhood dermatitis herpetiformis.
J. Am. Acad. Derm. 4 (4) , 435.

Schachner, L. and Press, S. (1983) :

Vesicular , Bullous and Pastular Dis-
order in infancy and childhood. Ped.
Clin. of North. America. 30 (4), 609.

Schmalstieg, F.C. ; Jarizzo, J.L. ; Tschen, J. and

Subrt, P. (1984) :
Basophils in incontinentia pigmenti.
J..Am. Acad. Derm. 10, 362.

Shelley, W.B. (1967) :

Herpes simplex virus as a cause of ery-
thema multiforme. J.A.M.A., 201, 153.

Severin, G.L. and Faber, E.M. (1967) :

The management of epidermolysis bullosa
in children. Arch. Derm. 95 , 302.

Smith, S.Z. and Gram, D.L. (1978) :

Amechanobullous disease of the newborn.
Bart's syndrome . Arch. Derm., 114,81.

Sneddon, I.B. and Wilkinson, D.S. (1956) :

Subcorneal pustular dermatosis. Br. J.
Derm. 68, 385.

Sneddon, I.B. and Wilkinson, D.S. (1979) :

Subcorneal pustular dermatosis, Br. J.
Derm. 100, 61.

Sneddon, I.B. (1979) :

Bullous Eruption. In Textbook of
Dermatology, Ed. Rook , A. ; Wilkinson,
D.S. and Ebling F.J.G. Blackwell, Oxford.
3rd ed. Vol. II; P. 1441.

Soloman, L.M. and Esterly, N.B. (1973) :

Epidermolysis bullosa. In neonatal
Derm. W.B. Sounder Co. Philadelphia,
P. 142. Quoted from Hurwitz, S. (1981) .

Storer, J.S. ; Galen, W.K. ; Nesbitt, L.T. and Deleo,
V.A. (1982) :

Neonatal pemphigus vulgaris. J. Am.
Acad. Derm. 6, 929.

Sulzberger, A.F. (1958) :

Incontinentia pigmenti (Bloch - sulz-
berger) Arch. Derm. 83, 57.

- Sweven, R.J. and Burnett, J.W. (1982) :
Benign chronic bullous dermatosis of
childhood : A review, *Cutis*. 29, 350.
- Tagami, H. ; Iwatsuki, K. ; Iwase, Y. and Yamada, N.
(1983) :
Subcorneal pustular dermatosis with
vesiculo-bullous eruption. Demonstr-
ation of subcorneal IgA deposits and
a leucocyte chemotactic factor. *Br.J.
Derm.* 109, 581.
- Takamori, K. ; Naito, K. and Ogawa, H. (1983) :
Epidermolysis bullosa simplex blister
fluid induces an intra - epidermal
blister in cultured normal skin. *Br.J.
Derm.* 109, 643.
- Thiers , B.H. (1981) :
The mechanobullous diseases .
J. Am. Acad. Derm. 5 (6), 745.
- Thiers , B.H. (1982) :
Bullous pemphigoid. *J. Am. Acad. Derm.*
6 (6), 1103.
- Thomas, B.A. (1950) :
The socalled stevens Johnson syndrome.
Brit. Med. J. 1, 1393. Quoted from .
Edmond, B.J. ; Huff, J.C. and Weston,
W.L. (1983).

Tidman, M.J. and Eady, R.A.J. (1984) :

Evidence for a function defect of the lamina lucida in recessive dystrophic epidermolysis bullosa demonstrated by suction blisters. Br. J. Derm. 111,379.

Tkach, J.R. (1982) :

Treatment of recurrent bullous eruption of hands and feet (Weber-Cockayne disease) with topical aluminum Chloride. J. Am. Acad. Derm. 6(6), 1095.

Tolman, M.M. ; Moshella, S.L. and Schneiderman , R.N. (1959) :

Dermatitis herpetiformis - specific entity of clinical complex. J. Invest. Derm. 32, 557.

Touraine, M.A. (1942) :

Classification des epidermolysis bulleuses . Ann. Dermatol syphiliger (paris). 2, 141. Quoted from Bauer, E.A. and Briggaman, R.A. (1979) .

Tunnessen, W. W. (1983) :

The mechanobullous diseases, Ped. Clin. of North. Amer . 30 (1) 509.

Van der Leun et al., (1974) :

The influence of skin temp on dermal -

epidermal adherence, evidence compatible with a highly viscous band .
J. Invest. Derm. 62, 42 Quoted from
Fritsch, P.O. and Elias, P.M. (1979).

Weismann, K. ; Kvist, N. and Kobayasi, T. (1983) :
Bullous acrodermatitis due to zinc deficiency during total parenteral nutrition : An ultrastural study of epidermal changes . Acta. Dermatovener. (Stokholom) 63, 143.

Winer, M.M. and Orman, J.M. (1945) :
Epidermolysis bullosa, a suggestion to possible causation. Arch. Derm.Syph. 52, 317. Quoted from pearson, R.W.(1971).

Whitly, R.J. ; Nahmias, A.J. ; Soong, S.J. et al.,(1980):
Vidarabin therapy of neonatal herpes simplex virus infection. Ped. 66, 495.
Quoted from Estery, N.B. and Spraker, P.O. (1985) .

Wolff, K. (1976) :
Trends in electron microscopy of skin.
J. Invest. Derm. 67, 39.

000000000000