

REFERENCES

References

- Aas K., Leegaard J., Aukrust L., Grimmer O., (1980):
Immediate type hypersensitivity to common moulds.
Allergy, 35:443.
- Abdallah A.R., Farag A.M., (1979): The enigma of atopic
dermatitis. Haud el Mars. Rev. I, (3):1.
- Abe T., Ohkido M., Yamamoto K., (1978): Studie on skin
surface barrier functions: skin surface lipids and
transepidermal water loss in atopic skin during
childhood. Japan. J. Dermatol., 5:223.
- Abrams G., Farber E., (1963): Peripheral vascular res-
ponses in atopic dermatitis. Arch. Dermatol., 88:554.
- Adams R.D., (1979): Neurocutaneous diseases. In Derma-
tology in General Medicine., p. 1221., eds. Fitz-
patrick T.B., Eisen Z., Wolff K., Austen K.F., pub.,
McGraw-Hill, New York.
- Adkinson J., (1920): Quoted from
Solomon L.M. & Beerman H., (1966): Atopic dermatitis.
Amer. J. Med. Sci., 252:478.
- Alexander F., French T.M., Pollock G.H., (1968) Psycho-
somatic specificity. Quoted from Whitlock, 1976., In: psy-
chologic aspects of skin disease. Major problems
in dermatology, vol. 8, p. 142., ed., Rook A., W.B.
Saunders Co.
- Alomar A., Gimenez-Camarasa J.M., Moraes J.M., (1978):
The use of levamisole in atopic dermatitis Arch.
Dermatol., 114:1316

Aly R., Maibach H.I., Shinefield H.R., (1977): Bacterial flora of atopic dermatitis. Arch. Dermatol. 113: 780 .

Aly R., (1980): Bacteriology of atopic dermatitis. Acta dermatovenereologica. Suppl., 92:16 .

Andersen K.E., Lovenstein H., (1978): An investigation of the possible relationship between allergen extracts from birch pollen, hazelnut, potato and apple. Contact dermatitis, 4:73 .

Atherton D.J., Swell M., Soothill J.F., Wells F.S., Chilvers C.E.D., (1978): A double blind controlled crossover trial of an antigen-avoidance diet in atopic eczema. Lancet., 1:401 .

Atherton D.J., (1981): Allergy and atopic eczema II. Clinical and experimental dermatology, 6:317 .

Atherton D.L., Soothill J.F., Elvidg J., (1982): Controlled trial of oral sodium cromoglycate in atopic eczema. Br. J. Dermatol., 106 (6): 681.

Baer R.L., (1959): Med. Clin. N. Amer. 43:765. Quoted from Solomon L.M. & Beerman H., (1966). Atopic dermatitis. Amer. J. Med. Sci., 252:478.

Baer R.L., (1965): Conference on infantile eczema: history, definitions, concepts. J. Pediatr., 66:153.

Bamshed J., (1969): Catechol-o-methyl transferase in skin of patients with atopic dermatitis. J. Invest. Derm., 52:100.

Barnetson R.S.C., (1980): Hyperimmunoglobulinemia E in atopic eczema (atopic dermatitis) is associated with food allergy. Acta Dermato-venereologica. Suppl., 92: 94 .

- Bazaral M., Orgel H.A., Hamburger R.N., (1971): IgE levels in normal infants and mothers and an inheritance hypothesis. *J. Immunol.*, 107:794.
- Berrens L., Young E., (1964): Studies on the human dandruff allergen II. The presence of the allergen in normal human sweat. *Dermatologica (Basel)*, 128:287.
- Besnier E., (1892): Premiere note et observations preliminaires pour servir d'introduction a l'etude diathesiques. Quoted from Rajka G., (1975): Atopic dermatitis. In: *Major problem in Dermatology*, (3), ed., Rook A., pub., W.B. Saunder Co., Philadelphia, U.S.A.
- Berrens L., Guikers C.L.H., (1980): RAST with human dander allergen in atopic dermatitis. *Acta Dermatovenereologica. Suppl.*, 92:106 .
- Bibel B.J., Lovell D.J., (1976): Skin flora maps: a tool in the study of cutaneous ecology, 67:165.
- Blaich W., (1958): Das neuro-vaskuläre der neurodermitis unter dem Gesichtspunkt der funktioneller. Prüfung der terminalen Strombahn. Quoted from Rajka, G., (1975): Atopic dermatitis. In: *Major Problems in Dermatology*, (3), ed., Rook A., pub., W.B. Saunder Co., Philadelphia, U.S.A.
- Blank J.H., (1952): Factors which influence water content of stratum corneum. Quoted by Rajka G. (1975): Atopic Dermatitis. In: *Major Problems in Dermatology* (3), ed., Rook A., pub., W.B. Saunder Co. Philadelphia, U.S.A.

Bonifazi E., Garofalo L., Monterisi A., Meneghin C.L.,
(1980): History of food allergy, RAST and challenge
test in atopic dermatitis. Acta Dermato-venereologica.
Suppl., 92:91 .

Braathen L.R., Forre O., Natvig J.B., Rajka G., (1978):
Lymphocyte subpopulations, serum immunoglobulins
and complement factors in patients with atopic derma-
titis. Br. J. Dermatol., 98:521- .

Braathen L.R., Forre O., Natvig B., Eeg Larsen T , (1979):
Predominance of T lymphocytes in dermal infiltrate of
atopic dermatitis. Br. J. Dermatol., 100:511 ..

Braathen L.R., Baklien K., Hovig T., Fausa O., Brandtzaeg
P., (1980): Immunological, histological and electron-
microscopical investigations of the gut in atopic
dermatitis. Acta Dermato-venereologica. Suppl., 92:
78 .

Brostoff J., Carini C., Wraith D.G., Johns O., (1979):
Production of IgE complexes by allergen challenge in
atopic patients and the effect of sodium cromoglycate.
Lancet., 1:1268- .

Buckley R.H., Becker W.G., (1978): Abnormalities in the
regulation of human IgE synthesis. Immunological
Review, 41:288- .

Bullough W.S., (1962): Biol. Rev. 37,307. Quoted from
Reed C.E., Busse W.W., Lee T.P., (1976): Adrenergic
mechanisms and adenylyl cyclase system in atopic derma-
titis. J. Invest. Derm., 67:333.

Burn J.H., (1963): Bull. Johns Hopkins Hospital 112, 167. Quoted from Solomon L.M., Beerman H., (1966): Atopic Dermatitis. Am. J. Med. Sci., 252:478.

Burn J.H., Rand M.S., (1965): Ann. Rev. Pharm., 5,163. Cited by Solomon L.M., Beerman H., (1966): Atopic dermatitis. Am. J. Med. Sci., 252:478.

Busse W.W., Sosman J., (1977): Decreased H₂ histamine response of granulocytes of asthmatic patients. J. Clin. Invest., 59:1080.

Bystryn J.C., Hyman C., (1969): Skin blood flow in atopic dermatitis. J. Invest. Dermatol., 52:189.

Bystryn J.C., Freedman R.I., Hyman C., (1969): Clearance of iodoantipyrene from metacholine blanched skin in atopics. Arch. Derm., 100:165.

Byrom N.A., (1980): Thymosin-inducible "null" cells in atopic children. Acta Dermato-venereologica Suppl., 92:63.

Byrom N.A., Staughton R.C.D., Campbell M.A. et al., (1979): Thymosin-inducible "null" cells in atopic eczema. Br. J. Dermatol., 100:499.

Cannonica G.S., Mingari M.C., Mellioli G., Colanbatti M., Moretta L., (1979): Imbalances of T-cell subpopulations in patients with atopic diseases and effect of specific immunotherapy. J. Immunol., 123:2669.

Carr R.D., Berke M., Becker W.S., (1964): Incidence of atopy in general population. Arch. Dermatol , 89:27.

Carr R.H., Busse W.W., Reed C.E., (1973): Failure of catecholamines to inhibit epidermal mitosis in vitro. J. Allergy. Clin. Immunol., 51:255.

Castellar C., Brum Negreiros E., (1961): Atopic dermatitis. Clinical study of 214 cases. Quoted from Excrepta Medica XIII, 16:240.

Champion R.H., (1963): Abnormal vascular reactions in atopic eczema. Brit. J. Derm., 75:12.

Champion R.H., Parish W.E., (1979): Atopic dermatitis. In: Textbook of Dermatology, p. 349, ed., Fook A., Wilkinson D.S., Ebling F.J.G., pub., Blackwell Scientific Publication, Oxford, England.

Christensen O.B., (1982): Prognosis in nickel allergy and hand eczema. Contact Dermatitis, 8:7-15.

Church J., Kleban D., Bellanti J., (1976): Serum immunoglobulin E concentrations and radio-allergen sorbent test in children with atopic dermatitis. Pediatric Research., 10:97 .

Cledenning W.E., De Oreo G.A., Stoughton R.B., (1959): Serotonin. Its effect in normal and atopic skin. Arch. Derm., 79:503.

Cledenning W.E., Clack W.E., Ogawa M., Ishizaka K., (1973): Serum IgE studies in atopic dermatitis. J. Invest. Derm., 61:233.

Coca A.E., (1953): Familial non reaginic food allergy.

Cited by Rajka G., (1975): Atopic Dermatitis. In: Major Problems in Dermatology, (3), ed., Rooh A., pub., W.B. Saunder Co., Philadelphia, U.S.A.

Coca A.F., Cooke R.A., (1923): On the classification of the phenomena of hypersensitiveness. J. Immun., 8:163.

Coca A.F., Walzer, Hommen A.A., (1931): Asthma and hay fever in theory and praxis. Quoted from Solomon L.M., & Beerman H., (1966). Am. J. Med. Sci., 252:478.

Cooke R.A., Vander Veer A., (1916): J. Immunol., (1):216. Cited by Solomon L.M., Beerman H., (1966): Atopic Dermatitis. Am. J. Med. Sci., 252:478.

Cooper K.D., Wuepper K.D., Hanifin J.M., (1980): T-cell subset enumeration and functional analysis in atopic dermatitis. Clinical Research, 28:566.

Copeman P.W.M., Winkelman R.K., (1969): Vascular changes accompanying white dermographism and delayed blanch in atopic dermatitis. Br. J. Derm., 81:944.

Cormane R.H., Husz S., Hamerlinck F., (1974): Immunoglobulin and complement bearing lymphocytes in allergic contact dermatitis and atopic dermatitis (eczema). Br. J. Dermatol., 90:597.

Cormane R.H., (1973): Immunoglobulin and complement. Br. J. Dermatol., 88:307.

Cormane R.H., Husz S., Hamerlinck F., (1974): In immunoglobulin and complement bearing lymphocytes in allergic contact dermatitis (eczema) Br. J. Dermatol. 90:597.

Cormia F.E., (1965): Atopic Dermatitis . J. Pediatrics, 66:207.

Cormia F.E., Kuykendall V., (1955): Studies on sweat retention in various dermatoses. Arch. Derm. 71:425.

Cotton D.W.K., Sutorius A.H.M., Urselmann E.J.M. (1971): The fractionation of sweat from atopic and normal subjects. Acta. Dermato-venereal (Stock), 51 189.

Cotton D.W.K., Van Rossum E., (1973): Hyokinase, glucose-6-phosphate dehydrogenase and malate dehydrogenase in the isolated sweat glands of normal and atopic subjects. Br. J. Derm., 89:459.

Curran W.E., Goldman G., (1961): IgE in atopic dermatitis. Ann. intern. Med., 55:777.

Czarnetzki B., Behrendt H., (1981): Urticaria pigmentosa: clinical picture and response to oral disodium cromoglycate. Br. J. Dermatol., 105:563-567.

Dahl Christensen J., (1981): Frequency of catarrh in atopic dermatitis. Acta Dermato-venereologica , 61:76.

Davis M.J., Laufer J.C., (1958): Observations on the delayed blanch phenomenon in atopic subjects. J. invest. Derm., 30:127.

Davies M.G., Fifield R., Marks R., (1979): Atopic disease and dermatitis herpetiformis. Br. J. Dermatology, 101: 429.

- Deisher R.W., Derby A.J., Sturman M.J., (1960) Changing trends in pediatric practice. *Pediatr.*, 25 711.
- Di Prisco Fuenmayor M.C., CHampion R.H., (1979) : Specific hyposensitization in atopic dermatitis. *Br J. Dermatol.*, 101:697.
- Dolovitch J.F.E., Hargreave R., Chalmers K.J. et al., (1973): Late cutaneous allergic responses in isolated IgE dependent reactions. *J. Allergy Clin. Immunol.*, 52:38.
- Domonkos A.N., Arnold H.L., Odom R.B., (1982): Atopic dermatitis; eczema. In: Andrew's diseases of the skin., p. 75, ed., Domonkos A.N., Arnold H.L., Odom R.B., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Dorn H., (1961): Neurodermatitis von human genetischen stand-punkt. *Acta Allergologica*, 16:451.
- Ead D., Fairbank R.A., Cunliffe W.J., (1977): Sebum excretion rate, surface lipid composition and constitutional eczema. *Clinical and Experimental Dermatology*, 2:361.
- Eilard U., Hellgren L., (1963): Skin sensitivity to histamine in eczema and psoriasis. *Int. Arch. Allergy and applied Immunol.*, 26:81.
- Elliott S.T., Hanifin J.M., (1979): Delayed cutaneous hypersensitivity and lymphocyte transformation dissociation in atopic dermatitis. *Arch. Dermatol.*, 115:36.
- El Zawahry M., (1963): Skin diseases in Arabian countries, 1st ed., pub., author, p. 7.
- Epstein S., Pinski J.B., (1964): A blind study. *Arch. Derm.*, 89:548.
- Eyster W.H. Jr., Roth G.M., Kierland R.R., (1952): Studies on the peripheral vascular physiology of patients with atopic dermatitis. *J. Invest. Dermatol.*, 18:37.
- Feldmann R.J., Maibach H.I., (1969): Percutaneous penetration of steroids in man. *J. Invest. Derm.*, 52:89.

- Finlay A.Y., Nicholls S., King C.S., Marks R., (1980):
The dry non-eczematous skin associated with atopic
eczema. *Br. J. Dermatol.*, 102:249-256.
- Fisch R.O., Tsai M.Y., Gentry W.C., (1981): Studies of
phenylketonurics with dermatitis. *J. Amer. Acad.
Dermatol.*, 4:284 .
- Fischer R.W., (1968): Comparison of antipruritic agents
administered orally. *J. A. M. A.*, 203:418.
- Foulds I.S., MacKie R.M., (1981): A double blind trial
of the H₂ receptor antagonist cimetidine and the
H₂ receptor antagonist promethazine hydrochloride
in the treatment of atopic dermatitis. *Clin. Allergy*, 11 (4): 319.
- Fredriksson T., Faergemann J., (1981): The atopic thigh:
a starting-school symptom? *Acta Dermato-venereologica*,
61:452- .
- Frick L., (1972): Cited by Abdallah A.R., Farah A.M.,
(1979): The Enigma of Atopic Dermatitis. *Head El
Mars. Rev. I.*, (3) 1.
- Frosch P.J., Schwanitz H.J., Macher E., (1984) Double
blind trial of H₁ & H₂ receptor antagonists in the
treatment of atopic dermatitis. *Arch. Dermatol.*,
76(1):36.
- Gerrard J.W., Horne S., Vickers P., MacKenzie G.W.A.,
Golunoff A., Garson J.Z., Maningas C.S., (1974):
Serum IgE levels in parents and children. (Cited
by Maize J.C., (1976). *Int. J. Dermatol.*, 15:555.
- Giannetti A., (1980): High frequency of hereditary com-
plement defects in association with atopic diseases.
Acta Dermato-venereologica. Suppl., 92:77.
- Gigli I., Baer R.L., (1979): Atopic dermatitis. In:
Dermatology in General Medicine, p. 520, ed., Fitz-
patrick T.B., Eisen A.Z., Wolf K., Freedberg I.M.,
Austen K.F., pub., McGraw-Hill, New York, U.S.A.
- Gloor M., Heymann B., Stuhliert T., (1981): Infrared-
spectroscopic determination of the water content
of the horny layer in healthy subjects and in pa-
tients suffering from atopic dermatitis. *Arch.
Dermatol. Res.*, 271:429 .
- Gordon B.I., Maibach H.I., (1968): On the mechanism of
inactive eccrine human sweat gland. *Arch. Dermatol.*,
97:66.

- Graciansky P. de, (1966): Eczem constitutionnel. Quoted from Rajka G., (1975): Atopic Dermatitis. In: Major problem in Dermatology, (3), ed., Rock A., pub., W.B. Saunders CO., Philadelphia, U.S.A.
- Greaves M.W., Sondergaard J., DeDonald-Gibson, (1971): Recovery of prostoglandins in cutaneous inflammation. Br. Med. J., ii, 258.
- Grove D.I., Reid J.G., Ferbes I.J., (1975): Humoral and cellular immunity in atopic eczema. Br. J. Dermatol., 92:611 .
- Gudjonsson H., Lodin A., Modée J., (1966): Besnier's Prurigo (Atopic dermatitis) in children. Acta. Derm. Venereol., 46:159.
- Hagermark O., Strandberg K., Gronneberg R., (1980): Effects of histamine receptor antagonists on histamine-induced responses in human skin. Acta Dermato-venereologica, 59:297 .
- Haider S., (1977): Treatment of atopic eczema in children: clinical trial of 10% sodium cromoglycate ointment. Br. Med. J., 1:1570 .
- Halpern S.R., (1973): Development of childhood allergy in infants fed breast, soy, or cow milk. J. Allergy clin. Immunol., 51:139.
- Hanifin J.M., (1984): Basic and clinical aspects of atopic dermatitis. Ann. Allergy, 52 (6): 385.
- Hannuksela M., (1980): Results of food testing in atopic dermatitis. Acta Dermato-venereologica. suppl., 92:87 .
- Hannuksela M., Lahti A., (1977): Immediate reactions to fruit and vegetables. Contact Dermatitis, 1:79 .
- Herlin T., Kragballe K., (1980): Impaired monocyte cyclic AMP responses and monocyte cytotoxicity in atopic dermatitis. Allergy, 35:647 .
- Herlin T., Jensen J.R., Thstrup-Pedersen K., (1981): Dialyzable leukocyte extract stimulates CAMP in T lymphocytes. Allergy, 36:337 .
- Hill L.W., Sulzberger M.B., (1935): Evaluation of atopic dermatitis. Arch Derm. Psycho., 32:451.

- Hindson T.C., (1976): Discussion. Br. J. Dermat 1., Suppl., 12:130.
- Hingerty D., Meehan F.O.C., (1964): Catecholamine excretion in children with atopic eczema. J. Med Sci., 6:71.
- Hinrichs W.L., Logan G.B., Winkelmann R.K., (1966): Delayed blanch phenomenon as an indication of atopy in new born infants. J. Invest. Derm., 46:19.
- Hjorth N., Roed-Pederson J., (1976): Occupational protein contact dermatitis in food handlers Contact Dermatitis, 2:28.
- Hodgkinson G.I., Everall I.D., Smith H.V., (1977): Immunofluorescent patterns in Besnier's prurigo. Br. J. Dermatol., 96:357.
- Hoffman D.R., (1975): Specific IgE antibodies in atopic eczema J. Allergy Clin. Immunol., 55, 256.
- Holla S.W.J., Hollman E.D.M.J., Mier P.D., Stoa W.J.B. M.V., Ureselmann E., Warndorff J.A., (1972) Adenosine 3',5'-cyclic monophosphate phosphodiesterase in skin. Br. J. Derm., 186:147.
- Horsmanheimo M., Horsmanheimo A., (1979): Leukocyte migration inhibition factor in atopic dermatitis induction by concanavalin A in vitro. J. Invest. Dermatol., 72: 128.
- Hovmark A., (1977)a: Acid-naphthyl acetate esterase staining of T lymphocytes in human skin. Acta Dermato-venereologica, 57:497.
- Hovmark A., (1977)b: An in vitro study of depressed cell-mediated immunity and of T and B-lymphocytes in atopic dermatitis. Acta Dermato-venereologica, 57:237.
- Hovmark A. Ekre H.P., (1978): Failure of transfer factor therapy in atopic dermatitis. Acta Dermato-venereologica, 58:497.
- Huff S.E., (1955): Observations on peripheral circulation in various dermatoses. Arch. Derm., 71 575.
- Illig L., (1952): Die Reaktion der Haut des Neugeborenen auf Zwerknikotinsäureerhaltige Gifte. Cited by Rajka, (1975): Atopic dermatitis. In: Major Problem in Dermatology., (3), ed., Rojek A., pub., W.B. Saunders Co., Philadelphia, U.S..

- Ingram J.T., (1955): Besnier prurigo an ectodermal defect.
Br. J. Derm., 67:43.
- Ishizaka K., Campbell D.W., (1959): Biological activity of soluble antigen-antibody complex II. Change in optical rotation by the formation of skin reactive complexes. J. Immun., 83:318.
- Ishizaka K., Newcomb R.W., (1970): Presence of IgE in nasal washings and sputum from asthmatic patients. J. Allergy, 46:197.
- Jackson P.G., Baker R.W.R., Lessof M.H., Ferret J., MacDonald D.M., (1981): Intestinal permeability in patients with eczema and food allergy. Lancet, 1:1285.
- Jacobs M.A., Friedman S., Franklin M.J., Anderson L.S., Muller J.J., Eisman H.D., (1966): Incidence of psychosomatic predisposing factors in allergic disorders. Psychosomatic Med., 28:679.
- Jarisch R., Sandor I., Gotz M., Kummer F., (1971): Immunotherapie allergischer Erkrankungen. Hautarzt, 30:365.
- Jarvinen K.A.I., Pirila V., Bjorksten F., Keskinen H., Lehtinen M., Stubb S., (1980): Unsuitability of bakery work for a person with atopy: a study of 234 bakery workers. Ann. of Allergy, 42: 192.
- Jervis G.A., (1937): Phenylpyruvic oligophrenia: Introductory of 50 cases of mental deficiency associated with excretion of phenyl pyruvic acid. Arch. Neural Psychiatr., 38:944.
- Johanson H.H., de Creco G.A., Laheide W.P., Mitchell F., (1960): Skin histamine levels in chronic atopic dermatitis. J. Invest. Derm., 34:237.
- Johanson L.A., Winkelmann R.K., (1965): Cutaneous vascular reactivity in atopic children. Arch. Derm., 92:621.
- Johansson E.E., Irons J.S., Patterson R., Roberts M., (1974): Serum IgE concentrations in atopic dermatitis: Relationship to severity of disease and presence of atopic respiratory disease, J. Allergy. Clin. Immunol., 54:94.

- Jolly H.V., Carpenter C.L., (1971): Eczema in infants and children. In: Current Therapy., ed., Conn H.F., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Jones H.E., Reinhardt J.H., Rinaldi M.G., (197):
A clinical, mycological and immunological survey
for dermatophytosis. Arch. Dermtol., 108:6 . . .
- Jones H.E., In uye I.C., McGerity J.L., Lewis C.W.,
(1975): Atopic disease and serum immunoglobulin E.,
Br. J. Derm., 92:17.
- Juhlin L., (1961): Skin reactions to iontophoretically
introduced epinephrine and nor-epinephrine in atopic
dermatitis. J. Invest. Derm., 37:201 .
- Juhlin L., (1962): Vascular reactions in atopic derma-
titis. Acta Dermato-venereologica, (Stockholm), 42:
218.
- Juhlin L., (1963): Atopic dermatitis. Arch. Derm., 88:
771.
- Juhlin L., (1967): Localization and content of histamine
in normal and diseased skin. Acta Dermato-venereol..
(Stockholm), 47:383.
- Juhlin L., Johansson S.G.O., Bennich H., Hogman G.,
Thyresson N., (1969): Immunoglobulin E in dermatoses.
Levels in atopic dermatitis and urticaria. Arch.
Derm., 100:12.
- Juto P., Strannegard O., (1979): T-lymphocytes and blood
eosinophils in early infancy in relation to heredity
for allergy and type of feeding. J. Allergy Clin.
Immunol., 64:38 .
- Kaliner M., (1976): The cholinergic nervous system and
immediate hypersensitivity. J. Allergy Clin. Immu-
nol., 58:308 . .
- Kalz F., Fekete Z., (1960): Studies on the mechanism
of the white response and of the delayed blanch
phenomenon in atopic subjects by means of Coomassie
blue. J. Invest. Derm., 35:135.
- Kaplan R.J., Daman L., Rosenberg E.W., Feigenbaum S.,
(1978): Topical use of caffeine with hydrocortisone
in the treatment of atopic dermatitis. Arch. Derm.
114:60 .
- Kay W.J., (1977): Atopic dermatitis. An immunological
disease complex and its therapy. Ann. Allergy, 38:
345.

- Kierland R.R., (1955): Certain stigmata associated with atopic dermatitis. Quoted from Solomon L.M., (1975): In: Textbook of Dermatology., eds., Moschella S., Hurely H., Pillsbury D., pub., McGraw-Hill
- Kikkawa Y., Kamimura K., Hamajima T. et al., (1973): Thymic alymphoplasia with hyper-IgE globulinaemia. *Pediatr.*, 51:690 .
- Kluken N., Ulrich, B., (1969): Vasculare Faktoren bei der Neurodermatitis constitutionalis. Cited by Rajka G., (1975): Atopic Dermatitis. In: Major Problem in Dermatology, (3), ed., Rook A., pub., W B. Saunders Co., Philadelphia, U.S.A.
- Korossy S., (1980): Allergic reactivity in persistent atopic dermatitis. *Acta Dermato-venereol.*, Suppl., 92:135 .
- Korting G.W., (1954): Zur pathogenese des endogenen Ekzems. Cited by Rajka G., (1975): Atopic Dermatitis. In: Major Problem in Dermatology, (3), ed. Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Korting G.M., Hölzmann H., (1960): Zur peripheren Durchstromungsgeschwindigkeit bei endogener Ekzematikern. Cited by Rajka G., (1975): Atopic Dermatitis. In: Major Problem in Dermatology, (3), ed. Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Kragballe K., Herlin T., Jensen J.R., (1980): Impaired monocyte-mediated cytotoxicity in atopic dermatitis. *Arch. Dermatol. Res.*, 269:21 .
- Kragballe K., Borregaard N., (1981): Mechanism of decreased antibody-dependent cell-mediated cytotoxicity by monocytes and neutrophils in atopic dermatitis. *Acta Dermato-venereol.*, 61:11 .
- Kuypers B.R.M., (1968): Atopic Dermatitis: Some observations from psychological point of view. *Dermatol.*, 136:38.
- Lahti A., Hannuksela M., (1978) Hypersensitivity to apple and carrot can be reliably detected with fresh material. *Allergy*, 33:143 .
- Lahti A., (1980): Non-immunologic contact urticaria. *Acta Dermato-venereol.*, Suppl., 91.

- Lahti A., Björkstén F., Hannuksela M., (1980). Allergy to birch pollen and apple, and cross-reactivity to the allergens studied with the RAST. *Allergy*, 35:297 .
- Lammintausto K., Kalimo K., (1981): Atopy and hand dermatitis in hospital wet work. *Contact Dermatitis*, 7:301 .
- Langeland T., (1982)a: Antigen in hen's egg white studied by crossed immunoelectrophoresis. *Allergy*, 37:323 .
- Langeland T., (1982)b: Allergens in hen's egg white studies by crossed radio-immunoelectrophoresis. *Allergy*, 35:521 .
- Langeland T., (1982)c: A clinical study of allergy to hen's egg white. *Allergy*, 36:101 .
- Lawrence H.S., (1959): *Physical Rev.*, 39:811. (Cited by Solomon L.M., Beerman H., (1966): Atopic dermatitis. *Amer. J. Med. Sci.*, 252:478.
- Lea T., Braathen L.R., Moen T., (1980): Class and subclass distribution of specific antibodies to codfish allergen in patient with atopic allergy. *Acta Dermato-venereol., Suppl.*, 92:73 .
- Lee T.P., Busse W.W., Reed C.E., (1974): Epidermal adenylylcyclase of human and mouse. A study of atopic state. *J. Allerg. Clin. Immunol.*, 53:284.
- Leung D.Y.M., Rhodes A.R., Geha R.S., (1981): Enumeration of the T cell subsets in atopic dermatitis using monoclonal antibodies. *J. Allerg. Clin. Immunol.*, 67:450 .
- Levine B.B., Fellner M.J., (1965): The nature of immune complexes initiating allergic wheal and flare reactions. *J. Allergy*, 36:342.
- Linkskov R., Knudsen L., (1983): Oral disodium cromoglycate treatment of atopic dermatitis. *Allergy*, 38(3):161.
- Lipkin G., March C., Gowdey J., (1964): Magnesium in epidermis, dermis and whole skin of normal and atopic subjects. *J. Invest. Derm.*, 42:393.

- Lobitz W.C., Campbell C.J., (1953): Physiological studies in atopic dermatitis (Dissiminated neuro-dermatitis). Arch. Derm., 67:575.
- Lobitz W.C., Jr., (1958): Observations on the delayed blanch phenomenon in atopic subjects. J. Invest. Derm., 30:127.
- Lobitz W.C., Jr., Heller M.L. Dobson R.L., (1957): Physiologic studies in atopic dermatitis. Arch. Derm. 75:228.
- Loewenthal L.J.A., (1957): Atopic dermatitis geographical climatic and racial factors. Proceedings of the international congress of dermatology. Acta. Dermato-venereol., (3):14-131.
- Loveless M., (1941): Immunological studies on pollinosis. Passive sensitization of man through transusion. J. Immunol., 41:15.
- Luckasen J.R., (1974): T and B lymphocytes in atopic eczema. Arch. Dermatol., 110:307.
- Mackie R.M., (1981): Intestinal permeability and atopic disease. Lancet., 2:155.
- Mackie R.M., Cobb S.J., Cochran R.E.I., Thomson J., (1979): Total and specific IgE levels in patients with atopic dermatitis: correlation between prick testing, clinical history of allergy and in vitro quantification of IgE during clinical exacerbation and remission. Clinical and Experimental Dermatology, 4:187.
- Mackie R.M., Hussain S.L., (1976): Juvenile plantar dermatitis. A new entity? Clinical and Experimental Dermatology, 1:253.
- Maibach H., (1976): Immediate hypersensitivity in hand dermatitis. Arch. Derm., 112:1289.
- Maize J.C., (1976): Atopic dermatitis. Int. J. Dermatology, 5:555.
- Marchionini A., (1960): Nemere Untersuchungen über die Neurodermatitis constitutionalis. Cited by Rajka G., (1975): Atopic Dermatitis. In: Major Problems in Dermatology., (3), ed., Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.

- Marion B., Sulzberger M.D., (1971): Atopic dermatitis.
In: *Dermatology in General Medicine*, p. 680, ed.,
Fitzpatrick T.B., Eisen A.B., Arndt K.M., Clark
W., Vanscott E.B., Vaughan J.A., pub., McGraw-Hill,
New York, U.S.A.
- Marks R., Simons M.J., (1979): Geographical tongue:
manifestation of atopy. *Br. J. Dermatol.*, 101:
159 .
- Marmor J., Ashley M., Tabachnik N., Storkman M., Mc-
Donald F., (1956): The motherchild relationship
in the genesis of neurodermatitis. *Arch. Dermatol.*
syphiliology, 71:599
- Matthew D.J., Taylor B., Norman A.P., Turner M.W.,
Soothill J.F., (1977): Prevention of eczema.
Lancet., 1:321 .
- McCalla R., Savilahti E., Parkkio M., Kuitiner P.,
Backman A., (1981): Morphology of the jejunum
in children with eczema due to food allergy.
Allergy, 35:563 .
- McDevitte H.O., (1976): IgE in Atopic Dermatitis.
J. Invest. Derm., 67:320.
- McGreedy S.J., Buckley R.H., (1975): Depression of
cell-mediated immunity in atopic eczema. *J*
Allergy. Clin. Immunol., 56:393: .
- Michaelsson G., (1970): Decreased cutaneous reactions
to kallikrein in patients with atopic dermatitis
and psoriasis. *Acta dermato-venerol.*, (Atöc holm),
50:37.
- Michaelsson G., (1973): Decreased phagocytic capacity
of the neutrophil leucocytes in patients with
atopic dermatitis. *Acta. Derm. Venereol.*, 53:279.
- Mier P.D., Urselmann E., (1970): The adenylcyclase of
the skin. II., Adenylcyclase levels in atopic
dermatitis. *Br. J. Derm.*, 83:364.
- Miller N.E., (1969): Learning of visceral and glandular
responses. Cited by Rajka G., (1975): Atopic Derma-
titis. In: *Major Problem in Dermatology*, ():105,
ed., Rook A., pub., W.B. Saunders Co., Philadelphia
U.S.A.

- Miller H., Baruch D.W., (1948): Psychosomatic studies of children with allergic manifestations. *Psychosomatic medicine*, 10:274.
- Miller H., Baruch D.W., (1950): A study of hostility in allergic children. *Amer. J. Orthopsychiatry*, 20:506.
- Moller H., (1964): Catecholamines of the skin Cited by Solomon L., Beerman H., (1966): Atopic Dermatitis, *Amer. J. Med. Sci.*, 252:478.
- Mollar H., Rorsman H., (1958): Studies on vascular permeability factors with sodium fluorescein. *Acta Derm. Venereol.*, (Stockholm), 38:243.
- Morison W.W., Parrish J.A., Fitzpatrick T.B., (1978): Oral photochemotherapy of atopic eczema. *Br. J. Dermatol.*, 98:25.
- Morison W.W., White H.A.D., Gonzalez E., Parrish F.A., Fitzpatrick T.B., (1979): Oral methoxsalen photochemotherapy of uncommon photodermatoses. *Acta Dermato-venereol.*, 59:366-368.
- Morrison G.L., Schuz E.J., (1978): Treatment of eczema with cyclophosphamide and azathioprine. *Br. J. Dermatol.*, 98:203.
- Murray J.B., (1977): New trends in psychosomatic research. *Genet. psychol-Monogr.*, 96:3.
- Newcomb R., Ishizaka K., (1969): Skin reactions to antigen E antibody in atopic, non-atopic and immunologically deficient children and adults. *J. Allergy.*, 43:292.
- Nilzen A., (1958): Experimental background of some abnormal vascular reactions in atopic dermatitis and significance of skin tests in man. Cited by Rajka, G., (1975): Atopic Dermatitis. In: *Major Problem in Dermatology*, (3):100, ed., Roenigk A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Novins A.L., (1971): Atopic Dermatitis. *Pediatric Clin. North Amer.*, 18(3):801.
- Ogawa M., Berger P.A., McIntyre O.R., Cledennig W.E., Ishizaka K., (1971): IgE in atopic dermatitis. *Arch. Derm.*, 103:575.

- Ohman S., Johansson S.G.O., (1974): Immunoglobulins in atopic dermatitis: with special reference to IgE. *Acta. Derm. Venereol.*, 54:193.
- Olive J.T., O'Connell E.J., Winkelmann R.K., Langan G.B., (1970): Delayed blanch phenomenon in children. Re-evaluation of 5 year old children originally tested as new-borns. *J. Invest. Derm.*, 54:256.
- O'loughlin S., (1977): Serum IgE in dermatitis and dermatoses. *Arch. Dermatol.*, 113:309.
- O'prey W., Krause H., Stockberg H., (1972): Genetic aspects of serum IgE levels in atopic families. *Acta. Allergologica*, 27:247.
- Paganelli R., Levinski R.J., Brostoff J., Wrath D.G., (1979): Immune complexes containing food protein in normal and atopic subjects after oral challenge and effect of sodium cromoglycate on antigen absorption. *Lancet*, 1:1270.
- Parish W.E., Champion R.H., (1973): Atopic dermatitis. In: *Recent advances in dermatology*, (3), ed., Rook A., pub., Churchill Livingstone Edinburgh.
- Paslin D., Norman H.E., (1977): Atopic dermatitis and impaired neutrophil chemotaxis in Job's syndrome. *Arch. Derm.*, 113:804.
- Pauly C.R., Artis W.M., Jones H.E., (1978): Atopic dermatitis, impaired cellular immunity and molluscum contagiosum. *Arch. Derm.*, 114:391.
- Peterson D.A.R., Page A.P., Good R.A., (1962) Wheal and erythema allergy in patients with Agammaglobulinaemia, *J. Allergy*, 33:406.
- Peterson R.D., (1965): Immunologic response in the infantile eczema. *J. Pediatr.*, 66(2): 224.
- Prahl P., (1981): Allergens in cow hair and dander. *Allergy*, 36:561.
- Prahl P., Skov P., Minuva U., Weeke B., Nexø L., (1981): Estimation of affinity and quantity of human antigen-specific serum IgG (blocking antibodies) *Allergy*, 36:555.

- Prausnitz G., Kustner H., (1921): Studies in sensitivity. Centralbl. Bakterial, 86:160.
- Prose P.A., Sedlis E., Bigelow M., (1965): The demonstration of lysosomes in the diseased skin of infants with infantile eczema. J. Invest. Dermatol., 45:448.
- Rajka G., (1960): Atopic dermatitis with special reference to the role of allergic factors. Acta Derm., 40:285.
- Rajka G., (1967): Delayed dermal epicutaneous reactivity in atopic dermatitis (prurigo Besnier): Delayed reactivity to bacterial and mold allergens Acta Dermato-venereol., 47:158.
- Rajka G., (1974)a: Transepidermal water loss on the hands in atopic dermatitis. Arch. Derm. Res., 251:111.
- Rajka G., (1974)b: Surface lipid estimation on the back of the hands in atopic dermatitis. Arch. Derm. Res., 251:43.
- Rajka G., (1975): Atopic dermatitis. In: Major Problem in Dermatology, vol. 3, ed., Rook A., pub., W.B. Saunders CO., Philadelphia, U.S.A.
- Rajka G., (1980): Recent therapeutic events. Clonidine and PUVA. Acta. Dermato-venereol., Suppl., 92:117.
- Rajka G., (1983): Atopic Dermatitis. In: Recent Advances in Dermatology, vol. 3, p. 104, ed., Rook A., Maibach H., pub., Churchill Livingstone, New York, U.S.A.
- Rajka G., Barlinn C., (1979): On the significance of the tricophytin reactivity in atopic dermatitis. Acta Dermato-venereol., 59:45.
- Rajka G., Aly R., Bayles C., Tang Y., Maibach H., (1981): The effect of short-term occlusion on the cutaneous flora in atopic dermatitis and psoriasis. Acta Dermato-venereol., 61:150.
- Ramsay C., (1969): Vascular changes accompanying white dermographism and delayed blanch in atopic dermatitis. Br. J. Derm., 81:37.

- Reed W.B., Kierland R.R., (1958): Vascular reactions in chronically inflamed skin. Arch. Derm., 77:18.
- Reed W.B., Epstein W.L., Boder E., Sedgwick R., (1966): Cutaneous manifestations of Ataxia-telangiectasia. J. Amer. Med. Ass., 195:746 .
- Reed W.B., Lapez D.H., Landing B., (1970): Clinical spectrum of anhydrotic ectodermal dysplasia. arch. Derm., 102:134.
- Reed C.E., Buss W.W., Lee T.P., (1976): Adrenergic mechanisms and the adenylcyclase system in atopic dermatitis. J. Invest. Derm., 67:333.
- Reinherz E.L., Schlossman S.F., (1980): Regulation of the immune response-inducer and suppressor T-lymphocyte subsets in human beings. New England J. Med., 303:370 .
- Ring J.C., Senter T., Cornell R.C., Arroyave C.M., Tan E.M., (1978): Complement and immunoglobulin deposits in the skin of patients with atopic dermatitis. Br. J. Derm., 99:459 .
- Ring J.C., Senter T., Cornell R.C., Arroyave C.M., Tan E.M., (1979): Plasma complement and histamine changes in atopic dermatitis. Br. J. Derm., 100:521 .
- Rocklin R.E., Scheffer A.L., Greneider D.K., Melmon K.L., (1980): Generation of antigen-specific suppressor cells during allergy sensitization. New England J. Med., 302:1213 .
- Rogerson C.H., (1947): Psychological factors in skin disorders. Br. J. Derm. syphilis, 59:6.
- Rogge J.L., Hanifin J.M., (1976): Immuno deficiencies in severe atopic dermatitis. Arch. Derm., 112: 1391 .
- Romero R., (1981): Atopic dermatitis. In: Pediatric dermatology, p. 34, ed., Coleman W.P., McJurney E.I., pub., Medical Examination Publishing Co., New York, U.S.A.
- Rostenberg A. jr., Solomon L.M., (1968): Infantile eczema and systemic disease. Arch. Derm., 98:41 .

- Rostenberg M., jr., Solomon L.M., (1971): Atopic dermatitis and infantile eczema. In immunological disease, ed., Samter M., Sherman W.B., 2nd ed., pp. 920, pub., Little and Brown, Boston, .S.A.
- Roth H.L., Kierland R.R., (1964): The nature history of atopic dermatitis 20 years follow-up study. Arch. Derm., 89:209
- Rovensky J., Saxi O., (1964). Differences in the dynamics of sweat secretion in atopic children. J. Invest. Derm., 43:171.
- Rystedt I., (1981): Dermatological problems in the work environment following childhood skin diseases. Acta. Dermato-venereol. Suppl., 95:43
- Saarinen U.M., Kajossari M., Backman A., Siimes M.A., (1979): Prolonged breast feeding as prophylaxis for atopic disease. Lancet, 2:163
- Sampson H.A., (1983): Role of immediate food hypersensitivity in the pathogenesis of atopic dermatitis. J. Allergy. Clin. Immunol., 71(5) 473.
- Sannwald C., Ortonne J.P., Thivolet J., (1979) : La photochimiotherapie orale de l'eczema atopique. Dermatologica, 159:71-77.
- Scheidegger J.P., (1966): Acetylcholine esterase gehalt normaler und neuro-dermatischer haut. Quoted from Champion R.H., Parish W.E., (1972): In. Textbook of Dermatology, p. 295, ed., Rook A., pub. Blackwell Scientific publication.
- Schnyder U.W., (1960): Neurodermatitis. Quoted from Rajka G., (1975): Atopic dermatitis. In: Major Problems in Dermatology, (3), ed., Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Schnyder U.W., Borelli S., (1967): Zur Nomenklatur der atopischen dermatitis. Proceedings of 11th International congress of dermatology. Acta. Dermato-venereol. vol. 3, p.56.
- Scholtz J.R., (1965): Management of atopic dermatitis Calif. Med., 102:210.

- Schopf E., Kapp A., Kim C.W., (1978): T-cell function in atopic dermatitis. Controlled examination of Concanavalin A dose-response relations in cultured lymphocytes. Arch. Derm. Res., 262:37.
- Schultz, Larsen F., Jacobsen K.U., (1980): Atopic dermatitis and systemic treatment with a new chromone compound (FPL 57787) A double blind clinical trial. Acta. Dermato-venereol., Suppl., 92 128.
- Schwartz M., (1952): The heredity in bronchial asthma. Quoted from Rajka G., (1975): Atopic dermatitis. In: Major problems in dermatology, vol. 3, p 46, ed., Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Schwartz C., Buckley R.H., (1971): Serum IgE concentrations and skin reactivity to anti-IgE antibody in IgA-deficient patients. New England J., ed., 284:513.
- Scott A., (1962): Acetylcholine in normal and diseased skin. Br. J. Dermatol., 74:317.
- Seah P.P., Wilkinson, (1974): Quoted from McDevitte H.O., (1976): IgE in atopic dermatitis. J. Invest. Derm., 67:320.
- Secher L., Svejgaard E., Hansen SØnderstrup G., (1977): T and B lymphocytes in contact and atopic dermatitis. Br. J. Derm., 97:537.
- Secher L., Permin H., Juhl F., (1978): Immunofluorescence of the skin in allergic diseases: an investigation of patients with contact dermatitis, allergic vasculitis and atopic dermatitis. Acta. Dermato-venereol., 58:117.
- Sedlis E., (1965): Natural history of infantile eczema: its incidence and course. Conference on infantile eczema. J. Pediatr., 66:158.
- Shuster D.L., Pierson D., Bongiovanni B., Levinson A.I., (1979): Suppressor cell function in atopic dermatitis associated with elevated immunoglobulins E. J. Allergy. Clin. Immunol., 64:139.
- Snyderman S.E., Boyer A., Roctman E., (1963): Histidine requirement of the infant. Pediatrics, 31:36.

- Solley G.O., Gleich G.J., Jordon R.E., Schroeder A.L., (1976): The late phase of the immediate wheal and flare skin reaction. *J. Clin. Invest.*, 58:408.
- Solomon L.M., (1975): Atopic dermatitis. In: *Textbook of Dermatology.*, p. 258, ed., Moschella S., Hurley H., Pillsbury D., pub. W.B. Saunders Co.
- Solomon L.M., Wentzel H.E., Tulskey E., (1964) The physiological disposition of C^{14} . Nor-epinephrine in patients with atopic dermatitis and other dermatoses. *J. Invest. Derm.*, 43:193.
- Solomon L.M., Beerman H., (1966): Atopic dermatitis *Amer. J. Med. Sci.*, 252:478.
- Solomon L.M., Nadler W., (1967): Radio autography of nor-adrenaline C^{14} in atopic dermatitis. Quoted from Solomon L.M., (1975): In: *Textbook of Dermatology*, p.258, ed., Moschella S., Hurley H., Pillsbury D., pub., W.B. Saunders Co.
- Sondergaard J., Kassis V., Knudsen L., Wadskov S., Wunscher B., Weismann K., (1980): Cromones in atopic dermatitis. *Arch. Derm. Res.*, 267:23.
- Staak V.J.B., Kuiper J.P., (1971): Peripheral circulation in atopics. *Dermatologica*, 42:10
- Stanworth D.R., (1963): Reaginic antibodies. *Advances Immun.*, 3:181.
- Stingli G., Gazze L.A., Czarnecki N., Wolff K., (1981): T cell abnormalities in atopic dermatitis patients: Imbalances in T cell subpopulations and impaired degeneration of con-A induced suppressor cells. *J. Invest. Derm.*, 76:468.
- Stokes J.H., (1940): The personality factor in psychoneurogenous reactions of the skin. *Arch. Derm. syphilology*, 42:780.
- Strannegard I.L., Hanson L., Lindholm L. (1975): Transfer factor in severe atopic diseases. *Lancet.*, 2:702.
- Strannegard I.L., Lindholm L., Strannegard O. (1976): Studies of T-lymphocytes in atopic children. *Int. Arch. Allergy Appl. Immunol.*, 50:684.

- Strannegard I.L., Strannegard O., (1977): Increased sensitivity of lymphocytes from atopic individuals to histamine-induced suppression. *Scandinavian J. Immunol.*, 6:1225.
- Strannegard I.L., Strannegard O., (1980): Natural killer cells and interferon production in atopic dermatitis. *Acta. Dermato-venereol., Suppl.*, 92:48.
- Strannegard O., Strannegard I.L., (1978): T lymphocyte numbers and function in human IgE-mediated allergy. *Immunol. Rev.*, 41:149.
- Stüttgen G., Nassabi M., Herrmann F., (1966): Einfluss trackener Warmeexposition auf die perichthelsekretion und besonderer Berücksichtigung der konstitutionellen neurodermatitis. Quoted from Rajka G., (1975): Atopic dermatitis. In: *Major Problems in Dermatology*. (3), ed., Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Sulzberger M.D., (1971): Atopic dermatitis. In: *Dermatology in General Medicine*, p. 680, ed., Fitzpatrick T.B., Eisen A.B., Arndt K.M., Clark W., Varscott E.B., Vaughan J.A., pub., McGraw-Hill, New York U.S.A.
- Sulzberger M.B., Witten V.H., (1954): Atopic dermatitis. Quoted from Loewenthal L.J.A., (1954): *The eczemas*. A symposium by ten Authors E. & S., p. 64, Livingstone Ltd., Edinburgh, London.
- Sulzberger M.B., Herrmann F., (1964): The clinical significance of disturbances in the delivery of sweat. Quoted from Rajka G., (1975): Atopic Dermatitis. In: *Major Problems in Dermatology*, vol.3 p. 105, ed., Rook A., pub. W.B. Saunders Co., Philadelphia, U.S.A.
- Szentivanyi A., (1968): The beta adrenergic theory of the atopic abnormality in bronchial asthma. *J. Allergy.*, 42:203.
- Taylor B., Norman A.P., Orgel H.A., Stokes G.L., Turner M.W., Soothill J.F., (1973): Transient Ig deficiency and pathogenesis of infantile atopy. *Lancet.*, 2:111.

- Taylor et al., (1977): Quoted from Abdallah I.R., Farag A.M., (1979): The enigma of atopic dermatitis. Haud El Mars. Rev., vol. 3 (1):11
- Teshima H., Kubo C., Kihara H., Imada Y., Nagata S., Ago Y., Ikemi Y., (1982): Psychosomatic aspects of skin diseases from the stand point of immunology. Psychother. Psychosom., 37(3):165.
- Thestrup Pedersen K.K., Ellegaard J., Thulin I., Zachariae H., (1977): PPD and mitogen responsiveness of patients from atopic dermatitis. Clinical and Experimental Immunology, 27:118.
- Thomsen K., Osmundsen P.E., (1965): Guanithidine in treatment of atopic dermatitis. Arch. Derm., 92:418.
- Torseney P., Blumstein G.I., (1966): Atopic dermatitis. J. Allergy., 38:41.
- Tse K.S., Wicher K., Arbesman C.E., (1970): IgE antibodies in nasal secretions of ragweed-allergic subjects. J. Allergy, 46:352.
- Uehara M., (1980): Tuberculin reaction in atopic dermatitis. Acta Dermato-venereol., Suppl., 92:70.
- Uehara M., Hayashi S., (1981): Hyperlinear palms. Association with ichthyosis and atopic dermatitis Arch. Derm., 117:490.
- Uehara M., Ofuji S., (1976): Patch test reactions to human dander in atopic dermatitis. Arch. Derm., 112:951.
- Ullmann W., (1981): Korrelationen zwischen Exfoliation der Areolen und atopie. Hautarzt, 32:69.
- Vanselow N., Yamate M., Adams M.S., Callies Q., (1970): The increased prevalence of allergic disease in anhidrotic congenital ectodermal dysplasia. J. Allergy, 45:302.
- Verbov J., (1978): Atopic dermatitis and the barefoot. Br. Med. J., 2:962.
- Wasserman S.I., (1980): The mast cell: its diversity of chemical mediators. Int. J. Derm., 19: .

- Weiner A., Ziery I., Fries J., (1936): Ann Eug nics, 7:141. Quoted from Solomon L.M., Beerman ., (1966): Atopic dermatitis. Amer. J. Med. S i., 252:478.
- West J.R., Johnson L.A., Winkelmann R.K., (196): Delayed blanch phenomenon in atopic individuals without dermatitis. Arch. Derm., 85:227.
- Wheatley V.R., (1965): Secretion of the skin i eczema J. Pediatr., 66(2):200.
- White M.I., Milne R.M., Main R.A., (1978): Juvenile plantar dermatosis: further observations on the aetiology. Clinical and Experimental Dermatology, 3:218.
- Whitefield A., (1958): On the white reaction (white line) in dermatology. Br. J. Derm., 77:91.
- Whitlock F.A., (1976): Psychophysiological aspects of skin diseases. In: Major Problems in Dermatology, vol., 8, p. 130, ed., Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Williams D.H., (1938): Skin temperature reaction to histamine in atopic dermatitis (Dissiminated neurodermatitis). J. Invest. Derm., 1:119.
- Williams D.H., (1951): Management of atopic dermatitis in children: Control of the maternal rejection factor. Arch. Derm. Syphilology, 63:545.
- Willan R., (1808): On cutaneous diseases. Quoted from Rajka G., (1975): Atopic dermatitis. In: Major Problems in Dermatology., vol. 3, ed., Rook A., pub., W.B. Saunders Co., Philadelphia, U.S.A.
- Wilkinson R.D., Curtis G.H., Hawk W.A., (1964) Wetherton's disease. Arch. Derm., 89:46.
- Wilkinson D.S., Hambly E.M., (1978): Prognosis of hand eczema in hairdressing apprentices. Contact Dermatitis, 4:63.
- Winkelmann R.K., Rajka G., (1983): Atopic dermatitis and Hodgkin's disease. Acta. Dermato-venereol., 63:176.
- Wirth H., Gloor M., Stoika D., (1981): Sebaceous glands in uninvolved skin of patients suffering from atopic dermatitis. Arch. Derm., Res., 270:167.

Wuthrich B., Benz A., Skvaril F., (1983): IgE and IgG₄ levels in children with atopic dermatitis. Dermatologica, vol. 166 (5), p. 229.

Young E., (1980): Seasonal factors in atopic dermatitis and their relationship. Acta. Dermato-venereol., Suppl., 92:111.

Zachariae H., Thestrup Pedersen K., Thulin H. (1980): Experimental treatment in atopic dermatitis: immunological background and preliminary results. Acta. Dermato-venereol., Suppl., 92:121.