
REFERECES

Abbassy, A.S. (1988):

Diarrheal disorders In: Pediatrics (6th ed.)
ed. by A.S. Abbassy. P: 150.

Alam, A.M. Sarker, S.A. and Molla, A.M. (1987):

Hydrolysed wheat based oral rehydration solution for
acute diarrhea.

Arch. Dis. Child, 62:440.

Amine, E.K. and Cleary, J.G. (1982):

Etiology of infectious diarrhea in Egyptian children in
a clinic population.

J. Infect. Dis., 128.

Arief, A.I., and Guisado, R. (1976):

Effects on the central nervous system of hypernatremic
and hyponatremic states.

Kidney int., 10:104.

Arneil, G.C. and chin, K.C. (1979):

Lower solute milks and reduction of hypernatremia in
young Glasgow infants.

Lancet, 2:840.

Aronson, P.S. (1981):

Identifying secondary active solute transport in epithelia.

Am. J. physiol., 240:45.

Banister, A.; Matin-Siddiqi, S.A.; and Hatcher, G.W. (1975):

Treatment of hypernatremic dehydration in infancy.

Arch. Dis. Child., 50:179.

Barnett, B. (1983):

Viral gastroenteritis.

Med. Clin. N. Am., 67 (5):1031.

Bart, K. and Finberg, L. (1976):

Single solution for oral therapy of diarrhea, letter.

Lancet, 2:633.

Berl, T.; Anderson, R.J. and MacDonald, K.H. (1976):

Clinical disorders of water metabolism.

Kidney int., 10:117.

Bhargava S.K.; Sachdev, H.A.S. and Das Gupta, B. (1984):

Oral rehydration of neonatal and young infants with dehydrating diarrhea: Comparison of low and standard solution content in oral rehydration solution.

J. Ped. Gast. Nut., 3:500.

Bishop, W.P. and Ulshen, M.H. (1988):

Bacterial gastroenteritis.

Ped. Clin. of North America, 35 (1):69.

Black, R.E. (1982):

The prophylaxis and therapy of secondary Diarrhea.

Med. Clin. N. Am., 66:611.

Black, R.E.; Merson, M.H., and Taylor. P.T. (1981):

Glucose vs Sucrose in oral rehydration solutions for infants and young children with rotavirus-associated diarrhea.

Pediatrics, 67:79.

Booth, J.W.; Levin, M.M. and Harries, J.T. (1984):

Oral rehydration therapy in acute diarrhea in childhood.

J. Pediat. Gastroenterol. Nutr., 3:491.

Brandt, C.D.; Kim. H.W. and Rodriguez, W.J. (1983):

Pediatric viral gastroenteritis during eight years of study.

J. Clin. microbiol., 18:71.

Brobeck, J. R. (1973):

Best & Taylor's physiological basis of medical practice,
the Williams & Wilkins company, Baltimore (9th. edition).

Bruch, E.; Abal, G., and Aceto, T. (1968):

Pathogenesis and pathophysiology of hypernatremic
dehydration with diarrhea.

Am. J. Dis. Child., 115:122.

Cantey, J.R. (1985):

Shiga toxin: An expanding role in the pathogenesis of
infectious diseases.

J. infect. Dis., 151:766.

Casteel, H.B. and Fiedorek, S.C. (1990):

Oral rehydration therapy.

Ped. Clin. of North. America, 37 (2):295.

Chambers, T. L. (1987):

Electrolyte and water: Controls and balance in fluid
therapy in childhood. ed. by: T.L. chambers and R.W.
Griffiths. Blackwell scientific publications P:11.

Chiba, S. and Sakuma, Y. (1980):

Faecal shedding of virus in relation to the days of
illness in infantile G.E. due to caliciviruses.

J. infect. Dis., 142:247.

Clarke, T.A.; Markarian, M.; Griswold, W. and Mendosa, S.
(1979):

Hypernatremic dehydration resulting from inadequate
breast feeding.

Pediatrics., 63(6):931.

Cleary, T.G.; cleary, K.R. and Dupont, H.L. (1981):

The relationship of oral rehydration solution to
hypernatremia in infantile diarrhea.

J. Pediat., 99(5):939.

Coles, H.M.T. (1976):

Fluid and electrolyte balance. In: coles H.M.T., Dally
P.J. et al., (eds) Paediatrics.

Bitman Medical publishing co Ltd. PP:60.

Committee on nutrition, American Academy of Pediatrics
(1985):

Use of oral fluid therapy and posttreatment feeding
following enteritis in children in a developed country.

Pediatrics, 75:358.

Conley, S.B. (1990):

Hypernatremia.

Ped. clin. of Nor. Amer., 37(2):365.

Cooke, R.E. and Levine, S. (1968):

The biologic basis of pediatrics Mc. Grow Little book company, (4th ed.) P:115. Toronto, sydney, London.

Covey, C.M. and Arieff, A.I. (1978):

Disorders of sodium and water metabolism and their effects on the central nervous system.

In: Brenner, B.M.; Stien J.H. (eds) sodium and water homeostasis. New York. Churchill Livingstone.

Cruickshank, R. (1980):

Medical Microbiology text book (12th Edition) volume two.

The practice of Medical Microbiology Edinburgh-London and New York Churchill Livingstone.

Cukor, G. and Blacklow. N.R. (1984):

Human viral gastroenteritis. Microbiological Reviews., 48:157.

Darrow, D.C. (1946):

The retention of electrolytes during recovery from severe dehydration due to diarrhea.

J. Pediat., 28:515.

Davidson, G.P.; Goodwin, D. and Robb, T.A. (1984):

Incidence and duration of lactose malabsorption in children hospitalized with acute enteritis: study in a wellnourished urban population.

J. Pediatr., 105:587.

Davies, D.P.; Ansari, B.M. and Mandal, B.K. (1979):

The declining incidence of infantile hypernatremic dehydration in Great Britain.

Am. J. Dis. Child., 133:148.

Davies, G.R.; Santa Ana C.A. and Morawski, S.G. (1982):

Permeability characteristics of human jejunum, ileum, proximal colon and distal colon: Results of potential difference measurement and unidirectional fluxes.

Gastroenterology, 83:844.

Donowitz. M. and Welsh. M.J. (1987):

Regulation of mammalian small intestinal electrolyte secretion.

In: Johnson, L. (ed.): Physiology of the Gastrointestinal tract. New York, Raven press. P:1351.

Dupont, H.L. and Pickering, L.K. (1981):

Infection of gastrointestinal tract.

Current topics in infectious diseases., P:1.

Ebrabin, G.I. (1978):

Breast feeding: The Biological option. The Mac Millan press LTD. P:50.

Edelman, C.M.; Barnet, H.L. and Troupou, V. (1980):

"Renal concentrating mechanisms in newborn infants. Effects of dietary protein and water content: role of urea, and responsiveness to antidiuretic hormone."

J. Clin. invest. 39:1062.

El-Fadil, E.O. (1983):

Gastroenteritis in children.

Arab. J. of Med., 2(5) June.

El-Fiki, U.A. (1988):

Incidence of hypernatremia in infants with acute gastroenteritis. Thesis for master degree in pediatrics.

Benha faculty of medicine, Zagazig university.

El-Geneidy, M.M.; Mansy, G.E.; Kassen, A.S. and Aly, N. (1983):

Mothers management in diarrhea.

Gaz. Egypt. Ped. Assoc., 31(1,2):68.

El-mougi (1989):

Acute diarrhea. P:14.

El-mougi, M.; Eman, M.; El-Geindy; Abdel salam and Amer, A.
(1985):

Pattern of diarrheal disease in the DDRRC-Bab El-shareya hospital 1983-1984. A two year experience. Diarrhea Control

Newsletter No. 4. Summer.

El-Rafie, M. (1984):

Epidemiology of diarrheal diseases in Egypt. Joint committee of AID, WHO UNICEF.

Ezz-El-Din. (1990):

Evaluation of the impact of the oral rehydration therapy advocated by the national control of diarrheal disease project. Thesis for M.D. degree in pediatrics. Cairo faculty of medicine.

Fanaroff, A.A.; wald, M. and Grubber, H.S. (1972):

Insensible water loss in low birth weight infants.

Pediatrics, 50:236.

Fayad, I.M. (1985):

Tracing of hypernatremia as a measure of public knowledge of how to prepare oral rehydration solution. Diarrhea Control Newsletter, 4:17.

Feigin, R.D. (1987):

Infectious diseases in Nelson textbook of pediatrics
(13th ed.), W.B. Saunders Co., Philadelphia P:601.

Feigin, R.D. and Stoller, M.L. (1987):

Infectious diseases in Nelson textbook of pediatrics
(13th ed.), W.B. Saunders Co. Philadelphia. P:554.

Finberg, L. (1969):

Hypernatremic dehydration Advan.
Pediat., 16:325.

Finberg, L. (1981):

Dehydration and Osmolality.
Am. J. Dis. Child., 135:997.

Finberg, L. (1982):

Hypernatremic dehydration In:Water and Electrolyte in
pediatrics ed:L. Finberg, R.E. Kravath and A.R. Fleischman.;
W.S. Saunders Co. P:78.

Finberg, L. (1983):

Reply on:Oral solutions for rehydration of patients
with diarrhea.

J. Ped., 102(5):803.

Finberg, L. and Harrison, H.E. (1955):

Hypernatremia in infants, an evaluation of the clinical and biochemical findings accompanying this state.

Pediat. 16(1):1.

Finberg, L.; Kravath, R.; Fleischman, A. and Saenger, P. (1982):

Water and electrolytes in pediatrics, physiology, pathophysiology and treatment. eds. W.B. Saunders Co.

Fordtran, J.S.; Rector, F.C. and Carter, W. (1968):

The mechanisms of sodium absorption in the human small intestine.

J. Clin. invest., 47:884.

ForFar, J.O. and Arneil, G.C. (1978):

Fluid and Electrolytes, Textbook of pediatrics (2nd Edition)

Chruchill Living stone P:233.

Forman, M.R.; Groubard, B.I.; Hoffman, H.J.; Berer, R.; Harley, E.E. and Bannett, P. (1984):

The pima infant feeding study: Breast Feeding and gastroenteritis in the first year of life.

Am. J. of Epidemiology, 119(3):335.

Fortin, J. and Parent, M.A. (1978):

Dehydration Scoring system for infants.

J. Trop. Pediatric, 24:110.

Frizzell, R.A.; Field, M. and Schultz, S.G. (1979):

Sodium Coupled chloride transport by epithelial tissue.

Am. J. physiol., 236:FL.

Gerna, G.; Passarani, N.; Battaglia, M. and Rondanelli, E.G (1985):

Human enteric coronavirus:antigenic relatedness to human corona virus OC₄₃ and possible etiologic role in viral gastroenteritis.

J. infect. Dis., 151:796.

Ghishan, F.K. (1988):

The transport of electrolytes in the gut and the use of oral rehydration solutions.

Ped. Clin. of North America, 35(1):35.

Gray, C.H. and Howorth, P.J. (1980):

Fluid balance in clinical chemical pathology (9th ed.)

by ELBS and Edward Arnold Publishers ltd. P:42.

Greenberg, H.B.; Wyatt, R.G. and Kalica, A.R. (1981):

New insights into viral gastroenteritis.

J. virol., 11:163.

Gruskin, A.B. (1982):

Serum sodium abnormalities in children.

Ped. Clin. N. Am., 29:908.

Gryboski, J. (1979):

Chronic diarrhea: curr. probl.

Pediat., 9:5.

Gryboski, J (1982):

Chronic diarrhea in children kalamazoo Mich. up john.

Comp., P:122.

Gryboski, J and Walker, W.A. (1983):

Gastrointestinal Problems in infants (2nd ed.) W.B.

Saunders Co., P:218.

Habel, A.H. and Simpson, H. (1976):

Osmolar relation between cerebrospinal fluid and serum
in hyperosmolar hypernatremic dehydration.

Arch. Dis. Child., 51:660.

Haddow, J.E. and Cohen, D.L. (1974):

Understanding and managing hypernatremic dehydration.
Ped. Clin. North. Am., 21(2):435.

Hakez, M. (1974):

Giardia lamblia infections in children.
The Gaz. Egyptian ped. Assoc., 22(3):257.

Hamilton, J.R. (1985):

Treatment of acute diarrhea.
Ped. Clin. of N. Am., 32(2):419.

Hashem, M.K., El sebai, B. and Kotb, A. (1984):

Oral rehydration therapy, effective for serious
dehydration in a teaching hospital. Diarrhea control
Newaletter 2:9.

Hayslett, J.P. and Binder, H.J. (1982):

Mechanism of potassium adaptation.
Am.J. physial 243:103.

Hill. L.L. (1990):

Body composition, Normal electrolyte concentrations and
the maintenance of normal volume, tonicity and acid-base
metabolism.

Ped. Clin. of N. America., 37(2):241.

Hirschhorn, N. (1975):

The management of acute diarrhea in children:An overview.

In:Progress in drug research tropical Disease II, Vol. 19. edited by E.jucher. Basel:Birchhauser verlag. P:527.

Hirschhorn, N. (1980):

The treatment of acute diarrhea in children, a historical prospective.

Am. J. Clin. Nut., 30:637.

Hirschhorn, N. (1983):

Oral rehydration therapy:The scientific and technical basis presented to international conference on oral rehydration therapy. June 7th , Washington D.C. "not published".

Hirschhorn, N. (1985):

Hypernatremia, surveillance report. April, 22.

Hirschhorn, N. and Kevin, D.K. (1975):

Oral glucose electrolyte therapy for diarrhea:A mean to maintain or improve nutrition. The Am. J. Clin. Nut., 28:189.

Hjelt, K.; Paerregaard, A.; Grauballe, C.P.; Gaarslev, K.; Anderson, H.W.; Tvede, M.; orskov, F. and Krasilnikoff, A.P. (1978):

Acute gastroenteritis in children attending Day-care centers with special reference to rotavirus infection, etiology and epidemiology aspects.

Acta paediatr. Scand., 76:754.

Hochman, H.I.; Grodin, M.A. and Crone, R.K. (1979):

Dehydration, diabetic ketoacidosis and shock in the pediatric patient.

Ped. Clin. North Am., 26:809.

Holliday, M.A. and Egan, T.J. (1964):

Dehydration:Disturbance of water and electrolyte metabolism.

Ped. Clin. N. Am., 11:871.

Holmes, I.H.; Ruck, B.J. and Davidson, G.P. (1975):

Infantile enteritis viruses:morphogenesis and morphology.

J. Virol., 16:937.

Hoyle, B.; Yunus, and chen, L.C. (1980):

Breast-feeding and food intake among children with acute diarrheal disease.

The american journal of clinical nutrition, 33:2365.

Humes, H.D. (1986):

Disorders of water metabolism. In: Kokko, J.P. Tannen R.L. (eds.): fluid and electrolytes. Philadelphia, W.B. Saunders, P:128.

Hutchison, J.H. and Cockburn, F. (1986):

Infantile gastroenteritis. in practical pediatric problems. ed. by: J.H. Hutchison and F. Cockburn. (6th ed.) Lloyd-Luke (Mediacal Books) LTD. London. P:349.

Ironside, A.G.; Tuxford, A.F. and Heyworth, B. (1970):

A survey of infantile gastroenteritis.
British Med. J., 3:20.

Jacqueline, L.W.; Walf, M.D. and Davis, S.S. (1982):

Viral gastroenteritis.
Med. Clin. North. Am., 66(3), May.

Jamison, R.L. (1980):

Urine concentration and dilution In: Brenner, B.M.; Rector, F.C. (eds.) The kidney edition 2. Philadelphia W.B. Sanders Co. P:495.

Johnstone, R.M. (1979):

Electrogenic amino acid transport.

Can. J. physiol. pharmacol., 57:1.

Jolly, H. (1981):

Diseases of children (4th ed.) Blachmell, Scientific publication.

Joseph, F.Fitzgerald and joseph, H. clark, (1982):

Chronic diarrhea.

Ped. Clin. of North America, 29(1).

Kahn, A. and Blum, D. (1980):

Hyperkalemia and UNICEF type rehydration solutions.

Lancet, 1:1082.

Kapikian, A.Z., Greenberg, H.B. and Wyatt, R.G. (1982):

The norwalk group of viruses agents associated with epidemic viral gastroenteritis. In: Tyrrell D.A.J. and kapikian A.Z. (eds.) virus infections of the gastrointestinal tract. New york:marcel dekker. P:147.

Kerry, K.R. and Anderson, C.M. (1964):

A ward test for sugar in faeces.

Lancet, 1:981.

Keusch. G.T. (1980):

Bacterial diarrhea: Pathogenesis & principles for control and chemotherapy. Cited in: clinical disorders in ped. Gastroenterology and nutrition, eds: flma lifshtz, marcel dekker. New york & Basel. chapter 21:301.

Khashaba, A., Shoheib. S., et al. (1986):

Infantile diarrhea and fluid therapy. Essentials of pediatrics. (1st ed.) P:212.

Khashaba, A. and shoheib, S. (1988):

Infantile diarrhea and fluid therapy. Essentials of pediatrics. (2nd ed.) P:121.

Khuffash, F.A. and Majeed, H.A. (1984):

Hypernatremic dehydration in infants with gastroenteritis

clin.

pediat., 23(5):255.

Kildberg, P. (1965):

Metabolic acidosis in infantile gastroenteritis, physiologic

and therapeutic aspects.

Acta. Ped. Scand., 54:155.

Kliger, A.S.; Binder, H.J.; Bash, C. and Hayslett, J. P. (1981):

Demonstration of active potassium transport in mammalian

colon.

J. Clin. invest., 67:1189.

Koopman, J.S.; Turkish, V.J and Monto, A.S. (1984):

Patterns and etiology of diarrhea in three clinical settings.

Am. J. Epidemiol., 19:114.

Lambert, H.P. (1984):

Intestinal infections.

Medicine international., 2:64.

Leading Articles (1968):

Hypernatremia and brain damage.

Lancet, 27:186.

Levine, M.M. and Edelman, R. (1979):

Acute diarrheal infections in infants.

Pediat., 59:89.

Levine, M.M.; Hyghes, T.P. and Black. R.E. (1980):

Variability of sodium and sucrose levels of simple
sugar/salt oral rehydration solutions prepared under
optimal

and field conditions.

J. Pediatr., 97:324.

Lewy, J.E. (1990):

Nephrology: fluids and Electrolytes. In: Nelson
essentials of

pediatrics edited by Behrman, R.E. and Kliegman, R.;
W.B.

Saunders company. Philadelphia, London. Toronto,
Montreal,

sydney and Tokyo P:545.

Macaulay, D. and Watson, M. (1967):

Hypernatremia in infants as a cause of brain damage.

Arch Dis. Child., 42:489.

Mahalanabis, S.D. Choudhuri, A.B. and Bagchi, N.G. (1973):

Oral fluid therapy of cholera among Bangladesh
refugees.

Pediat., 53:197.

**Mahalanabis, S.D.; Wahall, L.K.; Kallen, R.J. Mondal, A. and
Pierce, N.F. (1970):**

Water and electrolyte losses due to cholera in infants and

small children: A recovery balance study.

Pediatrics, 45:374.

Mahmoud, A.A.F. and Kaplan, B.S. (1987):

Parasitic infections in Nelson textbook of pediatrics (13th ed.) W.B. Saunders Co., Philadelphia. P:724.

Mann, M.D.; Bowie, M.D. and Hansen, J.K.L. (1975):

Total body potassium, acid-base status and serum electrolytes in acute diarrheal disease.

S.Afr. Med. J., 49:709.

Mathewson, J.J.; Johnson, P.C. and Dupont, H.L. (1985):

A newly recognized cause of travelers diarrhea: enteroadherent *Escherichia coli*.

J. infect. Dis., 151:471.

Mc Cormick; shaping, S. and Strafield, B.H. (1981):

Rehospitalization in the first year of life for high risk survivors.

Pediatrics, 66:991.

McDowell, M.E.; wolf, A.F. and Steer, O. (1955):

Osmotic volumes of distribution.

Am. J. physiol., 180:545.

Mentzing, L.O. (1981):

Waterborne outbreaks of campylobacter enteritis in central sweden.

Lancet, 11:352.

Miller, R.A. et al. (1983):

Cryptosporidium.

J. of Ped., 103 (2):383.

Molla, A.M.; Ahmed, S.M. and Greenough, W.B. (1985):

Rice-based oral rehydration solution decreases the stool volume in acute diarrhea. Bull WHO 63:751.

Monson, T.P. (1986):

Pediatric viral gastroenteritis.

Am. J. physiol., 34(1):95.

Morris-Jones, P.H.; Houton, I.B. and Evans, R.C. (1967):

Prognosis of the neurological complications of acute hypernatremia.

Lancet, 2:1385.

Nagaty, A. (1983):

Oral rehydration cuts child mortality from diarrhea in half.

Diarrhea control newsletter, 1:10.

Nalin, D.R.; Harland, E and Ramlal, A. (1980):

Comparison of low and high sodium and potassium content in oral rehydration solutions.

J. pediatr. 97:848.

Nazer, H. (1985):

Astrovirus gastroenteritis.

J. Trop. Ped., 31:67.

Nellans, H.N.; Frenzel, R.A. and Schultz, S.G. (1973):

Coupled sodium-chloride influx across the brush border of rabbit ileum.

Am. J. physiol. 225:467.

Opas, L.W.; Adler, R. and Robinson, R. (1977):

Rhabdomyolysis with severe hypernatremia.

J. Pediatr., 90:713.

Paneth, N. (1980):

Hypernatremic dehydration of infancy, an epidemiologic review.

Am. J. Dis. child., 134:785.

Phillips, S.F. (1972):

Diarrhea: A current view of the pathophysiology.

Gastroenterology, 63:495.

Pickering, L.K. (1983):

Antimicrobial therapy of gastrointestinal infections.

Pediat. clin. North. Am., 30(2):377.

Pizarro, D.; Castillo, B. and Posada, G. (1987):

Efficacy comparison of oral rehydration solutions containing either 90 or 75 millimoles of sodium per liter. pediatrics, 79:190.

Pizarro, D.; Posada, G. and Mata, L. (1983):

Treatment of 242 neonates with dehydrating diarrhea with an oral glucose-electrolyte solution.

J. pediatr., 102:153.

Pizarro, D.; Posada, G. and Villavicencio, N. (1983):

Oral rehydration in hypernatremic and hyponatremic diarrheal dehydration.

Am. J. Dis. Child., 137:730.

Plotkin, G.R.; Kluge, R.M. and Waldman, R.H. (1979):

Gastroenteritis:etiology, pathophysiology of clinical manifestation. Medicine, 58:95.

Powell, D.W. (1986):

Ion and water transport in the intestine In:Andreoli, T.E.; Hoffman, J.F.; Fanestil, D.D. and Schultz, S.G. (eds.): physiology of membrane disorders. New york. Plenum., P:559.

Powell, D.W. (1987):

Intestinal water and electrolyte transport. In:Johnson, L.R. (ed.) physiology of the gastrointestinal tract. (2nd ed.) New york:Raven press .: 1267.

Rettig, P.J. and Altshuler, G.P. (1985):

Fatal gastroenteritis associated with coronavirus like particles.

Am. J. Dis. Child., 139:245.

Riklis, E. and Quastel, J. (1958):

Effects of cations on sugar absorption by isolated surviving guinea pig intestine.

J. Biochem. physiol., 36:347.

Robertson, G.L. (1984):

Abnormalities of thirst regulation.

Kidney Int., 25:460.

Robson, A.M. (1987 a):

The pathophysiology of body fluids. In:Nelson textbook of pediatrics (13th ed.) W.B. Saunders Co. Philadelphia., P:172.

Robson, A.M. (1987 b):

Parenteral fluid therapy. In:Nelson textbook of pediatrics (13th ed.) W.B., Saunders Co. Philadelphia., P:191.

Rohde, J.E. (1983):

Therapeutic interventions in diarrhea, food and nutrition. Bulletin., 3(4):34.

Rolston, D.D.K.; Moriarty, K.J. and Farthing, M.J.G. (1986):

Acetate and citrate stimulate water and sodium absorption in the human jejunum.

Digestion, 34:101.

Rosenfeld, W.; Lopez deromana, G.; Kleinman, R. and Finberg, L. (1977):

Improving the clinical management of hypernatremic dehydration.

Clin. Ped., 16(5):411.

Rothbaum, R.; McAdams, A.J. and Giannella, R. (1982):

A clinicopathologic study of enterocyte-adherent Escherichia coli:A cause of protracted diarrhea in infants.

Gastroenterology, 83:441.

Roy, C.C. and Silver, A. (1987):

Diarrheal diseases In:Current Pediatric Diagnosis and treatment (9th ed.) P:543.

Sack, R.B. (1980):

Enterotoxigenic E.Coli: identification and characterization.

J. infect. Dis., 142:279.

Sallam, S.A.; Hassan, M.N.; Hasab, A.A.; Sherif, A.A.; Abdel Gawad, A.; El-shasly, S. and El.Attar, L. (1983):

Epidemiology of diarrheal diseases. The Gazette of the Egyptian pediatric Association. Jan.

April., 31(1,2):8.

Samadi, A.R.; Chowdhury, A.I. and Shahid, M.S. (1985):

Risk factors for death in complicated diarrhea of children.

Br. Med. J. 290:1615.

San Joaquin, V.H. and Marks, M.I. (1982):

New agents in diarrhea.

Pediatric infect. Dis. 1:53.

Santosham. M.; Burns, B. and Nadkarni, V. (1985):

Oral rehydration therapy for acute diarrhea in ambulatory children in the United States:A double-blind comparison of four different solutions.

Pediatrics, 79:159.

Santosham, M.; Daum, R. and Dillman, L. (1982):

Oral rehydration therapy of infantile diarrhea:A controlled study of well-nourished children hospitalized in the United states and panama.

N. Engl. J. Med., 306:1070.

Schneider, R.E. and Viteri, F.E. (1974):

Luminal events of lipid absorption in protein-caloric malnourished children, relationship with nutritional recovery and diarrhea.

Am. J. Clin. Nutr., 27:777.

Schrier, R.W.; Berl, J. and Anderson, R.J. (1979):

Osmotic and nonosmotic control of vasopressin release.

Am. J. physiol., 236:F321.

Scultz, S.G. (1977):

Sodium-coupled solute transport of small intestine:A status report.

Am. J. Physiol., 223:239.

Semenza, G.; Kessler, M.; Hosang, M.; Weber, J. and Schmidt, U. (1984):

Biochemistry of the Sodium D-glucose Co-transporter of the small intestinal brush border membrane.

Biochim. Biophys. Acta, 779:343.

Shukry, A.S.; Zaghloul, I. et al., (1984):

A study to assess the correlation between etiological agents, clinical manifestations, and certain haematological and electrolytic changes in infantile gastroenteritis. Thesis for M.D. degree. Faculty of Medicine, Cairo university.

Snyder, J.D. (1982):

A look at oral rehydration therapy uses in the United States and Canada.

Am. J. Clin. Nutr., 35:157.

Spratt, H.C. and Marks, M.J. (1980):

New concepts in viral G.E.

Infection, 8:48.

Tarlow, M.J. (1984):

Acute infantile gastroenteritis.

Medicine International, 2:57.

Thompson, C.M.; Gilligan, P.H.; Fisher, M.C and Long, S.S.

(1983):

Clostridium difficile cytotoxin in a pediatric population.

Am. J. Dis. Child., 137(3):271.

Trachtman, H.; Barbour, R. and Sturman, J.A. (1988):

Taurine and osmoregulation: Taurine is a cerebral osmoprotective molecule in chronic hypernatremic dehydration.

Pediatr. Res., 23:35.

Tripp, J.H. and Harris, J.T. (1977):

Infantile diarrhea and vomiting In:Harris, J.T. (ed.)
Essential of pediatric gastroenterology. Churchill
Livingstone.: 164.

Turnberg, L.A.; Fordtran, J.S. and Carter, M.W. (1970):

Mechanisms of bicarbonate absorption and its
relationship to sodium transport in the human jejunum.

J. Clin. Invest., 49:548.

Ulshen, M.H. and Rollo, J.L. (1980):

Pathogenesis of Escherichia coli gastroenteritis in
man:Another mechanism.

N.Engl. J. Med., 302:99.

Wandland, B.E., and Arbus, G.S. (1979):

Oral fluid therapy:Sodium and potassium content and
osmolality of some commercial "Clear" soups, juices and
beverages.

Can. Med. Assoc., J. 121:564.

Wasilla, M.M. (1971):

Survey for intestinal viruses. Thesis for M.D.
Bacteriology, Cairo University.

Weisberg, L.S. (1989):

Pseudohyponatremia: A reappraisal.

Am. J. Med. 86:315.

Winters, R.W. (1982):

Disorders of hydration In: Principle of pediatric fluid therapy. Little, Brown and Company Boston. U.S.A. (2nd ed.) P:1.

W.H.O. (1964):

Technical report series. No. 288., Enteric infections report of WHO expert committee.

W.H.O. (1977):

Oral fluid a simple weapon against dehydration in diarrhea.

Bull WHO, 31:1.

W.H.O. Scientific working Group (1980 a):

Escherichia coli diarrhea Bull WHO, 58:1.

W.H.O. Scientific working Group (1980 b):

Enteric infections due to campylobacter, yersinia, salmonella and shigella. Bull WHO, 58:4,519.

W.H.O. (1980 c):

Oral rehydration in acute diarrheal diseases WHO./
CDD/SER/80, 20.

W.H.O. (1980 d):

A manual for the treatment of Acute Diarrhea.,
WHO/CDD/80.2

Geneva, World Health organization.

W.H.O. (1981):

A guide to treatment of acute diarrhea (In Arabic)
Diarrhea control program. WHO Regional office for Eastern
Mediterranean.

W.H.O. (1982):

Recent advances in the development of non.
antimicrobial, antidiarrheal agents. Report of the
scientific working group on drug development and management
of Acute Diarrheas.

Geneva, 22-24 sept. WHO/CDD/DDM/82.2.

W.H.O. (1985 a):

Guidlines for treatment of acute diarrhea in children
national control of diarrheal disease project. Ministry of
health. Cairo, Egypt.

W.H.O. (1985 b):

Treatment and prevention of acute diarrhea. Guidelines for trainees of health workers. World Health Organization. Geneva WHO/CDD. P:1.

Yolken, R.H.; Lawrence, F. and Strauss, S.E. (1982):

Gastroenteritis associated with enteric type adenovirus in hospitalized infants.

J. Pediatr. 101:21.