

REFERENCES

REFERENCES

1. Akinyinka, O.O.; Falade, A.G.; and Ogbechie, C.O.:
Prothrombin time as an index of mortality in Kwashiorkor.
Ann. Trop. Paed., 10(1) : 85-88 (1990).
2. Alexander, C.S.:
Cardiovasc. Clin., 41 : 222 (1972).
3. Alleyne, G.A.O.:
Cardiac function in severely malnourished Jamaican children.
Clin. Sci., 30 : 553 (1966).
4. Alleyne, G.A.O.; and Young, V.H.:
Adrenal function in children with severe protein-calorie malnutrition.
Clin. Sci., 33 : 189-200 (1967).
5. Alleyne, G.A.O.; Hay, R.W.; Picow, D.I.; Stanfield, J.P.; and Whitehead, R.G.:
Protein-energy malnutrition. London, Edward Arnold (1977).
6. Anderson, L.; Dibble, M.V.; Turkki, P.R.; Mitchell, H.S.; and Rynbergen, H.J.:
Nutrition in Health and Disease. 17th Ed. (1982).
7. Awasthi, Y.C.; Beutler, E.; and Srivastava, S.K.:
Purification and properties of human erythrocyte glutathione peroxidase.
J. Biol. Chem., 250 : 5144-5149 (1975).

8. Baig, H.A.; and Edozien, J.C.:
Metabolism of carbohydrates.
Lancet, 2 : 662 (1965).
9. Beale, A.M.; Fasulo, D.A.; and Craigmill, A.L.:
Effects of oral and parenteral selenium supplements on residues in meat,
milk and eggs.
Rev. Environ. Contam. Toxicol., 115 : 125-150 (1990).
10. Benjamin, D.R.:
Laboratory tests and nutritional assessment.
Ped. Clin. N. Amer., 36 : 1 (1989).
11. Bradfield, R.B.; and Jelliffe, D.B.:
Hair colour changes in Kwashiorkor.
Lancet, 2 : 461 (1974).
12. Brunser, O.; Reid, A.; Monckeberg, F.; Maccioni, A.; and Contreras, I.:
Jejunal mucosa in infant malnutrition.
Am. J. Clin. Nutr., 21 : 976 (1968).
13. Burk, R.F.:
World Rev. Nutr. Diet., 30 : 88-106 (1978).
14. Burk, R.F.; Person, W.N.; Wood, R.P.; and Viteri, F.:
Blood selenium levels and in vitro uptake of selenium in Kwashiorkor.
Am. J. Clin. Nutr., 20 : 723-733 (1967).
15. Butler, J.A.; Thomson, C.D.; Whanger, P.D.; and Robinson, M.F.:
Selenium distribution in blood fractions of New Zealand women taking
organic or inorganic selenium.
Am. J. Clin. Nutr., 53 : 748-754 (1991).

16. Carpentier, Y.A.; Barthel, J.J.; and Bruyns, J.:
Plasma protein concentrations in nutritional assessment.
Proc. Nutr. Soc., 4 : 405 (1982).
17. Carter, R.F.:
Acute selenium poisoning.
Med. J. Aust., 1 : 525 (1966).
18. Chandra, P.K.:
Nutrition, immunity and infection: Present knowledge and future
directions.
Lancet, 1 : 688-691 (1983).
19. Chavania, P.:
[Quoted in Trovell, 1953].
20. Chen, X.; Yang, G.Q.; and Chen, J.:
Biol. Trace Elements Res., 2 : 91-107 (1980).
21. Civil, I.D.S.; and McDonald, M.J.:
Acute selenium poisoning: Case report.
N.Z. Med. J., 87 : 354 (1978).
22. Combs, G.F.; and Combs, S.B.:
Selenium deficiency diseases of animals. In : Orlando, F.L. (Ed.): The
Role of Selenium in Nutrition. Academic Press, New York. p. 265-326
(1986).
23. Coward, W.A.; and Lunn, P.G.:
The biochemistry and physiology of Kwashiorkor and marasmus.
Br. Med. Bull., 37 : 19-24 (1981).

24. Davidson, S.; and Passmore, R.:
Human Nutrition and Dietetics. 4th Ed. Churchill Livingstone Ltd.,
Edinburgh and London. (1969).
25. Davidson, S.; and Passmore, R.:
Human Nutrition and Dietetics. 6th Ed. Churchill Livingstone Ltd.,
Edinburgh and London (1975).
26. Debski, B.; Finlay, D.A.; Picciano, M.F.; Lonnerdal, B.; and Milner, J.:
Selenium content and glutathione peroxidase - Activity of milk from
vegetarian and non-vegetarian women.
J. Nutr., 119 : 215-220 (1989).
27. Dhansay, M.A.; Spinnler, A.J.; and Donald, P.R.:
Plasma lecithin-cholesterol acyl transferase activity and plasma lipo-
protein composition and concentrations in Kwashiorkor.
Am. J. Clin. Nutr., 53 : 512-219 (1991).
28. Diplock, A.T.:
Trace elements in human health with special reference to selenium.
Am. J. Clin. Nutr., 45 : 1313-1322 (1987).
29. El-Baroudy, R.:
Protein-Energy Malnutrition. El-Nasr Modern Bookshop.
30. Fanaroff, A.:
Bull. Pan. Am. Health Org., 9 : 112-123 (1975).
31. Fan, A.M.; and Kizer, K.W.:
Selenium - Nutritional, toxicologic and clinical aspects.
West. J. Med., 153(2) : 160-167 (1990).

32. Farthing, M.J.G.:
 i Serum thyroxine binding pre-albumin may reflect energy and nitrogen
 intake rather than overall nutritional status in chronic intestinal disease.
 Nutr. Res., 3 : 618 (1983).

33. Fischer, J.E.:
 Plasma proteins as indicators of nutritional status. In : Lewenson, S.M.
 (Ed.): Nutritional Assessment - Present Status, Future Directions and
 Prospects. Report on the Second Ross Conference on Medical Research,
 Ross Laboratories, Columbus, Ohio, p. 25 (1982).

34. Forse, R.A.; and Shizgal, H.M.:
 Serum albumin and nutritional status.
 J. Ped. Endocrinol. Nutr., 4 : 450 (1980).

35. Frost, D.V.; and Lish, P.M.:
 Selenium in biology.
 Ann. Rev. Pharmacol., 15 : 259-284 (1975).

36. Funk, M.A.; Hamlia, L.; Picciano, M.F.; et al.:
 Milk selenium of rural African women: Influence of maternal nutrition,
 parity and length of lactation.
 Am. J. Clin. Nutr., 51 : 220-224 (1990).

37. Gardillo, G.; Soto, R.; Metcoff, G.; Lopez, E.; and Garcia-Antillon, L.:
 Intracellular composition and haemostatic mechanisms in severe chronic
 malnutrition. Renal adjustments.
 Pediatrics, 20 : 303-316 (1957).

38. Garrow, J.S.:
 Classification of protein-energy malnutrition.
 Arch. Lat. Am. Nutr., 16 : 145 (1966).

39. Garrow, J.S.; Fletcher, K.; and Halliday, D.:
 Body composition in severe infantile malnutrition.
 J. Clin. Invest., 44 : 417 (1965).

40. Geber, M.; and Dean, R.F.A.:
Courier Paris, 6 : 3 (1956).

41. Golden, M.H.N.:
Transport proteins as indices of protein status.
Am. J. Clin. Nutr., 35 : 1159 (1982).

42. Golden, M.H.N.; and Ramdath, D.:
Free radicals in the pathogenesis of Kwashiorkor.
Proc. Nutr. Soc., 46 : 53-58 (1987).

43. Gomes, F.; Galvan, R.R.; Cravioto, J.; and Frenk, S.:
Mortality in third degree malnutrition.
J. Trop. Med., 2 : 77 (1956).

44. Graham, G.G.:
Malnutrition. In : McCance, R.A.; and Widdowson, E.M. (Eds.):
Calorie Deficiencies and Protein Deficiencies. Edinburgh and London:
Churchill Livingstone (1968).

45. Guthrie, H.A.:
Introductory Nutrition. 7th Ed. p. 316-319 (1989).

46. Hansen, J.D.L.:
Body composition in protein-energy malnutrition.
South Afr. Med. J., 39 : 491 (1965).

47. Househam, K.C.:
Computed tomography of the brain in Kwashiorkor: A follow-up
study.
Arch. Dis. Child., 66(5) : 623-626 (1991).

48. Jackson, M.L.:
Soil Chemical Analysis. Prentice-Hall Inc., Englewood Cliffs, N.J.
(1958).

49. Jacob, V.; Carpentier, J.E.; Salzano, S.; Nayler, V.; Wild, G.; and Brown, C.B.:
Am. J. Clin. Nutr., 52 : 39-44 (1990).
50. Jaffe, W.G.; Raphael, M.D.; Mondragon, M.C.; and Cuevas, M.A.:
Estudio clinicoy bioquimico en ninos escolares de una zona selenifera.
Arch. Lat. Am. Nutr., 22 : 595-611 (1972).
51. James, W.P.T.:
Intestinal absorption in protein-energy malnutrition.
Lancet, 1 : 333-334 (1968).
52. Janghorbani, M.; Martin, R.F.; Kasper, L.J.; et al.:
The selenite-exchangeable metabolic pool in humans: A new concept for
the assessment of selenium status.
Am. J. Clin. Nutr., 51 : 670-677 (1990).
53. Jelliffe, D.B.:
W.H.O. Monogr. Ser., no. 53 (1966).
54. Jelliffe, D.B.; Bras, G.; and Stuart, K.L.:
W.I. Ind. Med. J., 3 : 43 (1954).
55. Johnson, R.A.; et al.:
An accidental case of cardiomyopathy and selenium deficiency.
N. Engl. Med. J., 20 : 120 (1981).
56. Khashaba, A.; and Shoheib, S.:
Essential of Pediatrics. 2nd Ed. (1988).
57. Levander, O.A.:
Selected aspects of the comparative metabolism and biochemistry of
selenium and sulfur. In : Prasad, A.S. (Ed.): Trace Elements in Human
Health and Disease. vol. 2. - Essential and Toxic Elements. New York,
Academic Press (1976).

58. Levander, O.A.; and Cheng, L.:
Ann. N.Y. Acad. Sci., 355 : 1-372 (1980).

59. Levander, O.A.:
Upper limit of selenium in infant formulas.
J. Nutr., 119 : 1869-1873 (1989).

60. Levander, O.A.; and Morris, V.C.:
Am. J. Clin. Nutr., 39 : 809-815 (1984).

61. Levander, O.A.; Moser, P.B.; and Morris, V.C.:
Dietary selenium intake and selenium concentrations of plasma erythrocytes, and breast milk in pregnant and postpartum lactating and nonlactating women.
Am. J. Clin. Nutr., 46 : 694-698 (1987).

62. Levin, R.J.; and Alson, R.E.:
Blood selenium in Thailand children with protein-energy malnutrition.
Proc. Soc. Exp. Biol. Med., 134 : 1030-1034 (1970).

63. Link, E.R.:
Textbook of Dairy Chemistry. Vol. II: Practical. Chapman and Hull Ltd., London, 4th Ed. p. 140 (1963).

64. Lloyd, B.; Robson, E.; Smith, I.; and Clayton, B.E.:
Blood selenium concentration and glutathione peroxidase activity.
Arch. Dis. Child., 64 : 352-356 (1989).

65. Lombeck, I.; Kasperek, K.; Feinendegen, L.E.; and Bremer, H.J.:
Serum selenium concentrations in patients with maple syrup urine disease and phenylketonuria under diet therapy.
Clin. Chim. Acta, 64 : 57 (1975).

66. Lonnerdal, B.; Hoffman, B.; and Hurley, L.S.:
Zinc and copper binding protein in human milk.
Am. J. Clin. Nutr., 36 : 1170-1176 (1982).

67. Luo, X.; Wei, H.; and Yang, C.:
Bioavailability of selenium to residents in a low selenium area of China.
Am. J. Clin. Nutr., 42 : 439-448 (1985).

68. Majaj, A.S.:
Selenium and Kwashiorkor.
Lancet, 1 : 10 September (1966).

69. McKone, T.K.; Davis, A.T.; and Dean, R.E.:
Fibronectin as a new nutritional parameter.
Am. Surg., 51 : 336 (1985).

70. McLaren, D.S.:
A fresh look at protein-energy malnutrition.
Lancet, 2 : 485 (1966).

71. McLaren, D.S.; and Burman, D.:
Textbook of Paediatric Nutrition. Edinburgh, Churchill Livingstone,
p. 105-145 (1982).

72. McLaren, D.S.; and Read, W.W.C.:
Weight/length classification of nutritional status.
Lancet, 2 : 219 (1975).

73. McLaren, D.S.; Pellett, P.L.; and Read, W.W.C.:
A simple scoring system for classification of the severe form of protein-energy malnutrition in early childhood.
Lancet, 2 : 533 (1967).

74. Milner, J.A.; Sherman, L.; and Picciano, M.F.:
Distribution of selenium in human milk.
Am. J. Clin. Nutr., 45 : 617-624 (1987).

75. Montgomery, R.D.:
Muscle morphology in infantile protein malnutrition.
J. Clin. Pathol., 15 : 511 (1962).

76. Morris, V.C.; and Levander, O.A.:
J. Nutr., 100 : 1383-1388 (1970).

77. Morrison, E.Y.; and Alleyne, G.A.O.:
Metabolic kidney size and composition.
Arch. Lat. Am. Nutr., 26 : 7-14 (1976).

78. Moxon, A.L.; and Rhian, M.A.:
Physiol. Rev., 23 : 305-337 (1943).

79. National Research Council:
Recommended Dietary Allowances. 9th Ed. Washington, National
Academy of Sciences (1980).

80. National Research Council: Selenium in Nutrition [revised edition].
Washington, National Academy of Sciences (1983).

81. Nelson, G.K.; and Dean, R.F.A.:
Bull. W.H.O., 21 : 779 (1959).

82. Olson, O.E.; Palmer, I.S.; and Whitehead, E.L.:
Determination of selenium in biological materials. In : Glick, D. (Ed.):
Methods of Biochemical Analysis. New York, John Wiley and Sons.
21 : 39-78 (1973).

83. Parizek, J.; Ostadalova, I.; and Kalouskova, A.:
The detoxifying effects of selenium: Inter-relations between compounds
of selenium and certain metals. In : Mertz, W.; and Cornatzer, W.E.
(Eds.): Newer Trace Elements in Nutrition. New York, Marcel Dekker
Inc. (1971).

84. Passmore, R.; and Eastwood, M.A.:
Nutrition in Health and Disease. 8th Ed. Churchill Livingstone,
Edinburgh, London, Melbourne and New York (1986).

85. Pyen, G.; and Fisham, M.:
Automated determination of selenium in water.
Atom. Abs. News, 17 : 47-48 (1979).

86. Raman, L.:
Am. J. Clin. Nutr., 34 : 775-783 (1981).

87. Redmond, A.O.B.; Kaschula, R.O.C.; Freeseaman, C.; and Hansen, J.D.L.:
The colon in Kwashiorkor.
Arch. Dis. Child., 46 : 470 (1971).

88. Richard, E.; Gerald, F.; and Combs, J.Jr.:
Selenium in pediatric nutrition.
Pediatrics, 87 : 3 March (1991).

89. Rossow, J.E.:
Kwashiorkor in North America.
Am. J. Clin. Nutr., 49 : 588-592 (1989).

90. Saunders, S.J.; Truswell, A.S.; Barbezat, G.O.; Wittman, W.; and Hansen, J.D.L.:
Plasma free amino acid pattern in protein-energy malnutrition.
Lancet, 2 : 795-797 (1967).

91. Saunier, J.F.; and Sarles, H.:
Am. J. Clin. Nutr., Nov. 48(5) : 1233-1238 (1988).

92. Schrauzer, G.N.:
Selenium and cancer: A review.
Bioinorg. Chem., 5 : 275-281 (1976).

93. Schrauzer, G.N.; and White, D.A.:
Bioinorg. Chem., 8 : 303-318 (1978).

94. Schroeder, H.A.; Frost, D.V.; and Balassa, J.J.:
J. Chron. Dis., 23 : 227-243 (1970).
95. Schwartz, K.; and Foltz, C.M.:
J. Am. Chem. Soc., 79 : 3292-3293 (1957).
96. Schwartz, K.; Bieri, J.G.; and Briggs, G.M.:
Prevention of exudative diathesis in chicks by Factor 3 and selenium.
Proc. Soc. Exp. Biol. Med., 95 : 621-625 (1957).
97. Scott, R.L.; Sohmer, P.R.; and MacDonald, M.G.:
The effect of starvation and repletion on plasma fibronectin in man.
J.A.M.A., 28 : 2025 (1982).
98. Shamberger, R.J.; and Willis, C.E.:
Selenium distribution and human cancer mortality.
CRE Crit. Rev. Clin. Lab. Sci., 2 : 211-221 (1971).
99. Shearer, T.R.; and Hadimarkos, D.A.:
Geographic distribution of selenium in human milk.
Arch. Environ. Health, 30 : 230-233 (1975).
100. Shils, M.S.; and Young, V.R.:
Modern nutrition in Health and Disease. 7th Ed. (1988).
101. Shum, G.J.C.; Freeman, A.C.; and Uthe, J.F.:
Flameless atomic absorption spectrometry of selenium in fish and food
products.
J. Assoc. Off. Anal. Chem., 60 : 1010-1014 (1977).
102. Smith, A.M.; Picciano, M.F.; and Milner, J.A.:
Selenium intakes and status of human milk and formula-fed infants.
Am. J. Clin. Nutr., 35 : 521-526 (1982).

103. Smith, D.K.; Teague, R.J.; and McAdam, P.A.:
Selenium status of malnourished hospitalized patients.
J. Am. Coll. Nutr., 5 : 243-252 (1986).

104. Smythe, P.M.; Swanepoel, A.; and Campbell, J.A.H.:
Br. Med. J., i : 67 (1962).

105. Smythe, P.M.; and Brereton-Stiles, G.G.:
Thymolymphatic-deficiency and depression of cell-mediated immunity
in protein-energy malnutrition.
Lancet, 2 : 939-944 (1971).

106. Stewart, R.D.H.; Griffiths, N.M.; Thomson, C.D.; and Robinson, M.F.:
Quantitative selenium metabolism in normal New Zealand women.
Br. J. Nutr., 40 : 45-54.

107. Stuart, H.C.; and Stevenson, S.S.:
In : Nelson, W. (Ed.): Textbook of Pediatrics. W.B. Saunders Co.,
Philadelphia, p. 12 (1959).

108. Thomson, C.D.; and Robinson, M.F.:
Am. J. Clin. Nutr., 33 : 303-323 (1980).

109. Trowell, H.C.; Davies, J.N.P.; and Dean, R.F.:
Kwashiorkor . London, Edward Arnold (1954).

110. Van Rij, A.; Thomson, C.D.; McKenzie, J.M.; and Robinson, M.F.:
Selenium deficiency in total parenteral nutrition.
Am. J. Clin. Nutr., 32 : 3076 (1979).

111. Walivaara, R.; Ransson, L.; and Akesson, B.
Selenium content of breast milk sampled in 1978 and 1983 in Sweden.
Acta Paed. Scand., 75(2) : 236-239 (1986).

112. Walker, W.A.; and Watkins, J.B.:
Nutrition in Pediatrics [Basic Sciences and Clinical Applications]. Little,
Brown and Co., Boston and Toronto. 1st Ed. (1985).
113. Waterlow, J.C.:
M.R.C. Spec. Rep. Ser. No. 263, London, H.M.S.O. (1948).
114. Waterlow, J.C.; and Alleyne, G.A.O.:
Protein-energy malnutrition in children - Advances in knowledge in the
last 10 years.
Adv. Prot. Chem., 25 : 117 (1971).
115. Wellcome Trust Working Party:
Lancet, 2 : 302 (1970).
116. Wharton, B.A.; Balmer, S.E.; Somers, K.; and Templeton, A.C.:
The myocardium in Kwashiorkor.
Q.J. Med., 38 : 107-116 (1969).
117. Whitney, E.; Nunnelley, H.E.; and Rolfes, S.R.:
Understanding Nutrition. 5th Ed. p. 339-340 (1989).
118. Williams, C.D.:
A nutritional disease of children associated with a maize diet.
Arch. Dis. Child., 8 : 423 (1933).
119. World Health Organization (WHO):
Food and Nutritional Terminology.
Terminology Circular no. 27 (1973).
120. World Health Organization (WHO):
Malnutrition and mental development.
W.H.O. Chronicle, 28 : 95 (1974).

121. Wyndhan, C.H.:
The work capacity of rural and urban Bantu in South Africa.
South Afr. Med. J., 47 : 1239 (1973).
122. Yaktin, U.S.; and McLaren, D.S.:
J. Ment. Def. Res., 14 : 25 (1970).
123. Yoder, M.C.; Anderson, D.C.; and Gopalakrishna, G.C.S.:
Comparison of serum fibronectin pre-albumin and albumin concentrations during nutritional repletion in protein-calorie malnourished infants. J. Ped. Gastroenterol. Nutr., 6 : 84 (1987).
124. Zabel, N.L.; Harland, J.; Gormican, A.T.; and Ganther, H.E.:
Selenium content of commercial formula diets.
Am. J. Clin. Nutr., 31 : 850-858 (1978).