

- El-Shamma, A. E. (1991): Palynostratigraphic zonation of the Bahariya Formation in El-Salam no. 17 well, Western Desert, Egypt. *Egypt. J. Geol.*, v. 35, p. 261-273.
- El-Shamma, A. E. (1994): Cretaceous microfloras of Egypt and the North Gondwana Province. 2nd Inter. Conf. Geol. Arab. World., v. 2, p. 417-428.
- El-Shamma, A. E. & Arafa, A. A. (1988): Early pollen angiosperm from the Lower Cretaceous sediments in the northern part of the Western Desert, Egypt. *Egypt. J. Geol.*, v. 32, 1-2, p. 263-272.
- El-Shamma, A. E. & Arafa, A. A. (1992): Palynological zonation of Abu Roash "G" Member and the upper part of Bahariya Formation in Bed Well No. 1-2, Western Desert, Egypt. *Ann. Geol. Surv. Egypt*, v. 18, p. 209-215.
- El-Shamma, A. E. & Baioumi, A. E. (1992): Early Cenomanian microfloral characteristics of the Salam Oil Field, Western Desert, Egypt. *Bull. Fac. Sci. Alex. Univ.*, v. 32(A), p. 444-464.
- El Sheikh, H. A. & Aly, S. M. (1988): Nannoplankton and palynological biostartigraphy of the Cretaceous rocks of Monaga well no. 1, East of the Nile Delta. *Egypt. J. Geol.*, v. 38 (2), p. 507-524.
- El Sheikh, H. A. & Aly, S. M. (1994): Biostratigraphic study on the Jurassic-Early Cretaceous rocks in some exploratory wells in north Sinai, Egypt. *Egypt. J. Geol.*, v. 38 (2), p. 507-524.
- Erdtman, G. (1952): Pollen Morphology and Plant Taxonomy. Angiosperms. *Almqvist and Wiksell, Stockholm*, 539 pp.
- Evitt, W. R. (1969): Dinoflagellates and other organisms in palynological preparations. Aspects of Palynology. *Wiley-intersci.*, ch. 18, p. 439-474.
- Evitt, W. R. (1985): Sporopollenin Dinoflagellate Cysts, Their Morphology and Interpretation. *AASP Found.*, 333 p.
- Fechner, G. G. (1987): Palyno-ökologische und sedimentologische Untersuchungen im Oberbathon-Dolomit der Grands Causses (Süd-Frankreich). *N. Jb. Geol. Paläont.*, 176, Hefte 1, p. 105-118.
- Fensome, R. A. (1979): Dinoflagellate cysts and acritarchs from the Middle and Upper Jurassic of Jameson Land, east Greenland. *Grñl. Geol. Unders., Bull.* v. 132, p. 1-98.
- Fensome, R. A., Riding, J. B. & Taylor, F. J. R. (1996): Dinoflagellates. In: *Jansonius, J. & McGregor, D. C. (ed.), Palynology: principles and applications; AASP Found.*, v. 1, p. 107-169.
- Fisher, M. J. (1980): Kerogen distribution and depositional environments in the Middle Jurassic of Yorkshire, U.K. *Proc. 4th Inter. Palynol. Conf., Lucknow (1976-77)*, v. 2, p. 574-580.
- Gitmez, G. U. & Sarjeant, W. A. S. (1972): Dinoflagellate cysts and acritarchs from the Kimmeridgian (Upper Jurassic) of England, Scotland and France. *Bull. Brit. Mus. (Nat. Hist.) Geol.*, v. 21, p. 171-257.
- Groot, J. J. & Groot, C. R. (1962): Plant microfossils from Aptian, Albian and Cenomanian deposits of Portugal. *Comun. Serv. Geol. Port.*, v. 46, p. 133-171.
- Groot, J. J. & Penny, J. S. (1960): Plant microfossils and age of nonmarine Cretaceous sediments of Maryland and Delaware. *Micropal.*, v. 6, p. 225-236.
- Habib, D. (1982): Sedimentary supply origin of Cretaceous black shales. *Nature and Origin of Cretaceous Carbon-Rich Facies, Academic Press, London*, p. 113-127.
- Hantar, G. (1990): North Western Desert. *The Geology of Egypt, R. Said (ed.), Balkema, chapter 15*, p. 293-319.

- Hasenboehler, B. (1981):** E'tude paléobotanique et palynologique de l'Albien et du Cénomanién du Bassin Occidental Portugais au sud de l'accident de Nazaré (Province d'Estremadura), Portugal. *Thèse 3ème cycle, Univ. Paris*, v. 6, p. 1-317.
- Helal, A. H. (1965):** Jurassic spores and pollen grains from the Kharga Oasis, Western Desert, Egypt. *N. Jb. Geol. Paläont. Abh.*, 123, v. 2, p. 160-166.
- Herngreen, G. F. W. (1973):** Palynology of Albian-Cenomanian strata of borehole 1-QS-1-MA, State of Maranhao, Brazil. *Poll. Spor.*, v. 15 (3-4), p. 515-555.
- Herngreen, G. F. W. (1974):** Middle Cretaceous palynomorphs from northeastern Brazil. *Sci. Géol., Bull.*, v. 27, p. 101-116.
- Herngreen, G. F. W. (1985):** Palynologische Untersuchungsergebnisse der Bohrungen Neuburg 8 und Neuburg 9 bei Sehersand. *Geol. Bl. NO-Bayern*, 34-35, p. 369-388.
- Herngreen, G. F. W. & Chlonova, A. F. (1981):** Cretaceous Microfloral Provinces. *Poll. Spor.*, v. 23, p. 441-555.
- Herngreen, G. F. W., Kedves, M., Rovnina, L. V. & Smirnova, S. B. (1996):** Cretaceous palynofloral provinces: a review. In: *Jansonius, J. & McGregor, D. C. (ed.), Palynology: principles and applications; AASP Found.*, v. 3, p. 1157-1188.
- Heusser, L. E. (1983):** Pollen distribution in the bottom sediments of the western North Atlantic Ocean. *Marine Micropal.*, v. 8, p. 77-88.
- Heusser, L. E. (1988):** Pollen distribution in marine sediments on the continental margin off northern California. *Marine Geol.*, v. 80, p. 131-147.
- Horowitz, A. (1970):** Jurassic microflora from the northern Negev, Israel. *Israel J. Earth Sci.*, v. 19, p. 153-182.
- Hughes, N. F., Drewry, G. E. & Laing, J. F. (1979):** Barremian earliest angiosperm pollen. *Palaeont.*, v. 22, p. 513-535.
- Ibrahim, M. I. A. (1996):** Aptian-Turonian palynology of the Ghazalat-1 Well (GTX-1), Qattara Depression, Egypt. *Rev. Palaeobot. Palynol.*, v. 94, p. 137-168.
- Ibrahim, M. I. A. (2002):** New angiosperm pollen from the upper Barremian-Aptian of the Western Desert, Egypt. *Palynol.*, v. 26, p. 107-133.
- Ibrahim, M. I. A. (2003):** Middle-Late Triassic Chronostratigraphy, Palynostratigraphy and Organic Carbon Richness in the Dukhan Oil Field, Qatar. *5th Inter. Conf. Geol. Middle East*, p. 1-15.
- Ibrahim, M. I. A. & Abdel-Kireem, M. R. (1997):** Late Cretaceous palynofloras and foraminifera from Ain El-Wadi area, Farafra Oasis, Egypt. *Cret. Res.*, v. 18, p. 633-660.
- Ibrahim, M. I. A., Abul Ela, N. M. & Kholeif, S. E. (1997):** Paleoecology, palynofacies, thermal maturation and hydrocarbon source-rock potential of the Jurassic-Lower Cretaceous sequence in the subsurface of the north Eastern Desert, Egypt. *Qatar Univ., Sci. J.*, v. 17 (1), p. 153-172.
- Ibrahim, M. I. A., Abul Ela, N. M. & Kholeif, S. E. (2001):** Palynostratigraphy of Jurassic to Lower Cretaceous sequences from the Eastern Desert of Egypt. *J. Afr. Earth Sci.*, v. 32 (2), p. 269-297.
- Ibrahim, M. I. A., Abul Ela, N. M. & Kholeif, S. E. (2002):** Dinoflagellate cyst biostratigraphy of Jurassic-Lower Cretaceous formations of the North Eastern Desert, Egypt. *N. Jb. Geol. Paläont. Abh.*, v. 224 (2), p. 255-319.

- Ibrahim, M. I. A., Al Hitmi, H. H. A. & Kholeif, S. E. (2000): Albian-Cenomanian Palynology, Paleocology and Organic Thermal Maturity of Well DK-B in the Dukhan Oil Field of Western Qatar. *GeoArab.*, v. 5 (4), p. 483-508.
- Ibrahim, M. I. A., Al-Saad, H. & Kholeif, S. E. (2002): Chronostratigraphy, palynofacies, source-rock potential, and organic thermal maturity of Jurassic rocks from Qatar. *GeoArab.*, v. 7 (4), p. 675-696.
- Ibrahim, M. & Schrank, E. (1996): Palynological studies on the Late Jurassic-Early Cretaceous of the Kahraman-1 well, northern Western Desert, Egypt. *Geol. de l'Afriq. et de l'Atlant. sud: Actes Colloques Angers*, p. 611-629.
- Ibrahim, M. I. A., Schrank, E. & Abdel-Kireem, M. R. (1995): Cretaceous biostratigraphy and palaeogeography of north Egypt and northeast Libya. *PRJ.*, v. 7, p. 75-93.
- Islam, M. A. (1983): Dinoflagellate cyst taxonomy and biostratigraphy of the Eocene Bracklesham Group in southern England. *Micropal.*, v. 29, p. 328-353.
- Islam, M. A. (1993): Review of the fossil dinoflagellate *Cleistosphaeridium*. *Rev. Esp. Micropal.*, v. 25, p. 81-94.
- Issawi, B., El Hinnawi, M., Francis, M. & Mazhar, A. (1999): The Phanerozoic Geology of Egypt, A Geodynamic Approach. *Spec. Publ. 76, E.G.S.M.A.*, 462 p.
- Jan du Chêne, R., Masure, E., Becheler, I., Biffi, U., De Vains, G., Fauconnier, D., Ferrario, R., Foucher, J.-Cl., Gaillard, M., Hochuli, P., Lachkar, G., Michoux, D., Monteil, E., Moron, J.-M., Rauscher, R., Raynaud, J.-F., Taugourdeau, J. & Turon, J.-L. (1986): Guide pratique pour la détermination de kystes de Dinoflagellés fossiles: Le complexe *Gonyaulacysta*. *Bull. Cent. Rech. Expl.-Prod. Elf-Aquitaine, Mém. 12*, 479 p.
- Jardiné, S. (1967): Spores à expansions en forme d'élátères du Crétacé moyen d'Afrique occidentale. *Rev. Palaeobot. Palynol.*, v. 1, p. 235-258.
- Jardiné, S. & Magloire, L. (1965): Palynologie et stratigraphie du Crétacé des Bassins du Sénégal et de Côte d'Ivoire. *Premier Colloq. Afr. Micropal., Dakar, 1963; Mém. Bur. Rech. Géol. Min.*, v. 32, p. 187-245.
- Jiang O., Mungai, M. W., Downie, C. & Neves, R. (1992): Late Jurassic dinoflagellate assemblages of the Mto Panga Quarry, Mombasa, Kenya. *Rev. Palaeobot. Palynol.*, v. 74, p. 77-100.
- Johnson, C. D. & Hills, L. V. (1973): Microplankton zones of the Savik Formation (Jurassic), Axel Heiberg and Ellesmere Islands, District of Franklin. *Bull. Can. Petrol. Geol.*, v. 21, p. 178-218.
- Juhász, M. & Góczán, F. (1985): Comparative study of Albian monosulcate angiosperm pollen grains. *Acta Biol. Szeged.*, v. 31, p. 147-172.
- Kar, R. K., Kieser, G. & Jain, K. P. (1972): Permo-Triassic subsurface palynology from Libya. *Poll. Spor.*, v. 14, p. 389-453.
- Kemp, E. M. (1968): Probable angiosperm pollen from British Barremian to Albian strata. *Palaeont.*, v. 11, p. 421-434.
- Kemp, E. M. (1970): Aptian and Albian miospores from southern England. *Palaeontograph. B*, v. 131, p. 73-143.
- Klement, K. W. (1960): Dinoflagellaten und Hystrichosphaerideen aus dem unteren und mittleren Malm Sudwestdeutschland. *Palaeontograph. B*, v. 114, p. 1-104.

- Kora, M. & El Beialy, S. (1989): Early Cretaceous palynomorphs from Gabal Musaba Salama area, southwestern Sinai, Egypt. *Rev. Palaeobot. Palynol.*, v. 58, p. 129-138.
- Kotova, I. Z. (1988): A new angiosperm pollen species from the Aptian of the Moroccan Basin. *Paleont. J.*, v. 4, p. 114-116 (113-115 in published English translation).
- Lanjouw, J., Mamay, S. H., McVaugh, R., Robyns, W., Rollins, R. C., Ross, R., Rousseau, J., Schulze, G. M., de Vilmorin, R. & Stafleu, F. A. (eds.) (1966): International Code of Botanical Nomenclature adopted by 10th International Botanical Congress, Edinburgh, 1964. *Utrecht*, 402 p.
- Lawal, O. & Moullade, M. (1986): Palynological biostratigraphy of Cretaceous sediments in the Upper Benue Basin, N.E. Nigeria (1). *Rev. Micropal.*, v. 29 (1), p. 61-83.
- Lenz, A. C., Edwards, L. E. & Pratt, B. R. (2000): NOTE 64—Application for revision of articles 48–54, biostratigraphic units, of the North American Stratigraphic Code. *57th Annual Meeting of the NACSN in Denver, CO*. p. 372-375.
- Lund, J. J. (1977): Rhaetic to Lower Liassic palynology of the onshore southeastern North Sea Basin. *Dansk Geol. Unders.*, II (109), p. 1-128.
- Mahmoud, M. S. (1993): Contributions to the palynology of the west Mawhoub subsurface section, Western Desert (Egypt). *Bull. Fac. Sci., Assiut Univ.*, v. 22 (2-f), p. 113-141.
- Mahmoud, M. S. (1997): Contribution to Cretaceous palynostratigraphy of the Kharga Oasis area, Egypt. *Bull. Fac. Sci., Assiut Univ.*, v. 26 (2-f), p. 41-72.
- Mahmoud, M. S. (1998): Palynology of Middle Cretaceous-Tertiary sequence of Mersa Matruh-1 well, northern Western Desert, Egypt. *N. Jb. Geol. Paläont. Abh.*, v. 209 (1), p. 79-104.
- Mahmoud, M. S. & Moawad, A. M. M. (1999): Miospore and dinocyst biostratigraphy and palaeoecology of the Middle Cretaceous (Albian-Early Cenomanian) sequence of the Ghoroud-1X borehole, northern Western Desert, Egypt. *1st Inter. Conf. Geol. Africa, Assiut, Egypt*, v. 1, p. 1-13.
- Mahmoud, M. S. & Moawad, A. M. M. (2000): Jurassic-Cretaceous (Bathonian to Cenomanian) palynology and stratigraphy of the West Tiba-1 borehole, northern Western Desert, Egypt. *J. Afr. Earth Sci.*, v. 30 (2), p. 401-416.
- Mahmoud, M. S. & Moawad, A. M. M. (2002): Cretaceous palynology of the Sanhur-1X borehole, northwestern Egypt. *Rev. Esp. Micropal.*, v. 34 (2), p. 129-143.
- Mahmoud, M. S., Omran, A. M. & Atta, S. A. S. (1999): Stratigraphy of the Upper Jurassic-Lower Cretaceous sequences from three boreholes, northern Egypt: palynological evidence. *Newsl. Stratigr.*, v. 37 (3), p. 141-161.
- Mahmoud, M. S. & Schrank, E. (2003): Early Cretaceous (Neocomian-early Barremian) spores and pollen grains from the Six Hills Formation, Kharga area, Egypt. *N. Jb. Geol. Paläont. Abh.*, v. 227 (2), p. 153-174.
- Manum, S. (1962): Studies in the Tertiary flora of Spitsbergen. With notes on Tertiary floras of Ellesmere Island, Greenland and Iceland. *Norsk Polarinst. Skr.*, v. 125, p. 7-127.
- McLachlan, I. R. & Pieterse, E. (1978): Preliminary palynological results: Site 361, Leg 40, Deep Sea Drilling Project. *Init. Rep. Deep Sea Drill. Proj.*, 40: 857-881.

- McIntyre, D. J. & Brideaux, W. W. (1980): Valanginian miospore and microplankton assemblages from the northern Richardson Mountains, District of Mackenzie, Canada. *Bull. Geol. Surv. Canada*, v. 320, p. 1-57.
- Méon, H. (1991): Études sporopolliniques à la limite Crétacé-Tertiaire: La Coupe du Kef (Tunisie, nord-occidentale); étude systématique, stratigraphie, paléogéographie et évolution climatique. *Palaeontograph. B*, v. 223, p. 107-168.
- Miner, E. L. (1935): Paleobotanical examinations of Cretaceous and Tertiary coals. *Amer. Midl. Naturalist*, v. 16, p. 585-625.
- Mohr, B. & Seufert, G. (1987): Mitteljurassische Rotsedimente im zentralen Hohen Atlas, Südmarokko. Geologische und palynologische Untersuchungen. *N. Jb. Geol. Paläont. Abh.*, v. 173, p. 303-319.
- Morgan, R. (1978): Albian to Senonian palynology of site 364, Angola Basin. *Init. Rep. Deep Sea Drill. Proj.*, v. 40, p. 915-951.
- Muller, J. (1968): Palynology of the Pedawan and Plateau Sandstone Formations (Cretaceous-Eocene) in Sarawak, Malaysia. *Micropal.*, v. 14, p. 1-37.
- Norris, G. (1967): Spores and pollen from the Lower Colorado Group (Albian-Cenomanian) of central Alberta. *Palaeontograph. B*, v. 120, p. 73-115.
- Norris, G. (1969): Miospores from the Purbeck Beds and marine Upper Jurassic of southern England. *Palaeont.*, v. 12, p. 574-620.
- Oboh, F. E., Salami, M. B. & Chapman, J. L. (1992): Palynological interpretation of the palaeoenvironments of Miocene strata of the well Igbomatoru-1, Niger delta. *J. Micropal.*, v. 11, p. 1-6.
- Oehler, J. H. (1983): Using geothermal gradient to estimate source rock quality. (*unpublished course notes*).
- Omran, A. M., Soliman, H. A. & Mahmoud, M. S. (1989): Jurassic palynostratigraphy of north Western Desert, Egypt. *Bull. Fac. Sci., Assiut Univ.*, v. 18 (2-f), p. 77-96.
- Omran, A. M., Soliman, H. A. & Mahmoud, M. S. (1990): Early Cretaceous palynology of three boreholes from northern Western Desert, Egypt. *Rev. Palaeobot. Palynol.*, v. 66, p. 293-312.
- Parry, C. C., Whitley, P. K. J. & Simpson, R. D. H. (1981): Integration of palynological and sedimentological methods in facies analysis of the Brent Formation. *Petroleum Geology of the Continental Shelf of North-West Europe*, Heyden and Son, London, p. 205-215.
- Pearson, D. L. (1984): *Pollen/spore colour "standard"*, version 2. Phillips Petroleum Co., privately distributed.
- Penny, J. H. J. (1986): An Early Cretaceous angiosperm pollen assemblage from Egypt. *Spec. Pap. Palaeont.*, v. 35, p. 121-134.
- Penny, J. H. J. (1989): New Early Cretaceous forms of the angiosperm pollen genus *Afropollis* from England and Egypt. *Rev. Palaeobot. Palynol.*, v. 58, p. 289-299.
- Pflug, H. D. (1953): Zur Entstehung und Entwicklung des Angiospermiden Pollens in der Erdgeschichte. *Palaeontograph. B*, v. 95, p. 60-171.
- Pierce, R. L. (1961): Lower Upper Cretaceous plant microfossils from Minnesota. *Minn. Geol. Surv. Bull.* v. 42, p. 1-86.

- Playford, G. (1971):** Palynology of Lower Cretaceous (Swan River) strata of Saskatchewan and Manitoba. *Palaeont.*, v. 14 (4), p. 533-565.
- Pocock, S. A. J. (1962):** Microfloral analysis and age determination of strata at the Jurassic-Cretaceous boundary in the Western Canada plains. *Palaeontograph. B*, v. 3, p. 1-95.
- Pons, D. (1988):** Le Mésozoïque de Colombie. Macroflores et microflores. *Cahiers de Paléont.*, p. 1-168.
- Potonié, R. (1958):** Synopsis der Gattungen der Sporae dispersae, Teil II. Saccites, Aletes, Praecolpates, Polyplicates, Monocolpates. *Beih. Geol. Jb.*, v. 31, p. 1-114.
- Potonié, R. & Kremp, G. O. W. (1954):** Die Gattungen der paläozoische Sporae dispersae und ihre Stratigraphie. *Geol. Jb.*, v. 69, p. 111-194.
- Poulsen, N. E. (1996):** Dinoflagellate cysts from marine Jurassic deposits of Denmark and Poland. *AASP, Cont. Ser.*, v. 31, p. 1-227.
- Prössl, K. F. (1990):** Dinoflagellaten der Kreide - Unter-Hauterive bis Ober-Turon - im Niedersächsischen Becken, Stratigraphie und Fazies in der Kernbohrung Konrad 101 sowie einiger anderer Bohrungen in Nordwestdeutschland. *Palaeontograph. B*, v. 218, p. 93-191.
- Prössl, K. F. & Vergara Streinesberger, L. (1993):** The Yavi Formation (Lower Cretaceous), Upper Magdalena Valley, Colombia: an integrated sedimentological and palynological study. *N. Jb. Geol. Paläont. Abh.*, v. 188, p. 213-240.
- Rauscher, R. & Schmidt, J. P. (1990):** Recherches palynologiques dans le Jurassique d'Alsace (France). *Rev. Palaeobot. Palynol.*, v. 62, p. 107-156.
- Ravn, R. L. (1995):** Miospores from the Muddy Sandstone (upper Albian), Wind River Basin, Wyoming, U.S.A. *Palaeontograph. B*, v. 234, p. 41-91.
- Ravn, R. L. (1998):** Taxon: an electronic internet database.
- Ravn, R. L. & Witzke, B. J. (1995):** The palynostratigraphy of the Dakota Formation (?late Albian-Cenomanian) in its type area, northwestern Iowa and northeastern Nebraska, USA. *Palaeontograph. B*, v. 234, p. 93-171.
- Regali, M. S. P., Uesugui, N. & Santos, A. S. (1974):** Palinologia dos sedimentos Meso-Cenozóicos do Brasil (I & II). *B. Téc. Petrobrás*, v. 17, p. 177-191, 263-301.
- Reyre, Y. (1963):** Première contribution à l'étude des spores et pollens du secondaire Saharien. *Rev. Micropal.*, v. 6, p. 196-210.
- Reyre, Y. (1966):** Palynologie du Crétacé moyen du Sahara Tunisien. *Rev. Micropal.*, v. 9, p. 3-18.
- Reyre, Y. (1973):** Palynologie du Mésozoïque saharien. *Mém. Mus. Hist. Nat., sér. C*, v. 27, p. 1-284.
- Riding, J. B. & Thomas, J. E. (1988):** Dinoflagellate cyst stratigraphy of the Kimmeridge Clay (Upper Jurassic) from the Dorset Coast, southern England. *Palynol.*, v. 12, p. 65-88.
- Rull, V. (2002):** High-impact palynology in petroleum geology: Applications from Venezuela (northern South America). *AAPG Bull.*, v. 86 (2), p. 279-300.
- Saad, S. I. (1974):** Palynological results and their bearing on the theory of Continental Displacement. *Advances in Pollen-Spore Res.*, v. 1, p. 70-77.
- Saad, S. I. (1978):** Palynological studies in the Egyptian Western Desert, Umbarka 1X borehole. *Poll. Spor.*, v. 20 (2), p. 261-301.