




REFERENCES



VII- REFERENCES

- 1) Abbassy, M. A. ; A. M. El-Shazli and F. El-Gayar (1977):**
A new antifeedant to *Spodoptera littoralis* (Lepid.,
Noctuidae) from *Acokanthera spectabilis* .
Z. Ang. Ent. 83 : 317- 322.
- 2) Abbott, W. S. (1925) :**
A method of computing the effectiveness of an insecticide.
J. Econ. Entomol., 18 : 265 - 267.
- 3) Abdallah M.D.; M.H. Zaazou and M. El-Tantawi (1974):**
Sensitivity of the larval stages of *Spodoptera littoralis* Boids
to juvenile hormone analogue.
Toxicology, 2 : 349 - 354.
- 4) Abou El-Ela, R. G.; A. Abd El-Meguid; Z. Radwan and H.
Youssef (1989):**
Effect of juvenile hormone analogue on certain biochemical
processes of *Spodoptera littoralis* (Noctuidae : Lepidoptera)
During metamorphosis.
Ain Shams Sci. Bull. vol., 27 : 215 - 230.
- 5) Abou El-Ela, R. G.; A.M Guneidy; A.M. El Shafei and
O.I. Ghali (1990) :**
Effect of Altoside (ZR-515) on oxygen consumption, carbon
dioxide output and carbohydrate content of
organophosphours resistant strain of *Musca domestica*.
J. Egy. Soc. of parasitology, 20 (1): 307 - 318.
- 6) Abraham, C.C. and B. Ambika (1979) :**
Effect of leaf and seed kernel extracts of neem on moulting
and vitellogenesis in *Dysedercus cingulatus*.
Current Science 48 (12) : 554 - 556.

7) Afifi, F. A. and S.M. Hafez (1988) :

Effect of different plant extracts on the toxicity and behaviour of *Tyrophagus putrescentiae* schrank (Acari-Acridae)

Ann. Agric. Sci., 33 (2) : 1375 - 1386.

8) Ahmed, S.M; H. Chander and J. Pereira (1981):

Insecticidal potential and Biological activity of Indian indigenous plants against *Musca domestica*.

Int. Pest Control, 23 (6) : 174 - 175.

9) Ali, S.I.; O.P. Singh and U.S.Misra (1983) :

Effectiveness of plant oils against pluse beetle

Callosobruchus chinensis .

Indian J. Entomol., 45 (1) : 6 - 9.

10) Al-Sharook Z.; K. Balan; Y. Jiang and H.Rembold (1991) :

Insect growth inhibitors from two tropical meliaceae:

Effect of crude seed extracts on mosquito larvae.

J. Appl. Ent., 111 : 425 - 430.

11) Ambika, B. ; C.C. Abraham and T. Nalinakumari (1981):

Effect of neem leaf extract and two JH analogues on the development of *Callosobruchus chinensis* Linn. (Coleoptera : Bruchidae).

Agric. Res. J. of Kerala, 19 (1) : 72 - 75.

12) Amer, M.S. (1989) :

Antifeedant properties and enzyme of *Thumus capitatus* extract on *Spodoptera littoralis* (Boisd.).

Proc. 1st int. Conf. Econ. Ent., II : (277).

13) Amonkar, S.V. and E.L. Reeves (1970) :

Mosquito control with active principle of garlic *Allium sativum*.

J. Econ. Entomol., 63 (4) : 1172 - 1175 .

14) Arnason, J. T. ; M.B. Isman ; B. J. R. Philogene and T. G. Weddell (1987) :

Mode of action of the sesquiterpene lactons tenulin, from *Helenium amarum* against herbivorous insects.
J. Natural. Prod. 50 (4) : 690 - 695.

15) Ascher, K. R. S. (1981):

Some physical properties and Biological (sterilant for *Epilachna varivestis* females) effect of a dried methanolic neem (*Azadirachta indica*) seed Kernel extract.
Proc. 1st Int. Neem conf., 63 - 74.

16) Ascher, K. R. and R. Gsell (1981) :

The Effect of neem seed kernel extract on *Epilachna varivestis* larvae.
Pflanzenkr. Pflanzenschutz., 88 (12) : 764 - 767.

17) Attri, B. S. (1977):

Utility of neem oil extractive as feeding deterrent to locust.
Indian J. Entomol. , 37 (4) : 417 - 418.

18) Attri, B. S. and R. Prasad (1980):

Neem oil extractive an effective mosquito larvicide.
Indian J. Entomol., 42 (3) : 371 - 374.

19) Awad, I. T. and M. S. Mulla (1984) :

Morphogenetic and histopathological effects induced by the insect growth regulator Cyromazine in *Musca domestica* (Diptera : Muscidae).
J. Med. Entomol., 21 (4) : 419 - 426.

20) Bakr, A. F. R. (1986) :

Morphogenic and physiological aberration induced by certain IGRs in the house fly, *Musca domestica*.
Ph. D. Thesis, Department of Entomology, Faculty of Science, Ain Shams University.

21) Balbaa, S. I. (1981) :

Medicinal plant constituents, third edition.
General Organization for University and School Books,
Egypt.

22) Banji, A.; D. L. Luthria and S. D. Kokate (1990) :

Toxicity of capillin, the insecticidal principle of *Artemisia nilagirica*.
Indian J. Exp. Biol., 28 (6) : 588 - 589.

23) Barakat, A. A.; G. M. Shereef; S. A. Abdallah and S. A. Amer (1985a) :

Joint action of some pesticides and plant extract against *Tetranychus urticae* Koch .
Bull. Entomol. Soc. Egypt Econ. Ser., 14 : 243 - 250.

24) Barakat, A. A.; G. M. Shereef; S. A. Abdallah and S. A. A. Amer (1985 b):

Effect of some pesticides and plant extracts on some
Biological Aspects of *Tetranychus urticae* Koch.
Bull. Entomol. Soc. Egypt Econ. Ser., 14 : 225 - 232.

25) Barakat, A. A. ; G. M. Shereef; S. A. Abdallah and S. A. A. Amer (1985 c) :

Toxic action of some plant extracts against *Tetranychus urticae* Koch .
Bull. Entomol. Soc. Egypt Econ. Ser., 14 : 233 - 242.

26) Barakat, A. A.; H. S. M. Fahmy; M. A. Kandil and N. M. M. Ebrahim (1985) :

Toxicity of the extracts of Black - pepper *piper nigrum*;
Fennel *Foniculum vulgare* and lupine *Lupinus termis*
against *Drosophila melanogaster*, *Ceratitis capitata* and
Spodoptera littoralis.
Indian J. Agric. Sci., 55 (2) : 116 - 120.

- 27) Barnby, M. A. and Klocke, J. A. (1990) :**
Effect of azadirachtin on levels of Edysteroids and prothoracicotropic hormone - like activity in *Heliothis virescens* (FABR.) larvae.
J. Insect Physiol., 36 (2) : 125 - 131.
- 28) Bentley M. D.; D. E. Leonard and R. J. Bushway (1984) :**
Solanum alkaloids as larval feeding deterrents for spruce bud worm, *Choristoneura fumiferana* (Lepidoptera, Tortricidae)
Ann. Entomol. Soc. AM., 77 (4) : 401 - 403.
- 29) Bentley M. D.; D. E. Leonard; S. Leach; E. Reynolds; W. Stoddard; B. Tomkinson; D. Tomkinson; G. Strunz and M. Yatagai (1982) :**
Effect of some naturally occurring chemicals and extracts of non-host plants on feeding by spruce bud worm larvae (*Choristoneura fumiferana*).
Maine. Agric. Exp. Stn. Tech. Bull. : 107 - 110.
- 30) Bhaduri, N. ; S. Ram and B. D. Patil (1985):**
Evaluation of some plant extracts as protectants against the pluse beetle *Callosobruchus maculatus fabricius* infesting cowpea seeds.
J. Entomol. Res. (New Delhi), 9 (2) : 183 - 187.
- 31) Bidmon, H. J. ; G. Kauser, P. Mobus and J. Koolman (1986):**
Effect of azadirachtin on blow fly larvae and pupae.
Proc. 3rd Int. Neem Conf., Nairobi : 253 - 271.
- 32) Binder R. G. and A.C. Waiss (1984):**
Effects of soy bean leaf extracts on growth and mortality of pink boll worm (Lepidoptera, Noctuidae).
J. Econ. Ent., 77 (6) : 1585 - 1588.

- 33) Binder, B. F.; W. S. Bowers and P. H. Evans (1991):**
Insect anti - juvenile hormone and juvenile hormone activity
from plants in the genus *Nama*.
Experientia, 47 (2) : 199 - 201.
- 34) Bowers, W. S. (1968) :**
Juvenile hormone, activity of natural and synthetic
synergists.
Science, 161 : 895 - 897.
- 35) Bowers, W. S. and R. Nishida (1980) :**
Juvocimenes, potent juvenile hormone mimics from sweet
basil.
Science (Wash.), 209 (4460) : 1030 - 1032.
- 36) Breuer, M. and B. Devkota (1990) :**
Control of *Thaumetopola pityocampa* by extracts of *Melia*
azedarach, L. (Meliaceae).
J. Appl. Ent., 110 : 128 - 135.
- 37) Bryant, P. J. and H. Song (1968) :**
Lethal drangement of metamorphosis and modifications of
gene expression caused by Juvenile hormone mimics.
Nature, London 220 : 393 - 394.
- 38) Buhr, T.; R. Tohall and K. Schreiber (1958) :**
Naturally occuring insect control chemical isoboldine a
feeding inhibitor and cocculolidine, an insecticide in the
leaves of *Cocculus trilobus*.
D. C. Agric. Food Chem. 16 : 471 - 474.
- 39) Campbell, F. L. and W. W. Sullivan (1933) :**
The relative toxicity of nicotine, anabasine, methyl anabasine
and lupinine for culicine mosquito larvae.
J. Econ. Entomol., 26 : 500 - 509.

- 40) Chander H. and S. M. Ahmed (1986) :**
Potential of some new plant products as grain protectants against insect infestation.
Bulletin of grain technology, 21 (3) : 179 - 188.
- 41) Chogo, J. B. and G. Crank (1981) :**
Chemical composition and biological activity of the Tanzanian plant *Ocimum suave*.
J. Nat. Prod. (Lloydia), 40 : 308 - 311 .
- 42) Chouhan, J. S. and S. M. H., Qadri (1989) :**
Studies on antifeedant and insecticidal activity of indigenous plant extracts against fruit Borer in okra.
Pesticides (Bombay), 23 (1) : 40 - 42.
- 43) Chouhan , S. P. S ; A. Kumar ; C. L. Singh and U. K. Pandey (1987) :**
Toxicity of some plant extracts against Rice Moths, *Corcyra cephalonica* (Lepidoptera).
Indian J. of Entomology, 49 (4) : 532 - 534.
- 44) Chiu Shin, Foon (1986) :**
Experiment on the practical application of chinaberry, *Melia Azederach*, and other naturally occurring insecticides in China.
Proc. 3rd Int. neem Conf. Nairobi, 661- 668.
- 45) Coflt, M. and P. B Schultz (1988) :**
Influence of plant growth regulators on the development of the Azalea Lace bug (Hemiptera : Tingidae).
J. Econ. Entomol., 8 (1) : 290 - 292.
- 46) Confalone, P. N. ; E. M. Huie and N. G. Patel (1983) :**
The isolation structure determination and synthesis of pluridone, a novel insecticide from *Aloe pluridens*.
Tetrahedron Lett., 24 : 5563 - 5566.

- 47) Consoli, R. A. G. B. ; N. M. Mendes; J. P. Pereira; B. S. Santos and M. A. Lamounier (1989) :**
Influence of several plant extracts on oviposition behaviour of *Aedes fluviatilis* (Lutz.) (Diptera : Culicidae) in the laboratory.
Mem. Inst. Oswaldo Cruz, 84 : 47 - 51.
- 48) Darvas, B. ; J. Zarek ; T. Timar and H. Mohamoud (1990) :**
Effect of bipyridyllum herbicides diquat dibromide and parquat dichloride on growth and development of *Neobellieria bullata* (Diptera : Sarcophagidae).
J. Econ. Entomol., 83(6) : 2175 - 2180.
- 49) Debkitaniya Sighosh ; M. R.; N. Aditychaudhury and A. Chatterjee (1980).**
Extract of garlic, *Allium Sativum* as possible source of insecticides.
Indian J. Agric. Sci., 50 (6) : 507 - 510.
- 50) Deshmukh, P. B. and D. M. Renapurkar (1987) :**
Insect growth regulatory activity of some indigenous plant extracts.
Insect Sci. Appl., 8 (1) : 81 - 83.
- 51) Dhillon, M. S.; S. M. Mulla and Y. S. Hwang (1982) :**
Biocidal activity of algal toxin against immature mosquitoes.
J. Chem. Ecol., 8 : 557 - 566.
- 52) Dimetry, N. Z. and E. F. Abdallah (1989):**
Bioactivity of *Abrus precatorius* seeds extracts against the cowpea aphid, *Aphis craccivora* Koch.
Bull. Ent. Soc. Egypt, Econ. Ser., 17 : 159.

53) Dimetry , N. Z. ; S. El- Genghi ; A. S. Reda and S. A. A. Amer (1990):

Toxicity of some compounds isolated from *Abrus precatorius* L. seeds towards the two - spotted spider mite *Tetranychus urticae* koch .
Acarology, 31 (4) : 361 - 366.

54) Dreyer, D. L., R. G. Binder and B. G. chan (1979):

Pinitl, a larval growth inhibitor for *Heliothis zea* in soybeans.
Experientia, 35 (9) : 1182 - 1183.

55) Dutta, P.; R. P. Chaudhuri and R. P. Sharma (1987) :

Screening of some plant extracts for feeding deterrent activities against *Diacrisia obliqua walker* (Lepidoptera: Arctiidae).
J. Environ. Biol., 8 (4) : 333 - 338.

56) El- Doksh H.; A. M. El - Shazly; A. H. El - Sebae; M. A. Saleh and M. Kady (1984) :

Plant extracts as feeding deterrents and growth retardants for larvae of the cotton leaf worm, *Spodoptera littoralis*.
J. Agric. Res. Tanta Univ. 10 (4) : 1456 - 1469.

57) El- Gammal, A. M. ; A. H. Karrar; M. T. Mohamed and K. S. Choneim (1988) :

Antifeedant effects of some wild plants in the eastern desert of Egypt and Sudan to *Schistocera gregaria* (Orthoptera : Acridiidae).
J. of Faculty of Education, 13.

58) El - Gammal, A. M. ; M. S. Amer; A. M. Hassan and A. A. Farag (1990) :

First record of some bioactive properties in the seeds of wild plant *Solanum dobium* against *Schistocerca gregaria*.
Egypt J. Sci., 5 (5) : 11 - 18.

- 59) El - Hadidi, N. N. (1984) :**
The chemosystematics of the Zygophyllaceae.
Progress report of research project carried out under grant
No. 831004 by the foreign relations coordination unit of the
Supreme Council of Universities Giza, Cairo, Egypt.
- 60) El- Gayar, F.; W. M. Watson and M. A. Abbassy (1979) :**
Insecticidal activity of alkaloids isolated from *Datura stramonium* L. against cotton leaf worm, *Spodoptera littoralis* Boised.
Proc. 3rd Pesticides Conf., Tanta Univ., Vol. 1 : 215 - 219.
- 61) El - Kabbany, S. A. (1980) :**
Monitoring insecticidal and/or morphogenetic activity of plant
extracts and other synthetic compounds.
M. Sc. Thesis, Fac. of Agric. Cairo Univ. : 71 - 78.
- 62) El- Kordy, M. W.; M. M. Metwally; A. S. El-Khouly and A. Hamdy (1989) :**
Biological activity of the insect growth regulators,
Chlorfluzuron and Teflubenzuron on *Musca domestica* L. .
Proc. 1st Int. Conf. Econ. Ent., 1 : 349.
- 63) Elliger C. A. ; Y. Wong ; B. G. Chan and Ac. Waiss Jr. (1981) :**
Growth inhibitors in tomato (lycopersicon) to tomato fruit
worm, *Heliothis zea*.
J. Chem. Ecol., 7 (4) : 753 - 758.
- 64) El- Naggar, M. E. A. and S. S. Mosallam (1987) :**
insecticidal properties of some isolates from *Duranta repens*
L. .
J. of the Egyptian Society of Parasitology, 17 (1) : 243 - 249.

65) El- Zoghby, Fadia; Q. El- Nasar; F. El - Gayar and M. A. Abdellatif (1985) :

The effects of moulting hormone isolated from the plant *Ajuga iva* on the fecundity and reproductive organs of *Spodoptera littoralis*.

Alex. J. Agric. Res., 30 (2) : 983 - 993.

66) Fagoonee, I. and V. Toory (1984) :

The Biology and Ecology of the leaf miner *Liriomyza trifoli* and its control by neem *Azadirachta indica*.

Insect Sci. Appl., 5 (1) : 23 - 30.

67) Farnsworth, N. R. (1975) :

Journal of pharmaceutical sciences, 64 (4).

68) Fetyani, A. A. (1990) :

Disrupting Biological effects of alcoholic extraction of chinaberry tree, *melia azedarach* L. on the development of Eri - Silk worm, *Philosamia ricini* Bois duval. and the cotton leaf worm *Spodoptera littoralis* Bois Duval .

M.Sc. Thesis, Faculty of Science, Alexandria University.

69) Freedman, B. ; J. Nowak, W. F. Kwolek ; E. C. Berry (1979) :

A bioassay for plant derived pest control agents using the European corn borer.

J. Econ. Entomol., 72 (4) : 541 - 545.

70) Gaaboub, A. and D. K. Hayes (1984) :

Effect of larval treatment with azadirachtin, a moulting inhibitory component of the neem tree, on reproductive capacity of the face fly, *Musca autumnalis* (Diptera, Muscidae).

Environ. Entom., 13 (6) : 1639 - 1643.

- 71) Garcia, E. D. S. and H. Rembold (1984) :**
Effect of azadirachtin on ecdysis of *Rhodnius prolixus*.
J. Insect physiol., 30 : 939 - 941.
- 72) Garris, G. L. and T. R. Adkine (1979) :**
The effect of Altosid, on insect development inhibitor, on the
last larvae of *Simulium pictipes*.
Mosq. News, 34 : 335 - 336 .
- 73) Gayar, F. and A. Shazly (1968) :**
Toxicity of certain plants to *Culex pipiens* larvae.
Bull. Soc. Ent. Egypt, 52 : 467 - 475.
- 74) Giridhar, G. ; K. Deval ; P. K. Mittal and P. Vasudevan
(1984) :**
Mosquito control by *Calotropis procera* latex.
Pesticides, 18 : 26 - 29.
- 75) Gordon, R. and I. R. Burford (1984) :**
Effect of methoprene a juvenile hormone analogue on the
larval and pupal stages of the yellow fever mosquito *Aedes
aegypti*.
J. of insect physiology, 30 (4) : 279 - 286.
- 76) Gujar, G. T. and K. N. Mehrotra (1983) :**
Juvenilizing effect of azadirachtin on *Spodoptera litura*.
Fabr. Indian. J. Exp. Biol., 21 : 292 - 293 .
- 77) Gzapla, T. H. and B. A. lang (1990) :**
Effect of plant lectins on the larval development of European
corn borer (Lepidoptera : pyralidae) and southern corn
root worm (Coleoptera : Chrysomelidae).
J. Econ. Ent., 83 (6) : 2480 - 2485.

78) Haller, H. L. (1940) :

Insecticidal properties of the fruit of *Phellodendron* spp.
J. Econ. Entomol., 33 : 941.

79) Haresh, B. and S. S. Thakur (1989) :

Effect of certain non-edible seed oils on growth regulation in
Dysdercus similis F.,
J. Anim. Morphol. Physiol., 36 (2) : 209 - 218.

80) Hartzell, A. (1944) :

Further tests on plant products for insecticidal properties.
Contrib. Boyce Thompson Inst., 13 (5) : 243 - 252.

81) Hartzell, A. and F. Wilcoxon (1941) :

A survey of plant products for insecticidal properties.
Contrib. Boyce thompson Inst., 12 : 127- 141.

82) Harvil, E. K.; A. Hartzell and J. M. Arthur (1943) :

Insecticides from plants. A review of the literature 1941 -
1934. C. F. from M. Sc. Thesis Fac. of Agric. Cairo Univ.,
1980 (Monitoring insecticidal and/or morphogentic activity
of plant extracts and other synthetic compounds).

83) Heyde J. V. D. ; R. C. Sexena and H. Schmutterer (1985) :

Effects of neem derivatives on growth and fecundity of the
rice pest *Neophotetti virescens* (Homoptera - Cicadellidae).
J. Plant Diseases and Protection, 92 (4) : 346 - 354.

84) Hill, L. and E. G. Izattt (1974) :

The relationships between corpora allata and fat body and
haemolymph lipids in the adult female desert locust .
J. Insect physiol., 20 : 2143 - 2156.

- 85) Ismail, I. E. and M. A. Fouad (1985) :**
Effect of a juvenile hormone analogue on the total carbohydrates, Proteins and lipids of pupae of *Chrysomia alpicaps* (Wiedeman).
J. of the Egyptian Soci. of Parasitology, 15 (2) : 645 - 649.
- 86) Isman M. B. and E. Rodriguez (1983) :**
Larval growth inhibitors from species of parthenium (Asteraceae).
Phytochemistry, 22 (12) : 2709 - 2713.
- 87) Jabbar Khan, M. A. (1984) :**
Insecticidal effects of indigenous plant extracts (Taramira and Artemisia) on some delphacid rice pests in Pakistan.
Acta. Entomol. Fenn., 50 (3) : 95 - 96.
- 88) Jacobson, M. (1958) :**
Insecticides from plants .
A Review of the literature 1941 - 1953. U. S. Dep. Agric. Hand book : 154.
- 89) Jagannadh, V. and V. S. K. Nair (1992) :**
Azadirachtin - induced effects on larval - pupal transformation of *Spodoptera mauritia* .
Physiological Entomology, 17: 56 - 61.
- 90) Jakob, W. L. and H. F. Schoof (1971) :**
Studies with juvenile hormone - type compounds against mosquito larvae.
Mosquito News, 31 (4) : 540 - 543.
- 91) Jiliani, Q. and M. M. Malik (1973) :**
Studies on neem plant as repellent against stored grain insects.
Pakistan J. Sci. and Indust. Res., 16 (6) : 251 - 254.

92) Joshi, B. G. and G. Ramaprasad (1975) :

Neem kernel as an antifeedant against the tobacco caterpillar
Spodoptera litura.
Phytoparasitica, 3 (1) : 59 - 61.

93) Jotwani, M. G. and K. P. Srivastava (1983) :

A Review of neem research in India in relation to insects.
Proc. 2nd Int. Neem conf. Raushholzhausen : 43 - 56.

94) Judd, G. J. R. and J. H. Borden (1980) :

Oviposition deterrents for *Aedes aegypti* in extracts of
Lemna minor.
Entomol. Soc. B.C., 77 : 30 - 33.

95) Kalyanasundaram, M. and P. K. Das (1985) :

Larvicidal and Synergistic activity of plant extracts for
mosquito control.
Indian. J. Med. Res., 82 : 19 - 23.

**96) Kandil, A. M. ; H. S. M. Fahmy ; A. A. Barakat and M. A.
Sayed Ahmed (1985) :**

Insecticidal activity of seven plant extracts against
Spodoptera littoralis (Boisd.) and *Tribolium confusum*
(Duv.) .
Bull. Fac. of Agric., Univ. of Cairo, 36 (2) : 1233 - 1245.

97) Kawazu, K. ; S. Nakajima and M. Ariwa (1979) :

Xanthumin and epi-xanthatin as insect development
inhibitors from *Xanthium canadense* Mill.
Experientia, 35 (10) : 1294 - 1295.

98) Knight, J. A. ; S. Anderson and M. R. Jams (1972):

Chemical basis of the sulphovanillin reaction for estimating
total lipid.
J. Clin. Chem., 18 (3) : 199.

- 99) Klocke, J. A. and I. Kubo (1982) :**
Citrus limonid by - products as insect control agents.
Ent. Exp. Appl., 32 (3) : 299 - 301.
- 100) Kobayashi, M. ; J. Kirimura and M. Saito (1962) :**
The "brain" hormone an insect, *Bombyx mori* L. .
Proc. 2nd Inter. Symp. " Insect and Host- Plant",
Wageningen : 722 - 728.
- 101) Koul Q. (1984) :**
Azadirachtin interaction with the development of red cotton
bugs.
Entomol. Exp. Appl., 36 (1) : 85 - 88.
- 102) Koul Q. (1985) :**
Azadirachtin interaction with development of *Spodoptera
littoralis* Fab. .
Indian J. Exp. Biol., 23 : 160 - 163.
- 103) Kubo, I. and J. A. Klocke (1982) :**
Azadirachtin, insect ecdysis inhibitor.
Agric. Biol. Chem., 46 : 1951 - 1953.
- 104) Ladd T. L., J. D. Warthen, and M.G. Klein (1984) :**
Japanese beetle (Coleoptera - scarabaeidae);
The effects of Azadirachtin on the growth and development
of the immature forms.
J. Econ. Entomol., 77 : 903 - 905.
- 105) Lawrence, A. L. and M. Mirs (1976) :**
Larvicidal and ovicidal activity of Dimilin against *Simulium
vittatum*.
J. Econ. Ent., 70 : 369 - 373.

106) Leuschner, K. (1972) :

Effect of an unknown plant substance on a shield bug.
Naturwissenschaften, 59 : 217 - 218.

107) Lowry, O. H.; N. J. Rosebrough ; A. L. Farr and R. I. Randall (1951) :

Protein measurement with the folin phenol reagent.
J. Biol. Chem., 193 : 265- 275.

108) Madhavan, K. (1973) :

Morphogenetic effects of juvenile hormone and juvenile hormone mimics on adult development of *Drosophila*.
J. insect physiol, 19 : 441 - 453.

109) Marcard, M. ; C. P. W. Zebitz and H. Schmutterer (1986) :

The effect of crude methanolic extracts of *Aiuga spp.* on post embryonic development of different mosquito species.
J. Appl. Entomol., 101 : 146 - 154 .

110) Marcus, C. and E. P. Lichtenstein (1979) :

Biologically active components of anise; Toxicity and interactions with insecticides in insects.
J. Agric . Food Chem., 27 (6) : 1217 - 1223.

111) Marlies, S. (1983) :

Effects of variously formulated neem seed extracts on *Acrythosiphon pisum* and *Aphis faba*.
Proc. 2nd Int. Neem conf., 141 - 150.

112) Mathur, Y. K. ; J. P. Srivastava ; S. K. Nigam and R. Banerji (1990) :

Juvenomimetic effects of karanjin on the larval development of flesh fly , *Sarcophaga ruficornis* (Diptera : Cyclorrhapa).
J. Ent. Res., 14 (1) : 44 - 51.



113) Mckague, B. and P. M. Wood (1974) :

Effect of insect developemental inhibitors on adult emergence of black flies (Diptera : simuliidae).
Can. Ent., 106 : 253 - 256.

114) McLachlan, D. ; J. T. Arnason ; B. J. R. Philogene and D. Champagen (1982) :

Antifeedant activity of the polyacetylene phenylheptatriyne (PHT), from the Astraceae to *Euxoa messoria* (Lepidoptera : Noctuidae).
Experientia, 38 (9) : 1061 - 1062.

115) McLaughlin, J. L. ; B. Freedman ; R. G. Powell and C. R. Jr. Smith (1980) :

Neriifolin and 2- acetylneriifolin : insecticidal and cytotoxic agents of *Thevetia thevetioides* seeds.
J. Econ. Entomol., 73 (3) : 398 - 402.

116) McMilltan, W. W. ; M. C. Bowman ; R. I. Burton ; K. J. Starks and B. R. Wiseman (1969) :

Extract of chinaberry leaf as a feeding deterrent and growth retardant for larvae of the corn ear worm and fall army worm.
J. Econ. Entomolo., vol. 62 (3) : 708 - 710.

117) Mehrotra K. N. and G. T. Gujar (1984) :

Neem an insect growth inhibitor.
Nat. Seminar on "Neem in Agriculture", IARI, April 12-13,
Neem news, 1 : 1- 6.

118) Meisner, J ; K. R. S. Ascher and J. Kamhi (1970) :

Feeding stimulants for the larvae of the Egyptian cotton leaf worm, *Spodoptera littoralis* Boies. I. assaying the larval response to extracts of several host plants and to some pure substances with the styropor method.
Wld. Rev. Pest control , 9 (3) : 104 - 118.

119) Meisner J. and B. K. Mitchell (1983) :

Phagodeterreny induced by two cruciferous plants in adults of the flea beetle *Phyllotreta striolata* (Coleoptera - Chrysomelidae).
J. Cand. Ent., 115 : 1209 - 1214.

120) Mesbah, H. A. ; E. M. El-Kady ; A. S. El-Deep and O. A. Zaghloul (1990) :

Toxicological studies of Natural Phytocompounds, 2. Joint action of certain insecticides and three volatile oils on *Musca domestica*.
J. Egy. Ger. Soc. Zool., 2 : 15-24.

121) Miller, J. A. and W. F. Chamberlain (1989) :

Azadirachtin as a larvicide against the horn fly, stable fly and house fly (Diptera, Muscidae).
J. Econ. Ent., 82(5) : 1375 - 1378.

122) Minjas, J. N. and R. K. Sarda (1986) :

Laboratory observations on the toxicity of *Swaritza madagascariensis* (Leguminosae) extract to mosquito larvae.
Trans. R. Soc. Trop. Med. HYG., 80 (1) : 460 - 461.

123) Minks, A. K. (1965) :

Haemolymph protein and amino acid composition as influenced by the corpus allatum in *Locusta migratoria*.
Proc. Konink L. Nederl. Akad. Wett. Amstardam, 68 : 320 - 323.

124) Mjeni, A. M. and P. E. Morrison (1976) :

Juvenile hormone analogue and egg development in the blow fly, *Phormia regina* (Meiq.) .
Gen. Comp. Endocrinol., 28 (1) : 17 - 23.

125) Mohamed M. T. (1985) :

Studies on insect control materials from plant origin.
Ph. D. Thesis, Faculty of Agric., Zagazig University .

126) Mulla, M. S. and H. Axelrod (1983) :

Evaluation of larvadex, a new IGR for the control of
pestiferous flies on poultry ranches.
J. Econ. Entomol., 76 : 520 - 524.

**127) Murakoshi, S. ; T. Kamikado ; C. F. Chang ; A. Sakurai and
S. Tamura (1976) :**

Effect of several components from the leaves of four species
of plants on the growth of silkworm larvae, *Bombyx mori*
L. .
Japanese J. Appl. Entomol. and Zool, 20 (1) : 26 - 30.

**128) Muslim, A. ; L. A. Khanam ; D. Talukder and A. R. Khan
(1990) :**

Insecticidal property of some indigenous plants against
Tribolium confusum (Coleoptera : Tenebrionidae).
Bangladesh J. Zool., 18 (2) : 253 - 256.

129) Mwangi, R. W. (1982):

Locust antifeedant activity in fruits of *Melia volkensii*.
Ent. Exp. Appl., 32 (3) : 277 - 280.

130) Mwangi, R. W. and H. Rembold (1988) :

Growth inhibiting and larvicidal effects of *Melia volkensii*
extracts on *Aedes aegypti* larvae.
Entomol. Exp. Appl., 46 : 103 - 108.

131) Nakanishi, K. (1975) :

Structure of the insect antifeedant azadirachtin.
Recent Adv. Phytochem., 9 : 283 - 298.

132) Nakajima, S. and K. Kawazu (1982) :

Coumarin and Eupoinin, two inhibitors for insect development from the leaves of *Eupatorium japonicum*.
Agric. Biol. Chem., 44 (12) : 2893 - 2899.

133) Nasseh, M. O. (1981) :

The effect of crude extracts of *Allium sativum* on feeding activity and metamorphosis of *Epilachna varivestis* (Coleoptera : Coccinellidae).
Z. Fur. Angew. Entomol. 92 (5) : 464 - 471.

134) Naqvi, S. N. H (1986) :

Biological evaluation of fresh neem extracts and some neem components, with reference to abnormalities and esterase activity in insects.
Proc. 3rd Int. Neem Conf., Nairobi, 315-330.

135) Nelson, M. J. ; L. S. Self and C. P. Pant (1976) :

Field trails with the insect, growth regulators OMS-1697 (Altosid, methoprene) Against *Culex pipiens* Fatigans in Jakarta, Indonesia.
WLD. Hlth. Org. Monoger. Ser., 604.

136) Niber, B. T. ; J. Helenium and A. L. Varis (1992):

Toxicity of plant extracts to three storage beetle coleoptera.
J. Appl. Entomol., 113 (2) : 202 - 208.

137) Nicol, C. M. Y. V. and H. Schmutterer (1991) :

Kontaktwirkungen des samenols des Niembaumes *Azadirachta indica* (A. Juss.) beigregären larvaen der wustenheuschrecke *Schistocerca gregaria* (Forskal) .
J. Appl. Ent., 111 : 197 - 205.

138) Nishida, R. ; T. Ohsugi ; H. Fukami and S. Nakajima (1990) :

Oviposition deterrent of a rutaceae - feeding swallowtail butterfly, *Papilio xuthus*, form a non-host rutaceous plant, *Orixa japonica*.
Agric. Biol. Chem., 54 (5) : 1265 - 1270.

139) Novak, D. (1985) :

Non chemical approaches to mosquito control in Czechoslovakia.
pp. 185 - 196. In ; M. Laird and J. W. Miles. Integrated mosquito control methodologies, 2.

140) Oliver - Bever, B. (1986) :

Medicinal plants in tropical africa.
Cambridge : Cambridge University press.

141) Panedy, P. N. (1976) :

Effect of *Dalbergia sissoo* on development, growth and reproduction of *Utethesia pulchella* Linn.
Zeitschrift fur Angewandte Zool., 63 (4) : 445 - 449.

142) Pandey, N. D. ; S. R. Singh and G. C. Tewari (1977) :

Antifeeding, repellent and insecticidal properties of some indigenous plant materials against mustard sawfly, *Athalia proxima*.
Indian J. Ent., 39 : 60 - 64.

143) Pandey, N. D. ; Y. P. Singh and R. A. Tripathi (1988) :

Effect of certain plant extracts against *Lipaphis erysimi* under laboratory conditions.
Indian Journal of entomology, 49 (2) : 238 - 242.



144) Pajasekaran B. and T. Kumaraswami (1985) :

Control of storage insect with seed protectants of plants origin.

Tamil - Nadu Agricuatural Univsersity : 15 - 17.

145) Pajendran, B. and M. Gopalan (1979) :

Note on the inseticidal properties of certain plant extracts.

Indian J. Agric. Sci., 49 (4) : 295 - 297.

146) Parkman, P. and R. L. Pienkowski (1990) :

Sublethal effects of Neem seed Extract on Adults of

Liriomyza trifolii (Diptera : Agromyzidae).

J. Econ. Entomol., 83 (4) : 1246 - 1249.

147) Patterson, B. D. ; S. K. W. Khalil ; L. J. Schermeister and M. S. Quraishi (1975) :

Plant - insect interactions 1. Biological and phytochemical evaluation of selected plants.

J. Nat. Prod. (Lioydia) , 38 : 391 - 403.

148) Pendse, G. S. ; V. G. Celtokal and N. L. Phainikar (1946) :

Investigation of new plant larvicides with special reference to *Spilanthes acmella*.

J. Univ. Bombay Sect., A, Sci., 20 (Pt. 3) 15 : 26 - 30.

149) Pereira, J. and K. N. Gurudutt (1990) :

Growth inhibition of *Musca domestica* and *Culex quinquefasciatus* by (-) -3- epicaryaptin isolated from the leaves of *Clerodendron inerme* (Verbenaceae).

J. Chem . Ecol., 16 (7) : 2297 - 2306.

150) Pereira, J. and R. Wohlgemuth (1982) :

Neem (*Azadirachta indica* A.Juss.) of west african origin as a protectant of stored maize.

Zeitschrift fur Angewandte Entomologie, 94, (2) : 208 - 214.

151) Pharmacological Exps. On Isolated preparation (1970) :

Staff of the Department of pharmacology, University of
Edinburgh London. (Cited from Olama (1982) . Ph.D. thesis,
Botany department, Faculty of Science, Cairo University).

**152) Prabhaker, N. ; D. L. Coudriet ; A. N. Kishaba and D. E.
Meyerdirk (1986) :**

Laboratory evaluation of Neem seed extract against larvae of
the cabbage looper and Beet army worm. (Lepidoptera,
Noctuidae) .

J. Econ. Entomol. 79 : 39 - 41.

153) Qadri, S. H. S. and J. Narsaiah (1978) :

Effect of Azadirachtin on the moulting processes of last
instar nymphs of *Periplaneta americana*.

Indian J. of Exp. Biology, 16 : 1141 - 1143.

**154) Radwan , H. A. ; B. S. Eltahawi ; M. A. Habib and S. M.
Deraz (1986) :**

The status of alkaloidal extracts of some medicinal plants
wild grown in western desert of Egypt as insecticides.

Minufiya, J. Agric. Res., 11 (1) : 567 - 579.

155) Rajasekaran B. and T. Kumaraswami (1985) :

Antifeedant properties of certain plant products against
Spodoptera litura.

Tamil Nadu Agricultural University, Coimbatore

India : 26 - 28 .

156) Raju, M. ; S. S. Thakur and G. Maruthi (1990) :

Sterilizing activity of the flower extract of *Thevitia nerlifolia*
on the male 5th instar nymphs of red cotton bug, *Dysdercus*
similis F. (Heteroptera - pyrrhocoridae).

J. Anim. Morphol. Physiol., 37 (2) : 77 - 78.

157) Rao, P. J. (1982) :

Phagostimulants and antifeedants from *Calotropis gigantia* for *Schistocerca gregaria* distribution in different parts of the plant.

Zeitschrift fur angewandte Entomol., 93 (2) : 141 - 146.

158) Rembold, H. D. (1984) :

Secondary plant products in insect control, with special reference to the azadirachtins.

Advances Invertebrate Reproduction : 481 - 941.

159) Rembold, H. ; G. K. Sharma ; C. Czappelt and H. Schmutterer (1980) :

Evidence of growth disruption in insects without feeding inhibition by neem seed fractions.

Z. Fur pflanzenkr, Pflanzenschutz, 87 (516) : 290 - 297.

160) Rembold, H. ; G. K. Sharma ; C. Czaoppelt and H. Schmuttere (1982) :

Azadirachtin a potent insect growth regulator of plant origin.

Z. angew. Entomol., 93 : 12 - 17.

161) Reynolds, S. E. ; M. M. A. Bristow and F. M. Judson (1984) :

Developmental defects induced by azadirachtin in the tobacco hornworm, *Manduca sexta*.

XVII . International Conf. Entomol. Hamburg, West Germany.

162) Reznik, S. Y. (1983) :

Effect of habituation to repellent on the selection of substrate during pupation and feeding of imago in *Drosophila melanogaster*.

Zool. Zh., 62 (3) : 361 - 366.

163) Ritcher, K. and H. Birkenbeil (1987) :

The effect of some extracts of *Ajuga reptans* on moulting regulation in *Periplaneta americana*.
J. Insect physiol., 13 (12) : 933 - 939.

164) Rosenthal, G. A. and D. L. Dohlman (1991) :

Incorporation of L-Canvnine into proteins and the expression of its antimetabolic effects.
J. of Agricultural and food chemistry, 39 (5) : 987 - 990.

155) Roussel, J. P. (1967) :

Function des corpora allata et controle de la pigmentation chez *Gryllus bimaculatus* Geer.
J. Insect physiol., 13 : 113 - 130.

166) Rovesti, L. and K. V. Deseo (1991) :

Effectiveness of neem seed kernel extract against *Leucoptera malifoliella* Costa. (Lep. : Lyonetiidae).
J. Appl. Ent., 111 : 231 - 236.

167) Russell, G. B. ; S. pritam and P. G. Fenmore (1976) :

Insect control chemicals from plants. III. toxic lignans from *Libocedrus bidwillii*
Australin J. Biol. Sci., 29 (1/2) : 99 - 103 .

168) Saleh M. A. (1984) :

An insecticidal diacetylene from *Artemisia monosperma*.
Phytochemistry 23 (11) : 2497 - 2498.

169) Satphathi, C. R. ; S. S. Ghatak and T. K. Bhusan (1991) :

Efficacy of some plant extracts against the larvae of indian meal moth *Corcyra cephalonica* (Lepidoptera : Gelechiidae).
Environ. Ecol., 9 (3) : 687 - 689.

- 170) Saxena, B. P. ; K. Tikku ; C. K. Atal and O. Koul (1986) :**
Insect antifertility and antifeedant allelochemicals in
Adhatoda vasica.
Insect Sci. Applied, 7 (4) : 489 - 493.
- 171) Saxena, R. C. ; G. P. Waldbauer ; N. J. Liquido and B. C. Puma (1981) :**
Effect of neem oil on the rice leaf folder, *Cnaphalocrocis modinalis*.
Proc. 1st Int. Neem Conf. (Rottach - Egern) : 189 - 203.
- 172) Schaefer, C. H. and W. H. Wilder (1973) :**
Insect developmental inhibitors. 2-Effects on target
mosquito species.
J. Econ. Entomol., 66 : 913 - 916.
- 173) Schliiter, U. ; H. J. Bidmon and S. Grewe (1985) :**
Azadirachtin affects growth and endocrine events in larvae of
the tobacco hornworm *Manduca sexta*.
J. Insect physiol., 31 : 773 - 777.
- 174) Schlöter, H. (1985) :**
Occurrence of weight gain reduction and inhibition of
metamorphosis and storage protein formation in last larval
instars of the Mexican bean beetle, *Epilachna varivestis*,
after injection of azadirachtin.
Entomologia Experimentalis Applicata , 39 (2) : 191 - 195.
- 175) Schlöter, U. (1981) :**
Histological observations on the phenomenon of Black legs
and thoracic spots : Effects of pure fractions of Neem kernel
extracts on *Epilachna varivestis*.
Proc. 1st Int. Neem Conf., 97 - 104.

176) Schmidt, G. H. and E. M. Risha (1989) :

Protection of stored products against insects by vapours of the Essential oil of *Acorus calamus*.

Proc. 1st Int. Conf. Econ. Ent., 1 : 495 - 516 .

177) Schmutterer, H. (1985) :

Which insect pests can be controlled by application of neem seed kernel extracts under field conditions ?

Z. ang. Ent., 100 : 458 - 475.

178) Schmutterer, H. and H. Rembold (1980) :

Zur wirkung einiger Reinfractionen aus samen von *Azadirachta indica* auf frassaktivitat und Metamorphose von *Epilachna varivestis* (Col. coccinellidae).

Z. angew. Entomol., 89 : 179 - 188.

179) Schmutterer, H. and G. Tervooren (1980) :

The Effect of squeezed juices and crude extracts of *Ajuga spp.* on feeding activity and metamorphosis of *Epilachna varivests*.

Z. Fur Angew. Entomol. 85 (5) : 470 - 477.

180) Schmutterer, V. H. (1989) :

Erste untersuchungen zur insektiziden wirkung methanolischer Blatt und Rindene trakte aus dem philippinischen Niembaum *Azadiracta in teperifoliola* Merr-imm verglich zu Extrakten au *Azadiracht indica* und *Melia azedarach*.

J. Appl. Ent., 108 : 483 - 489.

181) Shalaby, A. H. ; M. A. El-Zayat ; H. Abd El- Ghaffar and N. S. Youssef (1988) :

The effect of juvenile hormone on *Musca domestica* vicina Macq.

Follis Morphologica, 3 : 268 - 285.

- 182) Shalaby, A. M. ; M. A. El Zayat, ; H. D. Hashem and M. H. Swidan, (1987) :**
Effect of certain Juvenile hormones on the development of the cotton leaf worm *Spodoptera littoralis* (Boisd.)
Bull. Fac. Sci. Alex. Univ., 27 (4), (A) : 141 - 156
- 183) Shankaranarayana, K. H. ; V. R. Shivaramakrishna; K. S. Ayyar and Sen Sarma (1979) :**
Isolation of compound from the bark of sandal , *Santalum album* and its activity against some lepidopterous and coleopterous insects.
J. Entomol. Res., 3 (1) : 116 - 118.
- 184) Sharma, S. K. and B. L. Wattal (1979) :**
Efficacy of some mucilaginous seeds as biological control agents against mosquito larvae.
J. Entomol. Res., 3 (2) : 172 - 176.
- 185) Sharma, R. N. ; V. Joshi ; G. Zadu ; A. S. Bhosale ; A. S. Gupto ; S. Patwardhan and B. Nanda (1981):**
Oviposition deterrence activity in some lamiaceae plants against some insect pest.
Z. naturforsch Sectc. Biosci., 36 (1-2) : 122 - 125.
- 186) Sighamony, S. ; M. Mustafa and Z. Osmani (1981) :**
Effect of carum oil (Ajowan) on mortality and metamorphosis of *Aedes aegypti*.
Sci. Cult, 47 (10) : 365 - 366.
- 187) Singh, D. and S. K. Agarwal (1988) :**
Himachalol and β -himachalene., insecticidal principles of Himalayan cedar wood oil.
J. Chem. Ecol., 14 (4) : 1145 - 1152.

188) Singh, H. and N. Pandey (1979) :

Effect of sweet oleander on development and growth of
Utetheisa pulchella (Lep., Arctiidae)
Z., Angew. Zool., 66 (3) : 295 - 299.

189) Singh, N. B. and Sinha, R. N. (1977) :

Carbohydrates, lipids and protein in the developmental
stages of *Sitophilus oryzae* and *Sitophilus granarius*.
Sco. Am., 70 : 107 - 111.

190) Singh, R. P. and B. G. Srivastana (1983) :

Alcoholic extract of neem (*Azadirachta indica* A. Juss) seed
oil as oviposition deterrent for *Dacus cucurbitae*.
Indian J. Ent., 45 : 497 - 498.

191) Slama, K. (1971) :

Insect juvenile hormone analogue.
Ann. Rev. Biochem., 40 : 1097 - 1102.

192) Srivstava and Gilbert (1969) :

The influence of Juvenile hormone on the metamorphosis of
Sarcophaga Bullata.
J. Insect physiol., 15 : 177 - 189.

193) Stark, D. J. ; I. V. Roger and K. Ronald (1990) :

Azadirachtin : effect on metamorphosis, longevity, and
reproduction of three tephritid fruit fly species (Diptera :
Tephritidae).
J. Econ. Entomol., 83 (6) : 2168 - 2174.

194) Steets, R. (1975) :

The effect of crude extracts of the meliaceous plant
(*Azadirachta indica*) and *Melia azaderach* on various
insect species.
Insekternarten. Zeit. Ang. Ento., 77 (3) : 306 - 312.

195) Steets, R. (1976):

The effect of a purified extract of the fruit of *Azadirachta indica* A. Juss. on *Epilachna varivestis* say. (Coleoptera : Chrysomelidae) .

Z. Fur Angew. Entomol., 82 (2) : 169 - 176.

196) Steets, R. and H. Schmutterer (1975) :

Einflub von Azadirachtin auf die lebersdaure and das Reproduktion sver mogen von *Epilachna varivestis* Muls. (Coleoptera, coccinellidae).

Z. Pflkrankh, Pflschutz, 82 : 176 - 179.

197) Steffens, R. J. and H. Schmutterer (1982 a) :

The effect of crude methanolic neem (*Azadirachta indica* A. Juss.) seed kernel extract on metamorphosis and quality of adults of face fly, *Musca autumnalis* De Gree. (Diptera, Muscidae).

J. Eng. Entomol., 91 : 98 - 108.

198) Steffens, R. J. and H. Schmutterer (1982 b) :

The effect of a crude methanolic neem (*Azadirachta indica* A. Juss.) seed kernel on metamorphosis and quality of adults of mediterranean fruit fly, *Ceratitis capitata*.

Z. Fur. Angew. Entomol., 94 (1) : 98 - 103.

199) Stein, U. and F. Klingauf (1990) :

Insecticidal effect of plant extracts from tropical and subtropical species.

J. Appl. Ent., 110 : 160 - 166.

200) Su, H. C. F. (1978) :

Laboratory study on toxic effect of black pepper varieties to three species of stored product insects.

J. Gorgia Entomol. Soc., 13 (3) : 269 - 274.

- 201) Sujatha, C. H. ; V. Vasuki ; T. Mariappan ; M. Kalyanasundaran and P. K. Das (1988) :**
Evaluation of plant extracts for biological activity against mosquitoes.
Int. Pest Control, 30 : 122 - 124.
- 202) Supramonia Thangam, T. and K. Kathiresan (1988 a) :**
Toxic effect of sea weed extracts on mosquito larvae.
Indian J. Med. Res., 88 35 - 37.
- 203) Supramonia Thangam, T. and K. Kathiresan (1988 b) :**
Toxic effect of Mangrove plant extracts on mosquito larvae *Anopheles stephensi*.
Current Science, 57 (16) : 914 - 915.
- 204) Supavarn, P. ; F. W. Knapp and R. Sigafus (1974) :**
Biologically active plant extracts for control of Mosquito larvae.
Mosquito News, 34 (4) : 398 - 402.
- 205) Sutpathi, C. R. and S. S. Ghatak (1990) :**
Efficacy of some plant extracts against *Cydia critica* and *Plutella xylostella*.
Environ. Ecol., 8 (2) : 646 - 649.
- 206) Tada M. and K. Chiba (1984):**
Novel plant growth. inhibitors and an insect antifeedant from *Chryanthemum coronarium*.
Agricultural and Biological chemistry, 48 (5) : 1367 - 1369.
- 207) Taha, M. A. ; F. I. I. Shoukry ; N. A. Saleh and S. S. A. Teleb (1989) :**
Effect of selected plant extracts on feeding activity and some biochemical parameters of the desert locust *Schistocerca gregaria*.
J. Faculty of Education, 14 : 237 - 253.

- 208) Thacker, J. D. ; J. Bordner and C. Burngardner (1990) :**
Carolinose, aphytosteroidal glycoside from solanum carolinense.
Phytochemistry, 29 (9) : 2965 - 2970.
- 209) Thangam, T. S. and K. Kathiresan (1991) :**
Mosquito larvicidal effect of seaweed extracts.
Bot. Mar., 34 (5) : 433 - 435.
- 210) Thorsell, W ; A. Mikiver ; M. Mikiver and E. Malm (1970) :**
Plant extracts as protectants against disease-causing insects.
Entomol. Tidskr., 100 : 138 - 141.
- 211) Usher, B. F. and P. Feeny (1983) :**
A typical secondary compounds in the family cruciferae tests for toxicity to *Pieris rapae* and adapted crucifer feeding insect.
Entomol. Exp. Appl., 34 (3) : 257 - 265.
- 212) Venkata, P. ; K. C. chitra and P. Kameswara (1990) :**
Field evaluation of certian plant extracts for the control of brinjal spotted leaf beetle, *Henosepilachna vigintioctopunctata* Fab.
J. Insect. Sci., 3 (2) : 194 - 195.
- 213) Verma, G. S. ; U. K. Pandey and M. Pandey (1982) :**
Note on insecticidal properties of some plants against *Bagrada cruciferaum*.
Indian J. Agric. Sci., 52 (4) : 263 - 265.
- 214) Verma, R. R. and P. S. Srivastava (1988) :**
Toxicity of some plant extracts to rose aphid *Macrosiphum rosa* L.
Prog. Hortic., 20 (1-2) : 181 - 182.

- 215) Waiss Jr. A. C. ; B. G. Chan ; C. A. Elliger ; D. L. Dreyer ;
R. G. Binger and R. C. Gueldner (1981) :**

Insect growth inhibitors in crop plants.
Entomol. Sco. Am., 27 (3) : 217 - 221.

- 216) Warthen, J. D. and E.C. Uebel (1981) :**

Effect of Azadirachtin on house crickets, *Acheta domesticus*
Proc. 1st Int. Neem Conf., 137 - 148.

- 217) Watanabe, K. ; K. Umeda ; Y. Kurita ; C. Takayma and M.
Miyakado (1990) :**

Two insecticidal monoterpenes, telfairine and
aplysiaterpenoid A., from the red algae *Piocamium*
telfairiae : Structure elucidation, biological activity and
molecular topographical consideration by a semiempirical
molecular orbital study.
Pestic. Biochem. Physiol., 37 (3) : 275 - 286.

- 218) Watson, W. M. ; F. El-gayar and A. El-Shazli (1976) :**

Insecticides form Nicotiana plants growing in Egypt, and
their potenices against *Spodoptera littoralis* Boised.
(Lepidoptera : Noctuidae).
Entomologists Newsletter, 6 (1) : 6 - 10.

- 219) Weaver, E. J. and J. W. Begley (1982) :**

Laboratory Evaluation of Bay Sir 8514 against the house fly
(Diptera : Muscidae) : Effects on immature stages and adult
sterility.
J. Econ. Entomol. 75 : 657 - 661.

- 220) Webb, R. E. ; H. G. Larew ; A. M. Wieber ; P. W. Ford and
J. D. Warthen (1984) :**

Systemic activity of neem seed extract and purified
azadirachtin against *Liriomyza* leaf miners.
In S. L. Poe (ed.), proceedings, 4th Annual industry
conference on the leafminer, January 16-18, 118 - 127.

221) Wigglesworth, V. B. (1961) :

Some observations on the juvenile hormone effects of farnesol in *Rhodnius prolexus*.

J. Insect Physiol., 7: 73 - 78.

222) Wilcoxon, F., A. Hartzell and F. Wilcoxon (1940) :

Insecticidal properties of extract of male fern *Aspidium filix - mas* (L.) SW.

Contrib. Boyce. Hompson Inst., 11: 1- 4.

223) Yadav T. D. (1985) :

Antiovipositional and ovicidal toxicity of neem oil against three species of *Callosobruchus*.

Neem Newsletter, 2 (1) : 5 - 6.

224) Youssef., N. S. ; A. S. El- Deeb ; H. A. Mesbah and O. A. Zaghloul (1990) :

Evaluation of three insect growth inhibitors against the house fly *Musca domestica*.

J. Egypt. Ger. Sco. Zool., 2 : 47 - 61.

225) Zdarek, J. (1980) :

Neurohormonal factors involved in the control of puparitation.

In : Miller, T. A. ed., Neurohormonal techniques in insects.

Springer Series in Experimental entomology. Springer-verlag, New York.

226) Zebitz C. P. W. (1984) :

Effect of some crude and azadirachtin-enriched neem-
Azadirachta indica seed kernel extracts on larvae of *Aedes aegypti*.

Ent. Exp. Appl., 35 : 11 - 16.