

VII. LITERATURE CITED

- Abou-Baker, H.E. :
(1984) : Studies on certain biological control agents of mosquitoes in Egypt.
Ph. D. Thesis, Fac. of Agric., Cairo, Univ.
- Ali, A.; Sauerman, D.M. and Nayar, J.K. :
(1984) : Pathogenicity of industrial formulations of Bacillus thuringiensis serovar. israelensis to larvae of some culicine mosquitoes in the laboratory.
Fla. Entomol., 67 (2) : 193-197.
- Ali, C. :
(1985) : Germination of Bacillus thuringiensis var. israelensis spores in the gut of Aedes larvae (Diptera: culicidae).
J. Invertebr. Pathol., 45, (1): 1 -8.
- Balaraman, K. and Hoti, S.L. :
(1984) : Impact of storage period & temperature on the larvicidal activity of bacterial pesticide formulations.
Indian J. of Medical Research, 80 (July),: 71-73.
- Balaraman, K.; Balasubramanian, M. and Manonmani, L.M.:
(1983) : Bacillus thuringiensis H-14 (VCR B-17) formulation as mosquito larvicide.
Indian J. of Medical Research, 77 (1) : 33-37.
- de Barjac, H. :
(1978 a): Des bactéria Contre les moustiques.
La Recherche, 9 (93) : 911 - 913.

- de Barjac, H. :
(1978 b): Etude cytologique de l'action de Bacillus thuringiensis var. israelensis sur larves de moustiques.
C.R. Hebd. Seances Acad. Sci. Ser. D Sci. Nat., 286 (22): 1629-1632.
- de Barjac, H.; Moulinier, C.; Couprie, B.; Giap, G.; Bablin, L. and Mas, J.P. :
(1980): Evaluation en gites naturels de l'activite larvicide du serotype H-14 de Bacillus thuringiensis sur les Culicidae.
Bull. Soc. Pathol. Exot., 73 (3) : 315-321.
- Barker, R. J. and Anderson, W.F. :
(1975): Evaluation of B-exotoxin of Bacillus thuringiensis for control of flies in chicken manure.
J. Medical, Entomol. 12: 103-110.
- Bourgouin, C. and de Barjac, H. :
(1980) : Evaluation du potentiel de Bacillus sphaericus comme larvicide anti-moustiques.
WHO/VBC/80. 792, 24 pp.
- Bourgouin, C.; Larget-Thiery, I. and de Barjac, H. :
(1984) : Efficacy of dry powders from Bacillus sphaericus: RB 80, a potent reference preparation for biological titration.
J. Invertebr. Pathol., 44 (2) : 146-150.
- Chadbourne, D.S. and Rainwater, C.T. :
(1953) : Histological effects of calcium arsenate, DDT and dieldrin on larval tissues of boll worm.
J. Econ. Entomol., 46 : 44-48.

- Charles, J.F.; and de Barjac, H. :
(1983) : Action des cristaux de Bacillus thuringiensis var. israelensis sur l'intestin moyen des larves de Aedes aegypti L., en microscopie electronique .
Ann. Microbial., 134 A, (2) : 197-218 .
- Chilingaryan, K.O.; Meliksetyan, V.Sh. and Afrikyan, E.K.:
(1983) : The mosquito-killing activity of cultures of aerobic spore-forming bacteria.
Biologicheskii Zhurnal Armenii, 34 (11) : 1142-1147.
- Coz, J. :
(1982) : Factors influencing the efficacy of biological control agents in particular bacterial formulations being evaluated against mosquito larvae in field trials based on the laboratory studies.
TDR/BCV/ SWG 82/ WPO3 (in press).
- Dagnogo, N. and Coz, J. :
(1982) : A biological insecticide Bacillus sphaericus 1. larvicidal activity of Bacillus sphaericus on some species and strains of mosquitoes.
CAH. O. R. S. T. O. M. SER. Entomol. Med. Parasitol. 20 (2) : 133-138.
- Davidson, E.W. :
(1979) : Ultrastructure of mid-gut events in the pathogenesis of Bacillus sphaericus strain SSII-1 infections of Culex pipiens quinquefasciatus larvae.
Can. J. Microbial., 25 (2) : 178-184.

- Davidson, E.W. :
(1986) : Effects of Bacillus sphaericus 1593 and 2362 spore/crystal toxin on cultured mosquito cells.
J. Invertebr. Pathol., 47 (1) : 21-31.
- Davidson, E.W.; Singer, S. and Briggs, J.D. :
(1975) : Pathogenesis of Bacillus sphaericus strain SSII-1 infections in Culex pipiens quinquefasciatus (= C. pipiens fatigans) larvae.
J. Invertebr. Pathol. 25, : 179-184.
- Dugherty, E.M.; Reichelderfer, CH. F. and Faust, R.M.:
(1971) : Sensitivity of Bacillus thuringiensis var. thuringiensis to various insecticides and herbicides.
J. Invertebr. Pathol., (17): 292-293.
- El-Guindy, M.A.; El-Refai, A.R.M. and Abdel-Sattar, M.M.:
(1983): The joint action of mixtures of insecticides or of insect growth regulators and insecticides, on susceptible and diflubenzuron-resistant strains of Spodoptera littoralis Boisd.
Pestic. Sci. 14 (3) : 246-252.
- Farghal, A.I. :
(1982) : The joint action of juvenile hormone analogue (Altosid) and a preparation of Bacillus thuringiensis var israelensis (Bactimos) against Culex pipiens molestus and Theobaldia longiareolata larvae (Diptera : culicidae).
Anzeiger für Schädlingsk unde Pflanzenschutz un Umweltschutz. 55 (11) : 164 - 169.

- Fox, C.J.B. and Jaques, R.P. :
(1961): Field tests with Bacillus thuringiensis and DDT for control of two tests of cabbage.
Canda. J. Pl. Sci., 41 (2) : 428-430.
- Gaaboub, I.A. :
(1973): Susceptibility status of larvae of Anopheles (Myzomia) pharoensis Theob. the principal malaria vector, in the surroundings of Alexandria city, Egypt, to DDT, Dieldrin and BHC,
Bull. Entomol. Soc. Egypt, Econ. Ser. 7pp. : 175-163.
- Goldberg, L.J. and Margalit, J. :
(1977): A bacterial spore demonstrating rapid larvicidal activity against Anopheles sergentii, Uranotaenia unguiculate, Culex univitattus, Aedes aegypti and Culex pipiens.
Mosq. News, 37 (3) : 355-358.
- Goldberg, L.J.; Goldberg, E.M. and Margalit, J. :
(1977): Potential application of a bacterial spore, ONR-60 A to mosquito larval control: demonstrating rapid larvicidal activity against Anopheles sergentii, Uranotaenia unguiculata, Culex univitattus, Aedes aegypti and Culex pipiens (Complex).
WHO/VBC/77-662, 8pp. .
- Guillet, P.:
(1979): Prospects of spore-forming bacteria for black-fly control.
WHO/TDR/BCV/SWG. 79/WP. 23, 8 pp. .

- Gurr, E. :
(1962): Staining animal tissues practical and theoretical.
London Leonard Hill (Books) limited : 474-553.
- Hamed, M.S. :
(1971): Cytological and hereditary factors which determine susceptibility and resistance of Anopheles spp. to insecticides.
M.Sc. Thesis, Fac. of Sci., Ain Shams Univ. : 79-80.
- Hamed, M.S.; Ramzi, A. and El-Said, S. :
(1983): Susceptibility status of mosquitoes in Egypt to commonly used insecticides.
J. Egypt, pup. Hlth. Assoc. Vol. LVIII; No. 1, 2 pp. 160-167.
- Harvey, T.L. and Howell, D.F. :
(1965): Resistance of the house fly to Bacillus thuringiensis Berliner.
J. Invert. Pathol. 7 : 92-100.
- Heimpel, A.M. and Angus, T.A. :
(1959): The site of action of crystalliferous bacterial in Lepidoptera larvae.
J. Insect. Pathol., 1, 152-170.
- Helms, T.J. and Wedberg, J.L. :
(1976): Effect of Bacillus thuringiensis on Nosema infected mid-gut epithelium of Loxagrotis albicosta (Lepidoptera: Noctuidae).
J. Invert. Pathol., 28 (3), : 383-384.

- Hemingway, J. :
(1983): The joint action of malathion and IBP against malathion-resistant and-susceptible strains of Anopheles stephensi.
Bull. WHO. , 62 (3) : 445 - 449.
- Hilmy, N.M. and Merdan, A.I. :
(1985): Larvicidal activity of Bacillus thuringiensis serotype H-14 on certain Egyptian mosquito species.
J. Egypt, Soc. Parasitol., 15 (1): 263-271.
- Ibrahim, A.A. :
(1986): Ecological and Biological studies on certain mosquito species in Qalyubiya Governorate.
M.Sc. Thesis, Fac. of Sci. Zagazig Univer. Benha branch., P. 195.
- Ignoffo, C.M.; Garcia, C.; Kroha, M. J.,; Fukuda, T. and Couch, T.L. :
(1981): Laboratory tests to evaluate the potential efficacy of Bacillus thuringiensis var. israelensis for use against mosquitoes.
Mosq. News, 41 (1) : 85-93.
- Kalfon, A.; Charles, J.F.; Bourgouin, C. and de Baejac, H.:
(1984): Sporulation of Bacillus sphaericus 2297: an electron microscope study of crystal-like inclusion biogenesis and toxicity to mosquito larvae.
J. Gen. Microbiol., 130 (4) : 893-900.
- Karch, S. and Coz, J. :
(1983): Larval histopathology of Culex pipiens Linnaeus (Diptera, Culicidae) treated by Bacillus sphaericus 1593-4.
CAH. Orstom, SER. Entomol. Med. Parasitol., 21, 4 : 225-230.

- Karch, S. and Coz, J. :
(1984): Acceleration of larvicidal activity of Bacillus sphaericus on Culex pipiens by an ingestion of dead larvae intoxicated by this Bacillus.
CAH. ORSTOM, SER. ENTOMOL. MED. PARASITOL.,
22 (3) : 175 - 177.
- Kellen, W.R. and Lewallen, S.L. :
(1960): Response of mosquito larvae to Bacillus thuringiensis Berliner.
J. Insect. Pathol., 2 : 305-307.
- Kellen, W.R.; Clark, T.B.; Lindegren, J.E.; Beng, C. Ho.; Rogoff, M.H. and Singer, S. :
(1965): Bacillus sphaericus Neide as a pathogen of mosquitoes.
J. Invert. Pathol., 7: 442-448.
- Kramer, V. :
(1984): Evaluation of Bacillus sphaericus & Bacillus thuringiensis H-14 for mosquito control in rice fields.
Indian J. of Med. Res., 80. : 642-648.
- Lacey, L.A. and Federici, A. :
(1979): Pathogenesis and mid-gut histopathology of Bacillus thuringiensis in Simulium vittatum (Diptera: Simuliidae).
J. Invert. Pathol., 33 (2) : 171-182.
- Lacey, L.A.; Urbina, M.J. and Heitzman, C.M. :
(1984): Sustained release formulations of Bacillus sphaericus and Bacillus thuringiensis H-14 for control of container-breeding Culex quinquefasciatus.
Mosquito News, 44 (1) : 26-32.

- Lahkim-Tsrer, L.; Pascar-Gluzman, C.; Margalit, J. and Barak, Z. :
(1983): Larvicidal activity of Bacillus thuringiensis var. israelensis H-14 in Aedes aegypti: Histopathological studies.
J. Invert. pathol., 41 : 104-116.
- Larget, I. and de Barjac, H. :
(1981): Activite comparee de 22 varietes de Bacillus thuringiensis sur 3 especes de culicidae.
Entomophaga, 26 (2) : 143-148.
- Lee, D.; Ban, S.J. and Yu, H.S. :
(1984): Mosquito control evaluation on isolates of Bacillus thuringiensis var israelensis and Bacillus sphaericus against Culex pipiens Pallens in the laboratory.
Korean J. of Entomol., 14 (1) : 93-94.
- Menon, K.K.R.; Rao, A.S. and Amonkar, S.V. :
(1982a): Isolation, Identification & Toxicity of a spore-bearing Bacillus (ISPC-5) from diseased mosquito larvae.
Indian J. of Experimental Biology, 20: 312-315.
- Menon, K.K.R.; Rao, A.S. and Amonkar, S.V. :
(1982b): Toxic activity and histopathological effects of Bacillus sphaericus (ISPC-5) on mosquito larvae.
Indian J. of experimental Biology, 20 (10) : 768-772.
- Merdan, A.I. :
(1979): Evaluation of Bacillus thuringiensis (sero-type H-14) against mosquito larvae in Egypt.
WHO/TOR/VBC-SWG (3) 79: 3: 1-7.

- Mohamed, M.A. :
(1986): Susceptibility and resistance of some culicine and anopheline mosquitoes to some insecticides in Sharquiya Governorate.
M. Sc., thesis, Fac. of Sc. Ain Shams Univ.:54pp.
- Morris, O.N. :
(1977): Compatibility of 27 chemical insecticides with Bacillus thuringiensis var. Kurstaki (Bacteria).
Can. Entomol., 109 (6) : 855-864.
- Mulla, M.S.; Darwazeh, H.A.; Davidson, E.W. and Dulmage, H.T. :
(1984a): Efficacy and persistence of the microbial agent Bacillus sphaericus against mosquito larvae in organically enriched habitats.
Mosq. News, 44 (2part 1) : 166-173.
- Mulla, M.S.; Darwazeh, H.A.; Davidson, E.W.; Dulmage, H.T. and Singer, S. :
(1984b): Larvicidal activity and field efficacy of Bacillus sphaericus strains against mosquito larvae and their safety to non target organisms.
Mosq. News, 44 (3): 336-342.
- Mulla, M.S.; Darwazeh, H.A.; Ede, L.; Kennedy, B. and Dulmage, H.T. :
(1985): Efficacy and field evaluation of Bacillus thuringiensis H-14 and Bacillus sphaericus against floodwater mosquitoes in California
J. of the American Mosquito control Association
1, (3) : 310-315.

- Mulligan, F.S. III; Schaefer, C.H. and Miura, T. :
(1978): Laboratory and field evaluation of Bacillus sphaericus as a mosquito control agent.
J. Econ. Entomol., 71 (5) : 774-777.
- Mulligan, F.S. III; Schaefer, C.H. and Wilder, W.H. :
(1980): Efficacy and persistence of Bacillus sphaericus and Bacillus thuringiensis H-14 against mosquitoes under laboratory and field conditions.
J. Econ. Entomol., 73 (5) : 684-688.
- Myers, P. and Yousten, A.A. :
(1978): Toxic activity of Bacillus sphaericus SSII-1 for mosquito larvae.
Infect. Immun., 19 (3): 1047-1053.
- Myers, P.; Yousten, A.A. and Davidson, E.W. :
(1979): Comparative studies of the mosquito-larval toxin of Bacillus sphaericus SSII-1 and 1593.
Can. J. Microbiol., 25 (11) : 1227-1231.
- Nishitsutsuji-Uwo, J.; Endo, Y. and Himeno, M. :
(1980): Effects of Bacillus thuringiensis delta-endotoxin on insect and mammalian cells in vitro.
Appl. Entomol. Zool., 15 (2): 133-139.
- Payne, J.M. and Davidson, E.W. :
(1984): Insecticidal activity of the crystalline parasporal inclusions and other components of the Bacillus sphaericus 1593 spore complex.
J. Invert. Pathol., 43 (3) : 383-388.
- Radi, M. H. :
(1986): Pathogenesis of Bacillus thuringiensis sero-type H-14 as a mosquito larvicide.
Ph. D. , Thesis, Fac. of Sci., Ain Shams Univ. : 146-150.

- Ramoska, W.A.; Singer, S. and Levy, R. :
(1977): Bioassay of three strains of Bacillus sphaericus on field-collected mosquito larvae.
J. Invert. Pathol., (30) : 151-154.
- Ren, G.X.; Sun, G.H.; Cui, R.H. and Zhu, C.Z. :
(1983): Comparison of the toxicity of Bacillus sphaericus and Bacillus thuringiensis to Culex pipiens var. pallens.
Acta Microbiologica sinica, 23, (2) : 163-167.
- Salama, H.S. and Sharaby, A. :
(1985): Histopathological changes in Heliothis armigera infected with Bacillus thuringiensis as detected by electron microscopy.
Insect, Sci. Appl. 6 (4) : 503-511.
- Saleh, M.S. :
(1985): Larvicidal activity of Bacillus thuringiensis serotype H-14 against mosquito larvae.
Insect, Sci. Appl., 6 (5) : 617-620.
- Silapanuntakul, S.; Pantuwatana, S.; Bhumiratana, A. and Charoensiri, K. :
(1983): The comparative persistence of toxicity of Bacillus sphaericus strain 1593 and Bacillus thuringiensis serotype H-14 against mosquito larvae in different kinds of environments.
J. of Invert. Pathol., 42 (3) : 387-392.
- Singh, G.J.P.; Schouest, L.P. and Gill, S.S. :
(1986): Action of Bacillus thuringiensis subsp. israelensis O-endotoxin on the ultrastructure of the house fly larva neuromuscular system in vitro.
J. Invert. Pathol., 47 (2): 155 - 166.

- Sokolova, E.I. and Ganushkina, L. A. :
(1982): The combined effect of bacterial preparations and insect development regulators on larvae of blood sucking mosquitoes.
Meditsinskaya, Parazitologiya, Parazitarnye Bolezni. 51 (4) : 42-46.
- Steinhaus, E.A.,:
(1949): Principles of insect pathology.
McGraw-Hill, New York.: 37-40.pp..
- Sun, C.-N.; Georghiou, G.P. and Weiss, K. :
(1980): Toxicity of Bacillus thuringiensis var. israelensis to mosquito larvae variously resistant to conventional insecticides.
Mosq. News, 40 (4) : 614-618.
- Tsuchiyama, A. :
(1980): Pathogenicity of Bacillus sphaericus to larvae of mosquito Culex pipiens .
Jpn. J. Appl. Entomol. Zool. 24 (2) : 93-97.
- Wickremesinghe, R.S.B. and Mendis, C.L. :
(1981): Evaluation of Bacillus thuringiensis var. israelensis and Bacillus sphaericus 1593 on Sri Lankan strains of larval Culex quinquefasciatus.
Mosq. News, 41, (3) : 558-559.
- Yu, H.S.; Lee, D.K.; Na, J.O. and Bon, S.J. :
(1983): Integrated control of mosquitoes by combined use of Bacillus thuringiensis var israelensis and larvivorous fish Aplocheilichthys latipes in simulated rice paddies in south Korea.
Korean, J. Entomol., 13 (2) : 75-84.