

- Abdel-Raheem, K.; El-Mossallamy, N.; Fahim, A., Bayomy, M. and El-Kadi, A.
(1991)
Effect of chronic administration of barbitone sodium on protein, nucleic acids and aminotransferases in young albino rats.
J. Egypt. Soc. Toxicol., 7 : 25- 41.
- Abdullah, A. M. and Ireland, M. P. (1986):
Seasonal studies on Cd concentration and toxicity, oxygen consumption, digestive gland glycogen and lipid in dog whelks collected at Aberystwyth.
Mar. Pollut. Bull., 17 (12) : 562- 566.
- Allanson, M. and Deanesly, R. (1962) :
Observations on Cd damage and repair in rat testes and the effect on the pituitary gonadotrophs.
J. Endocrin., 24: 453- 462.
- Alsberg, C. L. and Schwartz, (1919):
J. Pharmacol., 18: 504.
- Andersen, O.; Ronne, M. and Nordberg, G. F., (1983) :
Effects of inorganic metal salts on chromosome length in human lymphocytes.
Hereditas, 98: 65 –70.



Andersen, O.; Nielsen, J. B. and Svendsen, P. (1988) :

Oral cadmium chloride intoxication in mice : Effects of dose on tissue damage and relative organs distribution.

Toxicology, 48 : 225- 233.

Andersson, K.; Elinder, C.; Hogstedt, C.; Kjellstrom, T. and Spang, G. (1984) :

Mortality among cadmium workers in a Swedish battery factory.

In: Proceedings of the 4-th International Cadmium Conference,
Munich, March 1983, Cadmium Association, London, 152- 154.

Anke, M.; Henning, A.; Schnider, H. J.; Groppe, B.; Grun, M.; Partschfeld, M.
and Ludke, F. (1976):

The influence of the toxic element cadmium on the metabolism and health of animals and humans.

Math- Naturwiss, R., 25: 241-261.

Armstrong, B.G. & Kazantasis, G. (1983):

The mortality of cadmium workers.

Lancet, 1:1424- 1427.

Auer G., Zetterberg A., (1984) :

The prognostic significance of nuclear DNA contents in malignant tumours of breast, prostate and cartilage.

In advances in Clinical Cytology. Second volume. Edited by LG
Koss, DV Coleman. New York, Masson Publishing: 123- 134.



Aufferman W., Repges R. and Bocking A., (1984) :

Rapid DNA cytometry with an automatic microscope and a TV image- analysis system.

Analyt. Quant. Cytol., 7 : 179-188.

Aughey, E.; Fell, G.S.; Scott, R. and Black, M. (1984) :

Histopathology of early effects of oral cadmium in the rat kidney.

Environmental health perspectives, 54 : 153- 161.

Bennet, G.; Leblond, C.P. and Haddad, A. (1974) :

Migration of glycoprotein from the Golgi apparatus to the surface of various cell types as shown by radioautography after labelled fucose injection into rats.

J. Cell Biol., 60 :258- 284.

Boking, A. (1983):

Zytologische Diagnostik der Prostata.

Urologe, 22: 134-143.

Bocking A., Pollman I. and Biesterfeld S., (1990) :

DNA grading of malignancy in urothelial carcinoma of the bladder: Prognostic validity, reproducibility and comparison with morphological parameters. 17-th Meeting of the European Federation of Cytology Societies, 30 March-1 April 1989, Films, Switzerland.



Bocking A., Striepecke E., Auer H., & Fuzesi L., (1994):

Static DNA cytometry:

Biological background, technique and diagnostic interpretation. G.

L. Wied, Chicago.

Bocking A., Aufferman W., Vogel M., Schlondorff G. and Goebbels R., (1985) :

Diagnosis and grading of malignancy in squamous epithelial lesions of the larynx with DNA cytophotometry.

Cancer, 56 : 1600- 1604.

Bocking, A., Adler, CP., Common, H.D., Hilgarth, M., Granzen, B. and

Auffermann, W. (1984) :

Algorithm for the DNA cytophotometric diagnosis and grading of malignancy.

Analyt. Quant. Cytol., 6 : 1- 7.

Bompart, G.; Orfila, C. and Parke, D. V. (1991) :

Cisplatin nephrotoxicity in cadmium-pretreated rats.

Enzymatic, functional and morphological studies.

Nephron, 58 (1) : 68-74.

Boyd, W. (1974) :

Pathology , structure and function in disease .

Lea and Febiger, Philadelphia, U. S. A.

Brachet, J. (1957) :

"Biochemical Cytology" Academic Press, New York.



Bruini, A.B. (1976) :

Biochemical toxicology of environmental agents.

Eiseview, North- Holland, Biochemical Press, the Netherland, 612.

Caperna, T. J., and Failla, M. L. (1984):

Cadmium metabolism by rat liver endothelial and Kupffer cells.

Bioch. J., 221: 631- 636.

Casarette, W.O. (1986) :

Cell injury.

Proc. Soc. Exp. Biol. Med., 19 : 126- 135.

Chan, H.M.; Zhu, L.; Zhong, R.; Grant, D.; Goyer, R. A. and Cherian, M. G.

(1993) :

Nephrotoxicity in rats following liver transplantation from cadmium-exposed rats.

Toxicol. Appl. Pharmacol., 123 : 89- 96.

Chapatwala, K. D.; Hobson, M.; Desai, D. and Rajanna, B. (1982):

Effect of Cd on hepatic and renal gluconogenic enzymes in female rats.

Toxicol. Lett., 12: 27- 34.

Chellman, J. G.; Shaikh, A. Z.; Raymond, B. B. and Diamond, L.G. (1985) :

Resistance to cadmium induced necrosis in testis of Inbred mice: Possible role of metallothionein- like Cd- binding protein.

Toxicol. Appl. Pharmacol., 79: 511- 523.



Chin, A. T. and Tempelton, M. D. (1992) :

Effects of Cd-metallothionein on cultured mesangial cells.

Toxicol. Appl. Pharmacol., 116: 133- 141

Cikrt, M.; Hurych, J.; Kuklova, D.; Lepsi, P.; Kopecky, J.; Malek, B. and

Naus, A. (1985) :

Analysis of the renal tissues of a woman chronically exposed to Cd.

Int. Arch. Occup. Environ. Health, 55 : 241.

Clayden, E.C. (1971):

Practical section cutting and staining.

(Churchil Livingstone, 5Eds, London). pp 223.

Clinton H.;Thienes; Thomas, J. and Haley (1972):

Cadmium, Fifth Edition.

Clinical Toxicology,P. 187.

Cohen, J.J. and Duke, R. C. (1984) :

Glucocorticoid activation of a calcium- dependent endonuclease in thymocyte nuclei leads to cell death.

J. Immunol., 132: 38- 42.

Cohen,J.J.; Duke,R.C., Chervenak, R.; Sellins, K. S. and Olson, L. K. (1985):

DNA fragmentation in targets of CTL: an example of 1`programmed cell death in the immune system.

Adv. Exp. Med. Biol., 184: 493- 508.

Commission of the European Communities (1978):

Criteria (dose- effect relationships) for cadmium.

Pergamon Press, Oxford, P. 202 (Report of the Working Group of Experts prepared for the CEC, Luxemburg, Directorate- General for Social Affairs, Health and Safety Directorate) .

Daston, G. P. (1982) :

Toxic effects of Cd on the developing rat lung. II. Glycogen and phospholipid metabolism.

J. Toxicol. Environ. Health, 9 (1) : 51- 61.

De Tomasi, J. A.(1936):

Stain Technol., 11: 137. Quoted from Pears, A. G. (1961). Histochemistry, theoretical and applied. Little, Brown and Company, Boston.

De-Vellis, J. and Sehiede, O. A. (1970) :

Effects of ionizing radiation on the biochemical differentiation of rat brain.

Conf. 690501 : 857- 875.

Dolye, J. J.; Pfander, W. H.; Crenshaw, D. B. and Snethen, J. H. (1974):

Interface, 3, 9.

Driel-Kulker AMJ van and Ploem JS, (1982) :

The use of LEYTAS in analytical and quantitative cytology.

IEEE Trans Biomed Eng., 29, 2 : 92- 100.

Dubale, M. S. and Shah, P. (1981) :

Biochemical alterations induced by Cd in the liver of Channa Punculatus.

Toxicol. Appl. Pharmacol., 76 : 150- 159.

Dudely, R. E.; Svoboda, D. J. and Klassen, C. O. (1982) :

Acute exposure to cadmium causes severe liver injury in rats.

Toxicol. Appl. Pharmacol., 65: 302- 313.

Dudely, R. E.; Svoboda, D. J. and Klassen, C. D. (1984) :

Time course of Cd-induced ultrastructural changes in rat liver.

Toxicol. Appl. Pharmacol., 76 : 150- 160.

Dudely, R. E.; Gammal, L. M. and Klassen, C. D. (1985) :

Cadmium- induced hepatic and renal injury in chronically exposed rats. Likely role of hepatic cadmium-metallothionein in nephrotoxicity.

Toxicol. Appl. Pharmacol., 77: 414- 426.

El- Banhawy, M. and Riad, N. (1970) :

Alterations produced in ribonucleic acid containing particles in the mammalian liver cells under the effects of development, aging and fasting.

Proc. Egypt Acad. Sci., 23 : 197- 202.

El- Banhawy, M. and Riad, N. A. (1972) :

The influence of development, aging and fasting on the histochemical localization of proteins in the liver cells of guinea pigs.
Porc. Zool. Soc. (ARE), 4 : 257- 266.

El- Banhawy, M., Al-Zahaby, A. and Shalaby, A., (1986) :

Effect of cyolane intoxicification on the protein contents in the ileal epithelial cells of Clarias lazera.
Egypt J. Histol., 9 (1) : 69- 76.

Elinder, C. G. and Parmone, M. (1979):

Biliary excretion of cadmium.
Environ. Health Perspect., 28: 123- 126.

Elinder, C. G.; Kjellstrom, T.; Linnman, L. and Perhagen, G. (1978):

Urinary excretion of cadmium and zinc among persons from Sweden.
Environ. Res., 15: 473- 484.

Evans, H.E. (1962) :

Chromosomes and pelvic cancer.
Cl. Obst. Gyn., 2 : 435.

Evans, H.E. (1977) :

Molecular mechanisms in the induction of chromosomal aberrations.

In: Scot D.; Bridges, B.A. and Sobels, F.H. (eds). *Progress in Genetic Toxicology*. Elsevier, North Holland, Amsterdam.

Eybl, V. and Sykora, J. (1966):

The protection by chelating agents in acute cadmium poisoning.

Acta Biol. Med. German, 16: 61-64.

Faeder, E.J. (1977) :

Toxicol. Appl. Pharmacol., 39: 439-.

Fairbridge, R.W., ed. (1974):

The Encyclopedia of Geochemistry and Environmental Science.

Vol. IVA, New York, Van Nostrand-Reinhold, P. 99-100.

Fakan, S. and Puvion, E. (1980):

The ultrastructural visualization of nucleolar and extranucleolar RNA synthesis and distribution.

Int. Rev. Cytol., 65 : 255- 299.

FAO/WHO Joint Food Contamination Monitoring Programme (1986).

Global Environment Monitoring Programme.

Report of the Fourth Session of the Technical Advisory Committee,

Geneva, 9- 13 September 1985. WHO/EHE/FOS/86.4.

Felten, T. L. (1979) :

A preliminary report of Cd- induced chromosomal changes in somatic and germinal tissues C57Bl/ 6J male mice.

Genetics, 88: 26- 27.



Feulgen, R. (1924) :

Neue Wege zum biologisch- histologischen Studium der Zellkerne:

(A)Die Nuclealfärbung, ein mikrochemischer Nachweis der Thymonucleinsäure. (B) Über das Vorkommen von nuclealem und anuclealem Chromatin.

Ber Ges Physiol, 22: 480-490.

Fischer, A. B.; and Hofman, J. (1990) :

Studies of Cd- cytotoxicity and genotoxicity cell cycle effects and cytogenetic findings in cultured mammalian cells.

Toxicol. Environ. Chem., 27: 143- 152.

Flangan, P. R.; Mc Lellar, J. S.; Haist, J.; Cherian, M. F.; Chamberlain, M. j. and

Valberg, L. S. (1978):

Increased dietary cadmium absorption in mice and humansubjects with iron deficiency.

Gastroenterology, 74: 841-846.

Folia. Morphol. (Praha), 37 (1), 78- 88.

induced genotoxicity : a review.

Environ. Health Perspect., 102 (suppl. 3) : 45- 50.

Francavilla, S.; Moscardelli, S.; Francavilla, F.; Casasanta, N.; Properzi, G.;

Martini, M. and Santiemma, V. (1981):

Acute cadmium intoxication: influence of cyproterone acetate in the testis and epididymis of the rat.

Arch. Androl., 6 : 1- 11.



Friberg, L. (1950):

Health hazards in the manufacture of alkaline accumulators with special reference to chronic cadmium poisoning.
Acta. Med. Scand. 138 (suppl.240): 1-124.

Friberg, L. (1952):

Further investigations on chronic cadmium poisoning. A study on rabbits with radioactive cadmium.
Arch. ind. Occup. Med., 5 :30- 36.

Friberg, L.; Kjellstrom, T. and Nordberg, G. F. (1986):

Cadmium.

Hand book on the toxicology of metals.

2nd edition, Elsevier Science Publishers, Amsterdam, New York.

Friberg, L.; Piscator, M.; Nordberg, G. F. and Kjellstrom, T. (1974):

Cadmium in the environment.

2nd edition, Chemical Rubber Company Press, Cleveland,
Ohio P. 248

Friberg, L.; Elinder, C. G.; Kjellstrom, T. and Nordberg, G. F. (1985):

Cadmium and Health.

A toxicological and epidemiological appraisal., CRC
Press, Boca Raton, Florida, Chapter 14.

Gabbiani, G. (1966):

Action of cadmium chloride on sensory ganglia.

Experientia, 22: 386-399.

Gamulin, S.; Car, N. and Narancsik, P. (1982) :

Effects of cadmium on polyribosome structure and functions in mouse liver.

Experimentia, 33 : 1144- 1145.

Garty, M.; Wong, K.-L. and Klassen, C.O. (1981):

Redistribution of cadmium to blood of rats.

Toxicol. Appl. Pharmacol., 59: 548- 554.

Gatta, A.; Bazzarola, G.; Amodio, P.; Menon, F.; Angeli, P.; Schiaffino, E. and

Schmid, C. (1989) :

Detection of the early steps of cadmium nephropathy- comparison of light and electron microscopical patterns with the urinary enzymes excretion. An experimental study.

Nephron, 51 : 20-24.

Gerlying P., Grotmol T., Erikstein B., Stokke T. and Seglen P.O., (1992):

Reduced proliferative activity of polyploid cells in primary hepatocellular carcinoma.

Carcinogenesis, 13 : 1795- 1801.

Girolami, J.P.; Bascands, J.L.; Pecher, C.; Cabos, G.; Moatti, J.P.; Mercier,

J.F.; Haguenoer, J.M. and Manuel, Y. (1989) :

Renal kallikrein excretion as a distal nephrotoxicity marker during cadmium exposure in rats.

Toxicology, 55 : 117- 129.

Goering, P. L. (1993) :

Lead-protein interactions as a basis for lead toxicity.

Neurotoxicology, 14 : 45- 60.

Goyer, R. A.; Miller, C. R. and Vietery, W. (1989) :

Non-metallothionein-bound cadmium in the pathogenesis of

cadmium nephrotoxicity in the rat.

Toxicol. Appl. Pharmacol., 101 : 232- 244.

Gun, S, A.; Gould, T. C. and Anderson, W. A. D. (1963) :

Cadmium induce interstitial cell tumors in rats and mice and their prevention by zinc.

J. Natl. Cancer Inst., 31: 745- 759.

Hagihara, B. (1978):

Cadmium toxicity and liver mitochondria: 11 Protective effect of hepatic soluble fraction against Cdmium- induced mitochondrial dysfunction.

J. Biochem., 48: 127- 136.

Hague,G.M. (1973)

Preprint from the 1973 Bureau of Mines Yearbook, Cadmium, Washington DC, US,

Department of the Interior, P.1-8.

Ham, A. W. and Cormack, D. H. (1979) :

Histology, eighth edition by J.B. Lippincott company, Philadlephia and Toronto.



Hamada, T.; Nakano, S.; Iwai, S.; Tanimoto, A.; Ariyoshi, K. and Koide, O.

(1991) :

Pathological studies on beagles after long term oral administration of cadmium.

Toxicol. Pathol., 19 (2) : 138- 147.

Hamilton, D.L. and Valberg, L.S (1974)

Relationship between cadmium and iron absorption.

Am. J. Physiol., 27 : 1033- 1037.

Handler, H. M., and Bernard, W.J. (1951):

The reaction of fluorine with Cd and some of its binary compounds.

The crystal structure, density and melting- point of Cd-fluoride.

J. Amer. Chem.Soc., 73: 5218- 5219.

Harda, A. (1973):

Medical examination of workers in a cadmium pigment factory.

Kankyo Hoken Rep. No. 24, September, P. 66.

Hartwig, A. (1994) :

Role of DNA repair inhibition in lead and cadmium induced genotoxicity : a review.

Environ. Health Perspect., 102 (suppl. 3) : 45- 50.

Hedley, D.W., Philips, J., Rugg, C.A. and Taylor, I.W., (1984) :

Measurements of cellular DNA content as an adjunct to diagnostic cytology in malignant effusions.

Eur. J. Cancer Clin. Oncol., 20 : 749- 752.



Heim S. and Mittelman F., (1987) :

Cancer cytogenetics.

Liss, New York, p. 239- 240.

Hiratsuka, H.; Katsuta, O.; Toyota, N.; Tsuchitani, M.; Umemura, T. and

Marumo, F. (1996) :

Chronic cadmium exposure-induced renal anemia in ovariectomized rats.

Toxicol. Appl. pharmacol., 137 : 228- 236.

Hoffman, E. Q.; Cook, J. A.; Diluzio, N. R. and Coover, J. A. (1975) :

The effects of acute cadmium administration in the liver and kidney in the rat.

Lab. Invest., 32: 655-661.

Hotchkiss, SS,R.D. (1948):

A microchemical reaction resulting in the staining of polysaccharide structure in fixed tissue perorations.

Arch. Biochem., 16 : 131.

Hulinska, D.; Vojtisek, M; Hulinsky, V. and Novak, M. (1989) :

An X-ray, microanalytical and ultrastructural stdy of cadmium absorpton and transport in rat liver.

Humperdinck, K. (1969):

Kadmium und Lungenkrebs.

Med. Klin., 63: 948-951



IARC (1976):

Cadmium, nickel, some epoxide, miscellaneous industrial chemicals, and general considerations on volatile anaesthetics.
International Agency for Research on Cancer, Lyons, P.
[Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Vol. (11)].

ISCN: An International System of Human Cytogenetic Nomenclature: (1985)
Birth Defects. Original Article Series, 21(1), March of Dimes Defects Foundation, New York.

Ishido, M.; Homma. S. T.; Leung, P. S. and Tohyama, C. (1995) :

Cadmium induced DNA fragmentation is inhibitable by zinc in porcine kidney LLC-PK sub (1) cell.
Life Sci., 56 (17) : 351- 356.

Johnson, D. R. and Foulkes, E. C. (1981):

On- the proposed role of metallothionein in the transport of cadmium .
Environ. Res., 21: 3460- 3465.

Kajikawa, K.; Nakanishi, I. and Kurodo, K. (1981) :

Morphological changes of the kidney and bone of rats in chronic cadmium poisoning.
Experimental and molecular pathology, 34 : 9- 24.



Kang, Yu-Jian and Enger, M. D. (1991) :

Cadmium inhibits EGF-induced and DNA synthesis but increases cellular glutathione levels in NRK-49F cells.

Toxicology, 66 (3) : 325- 333.

Kato, R.; Jobdirf, W.R.; Loeb, L.A.; Ben, T. and Gelboin, H.V. (1966) :

Studies on the mechanism of drug-induced microsomal enzymes activities. V. Phenobarbital stimulation of endogenous messenger RNA and polyuridylic acid-directed L-(14C)- Phenylalanine incorporation.

Molec. Pharmacol., 2 : 171- 186.

Katsuta, O.; Hiratsuka, H.; Matsomoto, J.; Tsuchitani, M.; Umemura, T. and

Keenan, T.W.; Morre, J. and Checetham, R.D. (1970) :

Lactose synthesis by a Golgi apparatus fraction from rat mammary gland.

Nature, 228 :1105.

Khalifa, A. (1996)

DNA language. An introduction to molecular biology.

University Book House, Cairo, 1-st Edition.

Kido, T.; Honda, R.; Yamada, Y.; Tsuritani, Y. I.; Ishizaki, M. and Nagawa, T.

(1985) :

a 1- Microglobulin determination in urine for the early detection of renal tubular dysfunction caused by exposure to Cd.

Toxicol. Lett., 24 : 195- 203.



Kido, T.; Honda, R.; Yamada, Y.; Tsuritani, Y. I.; Ishizaki, M. and Nagawa, T.

(1985) :

Cadmium induced hepatic and renal injury in chronically exposed rats; Likely role of hepatic cadmium metallothionein in nephrotoxicity.

Toxicol. Appl. Pharmacol., 77 : 414- 426.

Kipling, M.D., and Waterhouse, J.A.H. (1967):

Cadmium and prostatic carcinoma.

Lancet, 1: 730 - 731.

Kitamura, M. (1972):

Absorption and deposition of Cd especially in human subjects.

Japan Public Health Association, Tokyo, P. 420-445.

Kjellstrom, T., Friberg, L., and Rahanster, D. (1979):

Mortality and cancer morbidity among cadmium-exposed workers.

Environ. Health Perspect., 28 : 199 - 294.

Klahr, S.; Schreiner, G. and Ichikawa, I. (1988) :

The progression of renal disease.

New. Eng. J. Med., 318 : 1657- 1666.

Knowles, C. O. and Mckee, M. G. (1987) :

Protein and nucleic acid content in Daphnia magna during chronic exposure to cadmium.

Ecotoxicol. Environ. Saf., 13 : 290- 300.

Kobayashi, H. (1972):

Whole body retention and intestinal absorption of ^{115}mCd in young and adult mice.

Med. Biol., 85: 275-279 (in Japanese).

Koss, L., Bartels, P. H. and Wied, G. L.. (1982) :

Computer-based diagnostic analysis of cells in the urinary sediment.

J. Urol., 123: 846- 849.

Koss, L., Eppide, E. M., Melder, K. H. and Wersto, R., (1987) :

DNA cytophotometry of voided urine sediment. Comparison of cytologic diagnosis and image analysis.

Anal. Quant. Cytol. Histol., 9 : 398- 404.

Kowel, N. E.; Johnson , D. E.; Kraemer, D. F. and Pahren, H. K. (1979):

Normal levels of cadmium in diet urine, blood and tissues in inhabitants of the United States.

J. Toxicol. Environ. Health, 5: 995- 1014.

Kurnick, N.P. (1955):

Pyronin Y in the methyl green pyronin histochemical stain.

Stain Technol., 30 : 213.

Larinova, T. I.; Zille, L. N. and Vorobjeva, R. S. (1974) :

The influence of barium- cadmium laurate on some fermentative processes in the liver.

Gig. Jr. Prof. Zabol., 3: 50-52.



Lauwerys, R. R.; Buchet, J. P.; Roles, H. A.; Brouwers, J. and
Slanescu, D. (1974) :

Epidemiological survey of workers exposed to Cd.
Arch. Environm. Health, 28 : 145- 153.

Ledda, G. M.; Columbano, A.; Coni, P. P.; Vargiu, M.; Liguori, C. and Pani, p.
(1984) :

Stimulation of DNA synthesis after a single administration of cadmium
Toxicol. Let., 23 (3) : 267- 272.

Lemen, R.A., Less, J.S., Wagoner, J.K., and Blejer, H.P. (1976):

Cancer mortality among cadmium-exposed workers.
Ann. NY Acad. Sci., 271: 273 - 279.

Levy, L. S. and Clack, J. (1975) :

*Further studies on the effect of cadmium on the prostate gland. II:
Absence of prostatic changes in mice given oral cadmium sulfate
to eighteen months.*
Ann. Occup. Hyg., 17: 213-220.

Lewiss, G, P.; Jusko, W. J.; Coughlin, L. L. and Hartz, S. (1972):

Contribution of cigarette smoking to cadmium accumulation in man.
Lancet, 1: 291.

Littlefield, N. A.; Hass, B. S.; James, S. J. and Poirier, L. A. (1994) :

*Protective effect of magnesium on strand breaks induced by nickel
or cadmium.*
Cell Biol. Toxicol., 10 (2) : 127- 135.



Liu, Y.; Liu, J.; Iszard, B. M.; Androws, K.; Palmitter, D. R. and Klassen, D. C.

(1995) :

Transgenic mice that over express metallothionein-I are protected from cadmium lethality and hepatotoxicity.

Toxicol. Appl. Pharmacol., 135 : 222-248.

Lohman, R. D., and Beyersmann, D. (1993) :

Cadmium and Zinc mediated changes of the Ca²⁺- dependent endonuclease in apoptosis.

Biochem. Biophys. Res. Common., 190: 1097- 1103.

Lohman, R. D., and Beyersmann, D. (1994) :

Effects of zinc and cadmium on apoptotic DNA fragmentation in isolated bovine liver nuclei.

Environ. Health Perspect., 102 (3) : 269- 271.

Lourau- Pitres, M. (1954) :

Arch. Kem. And Radiobiology Symposium Liege, Bullerworth, London. P. 225.

Lowe- Jinde, L. and Niimi, A. J. (1984) :

Short term and long term effects of Cd on glycogen reserves and liver size in rainbow- trout.

Arch. Environ. Contam. Toxicol., 13 (6) : 759-764.

Lyman, T.,ed. (1961):

Metals Handbook.

8th ed., Vol.1, Novelty, Ohio, American Society for Metals, P. 1119-.

Marumo, F. (1993) :

Ovariectomy enhances cadmium-induced nephrotoxicity and hepatotoxicity in rats.

Toxicol. Appl. Pharmacol., 119 : 267- 274.

Masters, B. A.; Kelly, E. J.; Quaife, C. J.; Brinster, R. L. and Palmiter, R. D.

(1994) :

Targeted disruption of metallothionein I and II genes increases sensitivity to cadmium.

Proc. Natl. Acad. Sci. USA, 91 : 584- 588.

Matsusaka, N.; Tanaka, M.; Nishimura, Y.; Yuyama, A. and Hamilton, D. L. and

Valberg, L. S. (1974):

Relationship between cadmium and iron absorption.

Amer. J. physiol. 277: 1033-1037.

Mazia, D., Brewer, P. A. and Affert, M. (1953):

The cytometrical staining and measurements of protein with mercuric bromophenol blue.

Biol. Bull., 104: 57-67.

Mckenna, M. I., Bare, M. R. and Waalkes, P. M. (1996) :

Metallothionein gene expression in testicular interstitial cells and liver of rats treated with Cd.

Toxicology, 107: 121- 130.



Merali, Z.; Kacew, S. and Singhal, R. L. (1974) :

Response of hepatic carbohydrates and cyclic AMP metabolism to Cd treatment in rats.

Can. J. Physiol. Pharmacol., 53: 174- 184.

Miller, M. L. (1974):

Arch. Pathol. Vol. 96: 368-.

Mitane, Y.; Aoki, Y. and Suzuki, K. T. (1987) :

Cadmium inhibits protein secretion from cultured rat liver parenchymal cells.

Biochem. Pharmacol., 36 (16) : 2647- 2652.

Mitane, Y.; Aoki, Y. and Suzuki, K. T. (1987) :

Accumulation of newly synthesized serum proteins by cadmium in cultured rat liver parenchymal cells.

Biochem. Pharmacol., 36 (21) : 3657- 3661.

Mulkr, L. (1986):

Consequences of Cd toxicity in rat hepatocytes: Effects of Cd on the glutathione peroxidase system.

Toxicol. Lett., 30: 253.

Nayak, B. N.; Ray, M.; Persaud, T. and Nigli, M. (1989) :

Embryotoxicity and in vivo cytogenetic changes following maternal exposure to CdCl₂ in mice.

Exp. Path., 36 (2) : 75- 80.



Nishiyama, S and Nakamura, K. (1984):

Stimulation of adrenal DNA synthesis in cadmium-treated male rats.
Toxicol. and Appl. Pharmacol., 74 :337- 344.

Nishizumi, M. (1976) :

*Enhancement of diethylnitrosamine hepato-carcinogenesis in rats
by exposure to polychlorinated biphenyles or phenobarbital.*
Cancer lett., 2 : 11-16.

Nocentini, S. : (1987) :

*Inhibition of DNA replication and repair by cadmium in mammalian
cells. Protective interaction of zinc.*
Nucleic Acids Res., 15 (10) : 4211- 4226.

Nogawa, K.; Kobayashi, E.; Ishizaki, A.; Kato, J.; and Kanamori, C. (1979) :
Clinico- chemical studies on chronic cadmium poisoning (Part 3).
Anemia. Japan J. Hyg., 34: 574- 579.

Nogawa, K.; Honda, R.; Yamada, Y.; Kido, T.; Tsuritani, I. And Ishizaki, M.
(1984) :

*Iron concentration in liver and kidney of Cd- exposed human
subjects.*
Toxicol. Lett., 21: 209- 212.

Nolan, C. V.; and Shaikh, Z. A. (1986):

The vascular endothelium as a target tissue in acute Cd- toxicity.
Life Sci., 39: 1403- 1409.

Nomiyama, K. (1973):

Mechanisms and diagnosis of Cd- Poisoning.

Japan Public Health Association, Tokyo, P: 11-15.

Nomiyama, K. (1978):

Experimental studies on animals: in vivo experiments, In:

Tsuchiya, K. (ed).

Cadmium studies in Japan, Elsevier/ North Holland, Amsterdam, P. 47-68.

Nomiyama, K. and Nomiyama, H. (1976) :

Mechanisms of urinary excretion of Cd: experimental studies in rabbits. In: Nordberg, G. F.(ed) Effects and dose response relationship of toxic metals.

Elsevier, Amsterdam, P. 371-379.

Nomiyama, K.; Nomiyama, H.; Akahori, F. and Masaoka, T. (1982):

Cadmium health effects in monkeys with special reference to the critical concentration of cadmium in the renal cortex. I Proceeding of 3rd International Cadmium conference.

Nordberg, G.F. (1972):

Cadmium metabolism and toxicity.

Environ. Physiol. Biochem., 2: 7- 36.

Nordberg, G. F. (1976) :

Task group on metal toxicity- Effects and dose response relationships of toxic metals.

Elsevier, Amsterdam, P. 3.



Nordberg, G. F.; Kjellstrom, T. and Nordberg, M. (1975):

In: Friberg, L.; Elinder, C. G.; Kjellstrom, T. and Nordberg, G. F. (eds)

Cadmium and Health.

A toxicological and epidemiological appraisal, Boca Raton, Florida,
CRC Press.

Nordberg, M.; Cherian, G. and Kjellstrom, T. (1983):

*Defense mechanisms against metal toxicity and their potential
importance for risk assessments with particular reference at the
importance of various binding forms in food stuffs.*

Swedish State, Power Board, Vallingby, Sweden, P. 46.

O'Brien, I.G. and King, L.J. (1989):

*The effect of chronic parenteral administration of cadmium or
isoenzyme levels of alkaline Phosphatase in intestinal mucosa.*

J. Toxicology, 56: 87-94.

Ochi, T., M. Takayanagi and M. Ohsawa (1983):

*Cadmium-induced DNA single-strand scissions and their repair in
cultured Chinese hamster cells.*

Toxicol. Lett., 18: 177-183.

Ochi, T.; Mogi, M.; Watanabe, M. and Ohsawa, M. (1984):

*Induction of chromosomal aberrations in cultured Chinese hamster
cells by short-term treatment with cadmium chloride.*

Mut. Res., 137: 103-109.



- Orr, J. W.; Price, D. E. and Stickland, L. H. (1948) :
The glycogen content of rats liver after poisoning with large doses of P. dimethyl aminoazobenzene
J. Pathol. And Bact., 60 : 573- 581.
- Ovelgoeme, J. H.; Souren, J. E. M.; Weigant, F. A. C. and Van-Wijk, R.
(1995) :
Relationship between cadmium- induced expression of heatshock genes, inhibition of protein synthesis and cell death.
Toxicology, 99 (1-2) : 19-30.
- Pabst, R. and Sterzel, R.B. (1983):
Cell renewal of glomerular cell types in normal rats. An autoradiographic analysis.
Kidney Int., 24 : 626- 631.
- Pascal,P.,ed. (1959):
Nouveau Traite, de Chimie Minerale.
Paris, Masson, V: 349- 378.
- Paterson, J. C. (1947):
Studies on the toxicity of inhaled cadmium. II. The pathology cadmium smoke in man and in experimental animals.
J. indust. Hyg., 29 : 294- 301.
- Patty, (1981)
Patty's industrial hygiene and toxicology.
Third Revised Edition. Awiely Interscience puplication, Vol. 2A, P.
1563- 1583.



Pauwels RPE, Smeets AWGB, Geraedts JPM and Debruyne FMJ, (1987):

Cytogenetic analysis in urothelial cell carcinoma.

J. Urol., 137 : 210- 215.

Pertoft, H., and Smedsrod, B. (1987):

Separation and characterization of liver cells. In cell separation:

Methods and Selected Applications.

(T. G. Pretlow, II. and T. P. Pretlow, Eds.), 4: 1- 25.

Academic Press, San Diego.

Petrovic, D., Kalember, R. and Davidovic, M. (1968):

Lesions caused by cadmium during the production of alkaline dry batteries.

Vojnosanit. preglod (Belgrade), 25: 381-384.

Piscator, M. (1962) :

Proteinuria in chronic cadmium poisoning.

I An electrophoretic and chemical study of urinary and serum proteins from workers with chronic cadmium poisoning.

Arch. Environ. Health, 4 : 607- 614.

Potts, C.L. (1965):

Cadmium Proteinuria- the health of battery workers exposed to cadmium oxide dust.

Ann. Occup. Hyg., 8: 55-61.



Prasada, P. V. V. R. (1983):

Effects of intraperitoneal Cadmium administration on mitochondrial enzymes in rat tissues.

Toxicology, 27: 81- 90.

Prigge, E.; Baumert, H. P. and Muhle, H. (1977):

Effects of dietary and inhalative cadmium on hemoglobin and haematocrit in rats.

Bull. Environ. Contam. Toxicol., 17: 585- 590.

Puvion, E. and Lang, M. (1980) :

Functional significance of perichromatin granule accumulation induced by cadmium chloride in isolated rat liver cells.

Exp. Cell. Res., 128, 47- 58.

Quaife, C.; Durnam, D. and Mottet, K. N. (1984) :

Cadmium hypersusceptibility in the C3H mouse liver: Cell specificity and possible role of metallothionein.

Toxicol. Appl. Pharmacol., 76 :9- 17.

Rana, S.V. S.; Agrawal, V. P. and Bahradwaj, N. G. (1987) :

Aqualitative study of few enzymes in the liver of Cd-fed rats.

2-nd Health , 21: 137.

Rani, U.A. and Ramamurthi, R. (1987) :

Effect of sublethal concentration of cadmium on oxidative metabolism in the freshwater fish teleost tilapia mossabica.

Indian, J. Comp. Anim. Physiol. 5 : 71- 74.



Rani, U.A. and Ramamurthi, R. (1989) :

Histopathological alterations in the liver of fresh water teleost tilapia massabica in response to cadmium toxicity.

Ectotoxicol. Environ. Safety, April. 17 (2) : 221-226.

Reddy, J. and Svoboda, D. (1968) :

The relationship of nucleolar segregation to ribonucleic acid synthesis following the administration of select hepatocarcinogens.

Laboratory Investigation, 19 (1) :132- 145.

Reed, L.H.;and Muench,H. (1938) :

The LD₅₀ determination.

Am. J. Hyg., 27 : 493.

Rosas, I.; Carbajal, M. E.; Comez- Arroyo, S.; Belmont, R.; and Villalobos-

Pietrini, R. (1984) :

Cytogenetic effects of Cd accumulation on water hyacinth (Eichhornia crassipes).

Environ. Res., 33: 386-395.

Sanad, S. M. (1983) :

Cytochemical and ultrastructural studies on radiation injury in mammals.

Ph. D. Thesis, Faculty of Science, Zagazig University.

Sanad, S. M. (1993) :

Histopathological and histochemical studies on the effect of chronic treatment of barbitone sodium on the kidney of rat.

J. Egypt. Soc. Toxicol., 11 : 117- 134.



Sato, N.; Kamada, T.; Suematsu, T.; Abe, H.; Furuyama, F.; and Hagihara, B.
(1978) :

Cadmium toxicity and mitochondria. 11. Protective effect of hepatic soluble fraction against cadmium - induced mitochondrial dysfunction.

J. Biochem., 84 : 127- 136.

Sato, N.; Kamada, T.; Suematsu, T.; Abe, H.; Furuyama, F.; and Morselt, A. F.
W.; Peereboom- Stegman, J. H. J. C., Puvion, E. and

Maarschalkerweerd, V. J. (1983) :

*Investigation for the mechanism of Cd toxicity at cellular level-II
An electron microscopically study.*

Arch. Toxicol., 52 : 99 108.

Schroeder, H.A. and Balassa, J.J. (1961):

Abnormal trace metals in man: cadmium.

J. chron. Dis., 14: 236- 257.

Scott RJ, Chakraborty S., Sell S., Hunt JM. and Dunsford HA., (1989):

Change in the ploidy state of rat liver cells during chemical hepatocarcinogenesis and its relationship to the increased expression of alpha-fetoprotein.

Cancer Res., 49 : 6085- 6090.

Selypes, A.; Serenyi, P.; Boldog, I.; Bokros, F. and Tacacs, S.

(1992) :

Acute and long term genotoxic effects of CdCl₂ on testes of mice.

J. Toxicol. Environ. Health, 36 (4) : 401- 409.



Sendelbach, L. E. and Klassen, C. D. (1988) :

Kidney synthesizes less metallothionein than liver in response to CdCl₂ and Cd-metallothionein.

Toxicol. Appl. Pharmacol., 92 : 95- 102.

Shaikh, Z. A., and Smith, J. C. (1980):

Metabolism of orally ingested cadmium in humans. In: Holmstedt, B. et al. (eds), Mechanisms of toxicity and hazard evaluation.

Elsevier/ North Holland, Amsterdam, P. 569-574.

Shigamatsu, I.; Mitamura, S.; Akeuchi, J.; Minowa, M.; Nagai, M. and

Fukushima, M. (1982) :

A retrospective mortality study on cadmium- exposed populations in Japan.

In: Proceedings of the 3-rd International Cadmium Conference.

Miami, Florida, 3-5 February, 1981. Cadmium Association, London, PP. 115- 118.

Shiraishi, Y.; Kurahashi, and Yoshida, T. H. (1972) :

Chromosomal aberrations in cultured human leucocytes induced by cadmium sulphide.

Proc. Jpn. Acad., 48: 133- 137.

Shunmugavelu, M. and Sekar, P. (1992) :

Toxic effect of CdCl₂ on the carbohydrate content of the ovary, fat-body and hemolymph of the meloid beetle Mylabris balteata.

Environ. Ecol., 10 (4): 983- 984.



Sina, J. F. and Chin, B. (1978) :

Cadmium modification of nucleolar ultrastructure and RNA synthesis in physarum polycephalum.

Toxicol. Appl. Pharmacol., 43 : 449- 459.

Sivaprasado, K.; Sambasiva, K. R. S. and Ramana, K. V. (1983

Effects of parathion on tissue ionic changes in fish Channa punctatus

Geobios(JODPUR), 10 (2) : 60- 62.

Smeets AWGB (1987):

Chromosome and flow cytometric studies of urinary bladder cancer.

Dissertation, University of Maastricht.

Smith, J. B.; Smith, L.; Pijuan, V.; Zhuang, Y. and Chen, Y. C. (1994) :

Transmembrane signals and protooncogene induction evoked by carcinogenic metals and prevented by zinc.

Environ. Health Perspect., 102 : 181- 189.

Spang, G. (1984):

Mortality among cadmium workers in a Swedish battery factory.

IN Proceedings of the 4th International Cadmium Conference,

Munich, March 1983, Cadmium Association, London, p. 152- 154.

Sporn, M.B.; Dingman, C. W.; Phelps, H. L. and Wogan, G. N. (1966) :

Aflatoxin B₁. Binding to DNA in vitro and alteration of RNA metabolism in vivo .

Science, 151 : 1539- 1546.



Squibb, K. S.; Pritchard, J. B. and Fowler, B. A. (1984) :

Cadmium metallothionein nephropathy: Relationship between ultrastructural, biochemical alterations and intracellular Cd-binding.
J. Pharmacol. Exp. Ther., 229 : 311- 319.

Stacey, N. H.; and Kappus, H. (1982) :

Comparison of methods of the assessment of metal induced lipid peroxidation in isolated rat hepatocytes.
J. Toxicol. Environ. Health, 9: 277- 286.

Stedman (1970):

Stedman's medical dictionary.

The Williams and Wilkins Company Baltimore, P. 209.

Stoll, R. E.; White, J. F.; Miya, T. S. and Bousquet, W. F. (1976):

Effects of cadmium nucleic acids and protein synthesis in rat liver.
Toxicol. Appl. Pharmacol., 37 : 61- 71.

Stone, R.S.; Bencosine, S.A.; Datta, H. and Madden, S.C. (1961) :

Renal tubular fine structure studied during reaction to acute uranium injury.
Arch. Pathol., (Chicago) 71: 160-179.

Stowe, H.D.; Wilson, M. and Goyer, R.A. (1972) :

Clinical and morphological effects of oral cadmium toxicity in rabbits.
Arch. Pathol., 94 : 389- 405.

Suza, V.; Bucio, L.; Jay, D.; Chavez, E. and Ruiz, G. C. M. (1996) :

Effect of cadmium on calcium transport in a human fetal hepatic cell line (WRL-68 cells).

Toxicology, 112 : 97-104.

Suzuki, H. (1980) :

Selection of liver function tests.

Soishin Igaku, 35: 2471.

Suzuki, K. T.; Maitani, T. and Takenaka, S. (1979) :

Fate of intraperitoneally injected liver metallothionein in rat kidney.

Chem. Pharm. Bull., 27 : 647- 655.

Svoboda, D. and Higginson, J. (1968) :

A comparison of ultrastructure changes in rat liver due to chemical carcinogens.

Cancer. Res., 28 : 1703- 1733.

Syversen, T. L. M. (1976):

Cadmium and zinc in human liver and kidney.

Scan. J. Clin. Lab. Invest., 36: 251-256.

Takebayashi, S.; Harado, T.; Hamura, S.; Satoh, T.; Segawa, M. and Yajima, K.

(1987) :

Cadmium induced osteopathy. Clinical and autopsy findings of four patients.

Appl. Path., 5 (3) : 190- 197.



Tanaka, K.; Suedo, K.; Onosaka, S.; and Okahara, K. (1975) :

Fate of Cd-labeled metallothionein rats.

Toxicol. Appl. Pharmacol., 33 : 258.

Tang, Xue- Ming; Chen, Xiao- Qing; Zhag, Ji- Xiu and Qin, Wen-Qing (1990) :

Cytogenetic investigation in lymphocytes of people living in Cd-polluted areas.

Mut. Res., 241 (3) : 243- 249.

Tarasenko, N.Y. and Vorobjeva, R. S. (1972):

Hygienic problems connected with the cadmium use.

Vestnik Akad. Med. Nauk SSR, 28: 37-43.

Tarasenko, N. Y.; Vorbjeva, R. S. (1974) :

Experimental investigation of toxicity of cadmium and zinc cabrylates.

J. Hyg. Epden. Microbiol., 18 : 144-153.

Tempelton, D.M. (1990) :

Cadmium uptake by cells of renal origin.

J. Biol. Chem., 265 : 21764-21770.

Teworte, W. (1973)

Blei, Zinc, Cadmium-Gewinnung, Einsatz und Emission .

Staub-Reinh. Luft, 33: 422- 431.



Teworte, W (1975):

Lead, Zinc, Cadmium, production, use and emissions. In: Heavy Metals as Air Pollutants.

Lead, Zinc and Cadmium, Proceedings of the colloquium held in Dusseldorf, 1973, VDI-Ber. 203, Dusseldorf, VDI-Verlag GmbH, P. 5-15.

Toshihide, H. and Yosida, T. (1979) :

Karyotype of F1 hybrid between mauritius and oceanian type lilack rats.

Proc. Japan Acad., 55, ser B.

Uehara, H. L.; Aoki, Y.; Kawamura, R.; Sunaga, H.; Yamamura, M.; Nishikawa, M., Shimojo, N.; and Suzuki, K. T. (1985) :

Effect of diet on tissue accumulation of Cd on its toxicological indicators.

Eisei Kagaku, 31: 24.

Waalkes, M. P. and Rhem, S. (1992) :

Carcinogenicity of oral cadmium in the male Wistar (WF/NCr) rat: Effect of chronic dietary zinc deficiency.

Fun. Appl. Toxicol., 19: 512- 520.

Waalkes, M. P., Kovatch, R. and Rhem, S. (1991) :

Effect of chronic dietary Zinc deficiency on Cd toxicity and carcinogenesis in the male Wistar rat.

Toxicol. Appl. Pharmacol, 108: 448- 456.



Waalkes, M. P.; Rhem, S.; Riggs, C. W.; Bare, R. M.; Devor, D. E.; Poirier, L.A;

Wenk, M. L. and Henneman, J. R. (1989) :

Cadmium carcinogenesis in Wistar [Cr: (W1)BR] rats: Dose-response effect of zinc on tumor induction in the prostate, in the testes and at the injection site.

Cancer Res., 49 : 4282- 4288.

Wang, X.; Chan, H. M.; Goyer, R. A. and Cherian, M. G. (1993) :

Nephrotoxicity of repeated injections of cadmium- metallothionein in rats.

Toxicol. Appl. Pharmacol, 119 : 11- 16.

Webl, M. and Etienne, A. T. (1977) :

Studies on the toxicity and metabolism of Cd metallothionein.

Biochem. Pharmacol., 26 : 25- 36.

Weigel, H. J.; Jager, H. J. and Elmadfa, I. (1984) :

Cadmium accumulation in rat organs after extended oral administration with low concentrations of cadmium oxide.

Arch. Environ. Contam. Toxicol., 19 :279.

Weinstock, M. and Leblond, C.P. (1974) :

Synthesis, migration and release of precursor collagen by odontoblasts as visualized by radioautography after (3H) proline administration.

J. Cell Biol., 60 : 92- 127.



Whitehead, C. J.; Prashad, D. N. and Blackburn, R. O. (1988) :
Cadmium induced changes in avian renal morphology.
Experientia, 44 : 193- 208.

WHO (1992) :
Cadmium. IPCS Environmental Health Criteria 134. World Health Organization, Geneva.

Wilson, R. H., De Eds, F. and Cox Jr., A.J. (1941) :
Effects of continued cadmium feeding.
J. Pharmacol. Exp. Ther., 71: 222- 235.

Winkler, B.; Crum, CP. and Fujii, T. (1984) :
Koilocytic lesions of cervix: the relationship mitotic abnormalities to the presence of papilloma virus antigens and nuclear DNA content.
Cancer, 53 : 1081- 1087.

Xu, C.; Johnson, E. J.; Singh, K. P.; Jones, M. M.; Yan, H. and Carter, E. C.
(1996) :
In vivo studies of Cd- induced apoptosis in testicular tissue of the rat and its modulation by chelating agent.
Toxicology, 107: 1- 8.

Yoshiki, S.; Yanagisawa, T.; Kimura, M.; Otaki, N.; Suzuki, M. and Suda, T.
(1975):
Bone and kidney lesions in experimental cadmium in toxication.
Arch. Environ. Health, 30: 559-562.



Yosida, T. and Amano, K. (1965) :

Autosomal polymorphism in laboratory bred and wild Norway rats.

Rattus norvegicus.

Misima Chromosoma., 16; 658- 667.

