



REFERENCES



REFERENCES

Agata Y, Hiraishi S, Misawa H, Takanashi S. and Yashiro K (1985) :

Two dimensional echocardiographic determinants of interventricular septum configuration in right or left ventricular overload. Am. Heart J; 110: 819-25.

Agata Y, Hirashi S, Oguchi K, Misawa H, Horiguchi Y, Fujino N, Yashira K and Shimada N (1991) :

Changes in left ventricular output from fetal to early neonatal life. J pediatri; 119: 441-5.

Allen D. Hugh, Riemenschneider A. Thomas, Epstein Michael and Manson, T.Dean (1986) :

Hemodynamic responses of the acutely stressed neonatal right ventricle : Amaturational study in Lambs. A Heart Journal; 111:737.

American Academy of pediatrics, (1992) :

Guidelines for perinatal care. EIKGrove village I 11: American Academy of pediatrics., 204.

Anderson PAW, Manring A, Glick KL and Crenshaw CC Jr (1982) :

Biophysiologics of the developing hearts III. A comparative of left ventricular dynamics of the fetal and neonatal lamb heart. Am J. Obstet Gynecol 143:195.

Anderson PAW, Click KL, Manring A, and Crenshaw CJr (1984) :

Developmental changes in cardiac contractility in fetal and postnatal sheep in vitro and in vivo, Am J. Physiol; 247: H 371-9.

Applegate RJ, Cheng CP and Little WC (1990) :

Simultaneous conductance catheter and dimension assessment of left ventricle volume in the intact animal Circulation; 81:638.

Applegate RJ and Little WC (1991) :

Systolic and diastolic left ventricular function. Prog. Cardiol; 4:63.

Avery E. Mary and Taeusch H. William (1984) :

Schaffer's Diseases of the Newborn. 5th edition W.B. Saunders company, philadelphia, London, Tokyo, P.P 235.

Azancot A, Cauelell TP, Allen HD, et al (1983) :

Analysis of ventricular shape by echocardiography in normal fetuses, newborns and infants. Circulation; 68:1201-11.

Bada HS, Korones SB, Perry EH et al., (1990) :

Mean arterial pressure changes in premature infants and those at risk for interventricular hemorrhage. J. Pediatr; 117:607.

Baker C.J. and Edwards MV (1990) :

Group B streptococcal infections. In : Remington JS, Klein JO, eds. Infections diseases of the fetus and newborn infant 3rd ed. Philadelphia W.B.Saunders, 742.

Bhattadr, Isabel-jones JB et al., (1978) :

Accuracy of Echocardiography in assessing left ventricular dimensions and volumes. Circulation; 57 No 4:699-707.

Ballard, J.L., et al., (1991) :

New Ballard score, expanded to include extremely prematnse infants. J. Pediatric, 119:417.

Barcroft J. (1947) :

Researches of prenatal life. Springfield, IL, Charles C Thomas.

Battaglia FC, McGaughay H, Makowski EL and Meschia G (1970) :

Postnatal changes in oxygen affinity of sheep red cells: A dual role of diphosphoglyceric acid. Am.J. Physiol; 219:217-221.

Baylen BG, Ogata H, Ikegami M, Jacobs H, Jobe A and Emmanoulides G.C. (1986) :

Left ventricular performance and contractility before and after volume infusion : a comparative study of preterm and full term newhorn lambs. Circulation; 73: 1042-9.

Baylen BG., Ogata H, Oguchi K, I Kegami M, Jacob0s H, Jobe A and Emmanouilides G C (1985) :

The contractility and performance of the preterm left ventricle before and after early patent ductus arteriosus occlusion in surfactant treated lambs. *Pediatr Res*; 19:1053.

Bemis CE, Serur JR, Berkenhagen D, Sonnenblick EH and Urschel CW (1974) :

Influence of right ventricular filling pressusre on left ventricular pressure and dimension. *Circ; Res*. 34:498.

Borrow, KM, Henderson IC, Neumann A et al., (1983) :

Assessment of left ventricular contractility in patients receiving doxorubicin *Ann. Intern. Med*. 99:750.

Borrow KM, Neumann A, Marcus RH et al., (1992) :

Effects of simultaneous alterations in preload and afterload on measurments of left ventricular contractility in patients with dilated cardiomyopathy: comparaisons, of ejection phase, isovolumetric and end-systolic force velocity indexes. *J. Am. Coll. Cardiol*; 20:787.

Braunwald, E. (1998) :

Heart Disease, A text book of Cardiovascular medicine, 5th edition, W.B. SAUNDERS. Company philadelphia, London, Tokyo, PP. 421.

Cloherly, JP and Stark AR (1998) :

Manual of Neonatal care. Fourth edition lippincott-Raven publishers, philadelphia PP 44.

Colan SD, Trowitzsch E, Wernovsky G, Sholler GF, Sanders SP and Castaneda AR (1988) :

Myocardial performance after arterial switch operation for transposition of great arteries with intact septum. Circulation; 78:132-41.

Colan S, Borow K, and Neumann A (1989) :

Left ventricular end systolic wall stress velocity of fiber shortening relation: a load-independent index of myocardial contractility, J.Am. Coll. Cardiol.; 4:715-724.

Colan SD, Parness JA, Spevak PJ and Sanders SP (1992):

Developmental modulation of myocardial mechanics: age- and growth-related alterations in afterload and contractility. J.Am. Coll. Cardiol.; 19:619.

Cross KW, Dawes GS and Mott JC (1959) :

Anoxia, oxygen consumption and cardiac output in newborn lambs and adult sheep. J. Physiol; 146:316-43.

Dabestani A, Mohan S, Gardin J M, Lakenake K, Burn C and Allfie A (1987) :

Evaluation of pulmonary artery pressure and resistance by pulsed doppler echocardiography. Am. J. Cardiol.; 59:662.

Daniels SR, Meyer RA, Liang Y, and Bove KE (1988) :

Echocardiographically determined left ventricular mass index in normal children, adolescents and young adults. J. Am. Coll Cardiol.; 12: 703-8.

Dawes GS and Mott JC (1959) :

The increase in oxygen consumption of the lamb after birth. J. Physiol.; 146: 295-315.

Dell' Italia LJ (1991) :

The right ventricle : Anatomy, physiology, and clinical importance. Curr. Probl. Cardiol.; 16:653.

De Tombe PP and Little WC (1994) :

Inotropic effects of ejection are myocardial properties. Am. J. Physiol.; 266: H 1202.

Devreux RB, Alonso DR, Lutas EM, Gottlieb GJ, Campo E, Sachs I and Reicheck. N. (1986) :

Echocardiography assessment of left ventricular hypertrophy : comparison to necropsy findings. Am. J. Cardiol.; 57 : 450-458.

Davnes TR, Hackshaw BT, Kahl FR (1987) :

Frequency of large "V" waves in the pulmonary artery wedge pressure in ventricular septal defect of acquired (during acute myocardial infarction) or congenital origin. Am.J. Cardiol.; 60: 415.

Ellison RC, et al., (1983) :

Evaluation of the preterm infant for patent ductus arteriosus. *Pediatrics*; 71:364.

Erath HG Jr Graham TP, Smith CW, Thompson SL and Hamman JW (1981) :

Comparative right and left ventricular volumes and pump function in the newborn lamb. *Am. J. Cardiol.*; 47:885.

Falland ED and Parisi AF (1983) :

Ventricular volume and function. In Talano J.V. and Garelin JM (eds). *Textbook of two dimensional echocardiography*. Grune and stration, New York, PP. 165.

Feigenbaum H, Popp RL, Wolfe SB et al., (1972) :

Ultrasound measurments of the left ventricle: Acorrelative study with angiography. *Arch. Intern. Med.*; 129:461.

Feigenbaum H. (1986) :

Echocardiography 4th edition philadelphia, lea and febiger, PP. 130.

Feigenbaum H (1997) :

Echacardiography. In. Braunwald E (eds): *Heart Disease A textbook of cardiovarcular medicine* 5th edition W.B. Saunders company philadelphia London, Toronto. P.65.

Franklin R, Wyse R, Graham T, Goach V and Deanfield J
(1990):

Normal values for non-invasive estimation of left ventricular contractile state and afterload in children. Am.J. Cardiol; 65: 505-510.

Friedman WF (1972) :

The intrinsic physiologic properties of the developing heart. Prog. Cardio vasc. Dis; 15:87-111.

Friedman WF (1972) :

The intrinsic physiologic properties of the developing heart. In Neonatal Heart Disease, edited by WF Friedman, Mlesch, EH sonnenblick. New York, Grune and Stratton, PP. 21-50.

Friedman WF (1973) :

The intrinsic properties of the developing heart. In Friedman WF, Iesch M, Sonnen blick EH (eds): Neonatal Heart disease, New. York, Grune and Startton, PP. 21-49.

Friedman WF (1982) :

The intrinsic physiologic properties of the developing heart. Prog. Cardiovasc Dis; 25:87.

Goasch WH (1994) :

Diagnosis and treatment of heart failure based on left ventricular systolic and diastolic dysfunction. JAMA; 271:1276.

Gewilling M H, Lundstrom UR, and Deanfield JE, Bull C, Franklin RC, Graham TP Jr and Wyse RK (1990) :

Impact of fontan operation on left ventricular size and contractility in tricuspid atresia. *Circulation*; 81:118-127.

Gilbert RD (1982) :

Effects of afterload and baroreceptors on cardiac function in fetal sheep. *J. Devphysiol*; 4 : 299-309.

Glantz SA and Parmley W (1978) :

Factors which affect the diastolic pressure-volume curve. *Circ Res.*; 42:171.

Glantz SA (1980) :

Computing indices of diastolic stiffness has been counter productive. *Fed. Proc.*; 39:162.

Grossman W (1991) :

Clinical measurment of vascular resistance and assessement of vasodilator drugs. In Grossman W and Baim DS (eds.): *Cardiac catheterization. Angiography and Intervention*. Philadelphia, lea and febiger, P. 143.

Gutgesell HP, Paquet M, Duff DF and Mc Namara DG (1977) :

Evaluation of left ventricular size and function by echocardiography. Results in normal children. *Circulation*; 56 : 457-482.

Haworth SG and Hislop A A (1983) :

Pulmonary vascular developement : normal values of peripheral vascular structure. *Am. J. Cardiol*; 52: 578-83.

Hawkins J, Van Hare GF, Schmidt KG, and Rudolph A M (1989):

Effects of increasing afterload on left ventricular output in fetal lambs. *Circ Res*; 65 : 127-34.

Heymann MA and Rudolph AM (1973) :

Effecting of increasing preload on right ventricular output in fetal lambs in utero (abstract). *Circulation* 48 (supp) : 37.

Higgins, C.B. (1997) :

Newer cardiac imaging techniques. Magnetic Resonance imaging and computed tomography. In Braunwald E (eds.): *Heart Disease, A text book of cardiovascular medicine*, 5th edition, W.B. Saunders company, Philadelphia, London, Toronto, P. 317.

Hoerter J, Muzet F, and Vassort G (1982) :

Perinatal growth of the rabbit cardiac cell: possible implications for the mechanism of relaxation. *J. Mol. Cell Cardiol.*; 13 : 725-740.

Hort W (1966) :

The normal heart of the fetus and its metamorphosis in the transition period. In Cassels DE, editor: *The heart and circulation in newborn and infant*. New. York, Grune and Stration, P. 210.

Hutchison J.H., and Cockburn F. (1986):

Practical pediatric problems, Lloyd-Luke (Medical books)
LTD, 41 Bedford square, London 6th ed. PP. 11-39.

Igarashi H, Shiraishi H, Endoh H, and Yanagisawa M (1991) :

Non invasive estimation of left ventricular contractile state
and afterload in normal newborn infants. Am. J. Cardiol;
68:413-415.

Igarashi H, Shiraishi H, Endoh H and Yanagisawa M (1994) :

Left ventricular state in preterm infants : Relation between
wall stress and velocity of circumferential fiber shortening.
Am. Heart Journal; 127 (5): 1336.

Institute of Medicine (1985) :

Preventing low birth weight. Washington, D.C.: National
Academy Press.

James H. Moller (1978) :

In essentials of Pediatric Cardiology, 2nd edition, F.A.
Davis company Philadelphia PP. 180.

Johnston G.B. Peter (1994) :

Preterm infants. In Vulliamy's the newborn child. Seventh
edition. Educational low priced Books Scheme. P. 84.

Jones, K.L., (1988) :

Smith's recognizable patterns of human malformation. 4th
ed. Philadelphia. WB Saunders.

Kass DA, Maghan WL, Zhong MG, Kono A, Sunagawa K and Sagawa K (1987) :

Comparative influence of load versus inotropic states on indexes of ventricular contractility : experimental and theoretical analysis based on pressure-volume relationships. *Circulations*; 79 :1422-1436.

Klaus, M.et al., (1993) :

Care of the high-risk neonate Philadelphia : saunders.

Kimball T, Daniels S, Khoury P and Meyer R (1991) :

Age-related variation in contractility estimate in patients <20 years of age. *Am J. Cardiol.*; 68 : 1383-1387.

Kimball T, Daniels S, Meyer R, Hannon D, Khoury P and Schwartz D (1991) :

Relation of symptoms to contractility and defect size in infants with ventricular septal defects. *Am. J. Cardiol.*; 67 : 1097-1102.

Kimbal TR, Daniels SR, Weiss RG Meyer RA, Hannan DW, Tian J, Shukla R and Schwartz DC (1991) :

Effect of digoxin on contractility and symptoms in infants with a large ventricular septal defect. *Am. J. Cardiol.*; 68:1377-82.

Kingma I, Tyherg JV, and Smith ER (1983) :

Effect of diastolic transseptal pressure gradient on ventricular septal position and motion. *Circulation*; 68 : 1304-14.

Kirkpatrick SE, Pillick PT, Naliboff J, and Friedman WF (1976):

Frank-Starling relationship as an important determinant of fetal cardiac output. *Am. J. Physiol.*; 231 : 495-300.

Kleinman CS, Hobbins JC, Jaffe CC, Lynch DC and Talner MS (1980) :

Echocardiographic studies of the human fetus: prenatal diagnosis of congenital heart disease and cardiac dysrhythmias. *Pediatrics.*; 65 :1059.

Klopfenstein HS, and Rudolph AM (1978) :

Postnatal changes in the circulation and responses to volume loading in sheep. *Circ Res* 42 No 6 : 839-845.

Kramer, M.S., (1988) :

The validity of gestational age estimation by menstrual dating in term, preterm and post-term gestations. *J.A.M.A.*; 260 :3306.

Krikpatrick SE, Cavell JW and Friedman WF (1973) :

A new technique for the continuous assessment of fetal and neonatal cardiac performance. *Am. J. Obstet Gynecol* 116:963-972.

Lange LW, Sahn DJ, Allen HD, Goldberg SJ, Anderson C, and Giles H (1980) :

Qualitative real-time cross-sectional echocardiographic imaging of the human fetus during the second half of pregnancy, *Circulation*; 62 : 799.

Lang RM, Fellner SK, Neumann A et al., (1988) :

Left ventricular contractility varies directly with blood ionized calcium. Ann. Intern. Med. 108 : 524.

Lanzer P, Garrett J, Lipton M J et al., (1986) :

Quantitation of regional myocardial function by cine computed tomography : pharmacologic changes in wall thickness. J. Am. Coll. Cardiol. 8 : 682.

Le Blanc M H (1991) :

Thermoregulation : incubators, radiant warmers, artificial skins, and body hoods. Clin. Perinatal. 18 : 403.

Lebowitz EA, Novick JS and Rudolph AM (1972) :

Development of myocardial sympathetic innervation in the fetal lamb. Pediatr Res ; 6 : 887-893.

Lee LA, Kimball TR, Daniels SR, Khoury Pand Heyer RA (1992):

Left ventricular mechanics in the premature infant and their effect on the measurement of cardiac performance. J. Pediatr; 120 :114-9.

Legato MJ (1979) :

Cellular mechanisms of normal growth in the mammalian heart. Circ Res; 44:250.

Levison H and Swyer PR (1964) :

Oxygen consumption and thermal environment in newly born infants. Biol. neonate; 7:305-12.

Lindner W, Seidel M, Versmold HT, Dohlemann C and Riegel KP (1990) :

Stroke volume and left ventricular output in preterm infants with patent ductus arteriosus. *Pediatr Res*; 27: 278-81.

Lister G, Walter TK, Vermold HT, Dallman PR and Rudolph AM (1979) :

Oxygen delivery in lambs : Cardiovascular and hematologic development, *Am.J. Physiol*; 237 : H 688.

Little WC and Downes TR (1990) :

Clinical evaluation of left ventricular diastolic performance *Prog.Cardiovasc. Dis.*32:273.

Little WC, and Applegate R J(1993) :

Congestive heart failure : systolic and diastolic function. *J.cardiothors. Vasc. Anesth.* 7 (suppl. 2) : 2.

Litwin SE and Grossman W (1993) :

Diastolic dysfunction as a cause heart failure. *J. Am. Coll. Cardiol*; 22 : 49 A.

Maruyama Y, Ashikawa K, Itoyama S, Kanatsuka H, Oka E, and Takashima T (1982) :

Mechanical interactions between four heart chambers with and without the pericardium in canine hearts. *Circ Res*; 50:86.

Mc Pherson RA, Kramer MF, Covell JW, and Friedman WF
(1976) :

A comparison of the active stiffness of fetal and adult cardiac muscle. *Pediatr Res*; 10 : 660-4.

Merritt TA, and Hallman M, (1988) :

Surfactant replacement. A new era with many challenges for neonatal medicine. *Am. J. Dis. Child* 142:1333.

Michael D. Freed (1992) :

Normal circulatory physiology. In Donald. C.Fyler (ed): Nadas. *Pediatric Cardiology*. MosBy year Book Inc. St-louis. Boston. Philadelphia. PP. 57.

Morrison DA, Ovitt T, Hammermeister KE and Stoval JR
(1988) :

Functional tricuspid regurgitation and right ventricular dysfunction in pulmonary hypertension. *Am. J. Cardiol* 62:108.

Myung K. Park (1996) :

Pediatric cardiology, 3rd edition, Mosby, Boston, Chicago, New York., PP. 69.

Nelson W.E. (1996) :

Text book of ped. 15th ed. W.B. Saunders Company philadelphia, London, Toronto, Montreal, Sydney, P. 705

Nichols WW and O'Rourke MF (1990):

Mc Donal's Blood Flow in Arteries. London. Arnold.

Nichols WW, Nicolini FA and Pepine CJ (1992) :

Determinants of isolated systolic hypertension in the

Noordergraaf A, and Melbin J (1978) :

Ventricular afterload : A succinct yet comprehensive definition (Editorial). *Am. Heart J.* 95 : 545.

O'Rourke MF (1967) :

Steady and pulsatile energy losses in the systemic circulation under normal conditions and in simulated arterial disease. *Cardiovas Res.*; 1 : 313.

Padbury J, Agata Y, Ludlow J, I Kegami M, Baylen B, and Humme J (1987) :

Effects of fetal adrenalectomy on catecholamine release and physiologic adaptation at birth in sheep. *J. Clin. Invest.*; 80 : 1096-103.

Parer J T (1977) :

Effect of atropine on heart rate and oxygen consumption of hypoxic fetus (abstr). *Gynecol Invest* 8 : 50-51.

Park I.S., Mishaal LH and Driscoll D J (1982) :

Comparative response of the developing canine myocardium to inotropic agents. *Am. J. Physiol.*; 242 : H 13.

Pribylove H and Znamenacek K (1964) :

Some aspects of thermoregulatory reaction in newborn infant during first hours of life. *Biol. Neonate*; 6 : 324-39.

Rein AJJT, Sanders SP, Colan SD, Parness IA and Epstein M (1987) :

Left ventricular mechanics in the normal newborn. *Circulation.*; 76: 1029-36.

Rice MJ, Mc Donald RW, Reller MD and Sahn DJ (1996):

Pediatric echocardiography current role and a review of technical advances. J. Pediatr.; 128 : 1-13.

Riemenschneider TA, Brenner RA, and Mason DJ (1981):

Maturational changes in myocardial contractile state of newborn lambs. Pediatr Res.; 15 : 349.

Riemenschneider TA, Allen HD and Mason DT (1986):

Maturational changes in myocardial pump performance in newborn lambs. Am Heart J.; 111 : 731.

Romero T, Covell J. and Friedman WF (1972) :

A comparison of pressure volume relations of fetal, newborn, and adult heart. Am. J. Physiol.; 222 : 1285-1290.

Romero TE and Friedmann WE (1979) :

Limited ventricular response to volume overload in the neonatal period : a comparative study with the adult animals. Pediatr Res; 13 : 910-35.

Rowland DG and Gutgesell HP (1995) :

Non invasive assessment of myocardial contractility, preload, and afterload in healthy newborn infants. Am. J. Cardiol; 75: 818.

Rudolph AM, Heymann MA (1967) :

The circulation of the fetus in utero. Circ. Res.; 21 : 163-184.

Rudolph AM (1970) :

The changes in the circulation after birth : Their importance in congenital heart disease. *Circulation*; 41:343-359.

Rudolph AM (1974):

Congenital Diseases of the heart. Chicago, Year Book Publisher, PP. 1-48.

Rudolph AM, Heymann MA (1976) :

Cardiac output in the fetal lamb, the effects of spontaneous and induced changes of heart rate on right and left ventricular output. *J. Obstet. Gynecol.*; 124 :183-192.

Rudolph AM (1983) :

Circulatory changes during the perinatal period. *Pediatr Cardiol* 4 (suppl II) : 17.

Schreiber TL, Feigenbaum H and Weyman AE (1980) :

Effect of atrial septal defect repair on left ventricular geometry and degree of mitral valve prolapse. *Circulation*; 61:88.

Shaddy R.E., Tyndall MR, Teitel DF, Li C, and Rudolph AM (1988) :

Regulation of cardiac output with controlled heart rate in newborn lambs. *Pediatr Res.*; 24 :577-82.

Tanaka H, Tei C, Nakao S, Tahara M, Sakurai S, Kashina T and Kaneshia T (1980) :

Diastolic bulging of the interventricular septum toward the left ventricle: An echocardiographic manifestation of negative interventricular pressure gradient between left and right ventricles during diastole. *Circ.*; 62: 558.

Ter Keurs HE, Buex JJ, de Tombe PP (1988) :

The effect of sarcomere length Ca^{++} on force and velocity of shortening in cardiac muscle. *Adv. Exp. Med. Biol.*; 226 :581.

Teickholz LE, Kreulen T, Herman MV (1976) :

Problems in echocardiographic volume determination : Echocardiographic-angiographic correlations in the presence or absence of asynergy. *Am. J. Cardiol* 37:7.

Teitel D, Sidi D, Chin T, Brett C, Heyman M and Rudolph A (1985) :

Developmental changes in myocardial contractile reserve in the lamb. *Pediatr. Res*; 19 : 948-955.

Tietel DF, Iwamoto HS, Rudolph A M (1987) :

Effects of birth related events on central flow patterns. *Pediatric Res.*; 22 : 557-566.

Teitel DF, Iwamoto HS and Rudolph AM (1990):

Changes in the pulmonary circulation during birth related events. *Pediatr. Res.*; 27 : 372-8.

Van Hare GE, Hawkins J, Schmidt KG, and Rudolph AM (1990):

The effect of increasing mean arterial pressure on left ventricular output in newborn lambs. *Circ Res.*; 67:78-83.

Vagel M, Smallhorn JF, Stein JI and Freedom R.M. (1990) :

Echocardiographic analysis of regional left ventricular wall motion in normal children and neonates. *J.Am. Coll Cardiol*; 15 : 1409-16.

Wackers FJ Th, Soufer R and Zaret BL (1997) :

Nuclear Cardiology. In Braunwald E (eds) : Heart disease. A text book of cardiovascular medicine, 5th edition. W.B. Saunders company, Philadelphia, London, Toronto P.297.

Weyman AE, Wann S, Feigenbaum H and Dillon JC (1976):

Mechanism of abnormal of septal motion in patients with right ventricular volume overload: a cross-sectional echocardiographic study. *Circulation* 54 :179.

Weyman AE, Heger JJ, Kronick G, Wann S, Dillon JC and Feigenbaum H (1977) :

Mechanism of paradoxical early diastolic septal motion in patients with mitral stenosis :a cross-sectional echocardiographic study. *Am. J. Cardiol.*; 40 :691.

Wladimiroff JW, Vasters R and McGhie JS (1982) :

Normal cardiac ventricular geometry and function during the last trimester of pregnancy and early neonatal period. *Br. J. Obstet. Gynaecol.*; 89 : 839-44.