

REFERENCES

REFERENCES

A:

Abou Samra,A.B.; Dechaud,H.; Estour.R. et al. 1985:

Beta lipoprotein and cortisol responses to an intravenous infusion dexamethasone suppression test in Cushing's syndrome and obesity. *J clin Endocrinol Metab.* 61:116.

Albertson,A.M. & Tobelmann,R.C. 1993:

Ten-year trend of energy intakes of American children ages 2-10 years. *Ann N Y Acad Sci* 699:250-252.

Anderson,T.; McNair,P.; Fegh-Anderson,N. et al. 1986:

Increased parathyroid hormone as a consequence of changed complex binding of plasma calcium in morbid obesity. *Metab.* 35:147.

Anderson,T.; McNair,P.; Hyldstrup,L. et al. 1988:

Secondary hyperparathyroidism of morbid obesity regresses during weight reduction. *Metab.* 37:425.

Aradizzi,A.; Grugni,G.; Moro,D. et al. 1996:

Epidemiology of childhood obesity :prevalence in North-West Italy *Minerva-Pediatr.Mar;* 48(3):99-109.

Argenio,G.F.; Bernini,G.P.; Sgro,M. et al. 1991:

Blunted growth responsiveness to GH-releasing hormone in obese patients. Influence of prolonged administration of the serotonergic drug Fenfluramine. *Metab.* 40(7):724.

Atkinson,R.L.; Dahms,W.T. and Bray,G.A. 1978:

Parathyroid hormone level in obesity. *Mineral Electrolyte Metab.* 1:315.

B:

Bao,W.; Srinivasan,S.R.; Berenson,G.S. et al. 1996:

Persistent elevation of plasma insulin levels is associated with increased cardiovascular risk in children and young adults: The Bogalusa Heart Study. *Circulation* 93:54.

Barness,L.A. & Curran,J.S. 1996:

Obesity in Behrman,R.E.; Kliegman,R.M. & Arvin,A.M. "editors"
Nelson Textbook of Pediatrics 15th edition W.B. Saunder Company P;159.

Baum,M. 1987:

Insulin stimulates volume absorption in the proximal convoluted tubules. *J Clin Invest.* 79:1104-1109.

Bedoe,A.H. & Hill,G.L. 1985:

Clinical measurement of body composition using in vivo neutron activation analysis. *JPEN* 9:504-20.

Behnke,A.R. 1963:

Anthropometric evaluation of body composition throughout life. *Ann N Y Acad Sci* 110:450-64.

Bell,N.H.; Epstein,S.; Greene,A. et al. 1985:

Evidence for alteration of the vitamin D endocrine system in obese subjects. *J. Clin. Invest.* 76:370.

Bellu,R.; Ortisi,M.T.; Scaglioni,S. et al. 1993:

Lipid and apoprotein A-1 and B levels in obese school-age children: results of a study in Milan area. *J Pediatr Gastroenterol Nutr.* 16(4): 446-50.

Berenson,G.S.; Srinivasan,S.R. Wattigney,W.A. et al. 1993:

Obesity and Cardiovascular Risk in Children . *Ann N Y Acad Sci* 699:93.

Berkowitz,R.I.; Hemsley,J. ; Forke,C. et al. 1996:

DL-Fenfluramine and Phentermine in the treatment of adolescent obesity. *Obes. Res* 4:215.

Berkowitz,R.I.; Stunkard,A.J. Stallings,V.A. 1993:

Binge-eating disorder in obese Adolescent Girls. *Ann N Y Acad Sci.* 699:200-206.

Bernini,G.P.; Argenio,G.F.; Vivaldi,M.S. et al. 1990:

Impaired growth hormone response to insulin-induced hypoglycemia in obese patients: restoration blocked by ritanser after Fenfluramine administration. Clin Endocrinol. (oxf)32:453.

Boreci,I.B.; Rice,T.; Bouchard,C. et al. 1991:

Comming anlysis of generalized body mass and composition measures: the Quebec Family Study. Int J Qbes.15:763-773.

Borkan,G.A.; Gerzof,S.G. & Robbins,A.H. 1985:

Comparison of body composition in middle-aged and elderly males using computed tomography. Am J physiol Anthropol 66:289-95.

Bouchard,C. 1992:

Human obesities: chaos or determinism? In obesity in Europe 91. G. Aihaud etal ,. Eds, ;2: 7-14. John Libby and company LTD.

Bouchard,C. 1991:

Heredity and the path to overgrowth and obesity. Med. Sci.Sports. Exercise 23:285-291.

Bouchard,C. & Perusse,L. 1993:

Genetic aspects of obesity. Ann N Y Acad. Sciences. 699:26-35.

Bouchard,C.& Peruss,L. 1988:

Heredity and body fat. Ann Rev Nutr. 8:259-277.

Bouchard,C.; Perusse,L.; Leblance,C.L. et al. 1988:

Inheritance of the amount and distribution of human body fat. Int J obese. 12:205-215.

Bouchard,C.; Tremblay,A.; Aespres,P. et al. 1990:

The response to long-term overfeeding in identical twins. N Engl J Med. 322:1477-1482.

Brag,G.A. 1981:

The inheritance of corpulence. In the body weight regulatory system; Normal and distrubed mechanims. Cioffi L.A, James W.P.T, and Van Italie T.B., Eds:185-1995. Ravan Press. New York.

Braitman,L.E.; Adlin,E.V. & Stanton,J.L. 1985:

References

- Obesity and caloric intake: the National Health and Nutrition Examination Survey of 1971-1975 (HANES I). *J Chronic Dis.* 28:727-732.
- Brambilla,P.; Manzoni,P.; Sironi,S. et al, 1994:**
Peripheral and abdominal adiposity in childhood obesity. *Int J Obes Relat Metab Disord* 18:795.
- Brown,M.R.; Klish,W.J. ; Hollander,J. et al. 1983:**
A high protein low- calorie liquid diet in treatment of very obese adolescents. Long term effect on lean body mass. *Ann J clin Nutr.* 38:20-31.
- Brownell.K.D & Stunkard,A.J. 1980:**
Physical activity in the development and control of obesity. In obesity. Stunkard,A.J., Ed.. Saunders. Philadelphia P:300-324.
- Braunwald,E.; Lsselbache,K.J.; Burkinshow ,L. et al. 1987:**
Assessment of the distribution of protein in the human by in vivo neutron activation analysis. International symposium on nuclear activation techniques in life sciences. Veinna: IAEA, 787-96(Publ SM 227/39).
- Burman,K.D; Dimond,R.C; Havery,O.S. et al. 1979:**
Glucose modulation of alteration in serum iodothyronine concentrations induced by fasting. *Metab.* 28:291.
- Burman,K.D.; Latham,K.R.;Djuh,Y.Y. et al. 1980:**
Solubized nuclear thyroid hormone receptor in circulating human mononuclear cells. *J Clin Endocrinol Metab.* 51:106.
- Burstein,R.; Epstein,Y.;Shapiro,Y. et al. 1990:**
Effect of an acute bout of exercise on glucose disposal in human obesity. *J Appl, Physiol.* 69(1):299.
- C:**
- Carbezas,A.; Cerrats,J. & Camereo,E. 1980:**
Pattern of eating in obese people. *Medicographia.* 2:3-6.
- Carrison,R.J.; Wilson,P.W.; Castelli,W.P. et al. 1980:**

Obesity and lipoprotein cholesterol in the framingham offspring study. *Metabolism* 29:1053-1060.

Casey,V.A.; Dwyer,J.T.; Coleman,K.A. et al. 1992:

Body mass index from childhood to middle age : a 50-years follow up. *Am J clin Nutr.* 56:14-18.

Chen,H.; Charlat,O.; Tartaglia,L.A. et al. 1996:

Evidence that the diabetes gene encodes the leptin recepto: identification of a mutation in the leptin receptor gene in db/db mice. *Cell* 84:491.

Cheung,L. 1993:

Do media influence childhood obesity?. *Ann N Y Acad Sci.* 699:104-106.

Chomard,P.; Vernhes,G.; Autissier,N. et al. 1985:

Serum concentration of total (T4), (T3) reverse (T3) and free (T4), (T3) in moderately obese patients. *Hum Clin Nutr.* 39C:371.

Clement,K.; Garner,C.; Hager,J. et al. 1996:

Indication for linkage of the human OB generegion with extreme obesity. *Diabetes* 45:687.

Collip,P.J. 1980:

Childhood Obesity. Second edition PSG publishing company Inc. Littleton Massachusette.

Contaldo,F.; Mاتيoli,P.L; & Mancini,M. 1982:

Endocrine aspects in human obesity. *Mdicographia*, 3(4):77-14.

Cohen,M.R.; Picker,D.; Cohen,R.M.et al. 1984:

Plasma cortisol and B-endorphin immunoreactivity in human obesity. *Psychso Med* 46:454.

Cohen,S.H & Dombrowski,C.S. 1971:

Measurement of total body calcium, sodium, choline, nitrogen, and phosphorus in man by in vivo neutron activation analysis. *J Nucl Med.* 12:499-505.

Cresanata,J.L. & Burke,G.L. 1986:

Determinants of blood pressure levels in children and adolescents. In *Caucasian of Cardiovascular Risk Factors in Children: Perspectives on cardiovascular Risk in Early Life*. Berenson, G.S. Ed. Raven Press. New York. P:157-189.

Cummins, D.E.; Brandon, E.P.; Planas, J.V. et al. 1996:

Genetically lean mice result from targeted disruption of the RII β subunit of protein kinase A. *Nature* 382:622.

D:

Daniel, W.F. 1991:

Gain and loss in weight. In. "Harrison's principle of internal medicine". Wilson, J.D.; Braunwald, E.; Petersdorf, R.G.; Martin, J.B.; Fauci, A.S.; and Root, R.K.; (Eds). McGraw-Hill, C.O; Spanish. 12th Ed. P.1743.

Davis, K. & Christoffel, K.K. 1994:

Obesity in preschool and school-age children. Treatment early and often may be best. *Arch Pediatr Adolesc Med* 148:1257.

Dietz, W.H. 1988:

Metabolic aspects of dieting. In *childhood obesity. A bio-behavioral perspective*. Krasnegor, N.A. & Grave. Eds. The telford press. Caldwell, N.J. P:149.

Dietz, W.H. & Gortmaker, S.L. 1993:

TV. or not TV; fat is the question. *Pediatrics* 91(2):499-501.

Dietz, W.H. & Gortmaker, S.L. 1985:

Do we fatten our children at the TV set? Television viewing and obesity in children and adolescents. *Pediatrics* 75:807-812.

Dietz, W.H. & Gortmaker, S.L. 1984:

Factors within the physical environment associated with childhood obesity. *Am J clin Nutr.* 39(4):619-24.

Dietz, W.H. & Robinson, T.N. 1993:

Assessment and treatment of childhood obesity. *Pediatr Rev* 14:337.

Douglas,M.B.; Birrer,R.B.; Medidi,S. et al. 1996:

Obese children should be screened for hypercholesterolemia. J Health Care Poor Underserved. 7(1): 24-35.

Drenick,E.J.; Carlson,H.E. & Robertson,G.L. 1977:

The role of vasopressin and prolactin in abnormal salt and water metabolism of obese patients before and after fasting and during refeeding. Metab. 26:309.

Duntas,L.I.; Hauner,H; Rosenthal,J. et al. 1991:

Thyrotropin releasing hormone (TRH) immunoreactivity and thyroid function in obesity. Intern J obes. 15(1):83.

Durnin JVGA. & Womersky,J. 1974:

Body fat assessed from total body density and its estimation from skinfold thickness measurement on 481 men and women aged 16-72years. Br J Nutr. 32:77-97.

Dustin,H.P. 1990:

Obesity and hypertension in blacks. Cardiovasc. Drugs. 4(supple):395-402.

E :

Eck, L.H.; Klesges,R.C.; Hanson,C.L. et al.1992:

Children at familial risk for obesity: An examination of dietary intake, physical activity, and weight status. Int J Obes 16:71.

Elahi-D.;Nagulesparan,M.; Muller D.C. et al 1982:

Feedback inhibition of insulin secretion. Relation of hyperinsulinemia of obesity. N engl J med. 34:1196.

Endo,H.; Takagi,Y.; Nozue,T. et al. 1992:

Beneficial effects of dietary intervention on serum lipid and apolipoprotein levels in obese children. Am J Dis Chid. 146(30):203-5.

Epstein,L.H. 1992:

Exercise and obesity in children. J Appl Sport Psychol. 4:120.

Epstein,L.H; Meyer,M. & Anderson,K. 1996:

The association of maternal psychopathology and family socioeconomic status with psychological problems in obese children. *Obes Res*, 4:65.

Epstein,L.H., Valoski,A., Wing,T., et al. 1990:

Ten-years follow up of behavioral, family based treatment for obese children. *JAMA*, 264:2519-2523.

Epstein,L.H.; Wing,R.R. ; Penner,B. et al. 1985:

The effect of diet and controlled exercise on weight loss in obese children. *J pediatr*. 107:358-361.

Eisenberge,S. 1985:

High density lipoprotein metabolism. *J Lipid Res*. 25:1017.

F:

Fanelli,M.T.; & Kuczmarski,R.J. 1984:

Ultrasound as an approach to assessing body composition. *Am J Clin Nutr* 39:703-9.

Ferini-Strambi,L.; Franceschi,M.; Cattanes,A.G. et al. 1991:

Sleep-related growth hormone secretion in human obesity: effect of dietary treatment. *Neuroendocrinol* 54(4):412.

Figueroe-Colon,R.C.; Von Almen,T.K. & Suskind,R.M. 1992:

Clinical considerations in the treatment of childhood obesity. In the obese child: *Pediatric Adolescent Medicine*. Giorgi,P.L; Suskind,R.M. & Catassi,C. Eds:2:181-196. Basel. Karger.

Finta,K.M.; Rocchini,A.P.; Moorehead,J. et al. 1992:

Sodium retention in response to an oral glucose tolerance test in obese and nonobese adolescents. *Pediatrics* 90:442.

Fredrich,R.C.; Lollmann,B. Hamann,A. et al. 1995:

Expression of ob mRNA and its encoded protein in rodents. Impact of nutrition and obesity. *J Clin Invest* 96:1658.

Friedman,J.K.; Leibel,R.L.; Bahary,N. et al. 1991:

Genetic analysis of complex disorders: Molecular mapping of obesity genes in mice and humans. *Ann N Y Acad Sci* 630:100.

G:

Gaballero,B.; Finer,N. & Wurtman,R.J. 1988:

Plasma amino acids and insulin levels in obesity : Response to carbohydrate intake and tryptophan supplements. *Metab.* 37:672.

Gallaher,M.M.; Hauck,F.R.; Yang-oshida,M. et al. 1991:

Obesity among Mescalero preschool children. *Am J Dis Child.* 145:1262-1265.

Garn,S.M. & Clark ,D.C. 1973:

Development of obese and lean children, *Ecol. Food Nutr.* 2:247.

Garn,S.M.; Sullivan,T.V. & Hawthorne,V.M. 1989:

Fatness and obesity of the parents of obese individuals. *Am J Clin Nutr.* 50:1308-1313.

Garow,J.S. & Webster,J. 1985:

Quetelets index as a measure of fatness. *Intern J Obes.* 9: 147.

Gazet,J.C. 1997:

Surgical Treatment of Obesity. In "Recent advances in surgery" Johnson,C.D. & Taylor,I. (Ed), 19th, Churchill Livingstone. P:199-214.

Gidding,S.S.; Bao,W.; Srinivasan,S.R. et al.1995:

Effects of secular trends in obesity on coronary risk factors in children: the Bogalusa Heart Study. *J Pediatr.* 127(6): 868-74.

Gillum,R.F.1995:

Central body obesity in young children (letter).*Int J Obes Relat Metab Disord* 19:761.

Ginsberg,F.F. 1981:

Growth of adipose tissue in infants, children and adolescents. Variation growth disorders. *Int J Obese.* 5(6):605-11.

Glass,A.R. 1989:

Endocrine aspects of obesity. *Med Clin of North America* 73(1):139.

Glass,A.R.; Burman,K.D.; Dahms,W.T. et al. 1981:

Endocrine function in human obesity. *Metab.* 30:89.

Glueck,C.J.; Taylor,H.I.; Jacolin,D. et al. 1980:

Plasma high-density lipoprotein cholesterol: association with measurements of body mass. The lipid research clinics program prevalence study. *Circulation.* 62:29.

Golay,A.; Swislocki,A.L.; Chen,Y.D.I. et al. 1986:

Effect of obesity on ambient plasma glucose, free fatty acid, insulin, growth hormone and glucagon concentration. *J Clin Endocrinol Metab.* 63:481.

Goldbloom,R.; Battista,R.N.; Anderson,G. et al.1994:

Periodic health examination, 1994 update: obesity in childhood. *Can Med Assoc J* 150: 6.

Gonway,J.M.; Noriss,K.H. & Bodwell,C.E. 1984:

A new approach for the estimation of body composition: infrared interactance. *Am J Clin Nutr.* 40:1123-30.

Goran,M.I.; Kaskoum,M. & Shuman,W.P. 1995:

Intra-abdominal adipose tissue in young children. *Int J Obes Relat Metab Disord* 19:279.

Gormally,J.; Black,S.; Datson,S. et al. 1982:

The assessment of binge eating severity among obese persons. *Addict. Behav.* 7:47.

Greenberg,D.A. 1993:

Linkage analysis of "necessary" disease loci. *Am J Hum Genet.* 52: 135-143.

Groop, L.C.; Saloranta C.; Shank, M. et al. 1991:

The role of free fatty acid metabolism in the pathogenesis of insulin resistance in obesity and noninsulin-dependent diabetes mellitus. *J Clin Endocrinol Metab.* 72(1):107.

Gruber, E.; Anderson, M.M., Ponton, L. et al, 1995:

Overweight and obesity in native-American adolescents: Comparing nonreservation youth with African-American and Caucasian peers. *Am J Prev Med*, 11:306.

Guigliano, D.; Cozzolino, D.; Salvatore, T. et al. 1992:

Physiological elevations of plasma Beta-endorphin after glucose metabolism in obese, but not normal-weight subjects. *Metab.* 41(2):184.

Guillermo, E.; Garavaglia, E.; Messerli, F.H. et al. 1988:

Myocardial contractility and left ventricular function in obese patients with essential hypertension. *Am J Cardiol.* 62:594-597.

Guyton, A.C. 1991:

Endocrinology, metabolism and temperature regulation, obesity and starvation. In: "Textbook of medical physiology" Guyton, A.C. (ED). W.B. Saunders CO; Philadelphia 8th Ed. P.759.

H:

Hardy, S.C. & Kleinman, R.E. 1994:

Fat and cholesterol in the diet of infants and young children: implications for growth, development, and long term health. *J Pediatr.* 125(5 Pt 2): S69-77.

Harlan, W.R. 1993:

Epidemiology of Childhood Obesity: A National Perspective. *Ann N Y Acad Sci.* 699:1-5.

Hassink, S.G.; Sheslow, D.V.; Lancy, E. et al. 1996:

References

Serum leptin in children with obesity: Relationship to gender and development. *Pediatrics* 98:201.

Hassink,S.G; Sheslow,D.V. & Wallace,W. 1993:

Hyperinsulinemia: Incidence and Risk in an Obese Oediatric Population. *Ann N Y Acad Sci.* 699:271-2.

Healthy people 2000:

National Health promotion and disease prevention objectives. USDept Health and Human Services, public health Service. Washington. Dc, DHHS Pub. No. (PHS)91-50213.

Heymsfield;S.B.M. 1985.

Clinical assessment of lean tissues: future directions. In :Roche AF, ed. Body composition assessment in young adults. Report of the sixth Ross conference on medical research. Columbus, OH: Ross Laboratories, 53-8.

Himes,J.H. & Dietz,w.h. 1994:

Guidlines for overweight in adolescent preventive sevice:Recommendations from an expert committee: The expert committee on clinical guidelines for overweight in adolescent preventive services. *Am J Clin Nutr* 59:307.

Hod,M.; & Diamant,Y.Z. 1992:

The offspring of a diabetic mother-short and long-range implications *Isr J Med Sci.* 29(2):81-86.

Hoffman,R.P. & Armstrong,P.T. 1996:

Glucose effectiveness, pripheral and hepatic insulin sensitivity, in obese and lean prepubertal children. *Int J Obes Relat Metab Disord.* 20(6): 521-5.

Hoffman,R.P.; Stumbo,P.J.; Janze,K.F. et al. 1995:

Altered insulin resistance is associated with increased dietary weight loss in obese children. *Horm Res.* 44(1): 17-22.

I:

Iida,M.; Murakami,T.; Ishida,K. et al. 1996:

Substitution at codon 269(glutamin—proline) of leptin receptor(OB-R) cDNA is the only mutation found in the Zucker fatty (fa/fa) rat. *Biochem Biophys Res Commun* 224:597.

Ilyes,I.; Mahunka,I. & Sari,B. 1994:

Relationship between immunoreactive insulin and plasma somatomedin-C/insulin like growth factor-1 concentration in childhood obesity. *Orv-Hetil* 24; 135(30):1633-6.

Islam,A.H.; Yamashita,S.; Kotani,A. et al. 1995:

Fasting plasma insulin level is an important risk factor for the development of complications in Japanese obese children results from a cross sectional and a longitudinal study. *Metabolism*, 44(4): 478-485.

J:**Jackson,A.S; Pollock,M.L. & Ward,A. 1980:**

Generalized equations for predicting body density of women. *Med Sci Sports Exerc.* 12:175-82.

Jackson,A.S & Pollock,M.L. 1978:

Generalized equations for predicting body density of men. *Br J Nutr.* 40:497-504.

Jaffe,M. & Kosakou,C. 1982:

The motor development of fat babies. *Clin Pediatr.* 21(10)619-21.

James,V.H.T. 1982:

Brown adipose tissue and human obesity. *Medicographia.* 3(4): 7-11.

Jiang,X.; Srinivasan,S.R.; Webber,L.S. et al. 1995:

Association of fasting insulin level with serum lipid and lipoprotein levels in children, adolescent, and young adults: the Bogalusa Heart Study. *Arch-Intern-Med.* 23; 155(2):190-2.

Jung.R.T.; Snetty,P.S. & Barrand,M. 1979:

Role of catecholamines in hypotensive response to dietary. Br Med J. 1:12.

K:

Kanders,B.S.1995:

Weighing the options: Criteria for evaluating weight-management programs. In TPR (ed):pediatric obesity. Washington,D.C., National Academy Press, P: 210.

Kathie Davis,R.D. & Kaufer Christoffel, 1994:

Obesity in preschool and school-age children. Arch Pediatric Adolesc Med:148:1257-1261.

Kaufman,L.; Crooks,L.E. & Margulis,A.R. 1981:

Nuclear magnetic resonance imaging in medicine. Tokyo, Japan, Igaku Shoin.

Kikuchi,D.A.; Srinivasan,S.R.; Harsha,D.W. et al. 1992:

Relation of serum lipoprotein lipids and apolipoproteins to obesity in children: the Bogalusa Heart Study. Prev Med. 21(2):177-90.

Kimm,S.Y.S. 1993:

Obesity Prevention and Macronutrient Intakes of Children in the United States. Ann N Y Acad Sci. 699: 70-80.

King,G.L.; Goodman,D.; Buzneg,S. et al. 1985:

Receptors and growth promoting effects of insulin and insulin like growth factors on cells from bovine retinal capillaries and aorta. J Clin Invest. 75:1028-1036.

Kinugasa,A.; Trunomoto,K.; Furukawa,N. et al. 1984:

Fatty liver and its fibrous changes found in simple obesity of children. J Pediatr Gastroenterol Nutr. 3(3)403-14.

Knowler,W.C.; Pett,D.J.; Saad,M.F. et al. 1991:

Obesity in the pima indians: its magnitude and relationship with diabetes. *Am J clin Nutr.* 53(6):15435-15515.

Kleges,R.C.; Shelton,M.L.; & Kleges,L.M. 1993:

Effects of television on metabolic rate: potential implications for childhood obesity. *Pediatrics* 9(2):281.

Kondrat'eva,E.L. & Meniavtseva,T.A. 1990:

Circulating immune complexes and insulin antibodies in obesity in children. *Pediat.* 6: 21-4.

Kopelman,P.G.; Grossman,A.; Lavender,P. et al. 1988:

The cortisol response to corticotrophin-releasing factor is blunted in obesity. *Clin Endocrinol. (oxf)* 28(1):15.

Kopelman,P.G.; Pilkington,T.R.E.; White,N. et al. 1980:

Abnormal sex steroid secretion and binding in massively obese women. *Clin. Endocrinol* 12:363.

Kramer,M.S.; Barr,R.G.; Leduc,D.G. et al. 1985:

Determinants of weight and adiposity in the first year of life. *J Pediatr.* 106(1):10-14.

Kuczmarski,R.S.; Flagal,K.M.; Campbell, S.M. et al, 1994:

Increasing prevalence of overweight among U.S. adults : The National Health and Nutrition Examination Surveys, 1960 to 1991. *JAMA* 272:205.

Kumanyika,S. 1993:

Ethnicity and obesity development in children. *Ann N Y Acad Sci*, 699:81.

Kurata,M.; Narikawa,T.; Waki,M. et al. 1990:

Relationships between serum cholesterol and obesity: A field study on nutritional background of hypercholesterolemia. *Diab Res Clin Pract.* (suppl 1):239.

Kurini,N.; Shiono,P.H. & Rhoads.G.G. 1988:

Breast feed incidence and duration in black and white women. *Pediatrics* 81(3):365.

Kwiterovich P.J. 1990:

Diagnosis and management of familial dyslipoproteinemia in children and adolescent. *Pediatric Clinics of North America*; vol. 37,no:6.

L:

Lauer,R.M.; Burns,T.L.; Clarke, W.R. et al. 1991:

Childhood predictors of future blood pressure. *Hypertension* 18(3suppl):174-81.

Leung,A.K. & Robson,W.L. 1990:

Childhood obesity. *Postgraduate Med* 87:123.

Leung,S.S.; Ng-M.Y.; & Lau,T.F. 1995:

Prevalence of obesity in Hong Kong children and adolescents aged 3-18 years. *Chung-Hua-Yu-Fang-I-Hsueh-Tsa-Chin*:sep;29(5): 270.

Loche,S.; Cappa,M.; & Borrelli,P. 1987:

Reduced growth-hormone response to growth-hormone releasing hormone in children with simple obesity. *Clin Endocrinol.* 27:145.

Luciano,A. & Zoppi,G. 1994:

Blood insulin values after the oral glucose tolerance test and the body composition in 30 obese children. *Pediat Med Chir.* 16(5): 471-3.

Luciano,A. & Zoppi,G. 1995:

The lipid status, insulinemia and fat mass in 40 children with essential obesity. *Pediatr Med Chir.* 17(13): 219-21.

Lukaski,H.C. 1987:

Methods for the assessment of human body composition: traditional and new. *Am J Clin Nut*;46:537-56.

Lukaski,H.C.; Bolonchuk,W.W.; Hall,C.A. et al. 1986:

Estimation of fat free mass in humans using the bioelectrical impedance method. A Validation study. *J Appl physiol* 60:1327-32.

Lukaski,H.C. & Mendez,J. 1980:

Relationship between fat free weight and urinary 3-methylhistidine excretion in man. *Metabolism* 29:758-91.

Lyken,G.L.; Jacob,R.A.; Munoz,J.M. et al. 1980:

A mathematical model of creatinine metabolism in normal males. Comparison between theory and experiment. *Am J Clin Nutr.*33:2674-85.

M:

Mackusick,V.A. 1992:

Mendelian inheritance in man. Catalogs of autosomal recessive and x-linked phenotype 10th edit. John Hopkins University press. Baltimore.

MacMahon,S.W.; Wicken,D.E.L. & MacDonald, G.J. 1985:

Effect of weight loss on left ventricular mass, a randomized controlled trail in young overweight hypertensive patients. *N Engl J Med.* 314:334-339.

Maffei,M.; Halaas,J.; Ravussin,E. et al. 1995:

Leptin levels in human and rodent: Measurement of of plasma leptin and ob RNA in obese and weight-reduced subjects. *Nat Med* 1:1155.

Mallard,j.R. 1986:

Nuclear magnetic resonance imaging in medicine; medical and biological applications and problems *Proc R Soc Lond [Biol]* 226:391-419.

Martinez,F.J. & Sancho-Rof J.M. 1993:

Epidemiology of high blood pressure and obesity. *Drugs* 46(Suppl 2):160.

Meistus,M.T.; Foster,G.V; & Margolis,S. 1982:

Intergrated concentration of growth hormone, insulin, c.peptide and prolactin in human obesity. *Metab.* 31:1224.

Messerli,F.H.; Sundgaard,R.K.; Reisin,E. et al. 1983:

Dimorphic cardiac adaptation to obesity and arterial hypertension. *Ann Int Med* 99:757.

Metropolitan life insurance company. 1966:

Statist Bull 40.

Miller,N.E. 1990:

Mechanism of atherosclerosis: The importance of lipoprotein. In "Reversing atherosclerosis: What the role of HDL?" European Atherosclerosis Society (Ed) Warner Lambert Company. 16:6.

Moll,P.P.; Burns,T.L.; & Lauer,R.M. 1991:

The genetic and environmental sources of body mass index variability: the Muscatine Ponderosity Family study. Am J Hum Genet. 49:1243-1255.

Monti,L.D.; Brambilla,P.; Stefani,I. et al. 1995:

Insulin regulation of glucose turnover and lipid levels in obese children with fasting normoinsulinaemia. Diabetologia. 38(6): 739-47.

Moreia-Andreses,M.N; Black,E.G; Ramsden,D.B. et al.1980:

The effect of caloric restriction on serum thyroid hormone binding proteins and free hormone in obese patients. Clin Endocrinol. 12:249.

Mossberg,H.O. 1989:

40-years follow-up of overweight children. Lancet. 1:491-493.

Muchacka,M.; Malecka Tendra,E. & Koehler,B. 1995:

Atherosclerosis risk factors in school children from Silesia. Pediatr-Pol. 70(2): 133-8.

Must,A.; Jacques,P.F.; Dallal,G.E. et al. 1992:

Long term morbidity and mortality of overgrowth adolescents. N Eng J Med. 327(19):1350-1355.

N:

Nader,P.R. 1993:

The role of the family in obesity prevention and treatment. Ann N Y Acad Si 699:147.

Naeye,R.L. & Roode,P. 1970:

The size and number of cells in visceral organs in human obesity. *Am J Clin Pathol.* 54:251.

Nakajima,T.; Fujiola,S.; Tokunaga,K. et al. 1989:

Correlation of intraabdominal fat accumulation and left ventricular performance in obesity. *Am J Cardiol.* 64:369-373.

Needlman,R.D. 1996:

Growth and Development; Kliegman,R.M. & Arvin,A.M. "editor"
Nelson Textboock of Pediatrics 15th edition W.B. Saunder Company P;30.

Noguchi,H.; Tazawa,Y.; Nishinomiya,F. et al. 1995:

The relationship between serum transaminase activities and fatty liver in children with simple obesity. *Acta Pediatr Jpn.* 37(5): 621-5.

Nutritional Wizard. 1993:

Public interest software center for science in the public interest.
1501 sixteenth street NW, Washington DC 20036.

O:

O'Brian,J.T; Bybee,D.E; Burman,K.D. et al. 1980:

Thyroid hormone hemeostasis in states of relative caloric deprivation. *Metab.* 29:721.

Olefsky,J.M. 1987:

Obesity. In "Harrison Textbook of medicine" Braunwald, E.; Isselbacher,K.J.; Petersdoc,R.B. et al. (Ed). 11th Edition P: 1671.

P:

Paolisso,G.; Pizza,G.; DeRiu,S.;et al.1990:

Impaired insulin-mediated erythrocyte magnesium accumulation is correlated to impaired insulin-mediated glucose disposal in aged non-diabetic obese patients. *Diabet Metab.* 16(4):328.

Pasquazzini,R; Parenti,M; Mattioli,L.et al. 1982:

References

Effect of dietary carbohydrates during hypocaloric treatment of obesity on peripheral thyroid hormone metabolism. *J Endocrinol Invest.* 5:47.

Peckhan,C.; Stark,O. & Moghian,C. 1985:

Obesity in school children: is there a cause for screening? *Public Health*:99: 3-9.

Perusse,L.& Bouchard,C.1994:

The genetics of obesity. In Bouchard,C.(ed):*Genetics of Energy Intake and Food Preferences.* Boca Raton,CRC Press, p 125.

Pipes,P.L. 1993:

Prevention of chronic disease with dietary intervention in childhood. Pipes,P.L. & Trahms,C.M "editors": *Nutrition in infancy and childhood*, 5th edition Mosby-year book Inc P: 288.

Pipes,P.L. & Trahms, C.M. 1993:

Nutrition: Growth and Development. Pipes,P.L. & Trahm,C.M.: *Nutrition in infancy and childhood*, 5th edition Mosby- year bock Inc P:1.

Poehlman,E.T.; Tremblay,A.; Despres,J.P. etal. 1986:

Genotype controlled changes in body composition and fat morphology following overfeeding in twins. *Am J Clin Nut.* 43:723-731.

Pruitt, A.W. 1996:

Systemic hypertenssion. In Behrman,R.E.; Kliegman,R.M. & Arvin,A.M. "Editor" *Nelson Textbook of Pediatrics* 15th edition. W.B.Sounder Company. P:1368.

R:

Raitakari,O.T.; Porkka,K.V.; Ronnemaa,T. et al. 1995:

The role of insulin in clustering of serum lipids and blood pressure in children and adolescents. *The Cardiovascular Risk in Young Finns Study.* *Diabetologia.* 38(9): 1042-50.

Raitakari,O.T.; Porkka,K.V.; Taimela,S. et al. 1994:

Effect of persistent physical activity and inactivity on coronary risk factors in children and young adults: The Cardiovascular Risk in Young Finnes Study. *Am J Epidemiol* 140:195.

Ramhamadaing,E.; Dasgupta,P.; Bridgen,G. et al. 1989:

Cardiovascular changes in obese subjects on a very low caloric diet. *Int J Obesity* 13(suppl 2):95-99.

Ray,J.W. & Klesges,R.C. 1993:

Influences on the Eating Behavior of Children. *Ann N Y Acad Sci*, 699:57.

Reed,D.R.; Ding,Y.; Xu,W. et al. 1996:

Extreme obesity may be linked to markers flanking the human OB gene. *Diabetes* 45:691.

Rennie,M.J.; Edwards,R.H.T. & Emery,R.W. 1983.

Depressed protein synthesis is the dominant characteristic of muscle wasting and cachexia. *Clin Physiol* 3:387-96.

Rhodes,S.K.; Shimoda,K.C.; Waid,L.R. et al. 1995:

Neurocognitive deficits in morbidly obese children with obstructive sleep apnea. *J Pediatr* 127:741.

Rice,T.; Borecki,B.; Bauchard,C. et al. 1993:

Segregation analysis of fat mass and of the body composition measures derived from underwater weighing. *Am J Hum Genet.* 52:967-973.

Rising,R.; Herper,I.T.; Fontvielle A.M. et al. 1994:

Determinations of total daily energy expenditure: Variability in physical activity. *Am J Clin Nutr* 59:800.

Roberts,S.B. 1993:

Energy Expenditure and the Development of Early Obesity. *Ann N Y Acad Sci* 699:18.

Robinson,T.N.; Hammer,L.D.; Killen,J.D. et al. 1993:

Does television viewing increase obesity and reduce physical activity? Cross-sectional and longitudinal analysis among adolescent girls. *Pediatrics* 91(2):273-280.

References

Rocchini,A.P. 1993:

Hemodynamic and Cardiac Consequences of Childhood Obesity. Ann N Y Acad Sci 699:46.

Rocchini,A.P; Key,J.; Bondi,D. et al. 1989:

The effect of weight loss on the sensitivity of blood pressure to sodium in obese adolescents. N Engl J Med. 321:580-585.

Rocchini,A.P.; Moorehead,C.; De Remer,S. et al. 1990:

Hyperinsulinemia and the aldosterone and pressor responses to angiotensin II. Hypertension 15:861-866.

Roche,A.F. 1993:

Methodological considerations in the assessment of childhood obesity. Ann N Y Acad Sci 699:6-17.

Rose,H.E. & Mayer,J. 1968:

Activity, caloric intake, fat storage and the energy balance of infants. Pediatrics 41:18-29.

Rosenbaum,M.,& Liebel,R.L. 1989:

Obesity in childhood. Pediatr. Rev. 11:43-56.

Rosenthal,M.; Bain,S.H.; Bush,A. et al. 1994:

Weight/height as a screening test for obesity or thinness in school age children. Eur J Pediatr 153:876.

S:

Sallis,J.F.; McKenzie,T.L. ; Alcaraz,J.E. et al. 1993:

Effects of physical education on adiposity in children. Ann NY Acad Sci 699:127.

Scaglione,R.; Aversa,M.R.; Dichiaria,M.A. et al. 1991:

Thyroid function and release of thyroid stimulating hormone and prolactin from the pituitary in human obesity. J Int Med Res. 19(5): 389.

Schonfeld-Warden,N. & Warden,C.H. 1997:

Pediatric obesity. An overview of etiology and treatment. *Ped Clin North America* 44(2): 339.

Schneider,B.S. & Hirsch,J. 1982:

Hypothalamic-pituitary function in obesity. In: "contemporary metabolism" vol.2. freinkel,N (ED). New York, Plenum. P. 119.

Schwartz,R.S. & Brunzell,J.D. 1981:

Increase in adipose tissue lipoprotein lipase activity with weight loss. *J Clin Invest.* 67:1425.

Schwartz,R.S.; Halter,J. & Belerman,E.L. 1980:

The relation of abnormal dietary induced thermogenesis in obesity to plasma triiodothyronine and norepinephrine. *Clin Res.* 28:405A.

Segal,K.R.; Butin,B.; Presta,E. et al. 1985.

Estimation of human body composition by electrical impedance methods: a comparative study. *J Appl physiol* 58:565-71.

Serdula,M.K.; Cairns,K.A.; Willimson,D.F. et al. 1992:

Correlates of breast feeding in low-income population of whites, blacks and southast Asians. *J. Am. Diet Assoc.* 91(1):41-45.

Shannon,B.; Peacock,J. & Brown,M.J. 1991:

Body fatness, televesion viewing, and caloric-intake of a sample of pennsylvania sixth grade children. *J. Nutr. Ed.* 23:262-268.

Silverman,B.L.; Landsberg,L. & Metzger,B.E. 1993:

Fetal hyperinsulinemia in offspring of diabetic mothers: Association with the subsequent development of childhood obesity. *Ann N Y Acad Sci.* 699:36-45.

Skaggs,S.R. & Crist,D.M. 1991:

Exogenous human growth hormone reduces body fat in obese women. *Horm. Res.* 35(1):19.

Speroff,L.; Glass,R.H. & Kase,N.G. 1989:

Obesity in "Clinical Gynecology and infertility", Williams & Wilkins Co., Baltimor, London. P: 445.

Spitzer,S.R.; Yanovaski,S.Y.; Wadden,T. et al. 1993:

References

Binge eating disorder. Its further validation in a-multisite study. *Int J Eating Disorder*. 4:137-150.

Srinivasan,S.R.; Ehnholm,C.; Wattigney,W.A. et al. 1994:

Relationship between obesity and serum lipoproteins in children with different apolipoprotein E phenotypes: The Bogalusa Heart Study *Metabolism* 43:470.

Stewart,K.J.; Brown,C.S.; Hickey,C.M. et al. 1995:

Physical fitness, physical activity, and fatness in relation to blood pressure and lipids in preadolescent children. Results from the FRESH study. *J Cardpulm Rehabil*. 15(12): 122-9.

Stoddard,M.f.; Tseuda,K.; Thomas,M. et al. 1992:

The influence of obesity on left ventricular filling and systolic function. *Am Heart J* 124:694.

Stunkard,A.J.; Harris,J.R.; Pedersen N.L. et al. 1990:

The body mass index of twins who have been reared apart. *N Engl J Med*. 322:1483-1487.

Srunkard,A.J.; Sorenson,T.I.; Teasfale,T.W. et al. 1986:

An adoption study of human obesity. *N Engl J Med*. 314:193-8.

Suskind,R.M.; Sothern,M.S.; Farris,R.P. et al. 1993:

Recent advances in treatment of childhood obesity. *Ann N Y Acad Sci*. 699.181-199.

T:

Tanaka,K.; Inoue,S.; Numata,K. et al. 1990:

Very low caloric diet induced weight impaired growth hormone secretion response to growth hormone, releasing hormone, arginine and L-dopa in obesity. *Metab*. 39(9):892.

Taskinen,M.R.; & Nikkila, E.A. 1987:

Basal and post prandial lipoprotein lipase activity in adipose tissue during caloric restriction and refeeding. *Metab*. 36: 625.

Tominaga,K.; Kurata,J.H. Chen,Y.K. et al. 1995:

Prevalence of fatty liver in Japanese children and relationship to obesity. An epidemiological ultrasonographic survey. Dig Dis Sci. 40(9): 2002-9.

Trevisan,R.; Fioretto,P.; Semplicini,A.; et al. 1990:

Role of insulin and atrial natriuretic peptide in sodium retention in insulin-treated. IDDM patients during isotonic expansion Diabetics 39:289-298.

Troiano,R.P.; Flegal,K.M.; Kuczmarski,R.J. et al. 1995:

Overweight prevalence and trends for children and adolescents: The National Health and Nutrition Examination surveys 1963-1991. Arch Pediatr Adolesc Med 149:1085.

U:**Utiger,R.D. 1982:**

Differing thyrotropin response to increased serum triiodothyronine concentrations produced by overfeeding and triiodothyronine administration. Metab. 31:180.

V:**Varsky,D.; Ellis,K.J.; Vaswani,A.N. et al. 1984:**

An improved calibration for the in vivo determination of body nitrogen, and fat. Phys Med Biol 1984;29:209-18.

Vajro,P.; Fontanella,A.; Perna,C. et al. 1994:

Persistent hyperamino-transferaseemia resolving after weight reduction in obese children. J Pediatr. 125(2): 239-41.

Vos,P.D.; Saldin,R; Auwerx,J. et al. 1995:

Induction of ob gene expression by corticosteroids is accompanied by body weight loss and reduced food intake. J Biol Chem 270:15958.

W:

Warden,C.H.; Bouchard,C.; Friedman,J.M. et al. 1996:

Regulation of body weight:Biological behavioral mechanism. In Bouchard,C.; Bray,G.A.(eds):Group Report: How Can We Best Apply the Tools of Genetics to Study Body Weight Regulation? East Sussex, John Wiley & Sons Ltd, P: 285.

Warden,C.H. & Fisler,J.S. 1994:

Identification of genes underlying polygenic obesity in animal models. In Bouchard,C.(ed): The Genetics of Obesity. Boca Raton,Florida, CRC Press, P: 181.

Wardle,J.; Volz,C. & Golding,C. 1995:

Social variation in attitudes to obesity in children. Int J Obes Relat Metab Disord 19:562.

Webber,L.S. & Freedman,D.S. 1986:

Interrelationships of coronary heart disease risk factors in children. In causation of cardiovascular risk factors in children perspectives on cardiovascular risk in Early Life. Berenson G.S Ed: 65-81 Raven press.NEW YORK.

Wilcken,D.E.; Lynch,J.F.; Marshall,M.D. et al. 1996:

Relevance of body weight to apolipoprotein levels in Australian children. Med J Aust. 164(1): 22-5.

William,C.L.; Boliella,M. & Carter,B.J. 1993:

Treatment of childhood obesity in pediatric practice. Ann N Y Acad Sci 699:207-219.

William,D.P; Going,S.B; Lohman,T.G; et al. 1992:

Body fatness and risk for elevated blood pressure, total cholesterol and serum lipoprotein ratios in children and adolescent. Am J public health 82(3):358.

Wilmore,J.H. & Behnke,A.R. 1968:

Predictability of lean body weight through anthropometric assesement in collegemen. J Appl Physiol 25:349-55.

Winter,J. & King,W. 1983:

Basic principles of computed tomography. In: Greenberg M, Greenberg BM, eds. Essential of body computed tomography. Philadelphia: WB Saunders co. 1-23.

Wolf,R.N. & Grundy, S.M. 1983:

Influence of weight reduction on plasma lipoproteins in obese patients. Arteriosclerosis. 3: 160.

Y:**Yanagi,H.; Hamaguchi,H.; Hiarno,C. et al. 1993:**

Hyperlipidemia, hypoalphalipoproteinemia and liver dysfunction in Japanese school age children with obesity. Nippon-Koshu-Eisei-Zasshi. 40(11): 1012-7.

Young,J.B.; Saville,M.E.; Rothwell,N.J. et al. 1982:

Effect of diet and cold exposure on norepinephrine turn over in brown adipose tissue in the rate. J Clin Invest. 69:1061-1071.

Z:**Zurlo,F.; Ferraro,R.T.; Fonvielle,A.M. et al. 1992:**

Spontaneous physical activity and obesity:Cross-sectional and longitudinal studies in Pima Indians. Am J Physiol 263:296.