

REFERENCES

- Abdel-Wahab, M.F., (1982)** : Schistosomiasis in Egypt. C.R.C. press. Inc., BO Ca Raton Florida.
- Aboul-Fotoh, A.R. and Omar M.M., (1994)** : Evaluation of prophylactic sclerotherapy in patients with schistosomal hepatic fibrosis. 10th world congress of gastroenterology, Los Angeles, California, U.S.A.
- Akriviadis, E.; Korula, J.; Gupta, S.; Ko, Y.; Yamada, S., (1989)** : Frequent endoscopic sclerotherapy increases risk of complications. Prospective randomized controlled study of two treatment schedules. Dig Dis Sci 34: 1068-1074.
- Albillos, A.; Colomato, L. and Groszmann, R.J., (1990)** : Expansion of the sodium space in prehepatic portal hypertension : further support of the peripheral vasodilatation hypothesis of sodium retention. (abstract). Hepatology, 12 : 854.
- Alvarez, F.; Bernard, O. and Brunelle, F., (1983)** : Portal Obstruction in children. Clinical investigations J. Pediatric; 103: 696.
- Anthony, P.; Ishok, K. and Nayak, N., (1977)** : The morphology of cirrhosis, definition, nomenclature and classification. Bull Hwo; 55: 521.
- Arafa, M.A.; Bibawi, E. and Rafaat, A., (1957)** : The portal pressure in hepatic fibrosis associated with bilharziasis Am. J. trop. Med. rlgly, 6: 108.
- Aronsen, K.F. and Nylander, G., (1966)** : The mechanism of vasopressin hemostasis in bleeding esophageal varices. Acta Chir Scand, 131: 433.
- Ashida, H.; Kotoura, Y.; Nishioks et al., (1989)** : Portal and mesentric venous thrombosis as a complication of endoscopic sclerotherapy. Am. J. Gastroenterol, 84: 306.
- Atkinson, M. and Sherlock, S., (1954)** : Intra splenic pressure as an index of the portal venous pressure. Lancet, I: 1325.
- Atmukuri, S.P.; Bhargava, D.K; Sharma, M.P., (1988)** : Endoscopic Sclerotherapy for esophageal varices: A prospective randomized trial of absolute alchol versus polidocanol. Indian J. Gastroenterol. 7: 87-89.
- Attal, M.; Thuguet, F.; Rubie, H. et al., (1992)** : Prevention of hepatic veno-occlusive disease after bone marrow transplantation by continous infusion of low-dose heparin: A prospective randornized trial. Blood, 79: 2834-2840.

- Ayres, S.J.; GoFF, Js.; Warren, G.H., (1993) :** Endoscopic sclerotherapy for bleeding esophageal varices: effects and complications. *Ann intern Med.* 98: 900-3.
- Azoulay, D.; Castaing, D.; Dennison, A.; Martino, W.; Eyrawd, D.; Bismuth, H., (1994) :** Transjugular intrahepatic portosystemic shunt worsens the hyperdynamic circulatory state of the cirrhotic patient: preliminary report of a prospective study. *Hepatology*, 19: 129-132.
- Bacon, B.R; Bailey-Newton, S.; Connors, A.F., (1985) :** Pleural effusion after endoscopic variceal sclerotherapy. *Gastroenterol*, 88: 1910.
- Badaway, H.S.; Nooman, A.M. and Zoher, R.A., (1962) :** Evaluation of portal hypertension in hepatic schistosomiasis. *Alex. Med. J.* 8 : 208.
- Bailey-Newton, Rs.; Connors, A.F.; Bacon, B.R., (1985) :** Effect of endoscopic variceal sclerotherapy on gas exchange and hemodynamics in human. *Gastroenterol.* 89: 368.
- Bailey, M.E. and Dawson, J.L., (1975) :** Modified esophagoscope for injecting essophageal varices. *Br Med J* 2 : 540.
- Balanzo, J.; Such, J.; Sainz, S. et al., (1990) :** Long term survival and severe rebleeding after variceal sclerotherapy. *Surgery*, 171 : 489.
- Balthazar, E.J.; Maidich, D.P.; Megibow, A. et al., (1987) :** C.T. evaluation of esophageal varices. *Am. J. Roentgenol*, 148 : 131.
- Balthazar, R.J.; Megibow, A.; Maidich, D.P. et al., (1984) :** Compouted tomographic recognition of gastric varices. *Am. J. Roentgenol*, 142: 1121.
- Barritt, A.S., (1988) :** Chylous ascites and esophageal sclerotherapy. *Gastroenterology*, 94: 1109.
- Barsoum, M.S.; Boulos, F.L.; El-Rooby, A.A. et al., (1982) :** Tamponade and injection sclerotherapy in the management of bleeduiq esophageal varices. *Br. J. Surg*, 69: 76.
- Barsoum, M.S.; Boulos, F.L.; El-Rooby, A.A. et al., (1989) :** The effect of injection sclerotherapy on the progress of the underlying liver pathology and portal hypertension *proc 33rd world cong surg*, september, Canada: 20 (Abstr).
- Baskin, G., (1989) :** Prosthetic endocarditis after endoscopic variceal sclerotherapy: a failure of antibiotic prophylaxis. *Am. J. Gastroenterol*, 84: 311-2.

- Becker, E.L.; Obelsk; Harvey, A.M., (1990)** : Churchill's Illustrated medical dictionary. New York. Churchill Livingstone Inc. : 2052.
- Bellamy. E.A.; Bossi, M.C. and Gosgrove, D.O., (1984)** : Ultrasonographic demonstration of changes in treatment of portal venous system following a meal. British. J. of Radiol 57: 147-149.
- Bennet, H.D.; Lorentzen, C.; and Baker, L.A., (1953)** : Transient esophageal varices in hepatic cirrhosis. Arch Int Med; 92 : 507.
- Benoit, J.N.; Womack, W.A.; Hernandez, L. et al., (1985)** : "Forward" and "backward" flow mechanism of portal hypertension: Relative contribution in the rat model of portal vein stenosis. Gastroenterology; 89 :1092.
- Beppu, K.; Inokuschi, K.; Koyanagin, N. et al., (1981)** : Prediction of variceal hemorrhage by esophageal endoscopy. Gastrointest Endosc ; 27: 231.
- Berger, H.; Bugnon, F.; Goffette, P.; Steiner, W.; Strobett, M.; Flemmer, A.; De Ville de Goyet, J.; Clapuyts P., Ohe, J.B.; Buts, J.P. et al., (1994)** : Percutaneous transjugular intrahepatic stent shunt for treatment of interactable varicose bleeding in pediatric patients. Eur-J-Pediatr. Oct; 153(10) : 721 - 5.
- Berkelhammer, C.; Madhav, G.; Iyon, S.; Roberts, J., (1993)** : "pinch" injury during over tube placement in upper endoscopy. Gastrointest Endosc, 39: 187-8.
- Bernardi, M.; Terrisiani, F.; Santani, C. et al., (1983)** : Plasma norepinephrine weak neurotransmitters and renin activity during active tilting in liver cirrhosis; relationship with cardiovascular homeostasis and renal function. Hepatology; 3: 56.
- Bernardino, M.E.; Steinberg, H.V.; Pearson, T.C. et al., (1986)** : Shunts for portal hypertension: M.R. and angiography for determination of patency. Radiology, 158: 57.
- Bernuau, J.; Nouel, O.; Belghiti, J. & Rueff, B. et al., (1981)** : Severe upper gastrointestinal bleeding. Part III. Guidelines for treatment. Clinics in Gastroenterology; 10(1) : 38-59.
- Bernau, J.; Rueff, B., (1985)** : Treatment of acute variceal bleeding. clin. Gastroenterol, 14: 185-207.

- Bessa, S.M.; and Helmy, L., (1985) : Injection sclerotherapy for esophageal varices caused schistosomal hepatic fibrosis. Surgery; 97 :164.
- ←
↗
Bhargava, D.K.; Singh, B.; Dogra, R.; Dasarathy, S.; Sharma, M.P., (1992) : Prospective randomised comparison of sodium tetradecyl sulfate and polidocanol as variceal sclerosing agents. Am. J. Gastroenterol, 87: 182-186.
- Binmoeller, K.F.; and Sohendra, N., (1996) : Treatment of esophagogastric varices. Endoscopy, 28: 44-45.
- Binmoeller, K.F.; Vadeyar, H.J.; Sohendra, N., (1994) : Treatment of esophageal varices. Endoscopy, 26: 42-47.
- Blei, A.T., (1986) : Vasopressin analogs in portal hypertension different molecules but similar questions. Hepatology, 6: 146.
- Bolondi, L.; Colletti, G.; Arienti, V. et al., (1983) : Assessment of gastroesophageal collateral veins in portal hypertension by mean of endoscopic ultrasonography. Gastroenterol; 84: 1365.
- Bolondi, L.; Mazziotti A.; Arienti, V.; Casanova, P.; Casbarrini, G.; Ca Vallari, A.; Rellusci, R; Gozzelli, G.; Possati, L. and Labo, G., (1984) : Ultrasonographic study of portal venous system in portal hypertension and after porto systemic shunt operation. Surg March. 65: 261.
- Bolt, R.J., (1985) : Diseases of the hepatic blood vessels in gastroenterology by Bockus. H.L.; 4th ed. W.B. Saunders Company Chapter 147.
- Bomzon, A., and Blendis, L.M. (1987) : Vascular reactivity in experimental portal hypertension. Am J Physiol; 252: G 158.
- Bosch, J., Arroyo, V.; Betriu, A. et al., (1980) : Hepatic hemodynamics and renin - angiotensin - aldosterone system in cirrhosis. Gastro-enterology ; 78: 92.
- Bosch, J.; Bordas, J.M.; Rigau, J. et al., (1986) : Non-invasive measurement of the pressure of esophageal varices using an endoscopic gauge: comparison with measurment by variceal puncture in patients undergoing endoscopic sclerotherapy. Hepatology, 6: 667.
- Bosch, J.; Pizcueta, P.; Feu, F. et al., (1992) : Pathophysiology of portal hypertension. Gastroenterology Clinics of North America, 21 (1) : 1 - 14.
- Botoman, V.A.; Surawicz, C.M., (1986) : Bacteremia with gastrointestinal endoscopic procedures. Gastro intest Endosc, 32: 342-6.

- Boyer, J.L.; Banks, R.A. and Gupta, K.P.S., (1977)** : Transhepatic portal vein catheterization as diagnostic procedure. *Ann. int. Med.* 60: 40.
- Braun, S.D.; Newman G.E.; Dunnick, N.R., (1985)** : Digital splenoportography. *Am. J. Roentogenol*, 144: 1003.
- Brayko, C.M.; Kozarek, R.A.; Sanowski, R.A. et al., (1985)** : Bacteremia during esophageal variceal sclerotherapy, its cause and prevention. *Gastrointest Endosc*, 31: 10-2.
- Brick, I.B. and Palmer, E.D., (1964)** : One thousand cases of portal cirrhosis of the liver. *Arch. Intern. Med. (Chic)* : 113 : 501.
- Brocchi, E.; Caletti, G.; The N.I.E.C., (1988)** : Prediction of the first variceal hemorrhage in patients with cirrhosis of the liver and esophageal varices. *N. Eng. J. Med.* 329: 983-989.
- Bull, L.B., (1961)** : Liver diseases in livestock from intake of hepatotoxic substances. *Australian veterinary Journal* 37: 126-130.
- Burroughs, A.K.; Hamilton, G.; Phillips, A. et al., (1989)** : Acomparison of sclerotherapy with staple trassection of the esophagus for the emergency control of bleeding from esophageal varices. *N. Eng. J. Med.* 321: 857.
- Burroughs, A.K.; McCormick, P.A., (1992)** : Prevention of variceal rebleeding. *Gastroenterol Clin North Am* ; 21 : 119.
- Buscher, N. and Swaffield, N., (1973)** : Regeneration of liver in rats in the absence of portal blood supply. *Cancer Res*, 33: 3189.
- Caletti, G.; Brocchi, E.; Baraldini, M.; Ferrari, A. et al., (1990)** : Assessment of portal hypertension by endoscopic ultrasonography. *Gastrointestinal endoscopy*, 36:521-527.
- Calès, P.; Zbotto, B.; Meskens, C. et al., (1990)** : Gastroesophageal endoscopic features in cirrhosis. Observer variability, interassociations and relationship to hepatic dysfunction. *Gastroenterol* ; 98 : 156.
- Camara, Ds.; Gruber, M.; Barde, C.J. et al., (1983)** : Transient bacteremia following endoscopic injection sclerotherapy of esophageal varices. *Arch intern Med.* 143: 1350-2.
- Cano, I.; Urruzuno, P.; Medina, E.; Vilarino, A.; Benavent, M.I.; Manzanares, J.; Berchi, F.J. (1995)** : Treatment of esophageal varices by endoscopic ligation in children. *Eur. J. Pediatr. Surg. Oct.*; 5(5) : 299-302.
- Carr-Locke, D.L. and Sidly, K, (1992)** : Bronchoesophageal fistula: a late complication of endoscopic variceal sclerotherapy *Gut*, 23 : 1005.

- Cotton, P.B.; Rosenberg, M.T.R and Wadram, R.P.L., (1973) :** Diagnosis of esophageal varices by fiberoptic endoscopy. Br. Med. J. 2: 505.
- D'Amico, G.; Motalbano, L.; Traina, M. et al., (1990) :** Natural history of congestive gastropathy in cirrhosis. Gostoenterology, 99 : 1558.
- Dagridi, A.E.; Stemphen, S.J. and Owens, L.C., (1966) :** Bleeding esophago gastric varices: an endoscopic study of 50 cases. Arch. Surg, 92: 944-7.
- Dasarathy, S.; Dwivediv, M.; Bhargava, D.K. et al., (1992) :** A prospective randomized trial comparing repeated endoscopic sclerotherapy and Propranolol in decompensated (child class B and C) cirrhotic patients. Hepatology, 16: 89-94.
- De Cock, K.H., (1986) :** Hepatosplenic schistosomiasis, a clinical review. Gut, 27: 734-745.
- De Groote, J.; Desmet, V. J.; Krob, G., (1968) :** A classification of chronic hepatitis. Lancet, 2 : 626-628.
- De Marino, G.B.; Sumkin, J.H.; Leventhal, R. et al., (1988) :** Pneumatosis intestinalis and pneumoperitoneum often sclerotherapy. AJR., 151 : 953.
- Del Arbol, L.; Garcia-pagan, J.; Feu, F.; Pizueta, M.; Bosch, J. and Rodes, J., (1991) :** Effects of molsidomine, a long-acting venous dilator on portal hypertension. J. Hepatol, 13: 179.
- Demling, L.; Elster K.; Koch, H. et al., (1982) :** Endoscopy and biopsy of esophagus, stomach and duodenum : a color atlas. WB Saunders company, USA : page 26.
- Dick, R. and Dooley, J.S., (1987) :** Suspected portal hypertension. In "imaging in Hepatobiliary Diseases". Dooley, J.S.; Dic, K.R.; Viamonte, M. et al., eds. Blakwell scientific publications oxford: p. 147.
- Dranza, E.; Evoral, N.J. and Kotalova, R. (1995) :** Endoscopic sclerotherapy of esophageal varices in children with prehepatic portal hypertension (Abstract). Cas-Lek-Cesk. Aug 23, 134 (16) : 508-10.
- Drapers, J.A.G. and Schotborgh, R.H., (1990) :** Diagnostische Osophagogastroduodenoskopie. In Tytgat GNJ and Mulder CJJ (eds) Endoskopie bei Magen-Darm-und Lebererkrankungen. Georg Thieme Verlag, Stuttgart, New York.

- Dumas, O.; Boustiere, C.; Letard, J.C. et al., (1994)** : Effect of endoscopic sclerotherapy on gastric varices and congestive gastropathy.
- Durham, J.D.; Kumpe, D.A.; Stiegmann, G.V. et al., (1990)** : Direct catheterization of the mesenteric vein: combined surgical and radiological approach to the treatment of variceal hemorrhage. *Radiology*, 177: 229-233.
- Elizondo, Y.; Gallo, S.; Arroyo, R. et al., (1985)** : Urea-amine endoscopy sclerotherapy of esophageal varices: 50 months progressive evaluation. *Gastrointest Endosc*, 31: 167.
- El-Newihi, H.; Migicovsky, B.; Laine, L., (1991)** : A prospective randomized comparison of sclerotherapy and ligation for the treatment of bleeding esophageal varices. *Gastroenterology*, 100: A 59.
- El-Newihi, H.M.; Mihas, A.A., (1994)** : Endoscopic perforation as a complication of endoscopic overtube insertion. *Am J. Gastroenterol*, 89 : 953 -4.
- El-Zayadi, (1992)** : Portal Hypertension and hepatic venous obstruction. In "Hepatology and gastroenterology". First edition, Sherif, S.A.; Zakana, M.S. and Baddar, M.R., (eds). Druck-und verlagsgesellschaft-MBH, Hamburg, chapter 15, p. 133.
- El-Zayadi, A.; Sief, El-Din, S. and Khabil, S.M., (1988)** : Endoscopic sclerotherapy versus medical treatment for bleeding esophageal varices in patients with schistosomal liver disease. *Gastrointest endosc*, 34 (4) : 314.
- Ferguson, J.M.; Jalan, R.; Redhead, D.N. et al., (1995)** : The role of duplex and color doppler ultrasound in the follow-up evaluation of transjugular intrahepatic portosystemic stent shunt (TIPSS). *Br J Radiol* ; 68(810) : 587.
- Feu, F.; Bordas, J.M.; Garcia-Pegan, J.; Bosch, J. and Rodes, J., (1991)** : Double blind investigation of the effects of the propranolol and placebo on the pressure of esophageal varices in patients with portal hypertension. *Hepatology*, 13: 917.
- Flamigan, B.D.; Gomes, A.S.; Stambuk, E.C., (1983)** : Intra-arterial digital subtraction angiography: Comparison with conventional hepatic arteriography *Radiology*, 148: 17.
- Fleig, W.E.; Stange, E.F., (1989)** : Esophageal varices : current therapy in 1989. *Endoscopy*, 21 : 89.
- Fleig, W.E.; Stange, E. F. ; Reuttenvaure, K and Dutschuneit, H., (1983)** : Emergency endoscopic sclerotherapy for bleeding

- esophageal varices: a prospective study in patients not responding to balloon tamponade. *Gastro intest Endos*, 29 (1) : 8.
- Fleischer, D., (1986)** : Endoscopic therapy for upper gastrointestinal bleeding in humans. *Gastroenterology*; 90 : 217.
- Flick, J.A., (1990)** : Antibiotic prophylaxis during sclerotherapy for esophageal varices. *J pediatr*; 116 : 156-7.
- Foley, W.D.; Stewart, E.T.; Milbrath, J.R et al., (1983)** : Digital subtraction angiography of the portal venous system. *Am. J. Roentogenol*, 140: 497.
- Folkow, B. and Neil, (1971)** : *Circulation*. London. Oxford university press, p. 14.
- Fox, V.L.; Carr-Locke, D.L.; Conors, P.J. and Leichtner, A.M., (1995)** : Endoscopic ligation of esophageal varices in children. *Journal of pediatric gastroenterology and nutrition*. Vol 20, No 2: 202-208.
- Foutch, P.G; Sullivan, J.A.; Gaines, J.A. et al., (1998)** : cutaneous vascular spiders in cirrhotic patients, correlation with hemorrhage from esophageal varices. *Am J Gastroenterol* ; 83 : 723.
- Franchis, R; Vitagiano, P.; Agape, D. et al., (1988)** : Eradication of esophageal varices and injection sclerotherapy: How much is enough? *Gastrointest Endosc*, 34: 395.
- Freeman, J.G.; Record, C.O., (1988)** : Drugs for variceal bleeding. *Aliment pharmacol therapy*, 2: 37-393.
- Freeman, G.; Barton, J.R and Record, C.O., (1985)** : Effects of isosorbide dinitrate, verapamil and labetalol on portal pressure in cirrhosis. *Br. Med. J.*, 291: 561.
- Fruechte, D. and Zwiebel, W., (1992)** : Anatomy and normal doppler signatures of abdominal vessels. In "Introduction to vascular ultrasound", third edition, Zwiebel, W.; (ed). W.B saunders company, philadilphia, USA, chapter 23, p.335.
- Fujita, R., (1984)** : In Sivak MV (ed) : *Endoscopic sclerotherapy of esophageal varices*. Praeger press. Page 35.
- Fukushi, M.; Sawada, Y. and Aisawa, T., (1992)** : Effect of ethanoleamine oleate on blood coagulation and fibrinolysis after endoscopic injection sclerotherapy for esophageal varices. *Endosc*; 21 : 631 (abstr).
- Gaiani, S.; Bolondi, L.; Li Bassi, S. et al., (1991)** : Prevelance of spontaneous hepatofugal flow in liver cirrhosis. *Gastroenterology*, 100: 160.

- Garcia-Pagen, J.C.; Nawasa, M.; Bosch, J.; Bru, C.; Pizcueta, P. and Rodes, J., (1990)** : Enhancement of portal pressure reduction by the association of isosorbide 5-mononitrate to propranolol administration in patients with cirrhosis. *Hepatology*, 11: 230.
- Garcia-Tsao, G.; Hanson, J. and Groszmann, R.J., (1985)** : Splanchnic hemodynamics in portal hypertensive patients during nitroglycerine administration. *Gastroenterology* ; 88 : 1659 (abstr).
- Gardner, E., (1975)** : Anatomy of portal venous system. A regional study of human structure. 4th edition chapter (38). W.B saunders company. P. 35.
- Gatta, A.; Merkel, C.; Sacerdoti, D. et al., (1987)** : Nadolol for prevention of variceal rebleeding in cirrhosis: a controlled clinical trial. *Digestion*, 37: 22-28.
- Gentil-Kocher, S.; Bernard, O.; Brunelle, F. et al., (1988)** : Budd chiari syndrome in children: report of 22 cases. *J. Pediatr*, 1 13: 30-38.
- Gimson AE, Ramage JK, Panos MZ et al., (1993)** : Randomized trial of variceal banding ligation versus injection sclerotherapy for bleeding esophageal varices. *Lancet*; 342: 391.
- Gimson, A.; Polson, R; Westaby, D.; Williams, R. (1990)** : Omeprazole in the treatment of intractable esophageal ulceration following injection sclerotherapy. *Gastro enterology*, 99 : 1829-1833.
- Gimson, A.E.S. and Vlavianos, T., (1992)** : Re suscitative measures in acute variceal hemorrhage. *Gastrointestinal endoscopy clinics of North America*, 38 : 31 - 41.
- Goff, J.S. (1994)** : Esophageal varices. *Gastrointest Endosc Clin N Am*; 4(4) : 747.
- Goff, J.S.; Reveille, R.M. and Stiegmann, G.V., (1988)** : Endoscopic Sclerotherapy versus endoscopic variceal ligation : esophageal symptoms, complications and motility. *Am j Gastroenterol*; 83 (11) : 1240.
- Goff, J.S.; Reveille, R.M.; Stiegmann, G.V., (1992)** : Three years experience with endoscopic variceal ligation for treatment of bleeding varices. *Endoscopy*, 24: 4014.
- Goh, O.W. and Myers, N.A., (1994)** : Portal hypertension in children. The changing spectrum. *Journal of pediatric surgery*. Vol 29 No 5 (May) p: 688-691.

- Goldenberg, H. and Farby, T.L., (1989)** : Mesentric thrombosis following sclerotherapy during vasopressin infusion: mechanism and theraputic implications. *J. Clin. Gastroenterol*, 11: 56.
- Goldschmiedt, M.; Haber, G.; Kandel, G. et al., (1992)** : Asafety maneuver for placing over tubes during endoscopic variceal ligation. *Gastrointest Endosc*, 38: 399-400.
- Grande, L.; Planas, R; Lacima, G.; Bois, J.; Ros, E.; Esteve, M.; Morillas, R; Gasull, M.A., (1991)** : sequential esophageal motility studies after endoscopic injection sclerotherapy: Aprospective investigation. *Am. J. Gastroenterol*, 86: 36-40.
- Grant, E.G.; Tessler, F.N.; Perella, R.R., (1989)** : Clinical Doppler imaging. *Am. J. Roentgenol*, 152: 707 .
- Gregory, P.B.; Veterans Affairs cooperative variceal sclerotherapy Group (1990)** : Sclerotherapy for actively bleeding esophageal varices in male alcholics with cirrhosis: Results of a randomized, muticenter clinical trial (Abstract). *Gastroenterology*, 98: A 53.
- Grobe, J.L.; Kozaarek, RA.; Sanowski, RA. et al., (1984)** : Venography during endoscopic injection sclerotherapy of esophageal varices. *Gastrointest Endosc*, 30:6.
- Groszmann, R.J. and Atterbury, C.E., (1982)** : Portal hypertension : classification and pathogenesis. *Semin Liver Dis* ; 2 : 177.
- Groszmann, R.J.; Bosch, J.; Grace, N.D. et al., (1990)** : Hemodynamic events in a prospective randomized trial of propranolol versus placebo in the prevention of a first variceal hemorrhage. *Gastroenterology*, 89. 1401.
- Groszmann, R.J.; Glickman, M.; Blei, A.T. et al., (1979)** : Wedged and free hepatic venous pressure measured with a balloon catheter. *Gastroenterology*, 76: 253.
- Guarascio, P.; Portmann, B. and Menu, Y., (1984)** : Liver damage with reversible portal hypertension from vit A intoxication, demonestration of Ito cells. *J. Clin. Path*, 36: 769.
- Hachisu, T.; Ichinose, M.; Satou, S. et al., (1991)** : Anovel detachable snare for hemostasis after polypectomy (in Japanese with English Abstract) prog. *Digest. Endosc*, 36: 161-163.
- Hashizume, M.; Kitano, S.; Yamaga, H.; Sugimachi, K, (1988)** : Haptoglobin to protect against renal damage from ethanoleamine oleate sclerosant. *Lancet*, 2: 340.
- Hashizume, M.; Yamaga, H.; Kitano, S. et al., (1990)** : Hypercoagulopathy after repeated injection of 5%

- ethanoleamine oleate of esophageal varices. *Hepatogastroenterol*, 36: 565.
- Hashizume, M.; Ohta, M.; Ueno, K et al., (1993)** : Endoscopic ligation of esophageal varices compared with injection sclerotherapy: a prospective randomized trial. *Gastrointest Endosc*, 39: 123.
- Hassan, F.; Levine, B.A., (1992)** : The role of endoscopic sclerotherapy in the management of esophageal varices. *Dig. Dis.*, 10(suppli) : 38 - 45.
- Heil, T.; Mattes, P. and Loeprucht, H. (1980)** : Gastroesophageal reflux : an aetiological factor for bleeding in esophageal varices ? *Br J Surg* ; 67 : 467.
- Henderson, J.M.; Kunter, M.H.; Millikan, W.J. et al., (1990)** : Endoscopic variceal sclerosis compared with distal splenorenal shunt to prevent recurrent variceal bleeding in cirrhosis. *Ann intern. Med.*, 112: 262.
- Henricksen, J.H.; Ring-Larsen, H.; Kanstrup, J.L. et al., (1984)** : Splanchnic and renal elimination and release of catecholamine in cirrhosis, evidence of enhanced sympathetic nervous activity in patients with decompensated cirrhosis. *Gut*; 25 : 1034.
- Hidayat, M.A. and Kamel, R. (1962)** : A modified technique for transesophageal ligation of the esophagogastric varices. its rationale and indications. *Proc of 1st intern symp. Bilh. Cairo*, II: 325.
- Hill, K.R; Rhodes, K.; Stafford, J.L., (1953)** : Serous hepatitis: a pathogenesis of hepatic fibrosis in jamaican children. *British. Med. Journal*, 117-122.
- Ho, H.; Zuckerman, M.J.; Wassem, C., (1991)** : A prospective controlled study of the risk of bacteremia in emergency sclerotherapy of esophageal varices. *Gastroenterology*, 101: 1642-8.
- Hoefs, J.C.; Jonas, G.M. and Sarteh, I.J., (1990)** : Diagnosis and hemodynamic assessment of portal hypertension: Surgical clinics of North America, 70 (2) : 62.
- Horiguchi, Y.; Kitano, T.; Imai, H. et al., (1987)** : Intrahepatic portal-systemic shunt: its etiology and diagnosis. *Gastroenterol. JPN*, 22: 496.
- Hosking, S.W.; Doss, W.; El-Zeiny, H. et al., (1988)** : Pharmacological constriction of the lower esophageal sphincter : a simple method of arresting variceal hemorrhage. *Gut*; 29 : 1098.

- Iwao, T.; Toyonaga, A. and Sumino, M., (1991) : Hemodynamic study during transdermal application of nitroglycerine tape in patients with cirrhosis. *Hepatology*, 13: 124.
- Iwatsuki, S. and Rwynolds, T., (1973) : Effects of increased intra-abdominal pressure on hepatic hemodynamics in patients with chronic liver disease and portal hypertension. *Gastroenterol*; 65 : 294.
- Jackson, F.C; Perrin, E.B.; Smith, A.G. et al., (1968) : A clinical investigation of portocaval shunt : survival analysis of the prophylactic. *Am J surg*; 11 : 22.
- Jenkins, S.A.; Baster, J.N.; Rennie, M.J., (1993) : Acute and long-term treatment of esophageal varices. Use of somatostatin and octreotide in the control of the acute variceal bleeding and esophageal varices. *British Journal of intensive care*.
- Jenkins, W.J. and Billing, B., (1985) : Physiology of the liver. In *gastroenterology* by Bockus, H.I.; 4th ed. W.B.; Saunders company chapter 147 p40.
- Jensen, D.; Jutabha, R; Egan, J.; ZIirbayashi, K.; Machicado, G., (1992) : Randomized double blind study of omeprazole versus ranitidine treatment of ulcers induced by gastric variceal hemostasis with cyanoacrylate, rubber band ligation, or sclerotherapy (Abstract). *Gostroenterology*, 120: A 90.
- Johlin, F.C.; Labrecque, D.R.; Neil, G.A., (1992) : Omeprazole heals mucosal ulcers associated with endoscopic injection sclerotherapy. *Dig Dis sci*, 37: 1373-1376.
- Johnson, G.J.; Dart, C.H.J.; Peters, R.M. et al., (1966) : Hemodynamic changes with cirrhosis of the liver: control of arterio venous shunts during operation for esophageal varices *Ann surg*, 163 (5) : 692.
- Johnson, P.A.; Campbell, D.R.; Antonson, C.W.; Weston, A.P.; Shuler, F.N.; Lozoff, RD., (1993) : Complications associated with endoscopic band ligation of esophageal varices. *Gastrointest Endosc*, 39 (2) : 181-184.
- Johnston, G.W. and Rodgers, H.W., (1973) : A review of 15 years experience the use of sclerotherapy in the control of acute hemorrhage from esophageal varices. *Br. J. Surg*, 60 (10) : 797.
- Johnston, G.W., (1982) : Six years' experience of esophageal transection for esophageal varices using a circular stapling gun. *Gut*, 23:770.

- Kage, M.; Arakawa, M.; Kojiro, M. and Okuda, K, (1992) : Histopathology of membranous obstruction of the inferior vena cava in Budd chiari syndrome. *Gastroenterology*, 102: 2081-2090.
- Kang, J.H.; Kamboyashi, J. and Sakon, M., (1987) : Mechanism of the hemostatic effect of ethanoleamine oleate in the injection sclerotherapy for esophageal varices. *Br. J. Surg*, 74: 1-50.
- Kashiwagi, T.; Kimura, K.; Kozuka, T., (1989) : Portosystemic collaterals in portal hypertension: visualization by using blood-pool SPECT imaging. *Am. J. Roentgenol*, 153: 281.
- X Kelty, R.H.; Baggenstoss, A.H. and Butt, H.R, (1950) : The relationship of regenerated liver nodules to vascular bed in cirrhosis. *Gastroenterol*, 15: 285.
- Kelber, G.; Sauberbruch, T.; Ansari, H., et al., (1991) : Prediction of variceal hemorrhage in cirrhosis: a prospective follow-up study. *Gastroenterol*; 100 : 1332.
- Kessler, R.E.; Tice, D.H. and Zimmon, D.S., (1973) : Value, complications and limitations of umbilical vein catheterization. *Surg. Gynecol. Obst*, 136: 4-529.
- Khalil, A.; Serag, Z.; Maha, M., (1997) : Different endoscopic modalities in the management of esophagel varices in infants and children. *Endoscopy*, 28 : 456 - 461.
- Khan, A.Q., (1992) : Efficacy and safety of absolute alchol and 75% alchol as variceal sclerosant: aprospective randomized controlled trial. *Endosc*, 24: 614 (absts).
- Kiire, C.F., (1989) : Controlled trial of Propranolol to prevent recurrent variceal bleeding in patients with non cirrhotic portal fibrosis. *Br. Med. J.*, 298: 1363-1365.
- Kimura, K; Ohto, M.; Matsutani, S. et al., (1990) : Relative frequencies of porto systemic pathways and renal shunt formation through the "posterior" gastric vein: portographic study in 460 patients. *Hepatology*, 12: 725.
- X Kishimoto, H.; Sakai, M.; Kajiyama, T. et al., (1994) : Clinical evaluation of endoscopic variceal ligation (EVL). *Nippon Shokakibyo Gakkai Zasshi* ; 91(1) : 10.
- Kitano, S.; Iso, Y.; Koyanagi, N. et al., (1987) : Ethanoleamine oleate is superior to polidocanol for endoscopic injection sclerotherapy of esophageal varices: A prospective randomized trial. *Hepatogastroenterology*, 34: 19.

- Lee, S.S.; Moreau, R.; Hadengue, A. et al., (1988)** : Glucagon selectively increases splanchnic blood flow in patients with well compensated cirrhosis. *Hepatology*, 8: 1501.
- Letard, J.G.; Boustiere, C.; Jouffre, C.; Patouillard, B. et al., (1992)** : A new endosonographic predictive risk indicator of the gastroesophageal bleeding in cirrhosis. Penetrating swan neck varices. *Hepatology*, (suppl 81 A).
- Lewis, J.J.; Basson, M.D.; Modlin, I.M., (1992)** : Surgical therapy of acute esophageal hemorrhage. *Dig. Dis*, 10 (suppl) : 46-55.
- Lewis, J.W.; Chung, R.S. and Allison, J., (1980)** : Sclerotherapy of esophageal varices. *Arch surg*, 115: 476.
- Lewis, M., (1986)** : Out patient esophageal variceal sclerotherapy: is it safe and cost-effective? *Gastro intest Endosc*, 32: 51.
- Liebowitz, H.R., (1961)** : Pathogenesis of esophageal varix rupture. *JAMA*; 175:814.
- Lin, M.C.; Tsai, Y.T.; Lee, F.Y. et al., (1990)** : Systematic and portal hemodynamic changes following triglycylsine vasopressin plus nitroglycerine administration in patients with hepatitis B - related cirrhosis. *J Hepatol*; 10: 270.
- Lo, G.H.; Shen, M.T.; Lai, K.H. et al., (1994)** : A comparison of the incidence of transient bacteremia and infectious sequelae after sclerotherapy and rubber band ligation of bleeding esophageal varices. *Gastrointest Endosc*; 40(6) : 675.
- Longmire, W.P.; Mulder, D.G.; Mahoney, P.S.; Mellmkoff, S.W., (1958)** : Side to side portocaval anastomosis for portal hypertension. *Ann. Surg.* 147: 881-894.
- Low, D.E.; Kazrek, R.A.; Ball, T.J. et al., (1989)** : Endoscopic variceal sclerotherapy as primary treatment for bleeding esophageal varices. *J. Clin. Gastroenterol*, 1: 253.
- Ludwig, J., (1993)** : The nomenclature of chronic active hepatitis. *Gastroenterology*, 105 : 274 - 278.
- Mackay, I.R.; Taft, L.I.; Cowling, D.C., (1956)** : Lupoid hepatitis. *Lancet*, 2 : 1323 - 1330.
- Madsen, M.S.; Peterson, T.H.; Sommer, H., (1986)** : Segmental portal hypertension. *Ann. Surg*, 204 : 72.
- Mahl, T. and Groszmann, R., (1990)** : Pathophysiology of portal hypertension and variceal bleeding. *Surgical Clinics of North America* ; 2: 251.
- Malt, R.A., (1976)** : Portosystemic venous shunts. *N Engl J Med*; 295 : 29 and 86.

- Marteau, P.; Ballef, F. and Chazouilleres, O., (1989)** : Effect of vasodilation on hepatic microcirculation in cirrhosis: A study in the isolated perfused rat liver. *Hepatology*, 9: 820.
- Mastai, R.; Bosch, J.; Navasa, M. et al., (1986)** : Effect of continuous infusion and bolus injection of somatostatin on azygos blood flow and hepatic and systemic hemodynamics in patients with portal hypertension, comparison with vasopressin (abstract). *J. Hepatol*, 3 (suppl 1) : 553.
- Mc Cormack, T.; Sims, J. and Eyrebrooks I., (1985)** : Gastric lesion in portal hypertesion. Inflammatory gastritis or congestive gastropathy. *Gut*, 26: 1226.
- Mc Cormack, T.T.; Rose, J.D.; Smith, P.M. et al., (1983)** : Perforating veins and blood flow in esophageal varices *lancet* ii: 1442.
- Mc Dougall, B.R; Westaby, D.; Theodossi, A. et al., (1982)** : Increased long-term survival in variceal hemorrhage using injection sclerotherapy: Results of a controlled trial. *Lancet* I: 124.
- Mc Dougall, B.R.D. and Williams, R., (1983)** : A controlled trial of cimetidine in recurrence of variceal hemorrhage, implications about the pathogenesis of hemorrhage. *Hepatology*, 3: 69-73.
- Mc Indoe, A.H., (1928)** : Vascular lesions of portal cirrhosis. *Arch. Path*, 5: 23.
- McLaren, M.I. and Taylor, I.,(1986)** : Advances in managing variceal bleeding in portal hypertension. *Surg. Annu.* 18 : 351-76.
- McMathuna, P.; Valvianos, P.; Westaby, D. et al., (1992)** : Pathophysiology of portal hypertension. *Dig Dis* ; 10 (suppl. 1) : 3.
- Medhat, A.; Iber, F.L.; Dunne, M. and Baun, R., (1988)** : Ultrasonographic findings with bleeding and non bleeding esophageal varices. *American. J. Gastroenterology.* Vol. 83, No.:58-62.
- Merkel, C.; Gutta, A.; Zuin, R.; Finuca, G.F.; Arnaboldi, L.; Roul, A., (1985)** : Effect of somatostatin on splanchnic hemodynamics in patients with liver cirrhosis and portal hypertension. *Digestion*, 32: 92-98.
- Millward-Sadler, G.H.; Han, E.G.; Wright, R. (1986)** : Cirrhosis: an appraisal in "liver and biliary diseases". Bailliere Tindall. London, p: 821-966.
- Miskowiak, K.J., (1978)** : How the lower esophageal sphincter affects submucosal esophageal varices. *Lancet*, ii: 1284.

- Miskowiak, K.J; Burcarth, F. and Jensen, L., (1981)** : Effect of lower esophageal sphincter on esophageal varices : a portographic study. *Scand J Gastroenterol*; 16 : 957.
- Monroe, P.; Marrowc, F.J. and Millen, J.E., (1983)** : Acute respiratory failure after sodium morrhuate esophageal sclerotherapy. *Gastroenterol*, 85: 593.
- Moreau, R. and Lebrec, D., (1990)** : Leader Nitrovasodilators and portal hypertension. *J. Hepatol*, 10: 263.
- Mousa, A.H.; Ata, A.A. and El-Rooby, A., (1964)** : Furthur studies on portal hemodynamics in hepatosplenic total blood volume and hepatic blood flow. *Proc. Ist. Nat. Symp. Bilh. Cairo*, 11: 67.
- Mousa, A.H.; Ata. A.A.; El-Rooby, A.; Garem, A.; El-Razily, E.H. and Abdel-Wahab, M.F., (1967)** : Hepatosplenic schistosomiasis in Bilharziasis. Edited by Mostaf. F.K. springeirverlag Berlin, 1 P : 16.
- ^ **Musso, A.H.; Triolo, A. et al., (1987)** : Polidocanol may directly activate the contact phase of blood coagulation during sclerotherapy. *Gastrointest Endosc*; 33 (5) : 400 (letter).
- Mowat, A.P., (1989)** : Chronic hepatitis and cirrhosis. In pediatric gastroenterology and nutrition in Early chlidhood. 2nd edn (ed. E.E. Iebenthal). Raven pres, New york, 1017-1043.
- Mowat, A.P., (1993)** : Extrahepatic portal hypertension in "liver disorders in childhood". 3rd edition. Butter Worth-Heinemann (eds) Oxford, London. pp: 463-475.
- Navab, F.; Schiller, O.T. and Slaton, D., (1984)** : Management of variceal hemorrhage. *Southeren Medical J. Vol. 77*:10.
- Navasa, M.; Bosch, J.; Chesta, J. and Rodes, J., (1988)** : Isosorbide 5-mononitrate reduces hepatic vascular resistance and pressure in patients with cirrhosis. *Gastro enterology*, 96 : 1110.
- Neu, H.C., (1989)** : Recommendation for antibiotic prophylaxis before endoscepy. *Am. J. Gastroenterol*, 84: 1488-9.
- Nijhawan, S.; Rai, R.; Singh, G., (1994)** : Post ligation stricture: A rare complication. *Endoscopy*, 28: 406.
- Nord, H.J., (1982)** : Diagnosis and management of acute upper gastro intestinal bleeding in "critical care gastroenterology" ed. Nord, H.J. and Brady, P.G., Churchll livingestone New york. Edinburgh. London, p: 59-77.
- North Italian Endoscopic club for the study and treatment of esophageal varices (1988)** : Can endoscopy predict the first variceal hemorrhage in patients with cirrhosis of the liver and

- esophageal varices. Aprospective Multicenter study. N. Engl. J. Med., 319: 983.
- Nouel, O.; Bernuau, J. and Rueff, B., (1981)** : Hypoglycemia. A common complication of septicemia cirrhosis. Arch of Internal.
- Nune, Z.; Russell, E.; Yrizarry, J. et al., (1978)** : Portosystemic communication studied by transhepatic portography. Radiology; 127 : 75.
- Ohnuma, N.; Takahashi, H.; Yoshida, H.; Iwai, J., (1997)** : Endoscopic variceal ligation using a clipping apparatus in children with portal hypertension. Endoscopy, 29 : 2, 86-90.
- Okumura, H.; Asamakii, T. and Katsutas Y., (1991)** : Reduction in hepatic venous pressure gradient as a consequence of volume contraction due to chronic admistration of spironolactone in patients with cirrhosis and no ascites. An. J. Gastroenterol, 86 : 46.
- Orloff, M.J.; Bell Rtt, J.; Greenburg, A.G., (1986b)** : Prospective randomized trial of emergency portocaval shunt and medical therapy in unselected cirrhotic patients with bleeding varices. Gastroenterology, 90: 1754.
- Pagani, J.J.; Thomas, J.L.; Bernardino, M.E., (1982)** : Computed tomographic manifestations of abdominal and pelvic venous collaterals. Radiology, 142: 415.
- Palani, C.K; Abuabara, S.; Raft, A.R and Jossason, O., (1981)** : Endoscopic sclerotherapy in acute variceal hemorrhage. Am. J. Surg, 141 (1) : 146.
- Palmer, E.D. (1955)** : Subacute erosive "peptic" esophagitis : histopathological study. Arch Pathol; 59 : 51.
- Panés, J.; Tere's, J.; Bosch, J. et al., (1988)** : Efficacy of balloon tamponade in treatment of bleeding gastric and esophageal varices. Results in 151 consecutive episodes. Dig. Dis. Sci, 33 : 454.
- Papazian, A.; Braillon, A. and Dupas, J.L., (1986)** : Portal hypertensive gastric mucosa: An endoscopic study. Gut, 27: 1199.
- Paquet, K.J., (1979)** : Portal hyperension : report of the first meeting of the permanent study group, Paris, May 15, Int Surg; 64(5) : 5.
- Paquet, KJ. and Fuessner, H., (1983)** : Endoscopic sclerosis and esophageal balloon tamponade in acute hemorrhage from esophagogastric varices: a prospective controlled randomized trial. Hepatology, 5: 580.

- Paquet, K.J.; Kalk J.F.; Klein, C.P.; Gad, H.A., (1994)** : Prophylactic sclerotherapy for esophageal varices in high-risk cirrhotic patients selected by endoscopic and hemodynamic criteria: a randomized, single-center controlled trial. *Endoscopy*, 26: 734-740.
- Paquet, K.J.; Kalk, J.F. and Koussouris, P., (1988)** : Immediate endoscopic sclerosis of bleeding esophageal varices: a prospective evaluation over 5-years. *Surg. Endosc*, 2: 18.
- Paquet, K.J. and Oberhammer, E., (1978)** : Sclerotherapy of bleeding esophageal varices by means of endoscopy. *Endoscopy*, 10: 7.
- Park, J.H.; Cha, S.H.; Han, J.K et al., (1990)** : Intrahepatic portosystemic venous shunt. *A.J.R.*, 155: 527.
- Pascu, O., (1988)** : Which endoscopic sclerotherapy technique to control and then prevent variceal hemorrhage? *Gastrointest Endosc*, 34 (6) : 483.
- Piai, G.; Minieri, M.; Catalano, M. et al., (1991)** : A prospective evaluation of two indices of first variceal bleeding in liver cirrhosis. Abstracts of the digestive disease week, New Orleans : A210.
- Pitcher, J.L., (1971)** : Safety and effectiveness of the modified Sengstaken-Blakemore tube: a prospective study. *Gastroenterology*, 61: 291.
- Pizcueta, M.P.; Casamitjana, R.; Bosch, J. et al., (1990)** : Decreased systemic vascular sensitivity to norepinephrine in portal hypertensive rats. Role of hyperglucagonism. *Am. J. Physiology*. 258 : 191.
- Pizcueta, M.p.; Delacy, A.M.; Kravetz, D. et al., (1992)** : Nitric Oxide : Physiology, Pathophysiology and pharmacology. *Pharmacol. Rew.* 93 : 109.
- Planas, R.; Morillas, R.; Quer, J.C. et al., (1994)** : Randomized controlled trial of somatostatin VS endoscopic sclerotherapy in the treatment of acute variceal bleeding: Final results. *Gastroenterology*, 106 (suppl) : A 962.
- Polson, R.J.; Westaby, D.; Gimson, A.; Hages, P.C.; Stellen, A.J.; Hayllar, K; Williams, R. (1989)** : Sucralfate for the prevention of early rebleeding following injection sclerotherapy for esophageal varices. *Hepatology*, 10: 279-282.
- Popper, H., (1983)** : Changing concepts of the evolution of chronic hepatitis and the role of piecemeal necrosis - *Heaptology*, 3 : 758 - 762 .

- Pramond, K.; Garg, M.D.; D.M.; Sandeeps. Sidhu, M.D.; D.M. and Dinesh, K; Bhagrava, M.D.; PhD, (1995)** : Role of omeprazole in prevention and treatment of post endoscopic variceal sclerotherapy esophageal complications. Double blind randomized study. Dig. Dis and sci, 40 (7) : 1569-1574.
- Pugh, R.N.H.; Murrage-Lyon, I.M.; Dawson, J.L. (1973)** : Transsection of the esophagus for bleeding esophageal varices. Br J Surg. 60 : 646 - 649.
- Pushpanathan, C. and Idiko, H., (1986)** : Pathological findings in the esophagus after endoscopic sclerotherapy for variceal bleeding. Am. J. Gastroenterol; 81 : 9.
- Rappaport, A.M., (1982)** : Anatomic consideration in diseases of the liver. Schiff's 5th edition, J.B.; Lippincott company. Philadelphia. Toronto, p: 91.
- Rasbridge, S.; Sheldon, C.; Chardman, S.M. et al., (1986)** : Intestinal pseudo-obstruction: a new complication of esophageal sclerotherapy. Br. Med. J., 292: 991.
- Rector, W.G.; Hossack, K.F. and Ready, J.B., (1990)** : Nitroglycerine for portal hypertension. A controlled comparison of the hemodynamic effects of graded doses. J. Hepatol, 10: 375.
- Reily, J.; Schide, R and Van Thiel, (1984)** : Esophageal function after injection sclerotherapy: pathogenesis of esophageal stricture. Am. J. Surg, 147: 85.
- Reveille, R.M.; Gott, J.S.; Stiegmann, G.V.; Stautter, J.T., (1991)** : Combination endoscopic variceal ligation (EVL) and low volume sclerotherapy (ES) for- bleeding esophageal varices: a faster route to variceal eradication? (Abstract). Gastrointestinal Endosc, 37: 243.
- Reynolds, T.B., (1982)** : Why do varices bleed? In westaby, D. Mc Dougall, B.R. and Williams, R., (eds) : "variceal bleeding" Pitman Books limited, London. U.K. p: 3.
- Reynolds, T.B.; Donovan, A.J.; Mekreben, W.P. et al., (1981)** : Results of a 12 years randomized trial of porto caval shunt in patients with alcoholic liver disease and bleeding varices. Gastroenterology, 80: 1005.
- Richardson, P.D. and Withringtons, P.G., (1981)** : Liver blood flow. Gastroenterol; 81: 159.
- Rigdu, J.; Bosch, J.; Bordas, J.M. et al., (1989)** : Endoscopic measurement of variceal pressure in cirrhosis: correlation with portal pressure and variceal hemorrhage. Gastroenterology, 96: 873.

- Rikkers, L.F. and Jin, G., (1994)** : Surgical management of acute variceal hemorrhage. *World J Surg*; 18(2) : 193.
- Ring, B.; Lang, H.; Tusch, G. and Pichlamyr, R., (1994)** : Role of liver transplantation in management of esophageal variceal hemorrhage. *World J Surg*; 18(2) : 233.
- Ritche, M.T.; Lightdale, C.J.; Botet, J.F., (1987)** : Bilateral perinephric abscess: a complication of endoscopic injection sclerotherapy. *Am. J. Gastroenterol*, 82: 670-3.
- Roark, G., (1984)** : Treatment of postsclerotherapy esophageal ulcers with sucralfate, *Gastrointest. Endos*, 39: 9-10.
- Roessle, M.; Noldge, G.; Haag, K. et al., (1992)** : Transjugular portosystemic stent shunt (TIPS) : technical and early clinical complications. *Hepatology*; 16(4) : 2.
- Romans, G.J., (1973)** : in Cumingham manual of practical anatomy 13th edition Vol, 2: 160. The english language book society.
- Rose, I.D.R; Grane, M.D. and Smith, P.M., (1983)** : Factors affecting successful endoscopic sclerotherapy for esophageal varices. *Gut*, 24: 946.
- Rossi, V.; Cale's, P.; Burtin, P. et al., (1991)** : Prevention of recurrent variceal bleeding in alcholic cirrhotic patients: prospcctive controlled trial of Propranolol and sclerotherapy. *J. Hepatol*, 12: 283-289.
- Sabanathan, K; Dean, J.; Carr-Locke, D. et al., (1984)** : Acute gastric dilatation after endoscopic injection sclerotherapy. *Lancet*, 1: 1240.
- Sabba, C.; Buonamico, P.; Antonica, G. et al., (1993)** : Echo-color Doppler in the study of portal hypertension. *Radiol Med Torino*; 85 (5 suppl 1) : 56.
- Sabba, C.; Weltin, G.G.; Cicchetli, D.V. et al., (1990)** : Observer variability in echo-Doppler measurement for portal flow in cirrhotic patients and normal volunteers *Gastroenterology*, 98 : 1603.
- Saeed, Z.A., (1995)** : Endoscopic esophagogastric variceal ligation with a six-shot multiple ligator device. *Am. J. Gastroenterol*, 9: 1 570.
- Saeed, Z.A., (1996)** : Saeed six-shooter: A prospective study of a new endoscopic multiple rubber-band ligater for the treatment of varices. *Endoscopy*, 28: 559-564.
- Safouh, M. and Shehata, A.H., (1965)** : Hepatic vein occlusion disease of Egyptian children. *J. pediat*, 67: 417.

- Sahagun, G.; Benner, K.G.; Barton, R.E. et al., (1992)** : Shunt patency, recurrent bleeding and survival after transjugular intrahepatic portosystemic shunt (TIPS) for variceal hemorrhage. *Hepatology*; 16(4) : PT 2.
- Saki, P.; Maluf Filho, F.; Melo, J.M.; Ishioka, (1994)** : Is endoscopic band ligation of esophageal varices contraindicated in child pugh, C.; Patients? *Endoscopy*, 26: 512.
- Salama, H.; Soliman, H.A. and Sadek, H., (1995)** : Prophylactic endoscopic ligation of varices with imminent heamorrhage in cirrhotic patients. *EMJ*; 12(1) : 465.
- Saltzman, J.; Arora, S., (1993)** : Complications of esophageal variceal band ligation. *Gastrointest. Endosc*, 39: 185-6.
- Sandy, H.; Korsten, M.A.; Waye, J.D., (1985)** : The relationship of bacteremia to the length of injection needle in endoscopic variceal sclerotherapy. *Gastrointest Endosc*, 31: 243-6.
- Sanowski, R.A.; Waring, J.P., (1987)** : Endoscopic techniques and complications in variceal sclerotherapy. *J. Clin. Gastro*, 9: 504-13.
- Santagelo, W.C.; Dueno, M.J. and Estes, B.C., (1988)** : Prophylactic sclerotherapy of large esophageal varices. *N. Eng. J. Med.* 318:814.
- Sanyal, A.J.; Freedman, A.M.; Shiffman, M.L. et al., (1992)** : Transjugular intrahepatic portosystemic shunt (TIPS) vs sclerotherapy for variceal heamorrhage: results of a randomized prospective trial. *Hepatology*; 16(4) : PT 2.
- Sarin, S.K., (1990)** : Sclerotherapy with alchol: adouble-edged sword. *Hepatology*, 11: 325-327.
- Sarin, S.K.; Groszmann, R.J. and Mosca, P.G., (1991)** : Propranolol ameliorates the development of portal systemic stunting in a chronic murine schistosomiasis model of portal hypertension. *J. Clin. Invest*, 87: 1032.
- Sarin, S.K.; Gupta, R.C. and Jain, A., (1994)** : A randomized controlled trial of endoscopic variceal band ligation for primary prophylaxis of varivceal bleeding. *Gastroenterol*; 106 : A 975 (abstr).
- Sarin, S.K.; Nada, R; Gaur, S.K et al., (1985)** : Repeated endoscopic sclerotherapy for active variceal bleeding. *Ann. Surg*, 202: 708.
- Sarin, S.K.; Nada, R; Suchdeva, G.K. et al., (1987)** : Intravariceal VS paravariceal sclerotherapy: a prospecitve randomized trial. *Gut*, 28: 657.

- Sarin, S.K.; Nanda, R.; Vij, J.C. et al., (1986)** : Esophageal ulceration after sclerotherapy : a complication or an accompaniment ? Endoscopy; 18 : 44.
- Sarin, S.K.; Sachdev, G.; Nada, R. (1986)** : Follow-up of patients after variceal eradication, a comparison of patients with cirrhosis, obstruction. Ann surg, 204: 78-82.
- Sarles, H.E.; Jr, Sanowski, RA.; Talbert, G., (1985)** : Course and complications of endoscopic variceal sclerotherapy: A prospective study of 50 patients. Am. J. Gastroenterol, 80: 595-599.
- Sauerbruch, T.; Weinzierl, M.; Kipeke, W. et al., (1985)** : Long-term sclerotherapy of bleeding esophageal varices in patients with liver cirrhosis: an evaluation of mortality and rebleeding risk factors. Scand. J. Gastroenterol, 20: 51.
- Scheuer, P.J., (1980)** : Liver biopsy interpretation, 3rd edn. Bailliere Tindall, London, p: 117-132.
- Scheuer, P.J., (1991)** : Classification of chronic viral hepatitis: a need for reassessment. J. Hepatology, 13: 372-374.
- Schmidt, R.D.; Niblett, R.; Ree, S.C. and Crippin, J.S., (1992)** : Transjugular intrahepatic portosystemic shunt (TIPS) : effect on liver function. Hepatology ; 16(4) : PT 2.
- Schuman, B.M.; Beckman, J.W.; Tedexo, F.J.; Griffin, J.W.; Jr.; Assad, RT., (1987)** : Complications of endoscopic sclerotherapy-a review. Am. J. Gastroenterol, 82: 823-830.
- Schrier, R.W.; Arroyo, V.; Bernard, M. et al., (1988)** : Peripheral arterial vasodilatation hypothesis : a proposal for initiation of renal sodium and water retention in cirrhosis. Hepatology; 8 : 1151.
- Sedgwick, C. E. and Poulantsas, J.R., (1967)** : "Portal hypertension". Ist edition published in Great Britan by J. and A. Churchill. L.T.D. London, p: 31.
- Sheen, I.S.; Chen, T.Y.; Liaw, Y.F., (1989)** : Randomized controlled study of Propranolol for prevention of recurrent esophageal varices bleeding in patients with cirrhosis. Liver, 9: 1-5.
- Sherlock, S. and Dooley, J., (1993)** : Portal venous system. In: "Diseases of the liver and biliary system" Ninth edition. Blackwell scientific publications Oxford, UK. Chapter 10, p: 132.
- Sherlock, S., (1985)** : Extrahepatic portal venous hypertension in adults. Clin Gastroenterol; 14 : 1.

- Sherlock, S., (1990)** : Vasodilatation associated with hepato cellular disease: Relation to Functional organ failure. *Gut*, 31: 365.
- Sherlock, S., (1990b)** : Esophageal varices. *Am. J. Surg*, 160: 9.
- Shoenut, J.P. and Micflikier, A.B., (1986)** : Retrosternal pain subsequent to sclerotherapy. *Gastrointest Endosc*; 32 : 84.
- Shortell, C.K. and Schwartz, S.I., (1991)** : Hepatic adenoma and focal nodular hyperplasia. *Surg. Gynecol. Obstetr*, 173: 426-431.
- Shulman, H.M. and Hinterberg, W., (1992)** : Hepatic-veno occlusive disease-liver toxicity syndrome after bone marrow transplantation. *Bone Marrow Transplant*, 10: 197-214.
- Silvain, C.; Carpentier, S.; Sautereau, D. et al., (1993)** : Terlipressin plus transdermal nitroglycerine VS. Octreotide in the control of acute bleeding from esophageal varices: a multicenter randomized trial. *Hepatology*, 18: 61-65.
- Silverstein, F.E.; Gilbert, D.A.; Tedesco, F.J.; Buenger, N.K; Persing, J., (1981)** : The national ASGE survey on upper gastrointestinal bleeding. II. Clinical prognostic factors. *Gastrointest. Endosc*, 27: 80-93.
- Sitzmann, J.V.; Bulkley, G.B.; Mitchell, M.C. et al., (1989)** : Role of prostacyclin in the splanchnic hyperemia contributing to portal hypertension. *Ann. Surg*, 209: 322.
- Sivak, M.V., (1985)** : Sclerotherapy for esophageal varices. In *Sivis, S.; (ed) : "Therapeutic Gastrointestinal Endoscopy"*. Igaku-Shoin, Page: 31.
- Sivak, M.V. and Catalano, M.F., (1993)** : Endoscopic ligation of esophageal varices . *Ann Int Med*; 119 : 87 (editorial) .
- Sivak M. V., Korula, J., Trudeau, W.L. et al., (1988)** : Complications of sclerotherapy in Endoscopic treatment of esophageal varices seventh Annual International symposium 373-394.
- Sivak, M.V.; Stout, D.J. and Skipper, G., (1981)** : Endoscopic injection sclerosis of esophageal varices. *Gastrointestinal. Endosc*, 27: 52.
- Smith-Laing, G.; Camilo, M.E.; Dick, R. et al., (1980)** : Percutaneous transhepatic portography in the assessment of portal hypertension. *Gastroenterology*, 78: 197.
- Smith, P.M. (1988)** : The modern management of bleeding esophageal varices. *Key Development in Gastroenterol.* 11-30.
- Soderlund, C. and Ihre, T., (1985)** : Endoscopic sclerotherapy vs conservative management of bleeding esophageal varices : a

- five year prospective controlled trial of emergency and long-term management. *Acta Chir Scand*; 524: 5.
- Soehendra, N.; De Heer, K; Kempeneers, I. and Runge, M., (1983) :** Sclerotherapy of esophageal varices: acute arrest of gastrointestinal hemorrhages and long-term therapy? *Endoscopy*, 15: 136.
- × **Sonnenberg, A.; West, C., (1983) :** Somatostatin reduces gastric mucosal blood flow in normal subject, but not in patients with cirrhosis of the liver. *Gut*, 24:148-153.
- × **Sitmann, J.V.; Bulkley, G.B.; Mitchell, M.(z. et al., (1989) :** Role of prostacyclin in the splanchnic hyperemia contributing to portal hypertension. *Ann. Surg*, 209: 322.
- × **Sivak, M.V., (1985) :** Sclerotherapy for esophageal varices. In sivis, S.; (ed) : "Therapeutic Gastrointestinal Endoscopy". IgakuShoin, Page: 31.
- × **IA Sivak, M.V.; Stout, D.J. and Skipper, G., (1981) :** Endoscopic injection sclerosis of esophageal varices. *Gastrointestinal. Endosc*, 27: 52.
- × **Smith-Laing, G.; Camilo, M.E.; Dick, R. et al., (1980) :** Percutaneous transhepatic portography in the assessment of portal hypertension. *Gastroenterology*, 78: 197.
- × **Soehendra, N.; De Heer, K; Kempeneers, I. and Runge, M., (1983) :** Sclerotherapy of esophageal varices: acute arrest of gastrointestinal hemorrhages and long-term therapy? *Endoscopy*, 15: 136.
- Soehendra, N.; Kempeneers, I. and De Heer, K., (1981) :** Fiber endoskopische esophagus vancen verodung. *Acta Chir*, (German), 16: 93.
- Sonnenberg, A.; West, C., (1983) :** Somatostatin reduces gastric mucosal blood flow in normal subject, but not in patients with cirrhosis of the liver. *Gut*, 24 : 148-153.
- Sorensen, T.; Burcharth, C.; Pedersen, M.C. et al., (1984) :** Esophageal stricture and dysplasia after endoscopic sclerotherapy for bleeding varices. *Gut*, 25: 473.
- Spence, R.A.J., (1984) :** The venous anatomy of the lower esophagus in the normal subject and in patients with varices, animal analysis study. *Br J Surg*; 71 : 739.
- Spence, R.A.J.; Terblanche, J., (1987) :** Venous anatomy of the lower esophagus. A new perspective on varices. *Br. J. Surg*, 74: 659-660.

- Spina, G.P.; Santambrogio, R; Opocher, E. et al., (1990)** : Distal splenorenal shunt versus endoscopic sclerotherapy in the prevention of variceal rebleeding. *Ann. Surg*, 211: 178.
- Starzel, T. and Wastnab, K., (1976)** : Effect of insulin, Glucagon and insulin/glucagon infusion on liver morphology and cell division. *Lancet*, I: 821.
- Stiegmann, G.R, (1993a)** : Endoscopic ligation: Now and the future. *Gastrointestinal Endoscopy*, 39 (2) : 203-205.
- Stiegmann, G.V., (1994)** : Elastic band ligation of esophageal varices. In Bosch J, Groszmann RJ (eds) : "Portal Hypertension : pathophysiology and treatment", 1st edition. Blackwell Scientific Publication, London. Page 154.
- Stiegmann, G.V.; Cambres T.; Sun, J.H., (1986)** : A new endoscopic elastic band ligating device. *Gastrointest Endosc*, 32: 230-233.
- Stiegmann, G.V.; Goff, J.S.; Michalet-Onody, P.A.; Korula, J.; Lieberman, D.; Saeed, Z.A.; Rendle, RM.; Sun, J.H.; Lowenstein, S.R, (1993b)** : To ligate or sclerose: Beginning of a new era in the management of esophageal varices? *Hepatology*, 17: 746-752.
- Stiegmann, G.V.; Goff, J.S.; Michaletz-Onody, P.A.; Korula, J.; Lieberman, D.; Saeed, Z.A.; Reville, RM. et al., (1992)** : Endoscopic sclerotherapy as compared with endoscopic ligation for bleeding esophageal varices. *N. Engl. J. Med.* 326: 1527-1532.
- Stiegmann, G.V.; Goff, J.S.; Sun J.H. et al., (1989)** : Endoscopic variceal ligation : an alternative to sclerotherapy. *Gastrointest Endosc* ; 35(5) : 431.
- Stiegmann, G.V.; Goff, J.S.; Sun, J.H. et al., (1990)** : Endoscopic ligation of esophageal varices. *Am J Surg* ; 159 : 21.
- Stiegmann, G.V.; Sun, J.H.; Hammond, W.S., (1988)** : Results of experimental endoscopic esophageal varix ligation. *Am. Surg*, 54: 105-8.
- Stoltenberg, P.H. ; Goodale, R.L. ; Silvis, S. E., (1989)** : Portal vein thrombosis following combined endoscopic variceal sclerosis and vasopressin therapy for bleeding varices. *Am. J. Gastroenterol*, 82: 1297.
- Summerfield, J.A.; Nagafuchi, Y.; Sherlock, S. et al., (1986)** : Hepatobiliary fibropolycystic disease: A clinical and Histological review of 51 patients. *J. Hepatol*, 2: 141.

- Sung, J.J.; Chung, S.C.; Lai-Cw, Cham, F.K; Leung, J.W.; Yung, M.Y.; Kassianides, C.; Li, A.K., (1993) : Octreotide infusion or emergency sclerotherapy for esophageal hemorrhage. *Lancet* sep 11, 342 (8872) : 63741.
- Supe, A.N.; Mathur, S.T.; Borwankar, S.S., (1994) : Esophageal endoscopic sclerotherapy in children using 3% aqueous phenol. *Indian. J. Gastroenterol.* Jan, 13 (1) : 1-4.
- Tabibian, N. And Graham, D.Y., (1987) : Source of upper gastrointestinal bleeding in patients with esophageal varices seen at endoscopy. *J. Clin Gastroenterol*, 9: 279.
- Tage-Jensen,U. ; Henriksen ,J. ; Christensen, E.et al., (1988) : Plasma catecholamine level and portal venous pressure as guide to prognosis in patients with cirrhosis. *J Hepatol*; 6: 350.
- Taha, G., (1989) : A study of the effect of propranolol therapy on portal pressure in children with portal hypertenstion. M. Sc thesis. Faculty of Medicine, Cairo University.
- Tam, F.; Chow, H.; prindiville, T. Et al., (1990) : Bacterial peritonitis following esophageal injection sclerotherapy for variceal hemorrhage. *Gastrointest. Endosc*, 36:131-3.
- Tamura, S.; Shiozaki, K.; Yono, H.; Taltara, H.; Miyata M.; Mori, T., (1991) : Prospective randomized study on the effect of ranitidine against injection ulcer after endoscopic injection sclerotherapy for esophageal varices. *Am J. Gastroenterol*, 86: 477- 480.
- Tang,H.; Salem, H.; Wood, L.and Dudley, F.,(1986) : Coagulopathy following endoscopic variceal sclerotherapy : comparison of sclerosants.*Gastrointest Endosc*; 32: 141 (abstr).
- Tanner, S., (1989) : Cirrhosis in pediatric hepatology Ist eds *Current. Rev. In pediatri*, 12: 273.
- Tanoue, K.; Hashizume, M; Wada, H.et al., (1992) : Effect of endoscpic injection sclerotherapy on portal hypertensive gastropathy : a prospective study.
- Terblanche, J.; North over, J.M.; Bornman,P. Et al., (1979) : A prospective evaluation of injection sclerotherapy in the treatment of acute bleeding from esophageal varices.*Surg*, 85 (3): 239.
- Terblanche, J.;Stiegmann, G.V.; Krige, J.E. and Bornman, P.C., (1994) : Long-term management of variceal bleeding : the place of varix injection and Ligation. *World J Surg* ; 18(2) : 185.

- Terblanche, J.; Yakoob, H.I.; Bornman, P.C., (1981)** : Acute bleeding varices: a Five year prospective evaluation of tamponade and sclerotherapy. *Ann. Surg.* 194: 521-30.
- Terés, J.; Bosch, J.; Bordas, J.M. et al (1993)** : Propranolol versus sclerotherapy in preventing variceal rebleeding: a randomized controlled trial. *Gastroenterology*, 105: 1508-1514.
- Thakeb, F.; Abdel-Kader, S.; Salana, Z. et., (1993)** : The value of combined use of N-butyl 2 cyanoacrylate and ethanoleamine oleate in management of bleeding esophageal varices. II united European Gastroenterology week. July. Barcelona.
- Thakeb, F.; Aly, Y.A.; El-Fliky et al., (1988)** : A study of the esophagus by endoscopy and radiology after sclerotherapy. In Thakeb, F. and Zakaria, M.S., (eds): "Gastrointestinal Endoscopy, an Egyptian view". El-Sona, El-Mohamadia, Egypt, p: 51.
- Thakeb, F.; Zakaria, S. And Hunter, S., (1987)** : Different techniques of injection sclerotherapy in the of bleeding esophageal varices, *J. Med. Assoc*, 70: 19.
- Thakeb, F.; Zakaria, S.; Hunter, S. Et al., (1987b)** : Sclerotherapy of acute hemorrhages from esophageal varices in Endemic hepatosplenomegaly. *J. Egypt. Med. Associ. Supplement*, 70:13.
- Triger, D.R.; Hosking, S.W., (1989)** : The gastric mucosa in portal hypertension. *J. Hepatol*, 8: 267.
- Trusdale, R.A.; Wong, R.K.H., (1991)** : Complication of esophageal variceal sclerotherapy. *Gastroenterology. Clin. North. Am*, 20: 859-870.
- Trudeau, (1988)** : Indications and technique for acute sclerosis of bleeding esophageal varices, In: Endoscopic of esophageal varices seventh Annual International symposium 213-220.
- Tseng, C.C.; Green, R.M.; Burke, S.K. et al., (1992)** : Bacteremia after endoscopic band ligation of esophageal varices. *Gastrointest Endosc*, 38: 176.
- Uribarrena, R.; Kimenez, J.; Fortun, M.T. et al., (1990)** : Esophageal motility disorders in cirrhosis treated by sclerosing the varices. *Rev ESP. Enferm. Dig*, 87: 1 (spanish).
- Valeer, J.; Desmet; Peter, J., (1994)** : Classification of chronic hepatitis : Diagnosis, grading and staging. *Hepatology*, 19 : 1513 - 1520.
- Valla, D.; Bercoff, E.; Menue, Y. Et al., (1984)** : Discrepancy between wedged hepatic venous pressure and portal venous pressure

- after acute propranolol administration in patients with alcoholic cirrhosis. *Gastroenterology*, 86: 1400.
- Van Buuren, H.R.; Van Der Velden, P.C.; Koopervarr, G. And Silberbusch, J., (1982)** : Propranolol increased arterial ammonia in liver cirrhosis, *Lancet*: 951- 952.
- Van Gansbeke, D.; Avni, E.F.; Delciur, C. Et al., (1985)** : Sonographic features of portal vein thrombosis. *Am. J. Roentgenol*, 144: 749.
- Vantrappan, G.; Rutgeerts, Schurmans, P.; Coenegrachts, J., (1988)** : Omeprazole (40mg) is superior to ranitidine in short term treatment of ulcerative reflux esophagitis. *Dig Dis. Sci*, 33: 523-529.
- Viamonte, M.; Werren, W. And Martinex, L., (1970)** : Angiographic investigation in portal hypertension. *Surg. Gyn Obst*, 130: 37.
- Villeneuve, J.P.; Pomier-Layrargues, G.; Duguay, L. Et al., (1987)** : Emergency portocaval shunt for variceal hemorrhage. *Ann. Surg*, 206:48.
- Vinel, J.P.; Monnin, J.L.; Combis, J.M.; Cales, P.; Desmonat, H. And Pascal, J.P., (1990)** : Hemodynamic evaluation of molsidomine: A vasodilator with antianginal properties in patients with alcoholic cirrhosis. *Hepatology* , 11: 239.
- Vorobioff, J.; Garcia-Tsao, G. And Groszmann, R.J., (1989)** : Long-term hemodynamic effects of ketanserin, as hydroxy tryptamine blocker, in portal hypertensive patients. *Hepatology*, 9: 88.
- Vorobioff, J.; Picabea, E.; Villavicencio, R et al., (1987)** : Acute and chronic hemodynamic effects of propranolol in unselected cirrhotic patients. *Hepatology*, 7: 648.
- Waldram, R.; Nunnerley, H. And DAVIS M., (1977)** : Detection and grading of esophageal varices by fibroptic endoscopy and barium swallows with buscopan. *Clin. Radio*, 28: 137.
- Walker, S.; Kreichgauer, H.P.; Bode , J.C., (1992)** : Terlipressin VS Somatostatin in bleeding esophageal varices: a controlled double-blind study . *Hepatology*, 15: 1023-1030.
- Warren, W.D.; Henderson, J.M.; Millikan, W.J. et al., (1986)** : Distal splenorenal shunt versus endoscopic sclerotherapy for long-term management of variceal bleeding: preliminary of a prospective randomized trial. *Ann Surg* ; 202: 454.
- Westaby, D.; Gimson, A.; Hayes, P.C.; Williams, R., (1988)** : Hemodynamic response to intra venous vasopressin and nitroglycerin in portal hypertension. *Gut*. 29: 372-377.

- Westaby, P.; Hayes, P.C.; Gimson, A.E. et al., (1989) :** Controlled clinical trial of injection sclerotherapy for active variceal bleeding. *Hepatology*, 9: 274.
- Westaby, D.; McDougall, B.R.D.; Saunders, J.B. and Williams, R., (1982) :** A study of risk factors in patients with cirrhosis and variceal bleeding. In Westaby D, McDougall B and Williams R (eds): "Variceal bleeding". Pitman, London, UK. Page 21.
- Westaby, P.; McDougall, B.R.D.; Williams, R., (1985) :** Improved survival following injection sclerotherapy for esophageal varices: Final analysis of a controlled trial. *Hepatology*, 827-35.
- Whitte, C.L.; Btrwer, M.L.; Witte, M.H. and Pond, G.B., (1984) :** Manifestations of pyelothrombosis. A review of 34 patients. *Ann. Surg*, 202 : 191.
- Witte, C.L. and Witte, M.H., (1983) :** Splanchnic circulatory and tissue fluid dynamics in portal hypertension. *Fed Proc*; 42: 1685.
- Williams, S. R.; Westaby, D. and Mc Dougall, B.R.D., (1984) :** Injection sclerotherapy indications, techniques, results and complications. In sivak, M.V.; J., (ed): "Endoscopic sclerotherapy of esophageal varices". *Gastroenterology series VI* page: 121.
- Yachha, S.K.; Sharma, B.C.; Kumar, M., (1997) :** Endoscopic sclerotherapy for esophageal varices in children with extrahepatic portal venous obstruction. *J Pediatr Gastroenterol Nutr*, 24 : 1, 49 - 52.
- Yamaga, H.; Hashizume, M.; Kitano, S. et al., (1989) :** Acute renal failure after endoscopic injection sclerotherapy: a report of two cases. *Endoscopy*, 21: 43.
- Young, M.; Sanowski, R.; Rasche, R., (1993) :** Comparison and characterization of ulcerations induced by endoscopic ligation of esophageal varices Versus endoscopic sclerotherapy. *Gastrointest Endosc*, 39: 119-22.
- Zakaria MS, Thakeb F, Hunter MS et al., (1988) :** Incidence of oesophageal varices as a cause of upper gastrointestinal bleeding among patients subject to upper gastrointestinal endoscopy. In Thakeb F and Zakaria MS (eds): "Gastrointestinal Endoscopy, an Egyptian view". El-Sona El-Mohamdia, Egypt. P. 3.
- Zoller, W,G and Gross, M., (1995) :** Drug treatment of esophageal variceal bleeding: Alternative or supplement to endoscopic therapy. *Endoscopy*, 27: 616-621.