

REFERENCES

Acheson J.F., Mchugh J.D. and Falcon M.E.(1988):

Changing patterns of early complications in cataract surgery with new techniques: a surgical audit.

British.j.Ophthalmol.72,481-484.

Amays L.G. and Speedwell Taylord D.(1990):

Contact lenses for infantile aphakia.

Brit.J.Ophthalmol.,74,150-154.

Apple, D.J., Mamalis N., Lofffield K, Googe J. and Olson R.(1984):

Complications of intraocular lenses,a historical and histopathological review.

Survey of ophthalmology,29:(1) 1-54.

Apple, D. J., Gieser, S. C. and isenberg, R. A. (1985):

Evolution of intraocular lenses. Ed. by: Center for Intraocular Lens

Research at The University of Utah Health Sciences Center. PP. 3-22.

Aron, J. and Aron-Rosa D.(1983):

Intraocular lens implantation in unilateral congenital cataract: A

Preliminary report.

Am. Intraocular Implant Soc.-J. 9: 306.

Arthur S.M.(1988):

Implant complications:Intra-surgical and postoperative.

An Inst.Barraquire,vol.:20,355-362.

Ascaso, F.J., Castillo, J.M., Cristobal J.A., Minguez E., and
Palemar A.(1991):

A comparative study of eight intraocular lens calculation formulas.
Ophthalmologica 203:148-153.

Atkison J., Braddick O. and French J.(1980):

Infant astigmatism ;its dissappearance with age.
Vision Res.Vol.20:891-893.

Baber I.M., and Yonoff M.(1984):

Effect of intraocular lens surgery on the cornea.

Intraocular Lens Implantation. Rosen E.S., Haining W.M., and Arnott
E.J.(eds.) The C.V.Mosby company, St.Louis, Toronto, 566-582.

Barasch K.R.and Polar S.(1979):

A glass intraocular lens.

Am.J.Ophthalmol.,88:556-559.

Barraquer J.(1959):

Anterior chamber plastic lenses. Results and conclusions from five
years experience.

Trans. Ophthalmol. Soc. U.K., 79:393.

Barrett G., and Constable I.J.(1984):

Corneal endothelial loss with nex intraocular lenses.

Am.,J.,Ophthalmol.vol.:98,157-165.

Bear M.F., Kleinschmidt A., Qiang G. and Singer W.(1990):
Disruption of experience-dependant synaptic modification in striate cortex by infusion of an N.M.D.A.receptor antagonist.
Am.J.Ophthalmol.114:314-317.

Beller R, Hoyt C S.(1981):
Good visual function after neonatal surgery for congenital monocular cataracts.
Am.J.Ophthalmol.vol 91:5.

Ben-Ezra D and Paez J.H.(1983):
Congenital cataract and intraocular lens.
Am.j.Ophthalmol,96:311-314.

Benson W.E, Brown G.C., Tamson W.and McNamara J.A.(1990)
Extracapsular cataract extraction, posterior chamber lens insertion, and pars plana vitrectomy in one operation.
Ophthalmol.vol.97, No.7.

Bienfait M.F., Pameifer J.H.(1990):
Wildervanck de Blecourt-Devilee M Intraocular lens implantation in children with unilateral traumatic cataract.
International ophthalmol.14:271-276.

Binkhorest C.D and Gobin M.H.(1964):
Injuries to the eye with lens opacity in young children.
Ophthalmologica 148:169.

Binkhorest C.D and Gobin M.H and Leonard P.A.(1969):
Post traumatic artificial lens implants (Pseudophakoi) in children
Br.J.Ophthalmol 53:518.

Binkhorest C.D and Gobin M.H.(1970):
Treatment of congenital and juvenile cataract with intraocular
lens implant (pseudophakoi).
Brit.J.Ophthalmol.54,759-765.

Binkhorest C.D and Gobin M.H.(1972):
Congenital cataract and lens implantation:
Ophthalmologica 164:392-397.

Binkhorest C.D.(1973):
The irido-capsular (two-loop)lens and the iris clip (four-loop) lens in
pseudophakia.
Trans.Am.Acad.Ophthalmol.Otolaryngol.77:589.

Binkhorst C.D.(1975):
The optical design of intraocular lens implants.
Ophthalmic Surg., 6: 17-31.

Binkhorst C. D. (1976):
Pitfalls in the determination of intraocular lens power without
ultrasound.
Ophthalmic Surg., 7: 69.

Birch E, Stager D, Wrigth W.(1986):

Grating acuity development after early surgery for congenital unilateral cataract.

Arch.Ophthalmol.,104;1783-1787.

Birch E, Stager D.(1988) Jan.:

Prevalence of good visual acuity following surgery for congenital unilateral cataract.

Arch.Ophthalmol.vol.,106.

Blumenthal M.,Yalen M. and Treister D.(1983):

Intraocular lens implantation in traumatic cataract.

Am.Intraocular implant soc.J.,Vol.9.

Bores.(1980):

Quoted from Hiles D.A.(1980),Indication ,technique and complications associated with I.O.L.implantation in children.ed:Intraocular lens implants in children.New York.Grune and Stratton 1980.

Buckley E.G., Klombers L.A., Seaber J.H., A., Minzter R.(1993):

Management of the posterior capsule during paediatric intraocular lens implantation.

Am.J.Ophthalmol.:15;115(6).

Burke J P, Willshaw H.E and Young D.H.(1989):

Intraocular lens implants for unocular cataracts in childhood.

Brit.J.Ophthalmol.:73,860-864.

Chandler P.A. and Johnson C.C.(1947):

A neglected cause of secondary glaucoma in eyes in which the lens is absent or subluxated.

Arch. Ophthalmol. 37:740.

Cheng K.P, Hiles.D.A., Biglan A.W. and Pettapiece M.C.(1991):

Management of posterior lenticonus.

J.Paediat.Ophthalmol.Strabismus.;28:143-9.

Choyce D.P.(1958):

Correction of uniocular aphakia by means of anterior chamber acrylic implants.

Trans. Ophthalmol. Soc. UK 78:459.

Choyce D.P.(1963):

All Acrylic anterior chamber implants

Arch. Ophthalmol. 66:64-75.

Clayman H.M.(1981):

Use of regression formula for I.O.L.calculation.

Am.Intraocular implant soc.J.,6;63.

Clayman H.M.(1987):

Materials and manufacturing techniques of I.O.Ls. Anterior segment surgery.Stark W.J.,Terry A.C.and Maumenee A.E. Baltimore,London.Los Angeles,19-23.

Cohan B.E.(1982):

The broken nylon iris fixation suture.

Am.j.Ophthalmol.;93:507-510.

Costa G.(1987):

Complications in posterior chamber lens implantation.

Dev.Ophthalmol,13:36.

Crandell A.(1988):

Evaluation of a new hydrogel lens

From the 9th.afro Asian Congress Ophthalmol.,Cairo,Abstract
book;Cataract and I.O.L.,3.

Crawford J.B.(1981):

A histopathological study of the position of the shearing I.O.L.in the
posterior chamber.

Am.J.Ophthalmol.,91:458-461.

Crouch E.R. and Parks M.M.(1978):

Management of posterior lenticonus complicated by unilateral cataract.

Am.j.Ophthalmol.;85:503-8.

Dang M.S. and Raj P.S.(1989):

S.R.K.frmula in the calculation of intraocular lens power.

British J.of Ophthalmol.;73:823-826.

Dahan E. and Salmenson B.(1990):

Pseudophakia in children: precaution, technique, and feasibility.

J.Cataract.Refract.Surg.vol 16.

EL- Sada M.A.(1987):

Secondary intraocular lens implantation in children.

Bull.Ophthalmol.Soc.Egypt:vol80,337-39.

El-Sawy A.F.(1992):

Posterior chamber lens implantation with primary posterior capsulotomy in children.

Bull.Ophthalmol.Soc.Egypt,Vol.85.

Epstein R.G., Fernandos A. and Gammon J.A.(1988):

The correction of aphakia in infants with hydrogel extended wear contact lenses.

Ophthalmol.95:1102-1106,1988.

Fekry Y., Shoheib E.E. and Salah M.(1992):

Relation between the age and the need for posterior capsulotomy after E.C.C.E.

Bull.Ophthalmol.Soc.Egypt,Vol. 85.

Fledelius HC.(1981):

Changes in refraction and eye size during adolescence, with special reference to the influence of low birth weight, in Fledelius HC, Alsbirk PH, Goldschmidt

Quoted from Arch Ophthalmol vol 103. June 1985.

Ford F.T.(1984):

I.O.L.design, Intraocular lens implantation. Rosen E.S., Haining W.M. and Arnott E.J. The C.V. Mosby co., st. Louis-Toronto, 74-84.

Gamal M.(1991):

The effect of posterior chamber lens implantation on the anterior uveal tract.

Thesis. Benha faculty of medicine, Zagazig university.

under supervision of:

Abou El-Nasr T.T., and Hakim M.S.

Girard L.J., Neely W. and Sampson W.G.(1962):

Problems of intracapsular cataract in infants and children.

Am.J.Ophthalmol.:54:1064.

Gordon R.A. and Danzis P.B.(1985):

Refractive development of the human eye.

Arch.Ophthalmol. vol.103:785-789.

Gregg F.M. and Parks M.M.(1992):

Stereopsis after congenital monocular cataract extraction.

Am.j.Ophthalmol.:114:314-317.

Hemo U. and Ben-Ezra D.(1987):

Traumatic cataracts in young children. (Correction of aphakia by intraocular lens implantation). Ophthalmic Pediatrics and

Genetics ; 8: 203-207.

Hiles D.A. and Watson B.A.(1979):

Complications of implant surgery in children.

Am.Intraocular Implant Soc. J.vol 5 jan p24-32.

Hiles D.A.(1979)Jully:

Peripheral iris erosions associated with pediatric intraocular lens implants.

J.Am.Intraocul.Implant Soc.:5 (3),p;210-212.

Hilles D.A.(1980):

Indications,techniques and complications associated with I.O.L.implantation in children.

In: Hilles D. ed Intraocular lens implants in children.New York. Grune and Stratton.

Hiles D.A.(1984):

Intantile cataracts, In: Ginsberg, S.ed. Cataract and intraocular lens surgery. Birmingham, Alabama: Aesulapius. 501: 26.

Hiles D.A. and Hered R.W.(1987):

Modern intraocular lens implants in children with new age limitation.

J.Cataract.Refract.Surg:13:493-7.

Holladay J.T.(1986):

Evaluating the I.O.L.optic.

Surv.Ophthalmol.,30 (6);385-340.

Holladay J.T. Prager T.C.(1991):

Mean visual acuity (Letter).

Am.J.Ophthalmol.111;372-4.

Hoyt C.S.(1986):

The optical correction of pediatric aphakia.

Arch.Ophthalmol,vol 104:651-2.

Huber C.(1984):

Intraocular lens power. •

Ed. by: Rosen, E. S., Haining, W. M. and Arnott, E. J.

In: Intraocular Lens Implantation.

The C.V. Mosby Co., St. Louis - Toronto PP. 90-96.

Inagaki Y. (1986):

The rapid change of corneal curvature in the neonatal period and infancy.

Arch. Ophthalmol. 104:1026.

Ingram R.M. and Barr A.(1979):

Changes in refraction in the ages between 1 and 3 1/2 years.

Brit.J.Ophthalmol.:63;339-342.

Jaafar M.S. and Robb R.M.(1984):

Congenital anterior polar cataract:a review of 63 cases.

Ophthalmology;91:249-54.

Hokim J. (1987):

Intraocular inflammation of denatured viscoelastic substances in cases of cataract extraction and lens implantation.
J. cataract refract surg.:13:537-542.

Jaffe N.S.(1981):

Intraocular lens implants : Ed. by : Jaffe N.S. in Cataract surgery and its complications, The C.V. Mosby Co. St. Louis-Toronto-London. PP :111-186.

Jaffe G.F.(1990):

Intraocular lens implants.
Cataract Surgery and its Complications. In Jaffe N.S., Jaffe M.S., Jaffe G.F.(eds.). The C.V. Mosby company, St. Louis, Baltimore, Philadelphia, Toronto, 128-245.

Kampik A., Schinzel M. and Haigis W.(1993):

Calculating and development of refraction in theoretical intraocular lens implantation in early childhood.
Klin-Monatsbl-Augenhkld.:202 (4):315-9.

Katsumi D., Miyanaga Y., Hirase T., Okuno H., and Asaeko I.(1988):

Binocular function in unilateral aphakia.
Ophthalmology 95:1008-1093.

Kelley C.G., Keates R.I.I. and Lembach R.G.(1986):

Epikeratophakia for paediatric aphakia.
Arch.Ophthalmol, vol 104:680-2.

Kelmen C.D.(1967):

Phakoemulsification and aspiration:A new technique of cataract removal.

Am J Ophthalmol 64:23.

Kent D.G. and Gross.K.A.(1990):

Trial of a disc lens for intercapsular cataract extraction.

Aust-N-Z-J-Ophthalmol;18(3);P 329-34.

Khvatova A.V., Kruglova T.B.(1992):.

Intraocular correction in the restorative therapy of children with congenital and traumatic cataracts.

Vestn-Oftalmol;108(1),p;18-21.

Koenig S.B., Ruttom M.S., Lewandowski M., and

Schultz R.(1993)Aug.:

Pseudophakia for traumatic cataract in children.

Ophthalmology;100(8)1218-24.

Kora Y., Inatomi M., Ochi T., Fukoda Y. and Suzuki Y.(1989):

A new intraocular lens formula for high myopia.

Ophthalmic Surg.;vol.20,no 12:860-863.

Kora Y., Shimizu K., natomi M, Fukado Y., Ozawa T.(1993)Jul:

Eye growth after cataract extraction and intraocular lens implantation in children.

Ophthalmic.surg.;24(7):467-75.

Kraff M.C., Sanders D.R., Jampal L.M. and Lieberman H.L.(1985):
Effect of ultraviolet filtering I.O.L.on cystoid macular eodema.
Ophthalmol.,92(3):366-369.

Krause Uef.(1985):
Effects of lens implants on iris fluorescein angiography and iris pigment layer.
Ophthalmologica. 63: 369.

Lambert S., Hoyt C. and Taylor D.(1990):
Crystalline lens.
Paediatric Ophthalmology,Boston;Blackwell,chap.,24.

Lemp M.A. and Gold G.P.(1986):
The effect of extended wear hydrophilic contact lenses on the human corneal epithelium.
AM.j.Ophthalmol.vol 101:274-2.

Mackool R.J. and Chhatiawala H.(1991):
Pediatic cataract surgery and intraocular lens implantation:a new technique for preventing or excising postoperative secondary membranes.
J.Cataract.Refract.Surg.:17 (1),P;62-69.

Mainster M.A.(1978):
Spectral transmittance of I.O.Ls.and retinal damage from intense light sources.
Am.J.Ophthalmol.,85:167-170.

Maltzman B.A., Haupt E., and Cucci P.(1989):

Effect of the laser rigge on posterior capsule opacification.

J-Cataract-Refract-Surg; 15(6), P, 644-6.

Mantylarvi M.(1985):

Changes of refraction in school children.

Arch.Ophthalmol.vol.103;790-792.

Masket S.(1986):

Pseudophakic posterior iris chafing syndrome.

J.Cataract.Refract.Surg.,Vol.:12,252-256.

Masket S.(1990):

Non cicatricial deformation of the pupil induced by sulcus fixated one piece posterior chamber lens.

J.Cataract.Refract.Surg.,Vol.:16,481-484.

Menezo I.L. ,Taboad A. and Valencia S.J.(1982):

Assesment of intraocular lens implantation in children.

Am.Intraocular implant soc.J,vol 8 spring

Metz H.S.(1972):

Keeping glasses on an infant.

J.Padiatr.Ophthalmol,vol 9,250-2.

Miller S.J.(1977):

Current status of I.O.Ls.

Br.J.Ophthalmol.,61:307.

Miller N.R.(ed).(1982):

Walsh and Hoyt's clinical Neuro-ophthalmology,ed.4,vol.1,chap.7.
Baltimore,Williams and Wilkins,p.89.

Miller K.D.,Keller J.B., and Stryker M.P.(1989):

Ocular dominance column development. Analysis and simulation.Science
245;605.

Miller D. and Stegman R.(1982):

Healon A Guide to its use in ophthalmic surgery.
John Willey and Sons,New York, Chichester,Brisbane,Toronto and
Singapore.

Mills K.B.(1984):

Complications of intraocular lens implantation.
Intraocular Lens Implantation.Rosen E.S.,Haining W.M.,and Arnott
E.J.(eds.),The C.V.Mosby company,St.Louis,Toronto,563-565.

Miyake K., Askura M., Miyake Y. and Nishi O.(1989):

Pupillary fibrin membrane. A frequent early complication after posterior
chamber lens implantation in Japan.
Ophthalmology.,Vol.:968,1228-1233.

**Morgan K.S., Stephenson G.S., Macdonald M.B. and Kaufman
H.E.(1984):**

Epikeratophakia in children.
Ophthalmology :91:780-4.

Morgan S.K., Arfa R.C., Marveili T.L. and Verity S.M.(1986):

Five years follow-up of epikeratophakia in children.

Ophthalmology:93:423-432.

Morgan K.S., Macdonald M.B. and Hiles D.A.(1987):

The nationwide study of epikeratophakia for aphakia in children.

Am.J.Ophthalmol:103:366-74.

Morgan K.S., Macdonald M.B., Hiles D.A. and Margurite B.(1988):

The nation wide study of epikeratophakia for aphakia in older children.

Ophthalmology 95:526-532.

**Movshon J.A., Eggers H.M., Gizzi M.S., Hendrickson A.G. and
Kiopes L.(1987):**

Effects of early unilateral blur on the macaque's visual system ;

physiological cosideration

J.Neurosurg.7:1340-51.

Murphy A.M., Reid R.R. and Pollard Z.F. (1967):

Rubella cataract:Further clinical and virologic observations.

Am.J.Ophthalmol.:64;1109-19.

**Movshon J.A., Eggers H.M., Gizzi M.S., Hendrickson A.G. and
Kiopes L.(1987):**

Effects of early unilateral blur on the macaque's visual system ;

physiological cosideration

J.Neurosurg.7:1340-51.

Nelson L.B. Cutler S.T. Calboun J.L. and Wilson T.W.(1985):

Silsoft exteded wear cotact lens in paediatric aphakia.

Ophhthalmology :92:1529-1531.

Olson T.(1986):

Calculation of power of I.O.L. from curvature of the cornea.

British J.of Ophthalmol.;70:152-154.

Packard R.B., Garner A. and Arnott E.J.(1981):

Poly-Hema as a material for I.O.L.implantation.A.preliminary report.,

Br.J.Ophthalmol.,65:585-587.

Parks M.M and Hiles D.A.(1967):

Management of infantile cataracts

Am.J.Ophthalmol:63:10-19.

Parks, M.M.(1982):

Visual results in aphakic children.

Am.J.Ophthalmol.94:441.

Parks M.M, Johnson D.A, Georg W.R.(1993):

Long-term visual results and complications in children with aphakia, a function of cataract type.

Ophthalmology,vol.100,no.6,p:826-841.

Peritt, R.(1982):

The use of healon in the anterior chamber lens implantation.

Am.Intraoc.Implant.Soc.J.,8:55-58.

Pollard Z.F.(1988):

Familial bilateral posterior lenticonus.

Arch.Ophthalmol.;101:1238-40.

Powers M. and Dobson V.(1982):

Effect of focus on visual acuity of human infants.

Vision Res.22:521

Retzlaff J., Sanders D. and Kraff M.(1981):

A manual of implant power calculation: SRK formula. Medford, Oregon.

Quoted from: Anterior Segment Surgery IOLs, Lasers and Refractive Keratoplasty. Ed. by: Stark, W. J., Terry, A. C. and Moumensee, A. E.

Williams and Wilkins, Baltimore U.S.E. P. 46.

Retzlaff J.D,Sanders D.R. and Kraff M.C.(1990):

Development of the S.R.K. fomula for intraocular lens implant power calculation.

J.Cataract refract.surg.;vol.16:333-340.

Reynold J.D., Hiles D.A., Johnson B.L. and Biglon A.W.(1982):

A histopathological study of bilateral aphakia with unilateral intraocular lens in a child.

Am.J.Ophthalmol.:93;289-93.

Ridley H.(1951):

Intraocular acrylic lenses.

Trans. Ophthalmol. Soc. U.K. 71: 617-621.

Rogers G L, Tishler C L, Tsau B H and Hertle R W. (1981):

Visual acuities in infants with congenital cataracts operated on prior to 6 month of age.

Arch. Ophthalmol. 99:999-1003.

Roper-Hall M.J. and Rich W.C. (1985):

I.O.Ls. recent advances in ophthalmology no.7 Davidson S.I. and Fraunfelder F.I. Churchill Livingstone, Edinburgh, London. New York, 83-96.

Rosen E.S. (1984):

The development and characterization of the intraocular lens. In: Intraocular Lens Implantation.

Ed. by: Rosen, E. S., Haining, W. M. and Arnott, E. J. The C. V. Mosby Co., St. Louis - Toronto. PP. 50-58.

Rosen E.S. (1992):

Cataract and lens implant surgery, Practical ophthalmology, Longman Group U.K.

Shechter R.J. (1980):

Optics of intraocular lenses. In: Refraction and Clinical Optics. Ed.

by: Safir, A. Harper and Row, Publishers, Cambridge, London and New York. PP. 535-54,

Schechter R.J. (1985):

Optics of I.O.Ls.

Clinical Ophthalmology. Duane T.D. and Jaeger E.A. (ed.), Harper and Row publishers, Philadelphia, 68:1-14.

Schechter R.J.(1988):

Pupillary peaking with exposure of an intraocular lens positioning hole corrected by ND:YAG laser treatment.

J.Cataract Refract.Surg.,Jan.,Vol.:14(1),86-87.

Scheie H.G.(1960):

Aspiration of congenital or soft cataracts: A new technique.

Am.J. Ophthalmol. 50:1048.

Shammas H.J.(1984):

Axial length measurement, In atlas of ophthalmic ultrasonography and biometry. The C.V.Mosby Co.st.louis,toronto,273-299.

Shearing S.P.(1978):

A practical posterior chamber lens.

Contact and intraocular lens Med. J., 4:114.

Sheets J. and Friedbery J.(1980):

Vitreous wick syndrome following discission of the posterior capsule.

Arch. Ophthalmol. 98: 327.

Shelley J., Leonard B. and Joseph H.(1985):

Vision in childhood aphakia.

J.Paediatric Ophthalmol.Strab. 20:86.

Sinskey R.M. and Patel J.(1983):

Posterior chamber lens implants in children: Report of a series.

Am. Intraocular implant. Soc. J. 9: 157.

Sinskey R.M., Karel F. and Dal R.E.(1989):

Management of cataracts in children.

J-Cataract-Refract-Surg; Mar; 15(2);P 196-200.

Sinskey R.M., Stoppel J.O. and Amin P.A.(1993a)May:

Long-term results of intraocular lens implantation in paediatric patients.

J.Cataract.Refract.surg.;19 (3)405-8.

Sinskey R.M., Stoppel J.O. and Amin P.A.(1993b)Nov.:

Ocular axial length changes in a paediatric aphakia and pseudophakia.

J.Cataract.Refract.surg.;19 (6).

Sorsby A., Benjamin B, Sheridan M., (1961):

Refraction and Its Components During the Growth of the Eye from the Age of 3.

Medical Research Council special report series.

London, Her Majesty's Stationery Office, No.301, PP 7, 43.

Stark W.J, Smith P.W, Maumenee A.E and Terry A.C.(1987):

Intraocular lenses:Complication and visual results. in:

Anterior segment surgery:lols,lasers and refractive keratoplasty.

ed by :Stark,W.J Terry,A.C and Maumenee,A.E. Williams and

Wilkins,Baltimore,U.S.A. p77-84.

Strampelli, B. (1953):

Sopportabilita di lenti arciliche in camera anteriore nella afachia
e nei vize di refrazione.

Ann. Ottal., 80: 75.

Quoted from: Cataract Surgery: Current Options and Problems (1984).

Ed. by: Engelstein, J.M.

Grune and Straton Inc., Orlando, San Diego, San Fransisco and New York.
PP. 73-88.

Tablante R.T., Cruze E.D. Lapus J.V. and Santos A.M.(1988):

A New Technique of congenital cataract surgery with primary posterior
chamber intraocular lens implantation.

J.Cataract Ref.Surg. 14:149-157.

Tennant J.L.(1984):

Anterior chamber intraocular lenses :rigid ,semiflexible and flexible
,in:Cataract surgery:Current options and problems,ed by:ENGELSTEIN
J.M. GRUNE and Stratton inc.,orlando, San Diego, San Fransisco and
New York, p 73-88.

Vajpayee R.B.Angra S.Ktitia J.S. and Sharma Y.R.(1991):

Pseudophakic pupillary block glaucoma in children.

Am.J.Ophthalmol:111:715-718.

Vaegan E. and Taylor D. (1979):

Critical period for deprivation amblyopia in children.

Trans Ophthalmol.Soc.U.K. 99:432-439.

Van Balen A.M.(1975):

The implantation of artificial lenses in traumatic cataract in children.

Doc Ophthalmol Proc Ser ; 6:1-5.

Van-Buskirk E.(1983):

Pupillary block glaucoma after intraocular lens implantation.

Am.j.Ophthalmol.vol.95,No 1, P:54-59.

Van Herick W.(1969):

Slit-lamp estimation of angle width by comparing the peripheral anterior chamber depth to the corneal thickness

Am. J. Ophthalmol., 68: 626.

Von Noorden G. K., Ryan S.J. and Maumenee A.E.(1970):

Managemesnt of congenital cataracts.

Trans.Am.Acad.Ophthalmol.Otolaryngeal 74:352.

Von Noorden G.K.(1973):

Experimental amblyopia in monkeys.

Further behavioral observation and clinical correlation.

Invest Ophthalmol.12:721.

Von Noorden G.K.(1981):

New clinical aspects of stimulus deprivation amblyopia.

Am.J.Ophthalmol.92:416.

Walter J.R. and Sugar A.(1985):

Reactive cellular membrane on a glass fragment after two years in the anterior chamber.

J.Am.Intraocul.imp.Soc.:11:68-71.

Wang G. and Pomorantzeff O.(1982):

Obtaining a high quality retinal image with a biconvex I.O.L.

Am.J.Ophthalmol.,94:87.

Warring G.O. and Parks M.U.(1977):

Successful lens removal in congenital corneolenticular adhesion (Peter's anomaly).

Am.J.Ophthalmol.83:526-9.

Werner D. and Kaback M.(1977):

Pseudophakic pupillary block glaucoma.

Br. J. Ophthalmol. 61:329.

Wiesel T.N. and Hubel D.H. (1965):

Comparison of the effect of unilateral and bilateral eye closure on vortical unit responses in Kittens.

J.Neurophysiol. 28:1029.

Wohl L.G. and Kline O.R.(1986):

Effectively of laser ridge I.O.Ls.

Ophthalmic surg.,17(10):667-669.

Wright P. and Mackie I.(1982):

Preservative related problems in soft contact lens wearer.

Transophthalmol Soc.U.K.:102:3-7,

Wright K.W., Urrea P.T. and Wehrle M.(1987):

Bilateral occlusion during the critical period of visual development.

Arch.Ophthalmol.;Vol.105;321.

Wright K.W.,Ellen- Matsumoto and Edelman P.(1992):

Binocular fusion and stereopsis associated with early surgery for monocular congenital cataracts.

Arch.Ophthalmol.;Vol.110,1607-09.

Yitzchak H. and Ben Ezra.(1987):

Traumatic Cataracts in Young children; Correction of aphakia by intraocular lens implantation;

Ophthalmic paed. & genetics Vol 8 No 3,

P. 203-207.

Zaghlool,T.M.(1988):

Study of anterior chamber intraocular lens implantation.

Thesis.Benha faculty of medicine,zagazic universty.

under supervision of:

Labib M.A., Abbas S.R., Abou El-Nasr T.T.