

REFERENCES

- Akerblom, W.K. and Reunanen, A. (1985):* The epidemiology of IDDM in Finland and in Northern Europe. *Diabetes care*, 8 (suppl. 1): 10 - 16.
- Albino, J. and Rifkin, H. (1982):* Etiologies of diabetes mellitus. *Med. Clin. N. Am.*, 66 (6): 1209 - 1226.
- Ali, O.F.; Hanafi, F.Z.; Salem, M. and Farag, M.K. (1986):* A sociomedical study on the epidemiology of juvenile onset diabetes mellitus in Mansoura school age children (under 15 years). *Egypt. J. Commun. Med.*; 2 (1): 131 - 150.
- Allgrove, J. (1988):* Improved diabetic control in district general hospital. *Clinic. Arch. Dis. Children* 63: 180 - 185.
- Amiel, S.A.; Tamborlane, W.V. and Sherwin, R.S. (1987):* Defective glucose counter regulation after strict glycemic control of IDDM. *N. Engl. J. Med.*, 316: 1376 - 84.
- Argente, J.; Evain-Brion, D.; Munoz-Villa, A.; et al. (1986):* Relationship of Plasma Growth-Hormone Releasing Hormone Levels to pubertal changes. *J. Clin. Endocrinol. and Metabolism* 63 : 680 - 682.

- Assan, R.; Freutren, J. and Sirma, J. (1988):* Cyclosporin trials in Diabetes: Updated results of The French experience. *Transplant Prol.* 20 (suppl. 4): 178 - 183.
- Assayama, K.; Kooy, N.W. and Burr, I.M. (1986):* Effect of vit E deficiency and Selenium deficiency on insulin secretory reserve and free radical scavenging systems in islets: decrease in islet manganosuperoxide dismutase. *Journal of Laboratory and Clinical Medicine* 107: 459 - 464.
- Bantavala, J.E.; Bryant, J.; Schernthaner, G. et al. (1985):* Coxackie B, Mumps, Rubella and cytomegallovirus specific IgM responses in patients with IDDM in Britain, Austria and Australia. *Lancet* i: 1409 - 1412.
- Barkam, A.L.; Shenker, Y.; Gerkin, R.; Vale, W.W.; Lloyd, R.V. and Beals, T.F. (1986):* Acromegally due to ectopic GHRH production. *J. Clin. Endocrinol. Metab.*, 63: 1057 - 1064.
- Barmeier, H.; McCullough, D.; Neifing, J.; et al. (1990):* Progression of beta cell dysfunction is associated with 64 K antibodies in first degree relatives of IDDM patients. *Diabetes* 39 (suppl. 1): 122 A.
- Baumann, G.; Stolar, M.W.; Amburn, K.; et al. (1986):* A specific GH binding protein in human plasma: initial characterization. *J. Clin. Endocrinol. Metab.* 62: 134.

- Baumann, G.; Shaw, M.A. and Winter, R.J. (1987):** Absence of the plasma growth hormone-binding protein in Laron-type dwarfism. *J. Clin. Endocrinol. Metab.*, 65: 814.
- Beer, S.F. (1986):** Fatal ketoacidosis. *Lancet* 1: 563.
- Bennet, P.H. (1983):** The diagnosis of diabetes: new international classification and diagnostic criteria. *Annu. Rev. Med.*, 34: 295.
- Berelowitz, M.; Szabo, M.; Frohman, L.A. et al. (1981):** Somatomedin - C mediates growth hormone negative feedback by effects on both the hypothalamus and the pituitary. *Science* 1981; 212: 1279 - 81.
- Blair, N.P.; Tso, M.O.M. and Dodge, J.T. (1984):** Pathological studies of the blood retinal barrier in the spontaneously diabetic BB. rat. *Investigative Ophthalmology and Visual Sciences* 25: 302 - 311.
- Bloch, B.; Brazeau, P.; Ling, N. et al. (1983):** Immunohistochemical detection of GHRF in brain. *Nature*, 301: 607 - 608.
- Bloom Fields, S. and Farquhar, J.W. (1990):** Paediatric diabetic clinic better? *Arch. Dis. child* 65: 139 - 140.

- Bone, A.J.; Walker, R.; Dean, B.M.; Baird, J.D. and Cooke, A. (1987):* Prediabetes in the spontaneously diabetic BB/E rat. Pancreatic infiltration and islet cell proliferation. *Acta Endocrinologica* 115: 447 - 454.
- Bonifacio, E.; Bingley, P.J.; Shattock, M.; et al. (1990):* Quantification of islet-cell antibodies and prediction of IDDM. *Lancet*, 335: 147 - 149.
- Borges, L.; Beizzard, R.M. and Gelato, M.C., et al. (1983):* Effects of human pancreatic tumour growth hormone releasing factor on GH and somatomedin C levels in patients with idiopathic growth hormone deficiency. *Lancet* ii, 119 - 124.
- Boucher, B.J.; Burrin, J.M.; Gould, B.J. et al. (1983):* Collaborative study of the measurement of glycosylated haemoglobin by several methods. *Diabetologia*, 24: 265 - 71.
- Brazeau, P.J.; Guillemin, R.; Ling, N.; Van Wyk, J.J. and Hamlet, R. (1982):* Inhibition par les somatomedines de la secretion d'hormone de croissance stimulee par le facteur hypothalamique somatocrine ou le peptide de synthese hpGRF CR *Acad Sci °DS (Paris)* 111: 416.

- Brouhard, B.H. (1983):* Control and monitoring for the child with IDDM. *Am. J. Dis. Child.* Vol., 137: 787 - 94.
- Brown, P. (1988):* Human growth hormone therapy and Creutzfeldt-Jakob disease: A drama in three acts. *Paediatrics*, 81: 85.
- Bruden, A.C.; Hearnshaw, J.R. and Swift, P.G.E. (1989):* Childhood diabetes mellitus: an increasing incidence. *Diabetic Medicine* 6: 334 - 336.
- Bruining, G.J.; Grobbee, D.E.; Scheffer, G.H. et al. (1989):* Ten year follow up study of islet cell antibodies in childhood diabetes mellitus. *Lancet* 1100 - 1102.
- Bundak, R.; Hindmarsh, P.C.; Smith, P.J. and Brook, C.G.D. (1988):* Long term auxologic effects of human growth hormone. *J. Pediatr.*, 112: 875.
- Burns, E.C.; Tanner, J.M.; Preece, M.A. and Cameron, N. (1981):* Final height and pubertal development in 55 children with idiopathic growth hormone deficiency, treated for between 2 and 15 year with human growth. *Eur. J. Pediatr.*, 137: 155.

- Butler, L.; Guberski, D.L. and Like, A.A. (1988):** Genetics of diabetes production of the Worcester Colony of the BB rat. Lessons from animal diabetes II. John Libbey, London, pp. 74 - 78.
- Calisti, L.; Federico, G.; Balestri, M.; Fusaro, C.; Sassese, G. and Bottone, E. (1988):** Diabetes and growth. *Minerva - Pediatr.* 40 (10): 575 - 580.
- Carey, D.E.; Goldberg, B.; Ratzan, S.K. et al.:** Radioimmunoassay for type 1 procollagen in growth hormone - deficient children before and during treatment with growth hormone. *Pediatr. Res.*; 19: 8.
- Catassi, C.; Guerrieri, A.; Bartolotta, E.; Copp, G.V. and Giorgi, P.L. (1987):** Antigliadin antibodies at onset of diabetes in children (Letter): *Lancet* ii : 158.
- Chakarabart, S. and Sima, A.A.F. (1987):** The effect of insulin and aldolase reductase inhibitor (ARI) treatment on retinal microangiopathy in BB rat. *Investigative ophthalmology and visual science* 28 (suppl.): 143.
- Chakarabart, S. and Sima, A.A.F. (1988):** Diabetic retinopathy in animal models. In: Shafrir E.; Renold A.E. (eds): *Frontiers in diabetes research. Lessons from animal diabetes II.* John Libbey, London, pp 509 - 516.

- Challen, A.H.; Davies, A.G.; William, R.J.W. and Baum, J.D.*
(1990): Support for families with diabetic child: Parents view. *Practical Diabetes* 7: 26 - 31.
- Chaptal, J.; Jean, R.; Pages, A.; Bonnet, H.; Lloret, R. and Roustan, J.* (1984): Haemochromatosis secondary to Cooley's anaemia. *Pediatric* 19: 677.
- Chase, P.; Butler - Simmon, N.; Garg, S. et al.* (1990): Cyclosporine A for the treatment of new onset insulin dependent diabetes mellitus. *Pediatrics* 85: 241 - 245.
- Chihara, K.; Kashio, Y.; Abe, H. et al.* (1985): Idiopathic G.H. deficiency secondary to hypothalamic germinoma. *J. Clin. Endocrinol. & Metabolism* 60: 269 - 278.
- Chihara, K.; Kashio, Y.; Kita, T.; Okimura, Y.; Kaji, H.; Abe, H. and Fujita, T.* (1986): L-dopa stimulates release of hypothalamic GHRH in humans. *J. Clin. Endocrinol. Metab.* 62: 466 - 473.
- Chiodini, P.G.; Liuzzi, A.; Dallabonza, D.; Oppizzi, G. and Verde, G.G.* (1985): Changes in GH secretion induced by human pancreatic GHRH - 44 in acromegally: a comparison with thyrotropin - releasing hormone and bromocriptine. *Journal of clinical Endocrinol. Metab.* 60: 48 - 52.

- Christofides, N.D.; Stephanou, A.; Suzuki, H.; Yiangou, Y.; Blood, S.R. (1984):* Distribution of immunoreactive GHRH in the human brain and intestine and its production by tumours. *J. Clin. Endocrinol. Metab.* 59: 747 - 751.
- Clarson, C.; Daneman, D. and Ehrlich, R.M. (1985):* The relationship of metabolic control to growth and pubertal development in children with IDDM. *Diabetes - Res;* 2 (5): 237 - 41.
- Clayton, P.E.; Shalet, S.M.; Gattamaneni, H.R. and Price, D.A. (1987):* Does growth hormone cause relapse of brain tumours ? *Lancet* 1: 711.
- Cohen, A.J.; McGill, P.D.; Rossetti, R.G.; Guberski, D.L. and Like, A.A. (1987):* Glomerulopathy in the spontaneously diabetic rat. Impact glycaemic control. *Diabetes* 36: 944 - 951.
- Cryer, P.E. and Gerich, J.E. (1985):* Glucose counterregulation, hypoglycaemia and intensive insulin therapy in diabetes mellitus. *N. Engl. J. Med.* 1985, 313: 232.
- Cudworth, A.G. and Wolf, E. (1982):* The genetic susceptibility to type 1 diabetes mellitus. *Clin. Endocrinol. Metab.;* 11 (2): 389 - 408.

- Dahlquist, G.; Gustarsson, K.H.; Holmgren, G.; Hagglofi, B. and Larsson, Y. (1982):* The incidence of diabetes mellitus in Swedish children 0 - 14 years of age. *Acta Paediatr. Scand.* 71: 7 - 14.
- Dean, B.M.; Bone, A.J.; Varey, A.M.; Walker, R.; Baird, J.D. and Cooke, A. (1987):* Insulin antibodies 'islet cell surface antibodies (ICSA). *Clinical and Experimental Immunology* 69: 308 - 313.
- Delitala, G.; Palermo, M.; Ross, R.; Coy, D.; Besser, G.M.; Grossman, A. (1987):* Dopaminergic and cholinergic influences on the GH response to GHRH in man. *Neuroendocrinology* 45: 243 - 247.
- DeStephano, D.B.; Lloyed, R.V.; Pike, A.M. and Wilson, B.S. (1984):* Pituitary adenomas. *Am. J. Pathol.* 116: 464.
- Dijkstra, C.D.; Dopp, E.A.; Joling, P. and Kraal, G. (1985):* The heterogenicity of molecular phagocytes in lymphoid organs. Distinct macrophage subpopulations. *Immunology* 54 (3): 589 - 599.
- Dinareello, C.A. (1984):* Interleukin 1 and acute phase response. *New England Journal of Medicine* 311: 1413 - 1418.

- Donnadieu, M.; Evain-Brion, D.; Tonon, M.C.; Vaudry, H. and Job, J.C. (1985):* Variations of plasma GHRF levels during GH stimulation tests in children. *J. Clin. Endocrinol. Metab.* 60: 1132 - 1134.
- Drash, A.L. (1987):* Genes, autoimmunity and viruses. In *Clinical care of the diabetic child*. Chicago, Year Book. Medical publishers, Inc. pp. 21 - 32.
- Drash, A.L. (1989):* IDDM in children and adolescents. Genetics and aetiology. *Current opinions in paediatrics* 1: 61 - 73.
- Drell, D.W. and Notkins, A.L. (1987):* Multiple abnormalities in patients with type I diabetes mellitus. *Diabetologia* 30: 132 - 143.
- Drury, P.L.; Watkins, P.J.; Viberti, G.C. and Walker, J. (1988):* Diabetic nephropathy. *Br. Med. Bull.*, 45:127-47.
- Eberhardt, M.S.; Wagner, D.K.; Orchard, T.J. et al. (1985):* HLA heterogeneity of IDDM at diagnosis. The Pittsburgh IDDM study. *Diabetes* 34: 1247 - 52.
- Edelsten, A.D.; Hughes, I.A.; Oakes, S.; Gordon, I.R.S. and Sarage, D.C.L. (1981):* Height and skeletal maturity in children with newly diagnosed juvenile onset diabetes. *Arch. Dis. Child.* 56: 40 - 44.

- Edge, J.A.; Mattheus, D.R. and Dunger, D.B. (1990):* The down phenomenon is related to overnight growth hormone release in adolescent diabetes. *Clin. Endocrinol. (Oxf.)*, 33 (6): 729 - 37.
- El-Sheikh, N.; Salem, M.; El-Rashidi, A. and El-Karamany, R. (1985):* Prevalence of viral antibodies in Egyptian juvenile diabetes. *Egypt. J. Pediat. Vol. 2, No. 3 - 4:* 231 - 239.
- El-Tawell, A. (1981):* Prevalence of insulin dependent diabetes among Egyptian School-age children. M.Sc. thesis (pediatrics). Faculty of Medicine, Cairo University.
- Elliot, R.B.; Reddy, S.N.; Ribby, N.J. et al. (1988):* Dietary prevention of diabetes in NOD diabetic mouse. *Diabetologia* 31: 62 - 64.
- Emmerson, A.J. and Savage, D.C. (1988):* Height at diagnosis of diabetes. *Eur. J. Pediat. Vol. 147 (3):* 319 - 20.
- Evans, W.S.; Borges, J.L.C.; Vance, M.L. et al. (1984):* Effects of human pancreatic GHRH - 40 on serum GH, prolactin, leutinizing hormone, follicular stimulating hormone and somatomedin - C concentrations in normal women throughout the menstrual cycle. *Journal of Clinical Endocrinol. Metab.* 59: 1006 - 1010.

- Fajans, S.S.; Gloutier, M.C. and Crowther, R.L. (1978):* Clinical etiologic heterogenicity of idiopathic diabetes mellitus. *Diabetes*; 27: 1112 - 1125.
- Ferri, G.L.; Adrian, T.E.; Ghatel, M.A. et al. (1983):* Tissue localization and relative distribution of regulatory peptides in separated layers from the human bowel. *Gastroenterology* 84: 777.
- Fink, H.E. (1984):* Transfusion haemochromatosis in Cooley's anaemia. *Ann. N.Y. Acad. Sci.* 119: 680.
- Foot, A.B.; Davidson, K.; Edge, J.A.; Wass, J.A. and Dunger, A.B. (1990):* The GHRH response to a mixed meal. *Clin. Endocrinol. (OXF.)* (32) (2): 177 - 183.
- Forrest, J.M.; Menser, M.A. and Burgess, J.A. (1979):* High frequency of diabetes mellitus in young adults with congenital rubella. *Lancet*; 2: 332 - 334.
- Foulis, A.K. (1987):* The pathogenesis of B cell destruction in type I (IDDM) diabetes mellitus. *J. Pathol.* 152: 141 - 148.

- Foulis, A.K. and Farquharson, M.P. (1987):* Aberrant expression of class II major histocompatibility complex molecules by *B* cells and hyperexpression of class I by insulin containing islets in type I IDDM. *Diabetologia* 30: 333 - 343.
- Froesch, E.R.; Schmid, C.; Schwander, J.; Zapf, J. (1985):* Action of insulin-like growth factors. *Annu. Rev. Physiol.* 47: 443.
- Frohman, L.A. (1980):* Neurotransmitters are regulators of endocrine functions: In Krieger, D.T.; Hughes, J.C. (eds): *Neuroendocrinology*. Sunderland, M.A., Sinauer Associates.
- Frohman, L.A. and Jansson, J.O. (1986):* Growth hormone releasing hormone (GhRH). *Endocrine Reviews* 7: 223 - 253.
- Frohman, L.A.; Thominet, J.L.; Webb, C.B.; et al. (1984):* Metabolic clearance and plasma disappearance rates of human pancreatic tumour growth hormone releasing factor in man. *J. Clin. Invest.* 73: 1304.
- Fuks, A.; Colle, E.; Ono, S.; Prudhome, G.; Seemayer, T.; Guttman, T. (1988):* Immunological study of IDDM. Lessons from animal diabetes II. John Libby, London, pp. 29 - 33.

- Fulop, M. (1984):* The treatment of severely uncontrolled diabetes mellitus. *Adv. Int. Med.* ; 29: 327.
- Gabr, M. and Abdel Salam, E. (1962):* Juvenile diabetes, a clinical survey of 19 cases admitted to the Mouniral Children Hospital during the years "1950 - 1961". *Gaz. Egypt. Paed. Assoc.*; 10: 123 - 130.
- Gamble, D.R. (1980):* The epidemiology of IDDM, with particular reference to the relationship of virus infection to its etiology. *Epid. Rev.*, 2: 49 - 70.
- Garn, S.M.; Rohmann, C.G. and Siwerman, F.N. (1967):* Radiographic standards for postnatal ossification and tooth calcification. *Med. Radiogr. Photogr.* 43: 45.
- Garre, M.; Boles, J.M.; Garo, B. et al. (1986):* Cerebral oedema in diabetic ketoacidosis. Do we use too much insulin? *Lancet* 1: 220.
- Gelato, M.C.; Pescovitz, O.; Cassorla, F.; Loriaux, L. and Merriam, G.R. (1983):* Effects of GHRF in man. *J. Clin. Endocrinol. Metab.* 57: 674 - 676.
- Gelato, M.C.; Pescovitz, O.; Cassorla, F.; Loriaux, D.L. and Merriam, G.R. (1984):* Dose response relationships for the effects of GHRF (1-44)-NH₂ in young adult men and women. *J. Clin. Endocrinol. Metab.* 59: 197 - 201.

- Gelato, M.C.; Malozowski, S.; Caruso-Nicolletti, M. et al. (1986):* GH response to GHRH during pubertal development in normal boys and girls: Comparison to idiopathic development stature and GH deficiency. *J. Clin. Endocrinol. Metab.* 63: 174 - 179.
- Ghali, I.; Mokhtar, N. and Anwar, O. (1985):* Prevalence and incidence of IDDM among Egyptian School Children. *Egypt. J. Paed.*; Vol. 2, No. 1 - 2, 1 - 20.
- GHRH European Multicenter study Group (1987):* Growth hormone (GH) response to a single injection of synthetic GHRH in pubertal children with growth failure. *J. Clin. Endocrinol.* 65: 387.
- Gibbs, S.C.J.; Joy, A.; Heffner, R. et al. (1985):* Clinical and pathological features and laboratory confirmation of Creutz Feldt-Jakob disease in a recipient of pituitary-derived human GH. *N. Engl. J. Med.* 313: 734.
- Gode, D.W.; Bersch, N.; Kaplan, S.A.; et al. (1980):* Peripheral unresponsiveness to human growth hormone in Larn dwarfism. *N. Engl. J. Med.* 303: 1156.
- Goldstein, D.E.; Parker, K.M.; Englund, J.D.; et al. (1982):* Clinical application of glycosylated haemoglobin. *Diabetes* 31: 70 - 8.

- Gomez - Pan, A. and Rodriguez, M.D. (1983): Somatostatin and GHRH. Clinics in Endocrinology and Metabolism, 12: 469 - 607.*
- Grossman, A.; Savage, M.O.; Wass, J.A.H. et al. (1983): GHRH in GHD. Lancet ii; 137 - 138.*
- Guilleman, R. (1980): Hypothalamic hormones: Releasing and inhibiting factors, in Krieger, D.T. and Hughes, J.C. (eds): Neuroendocrinology. Saunderland, M.A. Sinauer Associates.*
- Guilleman, R.; Brazeau, P.; Bohlen, P.; Esch, F.; Ling, N. and Wehrenberg, W.B. (1982): GHRF from a human pancreatic tumour that caused acromegally. Science 218: 585.*
- Guisti, M.; Lomeo, A.; Mazzocchi G. et al. (1985): The effects of GHRF and dopamine on GH secretion in acromegally. Journal of Endocrinological Investigation 9: 203 - 207.*
- Hackett, A.F.; Court, S.; Mathews, J.N. and McCowen, C. (1989): Do education groups help diabetic and their parents. Arch. Dis. Child. 64: 997 - 1003.*
- Harris, G.D.; Fiordalisi, -I. and Finberg, L. (1988): Safe management of diabetic ketoacidosis. J. Paed. 113: 65 - 67.*

- Hayford, J.T.; Danney, M.M.; Hendrix, R.F. and Thompson, R.G. (1980):* Integrated concentration of growth hormone in juvenile onset diabetes. *Diabetes*, 29: 391 - 98.
- Heller, S.R. and Tattersall, R.B. (1983):* Does diabetic control matter? *Primary care* 10: 553 - 63.
- Herber, S.M. and Dunsmore, I.R. (1988):* Does control affect growth in diabetes mellitus? *Acta. Paediatr. Scand.* 77: 303 - 305.
- Hermansen, K.; Kappelgaard, A.M.; Esman, J. and Orskov, H. (1986):* Synthetic pancreatic GHRF - 40 stimulates the secretion of endocrine pancreas. *Diabetes*, 35:119-123.
- Hierholzer, J.C. and Farris, W.A. (1974):* Follow up of children infected in Coxsackie virus B3 and B4 outbreak, no evidence of D.M. *J. Infect. Dis.*, 129: 741 - 749.
- Hintz, R.L. and Rosenfeld, R.G. (1983):* Clinical uses of synthetic growth hormone. *Hosp. Pract.* 18: 115.
- Horner, J.M.; Kemp, S.F. and Hintz, R.L. (1981):* Growth hormone and somatomedin in IDDM. *J. Clin. Endocrinol. Metab.* 53: 1148 - 53.

- Human Growth Hormone and Creutz Feldt - Jacob Disease.* US department of Health and Human Services. National Institutes of Health Publication No. 88 2793. Washington, D.C., U.S. Government Printing Office 1987.
- Hunter, F.E.; Gebicki, J.M.; Hoffsten, P.E.; Weinstein, J. and Scott, A. (1983):* Swelling and lysis of rat liver mitochondria induced by ferrous ion. *J. Biol. Chem.* 238: 828.
- In't Veld, P.A.; Pipeleers, D.G. (1988):* In situ analysis of pancreatic islets in rats developing diabetes. Appearance of non-endocrine cells with surface MHC class II antigens and cytoplasmic insulin immunoreactivity. *Journal clinical investig.* 82: 1123 - 1128.
- Isaksson, O.G.P.; Eden, S. and Jansson, J.O. (1985):* Mode of action of pituitary growth hormone on target cells. *Annu. Rev. Physiol.* 47: 483.
- Jackson, R.L. (1984):* Growth and maturation of children with insulin dependent diabetes mellitus. *Paediatric. Clin. North America* 31 (3): 545 - 567.
- Jackson, R.L. and Kelly, H.G. (1946):* Growth of children with diabetes mellitus in relationship to level of control of the disease. *J. Pediatr.*; 29: 316.

- James, M.; Stephen, F. and Raymond, L. (1981):* Growth hormone and somatomedin in IDDM. *J. Clin. Endocrinol. Metab.*; 53: 1148 - 1153.
- Japan and Pittsburgh Childhood Diabetes Research Groups (1989):* Height at onset of IDDM in high and low risk countries. *Diabetes Res. Clin. Pract.* 6 (3): 173 - 176.
- Jerntrop, P.; Jappsson, J. and Sundkvist, G. (1988):* Haemoglobin A1C self recording in the management of diabetes mellitus. *Acta. Med. Scand.* 223: 359 - 363.
- Job, J.C.; Donnadie, M.; Garnier, P.E.; Evain, B.D.; Roger, M.; Chaussain, J.L. (1983):* Ornithine stimulation test. *Pediatr. Adolesc. Endocrinol.* 12: 86.
- Johnston, D. and Tattersal, R. (1981):* Diabetes in childhood. *Recent Advances in Pediatrics*; p: 195 - 211.
- Jones, T.W.; Boulware, S.D.; Kraener, D.T.; Caprio, S. et al. (1991):* Independent effects of youth and poor diabetes control on responses to hypoglycaemia in children. *Diabetes*, vol. 40 (3): 358 - 63.

- Kahn, C.R. (1985):** Pathophysiology of diabetes mellitus: An overview in: Marble, A.; Krall, L.P.; Dradely, R.F.; Chritlieb, A.R. and Soeldner, J.S. (eds); Joslin's Diabetes Mellitus. Lea and Febiger, Philadelphia, 7th ed., pp: 43 - 50.
- Kaplan, S.L.; Underwood, L.E.; August, G.P. et al. (1986):** Clinical studies with recombinant - DNA derived - methionyl human G.H. deficient children. Lancet 1: 697.
- Keen, H. (1984):** Normoglycaemic re-entry and diabetic complications. Diabetic Med; 1: 85 - 7.
- Kenneth, P.; Richard, B.; Guillermo, P.; Michael, S.; Jonathan, J. and Arthur, R. (1982):** Relationship of counterregulatory responses to hypoglycaemia in type I diabetics. The New Engl. J. Med. 28: 1106 - 1112.
- Kinmonth, A.L.; Magroth, G.; Reckless, J.P.D. (1989):** Dietary recommendations for children and adolescents with diabetes. Diabetic Medicine 6: 537 - 47.
- Krolewski, A.J.; Canessa, M.; Warram, J.H. et al. (1988):** Predisposition to hypertension and susceptibility to renal disease in IDDM. New England Journal Medicine 313: 140 - 145.

- Krolewski, A.S. and Warram, J.H. (1985):* Epidemiology of diabetes mellitus. In: Marble, A.S.; Krall, L.P.; Bradely, R.P.; Christlieb, A.R. and Soeldner, J.S. (eds); Joslin's Diabetes Mellitus. Lea and Febiger, Philadelphia, 2nd ed., pp: 12 - 42.
- Kuroshima, A.; Doi, K. and Ohno, T. (1979):* Seasonal variation of plasma glucagon concentration mean. JPN. J. Physiol.; 29: 661 - 668.
- Laburthe, M.; Aminaroff, B.; Boige, N.; Rouyer - Fessarol, C.; Tatemoto, K; Moroder, L. (1983):* Interaction of GRF with VIP receptors and stimulation of adenylate cyclase in rat and human intestinal epithelial membranes. FEBS 159: 89.
- Lanes, R.; Recher, B.; Fort, P. et al. (1985):* Low dose oral clonidine, A simple and reliable growth hormone screening test for children. Am. J. Dis. Child. 139: 87.
- Laron, Z.; Gil-Ad, I.; Topper, E. et al. (1982):* Low dose clonidine: An effective screening test for growth hormone deficiency. Acta Paediatr. Scand. 71: 847.
- Laron, Z.; Keret, R.; Bauman, B. et al. (1984):* Differential diagnosis between hypothalamic and pituitary hGH deficiency with the aid of synthetic GHRH 1-44. Clinical Endocrinology, 21: 9 - 12.

- Lebovitz, H.E. (1984):* Aetiology and Pathogenesis of diabetes mellitus. *Ped. Clin. North Amer.*; 31: 521 - 525.
- Leveston, S.A.; McKeel, D.W.; Buckley, P.J.; Deschryver, K. et al. (1981):* Acromegally and Cushing's syndrome associated with foregut carcinoid tumour. *J. Clin. Endocrinol. Metab.* 53: 682.
- Linderkamp, O.; Buntelandt, O.; Mader, T. et al. (1977):* The effect of growth hormone deficiency and of growth hormone substitution on blood volume and red cell parameters. *J. Pediatr. Res.* 11: 885:
- Lippe, B.M.; Kaplan, S.A.; Golden, M.P. et al. (1981):* Carbohydrate tolerance and insulin receptor binding in children with hypopituitarism: Responses following acute and chronic growth hormone administration. *J. Clin. Endocrinol. Metab.* 53: 507.
- Loche, S.; Gorda, R.; Lampis, A. et al. (1986):* The effect of oxandrolone on GH response to GHRH in children with constitutional growth delay. *Clin. Endocrin.* 25: 195 - 200.

- Loo, J.B.J.; Niewenhuizen - Krusenman, A.C.; Mudde, A.H. et al. (1986):* The interaction of GHRH with other hypothalamic hormones on the release of anterior pituitary hormones. *Clinical Endocrinology* 24:149-156.
- Losa, M.; Schopohl, J.; Muller, O.A. and Werder, V.K. (1984):* Stimulation of GH secretion with human GHRF in normal subjects. *Klinische Wochenschrift* 62: 1140 - 1143.
- Losa, M.; Schopohl, J.; Stallo, G.K.; Muller, O.A. and Werder, V.K. (1985):* GHRF - test in acromegally. *Clin. Endocrinology* 23: 99 - 109.
- Luna, A.M.; Wilson, D.M.; Wibbelsman, C.J.; Brown, R.C.; Nagashima, R.J.; Rosenfeld, R.G. (1983):* Somatomedins in adolescence: a cross sectional study of the effect of puberty on plasma insulin like growth factor I and II levels. *J. Clin. Endocrinol. Metab.* 57: 268.
- Macpherson, J.N. and Freely, J. (1990):* Insulin. *Br. Med. J.* 300: 731 - 736.
- Martial, J.A.; Hallewell, R.A; Boxtor, J.D. et al. (1980):* Human growth hormone: Complementary DNA cloning and expression in bacteria. *Science* 205: 602.

- Matsubara, T. and Ziff, M. (1986):* Increased superoxide anion release from human endothelial cells in response to cytokines. *Journal of Immunology* 137: 3295 - 3298.
- McCance, D.R.; Atkinson, A.B.; Haden, A.R.; Archer, D.B. and Kenedy, L. (1989):* Long term glycaemic control and diabetic retinopathy. *Lancet* 2: 824 - 27.
- Medicine international: May 1989.* Diabetes and hyperglycemia. Chapter Editors: Peter H. Sonksen and Jonathen J. Benn.
- Mendelson, W.B.; Lantigua, R.A.; Wyatt, J. et al.: Piperidine* enhances sleep - related and insulin induced growth hormone secretion. Further evidence for a cholinergic secretory mechanisms. *J. Clin. Endocrinol. Metab.* 52: 409.
- Merimee, T.J.; Fitzgerald, C.R.; Gold, L.A. and McCourt, J.P. (1979):* Characteristic of growth hormone secretion in clinically stable diabetes. *Diabetes* 28: 308.
- National Diabetes Data Group (1979):* Classification and diagnosis of D.M. and other categories of glucose intolerance. *Diabetes*; 28: 1039 - 1057.
- National Diabetes Data Group (1984):* Report of the expert committee on glycosylated haemoglobin. *Diabetes Care* ; 7: 602 - 4.

- National institute of health consensus development panel (1987):* Consensus development conference on diet and exercise in non-insulin dependent diabetes mellitus. Diabetes Care; 10: 639 - 44.
- Nerup, J.; Mandrup - Poulsen, T.; Molvig, J. et al. (1987):* the HLA - IDDM association implications for aetiology and pathogenesis of IDDM. Diabetes Metabolism Review 53: 779 - 802.
- Nerup, J.; Mandrup - Poulsen, T.; Molvig, J. et al. (1988):* On the pathogenesis of IDDM. In Creutzfeldt, W.; Lefebvre, P. (eds) Diabetes Mellitus. Pathophysiology and therapy. Springer - Verlag, Berlin (in press).
- Nicoll, A.G.; Smail, P.J. and Forsyth, C.C. (1984):* Exercise test for growth hormone deficiency. Arch. Dis. Child. 59: 1177.
- Nomikos, I.N.; Prowse, S.J.; Carotenuto, P. and Lafferty, K.J. (1986):* Combined treatment with nicotinamide and desferrioxamine prevents islet allograft destruction of NOD mice. Diabetes 35: 1302 - 1304.
- Oli, J.M. and Nwokolo, G. (1979):* Diabetes after infectious hepatitis. A follow up study. Br. Med. J.; 1:926 - 927.

- Pack, C.W.; Eun, H.M.; Macarthur, R.G. et al. (1988):* Association of cytomegalovirus with autoimmune type I diabetes. *Lancet* ii: 1 - 4.
- Penaman, A.; Wass, J.A.H.; Medbak, S.; Morgan, L.; Lewis, J.M.; Besser, G.N. and Rees, L.H. (1981):* Response of circulating immunoreactive somatostatin to nutritional stimuli in normal subjects. *Gastroenterology* 81: 692 -699.
- Penny, E.S.; Penman, E.; Price, P.; et al. (1984):* Circulating GHRF concentrations in normal subjects and patients with acromegally. *British medical Journal*, 289: 453 - 455.
- Phillips, J.A. (1985):* Genetic diagnosis: Differentiating growth disorders. *Hosp. Pract.* 20: 85.
- Phillips, L.S. and Bassilopoulou - Sellin, R. (1980):* Somatomedin. *N. Engl. J. Med.* 301: 371.
- Pieters, G.F.M.; Smals, A.E.M.; Hermus, A.R.M.; Smals, A.G.H.; Benraad, T.H.J. and Kloppenborg, P.W.C. (1984):* GH responsiveness to human pancreatic GHRF in acromegally. *Clin. Endocrinology* 21: 701 - 707.
- Pintor, C.; Cella, S.G.; Manso, P. et al. (1986):* Impaired GH response to GHRH in thalassemia major. *J. Clin. Endocrinol. Metab.* 62: 263 - 267.

- Polak, J.M. and Bloom, S.R. (1980):* Neural and cellular origin of gastrointestinal hormonal peptides in health and disease. Reven Press, New York, p.: 19.
- Polonsky, K.; Jaspon, W. et al. (1981):* Insulin and glucagon breakthrough of somatostatin suppression 1981: importance of portal vein hormone measurements. *Diabetes* 30: 664 - 669.
- Porte, D.J. and Halter, T.B. (1981):* The endocrine pancreas and diabetes mellitus in Williams, R.H. (eds): Textbook of endocrinology, 6th edition. Saunders, Philadelphia, p.: 716 - 843.
- Press, M.; Tamborlane, W.V. and Sherwin, R.S. (1984):* Importance of raised growth hormone levels in mediating the metabolic derangements in diabetes. *N. Engl. J. Med.*, 310: 810 - 815.
- Press, M.; Tamborlane, W.V.; Thorner, M.W.; et al. (1984):* Pituitary response to growth hormone-releasing factor in diabetes. *Diabetes*, vol. 33, p.: 804 - 806.
- Pujol-Borrell, R.; Todd, I; Doshi, M.; Gray, D.; Feldmann, M. and Bottazzo, G.F. (1986):* Differential expression and regulation of MHC products in the endocrine and exocrine cells. *Immunology* 65 (1): 128 - 139.

- Pukel, C.; Baquerizo, H. and Rabinovitch, A. (1988):* Destruction of rat islet cell monolayers by cytokines: synergistic interactions of Guman interferon, tumour necrosis factor, lymphotoxin and interleukin 1. *Diabetes* 37: 133 - 136.
- Rapaport, R.; Oleske, J.; Abdieh, H. et al. (1986):* Suppression of immune function in G.H. deficient children during treatment with human G.H. *J. Pediatr.* 109: 434.
- Rayfield, F.J. and Seto, Y.C. (1978):* Viruses and pathogenesis of diabetes mellitus. *Diabetes*; 27; 1126 - 1142.
- Reiter, E.O.; Morris, A.H.; Mac Gillivray, M.H. and Weber, D.A. (1988):* Variable estimates of serum growth concentrations by different radioassay systems. *J. Clin. Endocrinol. Metab.* 66: 68.
- Retegui, L.A.; Masson, P.L.; Paladini, A.C. (1985):* Specificities of antibodies to human growth hormone (hGH) in patients treated with hGH. *J. Clin. Endocrinol. Metab.* 60: 184.
- Rewers, M.; LaPorte, R.E.; King, H. et al. (1988):* Trends in the prevalence and incidence of diabetes: Insulin dependent diabetes in childhood. *World Health stat. Q141:* 179 - 189.

- Riechlin, S. (1983):* Somatostatin. *N. Engl. J. Med.* 309: 1495
- Riley, W. and MaClaren, N. (1984):* Islet cell antibodies are seldom transient. *Lancet* I: 1351 - 1352.
- Rivier, J.; Spiess, J.; Thorner, M. and Vale, W. (1982):* Characterization of a growth-hormone releasing factor from a human pancreatic islet tumour. *Nature* 300: 276.
- Rosenfeld, R.G.; Aggarwal, B.B.; Hintz, R.L. et al. (1982):* Recombinant DNA-derived methionyl growth hormone is similar in membrane binding properties to human pituitary growth hormone. *Biochem. Biophys. Res. Commun.* 106: 202.
- Ross, R.J.; Borges, F.; Grossman, A. et al. (1987):* GH pretreatment in man blocks the response to GHRH; evidence for a direct of growth hormone. *Clinical Endocrinology* 26: 117 - 123.
- Ross, R.J.M.; Grossman, A.; Davies, P.S.; Savage, M.O. and Besser, G.M. (1987b):* Stilbesterol pretreatment of children with short stature does not affect the GH response to GHRH. *Clin. Endocrinology* 27: 155 - 161.
- Ross, R.J.; Rodda, C.; Tsagarakis, S. et al. (1987c):* Treatment of G.H. deficiency with GHRH. *Lancet* 1: 5 - 8.

- Rossenfield, R.I.; Furlanetto, R. and Bock, D. (1983):*
Relationship of somatomedin-C. Concentrations to pubertal changes. *J. Pediatr.* 103: 723.
- Rossini, A.A.; Foustman, D.; Woda, B.A.; Like, A.A.; Szymanski, I. and Morders, J.P. (1984):* Lymphocyte transfusion prevent diabetes in Bio-breeding 1 worcester rat. *Journal of Clinical Investig.* 74 (1): 39 - 46.
- Rosskamp, R.; Becker, M.; Haverkamp, F.; Thomas, B.; Bruhl, S.; Klumpp, J. and Liappis, N. (1987):* Plasma levels of growth hormone releasing hormone and somatostatin in response to a mixed meal and during sleep in children. *Acta Endocrinol.* 116: 549 - 554.
- Rosskamp, R.; Schmid, G.; Klumpp, J. and Tegeler, A. (1987):* Insulin hypoglycaemia but not arginine infusion stimulates circulating growth hormone releasing hormone (GHRH) concentrations in children. *Horm. Metab. Res.* 19: 434 - 436.
- Rosskamp, R.; Haverkamp, B. and Klumpp, J. (1988):* Plasma growth hormone- releasing hormone levels in type I (Insulin-dependent) diabetic children following a mixed meal. *Klin Wochenschr* ; 66: 257 - 260.

- Rothenthal, S.M.; Schriok, E.A.; Kaplan, S.L.; Guillemin, R. and Grumbach, M.M. (1983):* Synthetic human pancreas GHRF stimulates GH secretion in normal man. J. Clin. Endocrinol. Metab. 57: 677 - 679.
- Rotter, J.I.; Anderson, C.E.; Rubin, R.; Congleton, J.E.; Terosaki, P.I. and Rimoin, D.L. (1983):* HLA genotypic study of insulin dependent diabetes. The excess of DR3/DR4 heterozygotes allows rejection of the recessive hypothesis. Diabetes; 32: 169 - 174.
- Rudolf, M.C.J.; Sherwin, R.S.; Markowitz, R.; Bates, S.E. et al. (1981):* Effect of intensive insulin treatment on linear growth in the young diabetic patient. J. Paediatr. 101: 333 - 39.
- Russo, L. and Moore, W.V. (1982):* A combination of subcutaneous and intramuscular administration of human GH in the therapy of growth hormone deficiency. J. Clin. Endocrinol. Metab. 55: 1003.
- Salah El Din, N. (1981):* HLA antigen in Juvenile diabetes Egyptian children. MD thesis of Paediatrics, Faculty of Medicine, Cairo University.

Salardi, S.; Cacciari, E.; Ballardini, D.; Righetti, F. et al.

(1986): Relationships between growth factors and body development, metabolic control and retinal changes in children and adolescents with IDDM. *Diabetes* 35 (7): 832 - 6.

Salardi, S.; Tonioli, S.; Tassoni, P.; Tellarini, M.; Mazzanti, L. and Cacciari, E. (1987):

Growth and growth factors in IDDM. *Arch. Dis. Child.* 62 (1): 57 - 62.

Salardi, S.; Tonioli, S.; Tossoni, P. et al. (1987):

Growth and growth factor in diabetes mellitus. *Arch. Dis. Child.*; 62: 57 - 63.

Salem, M.; El-Sheikh, N.; El-Kholy, S. and Iskander, N. (1987):

Islet-cell antibodies in IDDM. *The Journ. of Egypt. Public Health Assoc.* (In press).

Salem, M.; Tolba, K.A.; Faris, R.; Radwan, M.; Fouad, H.; El-Madah, E. and Asaad, M. (1988):

An epidemiological study of IDDM. *Egypt. J. Comm. Med.* Vol. 2, No. 3.

Sandler, S.; Andersson, A. and Hellerstrom, C. (1987):

Inhibitory effects of interleukin 1 on insulin secretion, insulin biosynthesis and oxidative metabolism of isolated rat pancreatic islets. *Endocrinology* 121: 1424 - 1431.

- Sassolas, G.; Rousset, H.; Cohen, R. et al. (1983):*
Somatocrinin induces release of growth hormone in one case of GH deficiency of hypothalamic origin. C.R. Acad. Sc. Paris III: 527 - 529.
- Sassolas, G.C.; Chatelain, P.C.; Cohen, R. et al. (1984):*
Effects of human pancreatic tumour GHRH on immunoreactive plasma GH in normal young men. Journal of Clinical Endocrinology and Metabolism 59: 705 - 709.
- Schade, D.S.; Eaton, R.P. and Spencer, W. (1981):* Implantation of an artificial pancreas. JAMA, 245:709 - 710.
- Schander, P.; McIntosh, C.; Arends, J. et al. (1986):*
Somatostatin and insulin release from isolated rat pancreatic islets stimulated by glucose. FEBS Lett; 68: 225 - 27.
- Schulte, H.M.; Benker, G.; Windeck, R.; Olbricht, T.; Reinwein, D. (1985):* Failure to respond to GHRH in acromegally due to GHRH secreting pancreatic tumour. J. Endocrinol & Metab. 61: 585 - 587.
- Sherman, B.M.; Frane, J.; Hintz, R.L. et al. (1988):* IGF-1 measurement in growth hormone deficiency: The clinical relevance and dependence on method (abstract). Pediatr. Res. 23: 286A.

- Shibaski, T.; Kiyosawa, Y.; Masuda, A.; Nakahara, M.; Imaki, T.; Wakabayashi, I.; Demura, H.; Shizume, K. and Ling, N. (1984):* Distribution of human GHRH-like immunoreactivity in human tissue extracts. *J. Clin. Endocrinol. Metab.* 59: 263 - 268.
- Shibaski, T.; Hotta, M.; Masuda, A. et al. (1985):* Plasma GH responses to GHRH and insulin induced hypoglycaemia in man. *J. Clin. Endocrinol. & Metab.* 60: 1265 - 1267.
- Sima, A.A.F.; Garcia-Salinas, R. and Basu, P.K. (1983):* The BB wistar rat: an experimental model for the study of diabetic retinopathy. *Metabolism* 32 (Suppl.1):136-140.
- Sima, A.A.F.; Chakrabarti, S.; Garcia-Salinas, R. and Basu, P.K. (1985):* The BB rat - an authentic model of human diabetic retionopathy. *Current Eye Research* 4: 1087 -1092.
- Sima, A.F. (1988):* Natural history of structural and functional alterations in diabetic BB rat peripheral nerve. In: Shafrir, E.; Renold, A.E. (eds) *Frontiers in diabetes research. Lessons from animal diabetes II.* John Libbey, London, pp 471 - 476.

- Smals, A.E.M.; Pieters, G.F.M., Smals, A.G.H.; Benraad, T.H.J.; Kloppenborg, P.W.C. (1986a):* Human pancreatic GHRH fails to stimulate human GH both in Cushing disease and Cushing syndrome due to adrenal adenoma. *Clinical Endocrinology* 24: 401 - 407.
- Smals, A.E.M.; Pieters, G.F.M.; Smals, A.G.H., et al. (1986b):* Sex difference in human G.H. response to intravenous human pancreatic GHRH administration in young adults. *J. Clin. Endocrinol. & Metab.* 62: 336 - 341.
- Smith, P.J.; Brook, C.G.D.; Rivier, J.; Vale, W.; Thorner, M.O. (1986):* Nocturnal pulsatile GHRH treatment in G.H. deficiency. *Clin. Endocrinology* 25: 35 - 44.
- Soloman, A. and Kaplan, R. (1990):* Growth and growth hormone. *Clin. Pediatr. Endocrinology P.*: 1 - 62.
- Sopwith, A.M.; Elizabeth, S.; Penny, G.M. and Lesley, H. (1985):* Stimulating by food of peripheral plasma immunoreactive growth hormone releasing factor. *Clin. Endocrinol.* 22: 337 - 340.
- Sopwith, A.M.; Penny, E.S.; Besser, G.M. and Rees, L.H. (1985):* Stimulation of food of peripheral plasma growth hormone releasing factor. *Clin. Endocrinol.* 22: 337 - 340.

- Sopwith, A.M.; Elizabeth, S.; Benny, A.; Grossman, M. et al.*
(1986): Normal circulating immunoreactive h.GHRH concentrations in patients with functional hypothalamic h.GHRH deficiency. *Clinical Endocrinology* 24: 395 - 400.
- Sopwith, A.M.; Penny, E.S.; Lytras, N. Besser, G.M. and Rees, L.H.* (1987): Dissociation between circulating concentrations of immunoreactive growth hormone releasing factor and growth hormone in normal subjects. *Clin. Sci.* 72: 181 - 185.
- Spencer, K.M.; Tarn, A.; Dean, B.M.; Lister, J. and Bottazo, G.F.* (1984): Fluctuating islet cell auto-immunity in unaffected relatives of patients with insulin dependent diabetes. *Lancet* I: 764 - 766.
- Sperling, M.A.* (1984): Metabolic disorders: In Behrman, R.E.; Vanghan, V.C. and Nelson, W.E. (eds) *Nelson textbook of Pediat.* 12th eds. Ch1.; 17, P: 1403.
- Spiliotis, B.E.; August, G.P.; Wellington, H. et al.* (1984): Growth hormone neurosecretory dysfunction. A treatable cause of short stature. *JAMA* 251: 2223.

Spinas, G.A.; Hansen, B.S.; Linde, S. et al. (1987):

Interleukin 1 dose dependently affects the biosynthesis of (pro) insulin in isolated rat islets of Langerhans. *Diabetologia* 30 (7): 474 - 480.

Srikanta, S.; Ganda, O.P.; Elsenbrath, G.S. and Soeldener, J.S.

(1983): Islet cell antibodies and beta cell function in monozygotic triplets and twins initially discordant for type I diabetes mellitus. *N. Engl. J. Med.*; 308: 322 - 325.

Stephanie, A.; Robert, S.; Raymon, D.L. et al. (1984): Effect

of diabetes and its control on insulin-like growth factor in the young subject with type I diabetes? *Diabetes*; 33: 1175 - 1179.

Stolar, M.W.; Amburn, K. and Bauman, G. (1984): Plasma "Big"

and "Big-Big" growth hormone in man. *J. Clin. Endocrinol. Metab.* 59: 212.

Takano, K.; Kizuka, N.; Shizume, K. et al. (1984): Plasma G.H.

response to GHRH in normal children with short stature and patients with pituitary dwarfism. *Journal of Clinical Endocrinology and Metabolism*; 58: 236 - 241.

- Tamborlane, W.V.; Sherwin, R.S.; Koivisto, V. et al. (1979):*
Normalization of G.H. and catecholamine response to
exercise in juvenile onset diabetic subjects treated with
portable infusion pump. *Diabetes*; 28: 785 - 88.
- Tamborlane, W.V.; Hintz, R.L.; Bergman, M.; Genel, M. et al.*
(1981): Insulin infusion-pump treatment of diabetes:
Influence of improved metabolic control on plasma
somatomedin levels. *N. Engl. J. Med.* 305: 303.
- Tanner, J.M. and Davies, S.W.D. (1985):* Clinical longitudinal
standards for height and height velocity for North
American Children. *J. Pediatr.* 107: 317.
- Tanner, J.M.; Whitehouse, R.H.; Marshall, W.A.; et al. (1975):*
Assessment of skeletal maturity and prediction of adult
height (TW2 Method). New York, Academic Press.
- Tattersal, R.B. and Pyke, D.K. (1973):* Growth of diabetic
children: Studies in identical twins. *Lancet*, II: 1105.
- Thorner, M.O.; Frohman, L.A.; Leong, D.A. et al. (1984):*
Extra-hypothalamic GHRH secretion is a rare cause of
acromegally. *J. Clin. Endocrinol. & Metab.* 59: 846.
- Thorner, M.O.; Reschke, J. and Chitwood, J. et al. (1985):*
Acceleration of growth in two children treated with human
GHRH. *New England. J. Med.* 312: 4 - 9.

- Thorner, M.O.; Reschke, J.; Chitwood, J.; Rogol, A.D.; Furlanetto, R. et al. (1985):* Acceleration of growth in two children treated with human GHRF. *N. Engl. J. Med.* 312: 4.
- Travis, L.B.; Brouhard, B.H.; Schreiner, B.J. (1987):* Diabetes Mellitus in children and adolescents. Saunders, Philadelphia.
- Unger, R.H. (1981):* Meticulous control of diabetes: Benefits, risks and precautions. *Diabetes* 1982; 31: 479 - 83.
- Vance, M.L.; Borges, J.L.; Kaiser, D.L. et al. (1984):* Human pancreatic tumour GHRF: dose-response relationship in normal man. *J. Clin. Endocrinol. & Metab.* 58: 838 - 844.
- Wakabayashi, I.; Shibasaki, T. and Ling, N. (1986):* A divergence of plasma G.H. response between GHRF and insulin-induced hypoglycaemia among middle-aged healthy male subjects. *Clin. Endocrinology* 24: 279 - 283.
- Walker, R.; Bone, A.E.; Cooke, A.; Baird, I.D. (1988):* Aberrant expression of class II MHC molecules on pancreatic B-Cells during development of IDDM; Cause or sequence. *Lessons from animal Diabetes II.* John Libbey, London, pp.: 185 - 189.

- Wass, J.A.H. (1980):* Studies on the neuropharmacological control of growth hormone secretions in man and its relevance to the medical management of acromegally. MD thesis. University of London.
- Wass, J.A.H. (1983):* Growth hormone neuroregulation and the clinical relevance of somatostatin. Clinics in Endocrinology & Metabolism 12: 695 - 724.
- Wass, J.A.H.; Pennan, E.; Dryburgh, J.R. et al. (1980):* Circulating somatostatin after food and glucose in man. J. Clin. Endocrinol; 12: 569 - 74.
- Wehrenberg, W.B.; Brazeau, P.; Luben, r.; Bohlen, P. and Guillemin, R. (1982):* Inhibition of pulsatile secretion of growth hormone by monoclonal antibodies to hypothalamic growth hormone releasing factor (GRF). Endocrinology, 111: 2147 - 2148.
- White, P. (1965):* The child with diabetes. Med. Clin. North. Am.; 49: 1069.
- WHO Technical Report Series No. 727 (1985):* Diabetes Mellitus (report of a WHO study group). Geneva.
- Williams, S.T.; Berelowitz, M.; Joff, S.N. et al. (1984):* Impaired GH response to GHRF in obesity. New England J. Med. 311: 1403 - 1407.

- Williams, T.; Maxon, H.; Thorner, M.O. and Frohman, L.A.*
(1985): Blunted growth hormone (G.H.) response to GH-releasing hormone in hypothyroidism resolves in the euthyroid state. *J. Clin. Endocrinol. & Metab.* 61: 454 - 456.
- Winter, R.J.; Phillips, L.S.; Green, O.C. and Traisman, H.S.*
(1980): Somatomedin activity in Mauriac syndrome. *J. Pediatr.* 97: 598.
- Wood, S.M.; Ch'ng, J.L.C; Adams, E.F. et al.* (1983):
Abnormalities of GH release in response to hypopituitarism. *British Medical Journal* 286: 1687 - 1691.
- World Health Organization Expert Committee Diabetes Mellitus*
(1980): Second report. WHO technical report series No. 646, Geneva, WHO.
- Yagihashi, S. and Sima, A.F.* (1988): Diabetic autonomic neuropathy in BB rat. In: Shafrir, E. and Renold, A.E. (eds): *Frontiers in diabetes research. Lessons from animal diabetes II.* John Libbey, London, pp: 477 - 481.

Yamaguchi, K.; Abe, K. and Suzuki, M. (1984): Production of immunoreactive pancreatic hormone-releasing factor in small cell carcinoma of the lung. *Jpn. J. Cancer Res.*, in press.

Yoon, J.W.; Austin, M.; Onodera, T. and Notkins, A.L. (1979): Isolation of a virus from the pancreas of a child with diabetic ketoacidosis. *N. Engl. J. Med.*; 300 (21): 1173 - 1179.

Yoon, J.W.; McClintock, P.R.; Bachurski, C.J.; Longstretch, J.D. and Notkins, A.L. (1985): Virus-induced diabetes mellitus. No evidence for immune mechanisms in the destruction of beta cells by the D variant of encephalomyocarditis virus. *Diabetes*, 34 (9): 922 - 925.

