

REFERENCES

REFERENCES

- Abe, J.; Kotzin, B.L.; Jujo, K. (1992):
Selective expansion of T cells expressing T-cell receptors
variable regions VB2 and VB8 in Kawasaki disease.
Proc. Natl. Acad. Sci., USA, 89: 4066-4070.
- Allaart, C.E. and Briet, E. (1994):
Thromboembolism haemostasis and thrombosis, 3rd ed., Bloom,
A.L.; Forbes, C.D.; Thomas, D.P., and Taderhom; E.G.D. (eds.),
Churchill Livingstone, Inc.; New York, 1349-1360.
- Alverz, C. and Ramos, A. (1986):
Lipids, Lipoproteins and apoproteins in serum during infection.
Clin. Chem.; 32: 142-5.
- Antischkow, H.H. (1967):
Cowdrey's arteriosclerosis 2nd edition. The MacMillan
Company, New York, p. 21.
- Atherton, J.C. and Spiller, R.C. (1994):
The urea breath test for H. pylori. Gut 35;723-725; 12
- Axon, A.T.R. (1992):
H. pylori in recent advances in gastroenterology . Pounder R.
(ed.) Churchill Livingstone, p.:27-44.
- Bah, A.; Sarga, E.; Armstrong, D., et al. (1995):
Endoscopic features of H. pylori - related gastritis.
-

Endoscopy 27(8):593-596.

Baker IA, Sweetnam PM, Yarnell JWG, Bainton D(1988)

Haemostatic and other risk factors for ischaemic heart disease and social class: evidence from the caerphilly and speed well studies. *Int. J. Epidemiol.*, 17: 759-65.

Bamford, K.B.; Bickely, J.; Collins, J.S.A., et al. (1993): H. pylori comparison of DNA fingerprints provides evidence of intra-familial infection. *Gut*, 34: 1348-1350.

Barnes, R.J.; Uff, J.S.; Dent, J.C.; Gear, M.W.L.; Wilinon, S.P. (1991): Long term follow up of patients with gastritis associated with *Helicobacter pylori* infection. *Br. J. Gen. Pract.*; 41: 286-8.

Bazillou, M.; Fendri, C.; Castel, O.; Ingrand, P., et al. (1994):

Serum antibody response to the superficial and released components of *H. pylori*.

Clin. Diag. Lab. Immunol.; 1:310-317.

Bechi, P.; Balzi, M.; Becciolini, A., et al. (1996):

H. pylori and cell proliferation of the gastric mucosa: possible implications for gastric carcinogenesis.

Am. J. Gastroenterol.; 91(2); 271-276.

Beck, J.; Garcia, R.; Heiss, G.; Vokonas, P.S.; Offenbacher, S. (1996):

Periodontal disease and cardiovascular disease.

J. Periodontol., 67: 1123-37.

- Becker, C.G.; Dubin, T. and Widemann, H.P. (1976):
Hypersensitivity to tobacco antigen.
Proc. Natl. Acad. Sci., USA, 73: 1712.
- Beil, W.; Birkholz, C.; Wagner, S. and Sewing, K.F. (1994):
Interaction of H. pylori and its fatty acids with parietal cells and
gastric H/K ATPase. Gut, 35: 1176-1180.
- Benditt EP, Benditt JM, Lee A. (1973)
Evidence for a monoclonal origin of human atherosclerotic
plaques. Proc. Natl. Acad. Sci. USA, 70: 1753-1756.
- Benditt EP, Barrett T, McDougall JK. (1983):
Viruses in the etiology of atherosclerosis.
Proc. Natl. Acad. Sci USA, , 80: 6386-6389.
- Berg K. (1998)
Molecular biology in the diagnosis of cardiovascular disease.
Tidsskr. Nor. Laegeforen Jun 10; 118(15): 2370-4.
- Bertino, R.M.; Broekmas, A.W.; Van der Linden, I.K., and Mertenis,
K. (1982): Protein C deficiency in a Dutch family with
thrombotic disease. Thromb. Haemat.; 48: 1-5.
- Bertino, R.M.; Broelmans, A.W.; Krommenhoek Vam, E.S.C. and Van
Wiznogarden, A. (1984): The use of functional and immunologic
assay for plasma protein C in the study of heterozygosity of
congenital protein C deficiency. Thromb. Haemat.; 51: 1-5.
-

- Bertino, R.M.; Koleman, B.P.C.; Koster, T.; Rosendal, F.R.(1994):
Mutation in coagulation factor V associated with resistance to
activated protein C. *Nature (Land)*; 369: 64-67.
- Bierman, E.L. and Ross, R. (1977):
Aging and atherosclerosis. *Atheroscl. Rev.*, 2: 79.
- Birkloz, S.; Knipp, U.; Lenma, E., et al. (1994):
Fumarate reductase of *H. pylori*: an immunogenic protein.
J. Med. Microbiol.; 41: 56-62.
- Birnie, D., McKay, I.C., Hood, S., McColl, J.E.J.; Hillis, W.S. (1996):
Association between antibodies to mycobacterial heat shock
patients and coronary atherosclerosis: possible mechanism of
action of *Helicobacter pylori* in increasing cardiovascular risk.
Heart., 75 (Suppl. 1): p64 (abstr).
- Bizzozzero, G. (1893)
Pathology of chronic gastritis and duodenal ulcer disease.
Arch. Intern. Med.; 42: 82. Quoted from *Recent Advances in
Gastroenterology*. 1988: 225-244.
- Blasi, F.; Denti, F.; Erba, M. (1996):
Detection of *Chlamydia pneumonia* but not *Helicobacter pylori* in
atherosclerotic plaques of aortic aneurysms.
J. Clin. Microbiol.; 34: 2766-69.
- Blecker, U.; Lanciers, S.; Hauser, B. et al. (1995):
The contribution of specific IgM antibodies to the diagnosis of

- H. pylori infection in children.
Eur. J. Gastroenterol. Hepatol.; 7(10):979-983.
- Blecker, U.; Mehta, D.I. and Vandenplas, L. (1994):
Sex ratio of H. pylori infection in childhood.
Am. J. Gastroenterol.; 89: 293.
- Bontempo, F.A.; Hassett, A.C.; Faruki, H.; Steed, D.L. (1997):
The factor V Leiden mutation: Spectrum of thrombotic events
and laboratory evaluation. J. Vasc. Surg., 25(2): 271-5.
- Bruunwald, E. (1988):
Cardiovascular medicine textbook. 3rd edition .
- Brown, M.S.; Faust, J.R. and Goldstein, J.L. (1975):
Role of the low density lipoprotein receptor in regulating the
content of free and esterified cholesterol in human fibroblasts.
J. Clin. Invest.; 55: 783.
- Buja, L.M. and Willerson, J.T. (1987):
The role of coronary artery lesions in ischaemic heart disease. In
sights from recent clinico-pathologic, coronary arteriographic
and experimental studies. Hum. Pathol.; 18: 451.
- Burch G.E. and Sheweyll A.R. (1976):
Viral coronary arteritis and myocardial infarction.
Am. Heart J.; 92: 11-14.
- Burman, W.J.; Cohn, D.L.; Reves, R.R. and Wilson, M.L. (1995):
-

- The multifocal cellulitis and monoarticular arthritis as manifestations of *Helicobacter* bacteremia.
 Clin. Infect. Dis.; 20(3): 564.
- Carmel, R.; Perez-Perez, G.I.; Blaser, M.J. (1994):
Helicobacter pylori infection and food – cobalamin malabsorption. Dig. Dis. Sci.; 39: 309-14.
- Cave, D.R. and Vargas, M. (1989):
 Effect of a *Campulobacter pylori* protein on acid secretion by parietal cells. Lancet ii:187-189.
- Chait, A.; Ross, A.; Albers, J. and Bierman, E. (1980):
 Platelet derived growth factor stimulates low density lipoprotein receptor activity. Proc. Natl. Acad. Sci, USA, 71; 4084.
- Chowdhury, M.N.; Al-Hedai-Thy, S.S.; Mofleh, I.A., et al. (1991):
 Use of selective and non-selective media for the isolation of *H. pylori*. Trop. Gastroenterol.; 12(2):73-76.
- Clarke, R.; Daly, L.; Robinson, K.; Naughten, E.; Cahalane, S.; Fowler, B. (1991): Hyperhomocysteinemia: an independent risk factor for vascular disease. N. Engl. J. Med.; 324: 1149-55.
- Clayton, C.L.; Kleanthous, H.; Coates, P.J., et al. (1992): Sensitive detection of *H. pylori* by using polymerase chain reaction. J. Clin. Microbiol.; 30(1): 192-200.
- Calbourn, A.W. (1986):

- The decline in coronary heart disease mortality. The Dupont experience. Del. Med. J.; 58: 351.
- Colin - Jones DG, Langman MJS, Lawsdon DH.
- Post marketing surveillance of the safety of cimetidine, 10 year mortality report. Gut. 1992, 33: 1280-84.
- Colto, A.; Carter, A.; Ireland, H. and Bayston, T.A. (1995):
- Factor V leiden gene mutation and thrombin generation in relation to development of acute stroke.
- Arteriscler. Thromb. Vasc. Biol.; 15: 783-5.
- Cover, T.L.; Tummuru, M.K.R.; Cao, P., et al. (1994):
- Divergence of genetic sequences for the vacuolating cytotoxin among H. pylori strains. J. Biol. Chem.; 269: 10566-10573.
- Crabtree JE, Shallcross TM, Heathy RV, Wyatt JI (1991).
- Mucosal tumour necrosis factor and interleukin 6 in patients with Helicobacter pylori associated gastritis. Gut, 32: 1473-7.
- Crabtree, J.E.; Wyatt, J.I.; Trejdosiewicz, L.K., et al. (1994):
- Interleukin-8 expression in H. pylori infected normal and neoplastic gastroduodenal mucosa. J. Clin. Pathol.; 47: 61-66.
- Cullen DJE, Collins BJ, Christansen KJ.
- When is Helicobacter pylori infection acquired?
- Gut 1993, 34: 1681-2.
- Cunningham, A.; Mathews, R.; Ellis, R., Ward, M.E. (1996):

- Direct demonstration of Chlamydia pneumonia and Helicobacter pylori in coronary heart disease. Proct. Third Eur. Soc. Chlam. Res.; 3: 106.
- Culter, A.F. and Prasad, V.M. (1996):
Long-term follow up of H. pylori serology after successful eradication. Am. J. Gastroenterol.; 91(1): 85-88.
- D.H.E.W. Publication (1971):
Atherosclerosis A report by the National Heart and Lung Institute. Task Force on atherosclerosis (NIH). Vol. 2: 72-219.
- Dahlback, B. (1994):
Physiological anticoagulation: resistance to activated protein C and venous thromboembolism. J. Clin. Invest.; 94: 923-927.
- Dahlback, B. and Hildebrand, B. (1994):
Resistance to activated protein C corrected by anticoagulant factor activity found to be property of factor V. Proc. Natl. Acad. Sci., U.S.A., 91: 1396-1400.
- Dahlback, B. and Stenflo, J. (1994):
The protein C anticoagulant system in Stomato Yonnapoulos G.: The molecular basis of blood disease. Nierhuis, A.W.; Magrus, P.W. and Varimus, H. (Eds), W.B. Saunders Co.; Philadelphia, P.:599-628.
- Dahlback, B.; Carlsson, M. and Svensson, P.J. (1993):

- Familial thrombophilia due to previously unrecognized mechanism characterized by poor anticoagulant response to activated protein C. *Proceedings Academy of Sciences of U.S.A.*, 90: 1004-1008.
- Debongne, J.C.; Mairesse, J.; Donnay, M. et al. (1994):
Touch cytology. A quick simple sensitive screening test in the diagnosis of infections of gastro-intestinal mucosa.
Arch. Pathol. Lab. Med.; 118: 1115-1118.
- De- Luis DA, Lahera M, Canton R, Boixeda D (1998):
association of *Helicobacter pylori* infection with cardiovascular and cerebrovascular disease in diabetic patients.
Diabetes care Jul, 21(7): 1129-32.
- Doig, P. and Trust, T.J. (1994):
Identification of surface exposed outer membrane antigens of *H. pylori* *Gut* 35:725-727.
- Donaldson, M.C.; Belkin, M.; Whittmore, A.D.; Manrick, J.A. (1997):
Impact of activated protein C resistance on general vascular surgical patients. *J. Vasc. Surg.*; 25(6): 1054-60.
- Drumm, B.; Perez-Perez, G.; Blaser, M.J., et al. (1990):
Intra-familial clustering of *H. pylori* infection.
N. Engl. J. Med.; 322:359-363.
- Dummer S, Lee A, Breinig MK, Kormos R, Ho M (1994).
-

- Investigation of cytomegalovirus infection as a risk factor for coronary atherosclerosis in the explanted hearts of patients under going heart transplantation. *J med. Virol.*, 44: 305-309.
- Eaton, K.A. and Krawoka, S. (1994):
Effect of gastric pH on urease dependent colonization of gnotobiotic piglets by *H. pylori*. *Infect. Immun.*; 62: 3604-3607.
- Eaton, K.A.; Morgan, D.R. and Krakowka, S. (1992):
Motility as a factor in the colonization of gnotobiotic piglets by *H. pylori*. *J. Med. Microbiol.*; 37: 123-127.
- Ehsani, A.A.; Health, G.W. and Hagberg, J.M. (1981):
Effects of 12 months of intense exercise training on ischaemic ST segment depression in patients with coronary artery disease. *Circ.*; 64: 1116.
- Ellis, R.W. (1997):
Infection and coronary heart disease.
J. Med. Microbiol.; 46:535-539.
- Enroth, H. and Engastand, L. (1995):
Immunomagnetic separation and PCR for detection of *H. pylori* in water and stool. *J. Clin. Microbiol.*; 37.
- Epstein, S.E.; Speir, E.; Zhou, Y.F.; Guetta, E., Leon, M.(1996):
The role of infections in restenosis a atherosclerosis: focu on CMV. *Lancet*, 348(Suppl. 1): S13-17.

Ernst E.(1993):

Fibrinogen as a cardiovascular risk factor. Inter-relationships with infections and inflammation.

Eur. Heart. J. 1993, 14(suppl K): 82-7.

Esmon, C.T. (1987):

The regulation of natural anti-coagulant pathways.

Science, 325: 1348-52.

Etingin OR, Silverstein RL, Friedman HM, Hajjar DP.(1991):

Viral activation of the coagulation cascade: molecular interaction at the surface of infected endothelial cells.

Cell 1990, 61: 657-662.

Euro Gast Study Group.(1993):

Epidemiology of and risk factors for, *Helicobacter pylori* infection among 3194 asymptomatic subjects in 17 populations.

Gut, 1993, 34: 1672-1676.

Fabricant, C.G.; Fabricant, J.; Litrenta, M.M.; Minick, C.R. (1976):

Virus induced atherosclerosis. J. Exp. Med.; 148: 335-340.

Fahie - Wilson, M.; Mills, R.; Wilson, K. (1987):

HDL cholesterol and the acute phase reaction following myocardial infarction and acute pancreatitis.

Clin. Chem. Acta.; 167: 197-209.

Fallone, C.A.; Elizov, M.; Cleland, P., et al. (1996):

- Detection of *H. pylori* infection by saliva IgG testing.
Am. J. Gastroenterol.; 91(6): 1145-1149.
- Fan, X.J.; Chua, A.; Shahi, G.N., et al. (1994):
Gastric T-lymphocytes response to *H. pylori* in patients with *H. pylori* colonization. *Gut*, 35: 1379-1384.
- Ferguson, D.A. Jr.; Li, C. and Patel, N.R. (1993):
Isolation of *H. pylori* from saliva.
J. Clin. Microbiol.; 31: 2802-2804.
- Ferro, R.L.; Thiberg, J.m.; Huerre, M., et al. (1994):
Recombinant antigens prepared from the urease subunits of
Helicobacter species: evidence of protection in a mouse model
of gastric infection. *Infect. Immun.*; 62:4981-4989.
- Fiedewald WT. *Clin. Chem.* 18 (1977a) page 701.
- Fiedewald WT. *Clin. Chem.* 18 (1977b) page 710.
- Fiedorek SG, Malaty HM, Evans DL.(1991):
Factors influencing the epidemiology of *Helicobacter pylori*
infection in children. *Pediatrics* 1991, 88: 578-82.
- Fiocca, R.; Luinetti, O.; Villani, L., et al. (1994):
Epithelial cytotoxicity, immune response and inflammatory
components of *H. pylori* gastritis.
Scand. J. Gastroenterol.; 29(S 205): 11-21.
- Folsom A.R., Nieto F.J., Sorlie P., Chambless L.E., (1998):
-

- Helicobacter pylori* seropositivity and coronary heart disease incidence. *Circulation*, Sept.; 98(9): 845-50.
- Forman D, NeWell DG, Fullerton F, Yarnell JWG, Stacey AR, (1991):
Association between infection with *Helicobacter pylori* and risk of gastric cancer: evidence from prospective investigation.
B. Med. J.; 1991, 302-1302-5.
- Fossati P and Prencipe L. *Clin. Chem.* 28, 1982, p.2077.
- Freedberg, A.S. and Brown, L.E. (1940):
The presence of spirochetes in human gastric mucosa.
Am. J. Digest. Dis.; 7: 443-445. Quoted from Recent Advances in Gastroenterology 1988, 225-244.
- Friedman, M., Rossenman, R.H., Carrd, V. (1980):
Change in serum cholesterol and blood clotting time in men subjected to cycle variations in occupational stress :
Circulation ,17:852
- Fry, D.L. (1976):
Haemodynamic forces in atherogenesis. In: Scheinberg, P. (ed.), *Cerebrovascular diseases. Tenth Princeton Conference*, Raven Press, New York, p.77-95.
- Garcia, M.J.; McNamara, P.M. and Gordon, T. (1976):
Morbidity and mortality in the Framingham population
Diabetes, 23: 105.
-

- Geer, J.C. and Haust, M.D. (1972):
Monographs on atherosclerosis.
S. Krager, Basel Switzerland, Vol. 2, p.1.
- Geis, G., Leying, H.; Suerbaum, S., et al. (1989) :
Ultrastructure and chemical analysis of *C.pylori* flagella.
J. Clin. Microbiol.; 27: 436-441.
- Gill, E.A.; McIntyre, T.M.; Pescott, S.M.; Zimmerman, G.A. (1992):
Mechanisms of vascular injury in the pathogenesis of infectious
disease. Curr. Opin. Infect. Dis.; 5: 381-88.
- Gill, H.; Majumdar, P.; Shankaran, K. and Desai, H. (1994):
Age- related prevalence of *H. pylori* antibodies in Indian
subjects. Ind. J. Gastroenterol.; 13:92-94.
- Glupczynski, Y.; Burette, A.; Deperez, C., et al. (1992):
Histological severity of gastritis in *H. pylori* infected people
lacking a systemic antibody response.
Int. J. Med. Sci.; 161(Suppl 10): 28.
- Goh, K.L.; Parasakthi, N.; and Ong, K.K. (1996):
Prevalence of *H. pylori* infection in endoscopy and non-
endoscopy personnel: results of a field survey with serology and
14C urea breath test. Am. J. Gastroenterol.; 91(2): 268-270.
- Goldstein, J.L. and Brown, M.S. (1977):
The low density lipoprotein pathway and its relation to
-

- atherosclerosis. *Ann. Rev. Biochem.*; 46: 879.
- Gonzalez - Valencia, G.; Perez-Perez, G.T.; Washburn, R.G.(1996):
Susceptibility of *Helicobacter pylori* to the bactericidal activity of
human serum. *Helicobacter*, 1: 1-6.
- Goodwin C.S. and Worsley, B.W. (1993):
Microbiology of *H. pylori*. *Gastroenterol. Clin. N. Am.*, 22:5-19.
- Goodwin, C.S., McCulloh, R.K.; Armstrong, J.A.(1985):
Unusual cellular fatty acids and distinctive ultrastructure in a
new spiral bacterium from human gastric mucosa.
J. Med. Microbiol., 19: 257-267.
- Goodwin, C.S.; Armstrong J.A.; Chilvers T., et al. (1989):
Transfer of *Campylobacter pylori* and *Campylobacter mustlae* to
Helicobacter gen nov as *Helicobacter pylori* comb nov and
Helicobacter mustlae comb nov respectively.
Int. J. Syst. Bacteriol.; 39: 397-405.
- Gordon, T.; Castelli, W.P.; Hjortland, M.C.; Kannel, W.B. (1977):
High density lipoprotein as a protective factor against coronary
heart disease. The Framingham study. *Am. J. Med.*; 62: 707.
- Graham D.Y.; Lew, G.M.; Klein, P.D., et al. (1992):
Effect of treatment of *H. pylori* infection on long term
recurrence of gastric and duodenal ulcer.
Ann. Intern. Med.; 116: 705-708.
-

- Graham DY, Malaty HM, Evans GE, Evans DJ, Klein PD and (1991):
Epidemiology of *Helicobacter pylori* in an asymptomatic
population in the United States.
Gastroenterology 1991, 100: 1495-501.
- Grieco, A.J. (1977):
Homocysteinuria: pathogenic mechanisms.
Am. J. Med. Sci.; 273: 120-32.
- Grisaru, D.; Fait, G. and Edlor, A. (1996):
Activated protein C and pregnancy complications.
Am. J. Obstet. Gyn.; 801-802.
- Guarner, J.; Mohar, A.; Parsonet, J. and Halperin, D. (1993):
The Association of *H. pylori* with gastric cancer and
preneoplastic gastric lesions in Chiapas Mexico.
Cancer, 71: 297-230.
- Gyorkey F., Melnick JL, Guinn GA, Gyorkey P(1984):
Herpes viridae in the endothelial and smooth muscle cells of
proximal aorta of atherosclerosis patients.
Exp. Mol. Pathol. 40: 328-339.
- Hajjar DP, Pomerantz KB, Falcone DJ, Weksler BB (1987):
Herpes simplex virus infection in human arterial cells
implications in atherosclerosis.
J. Clin. Invest. 1987, 80: 1317-1321.

Halasz, C.L. (1996):

H. pylori antibodies in patients with psoriasis.

Arch. Dermatol., 132(1):95.

Halbmayer, W.M.; Haushofer, A.; Schon, R.; Fischer, M. (1994):

The prevalence of poor anticoagulant response to activated protein C among patients suffering from stroke or venous thrombosis. Blood. Coag. Fibrinolysis; 5:51-7.

Hansson, L.; Engstrand, L.; Nyren, O., et al. (1993):

H. pylori infection: independent risk indicator of gastric adenocarcinoma. Gastroenterology, 105: 1098-1103.

Harker, L.A., Ross, R., Stichler, S.J. (1976):

Homocystein induced atherosclerosis. The role of endothelial injury and platelet response and its genesis.

J. Clin. Invest 58:731-741

Heijboer, H.; Brandjs, D.P.; Buller, H.R.; Sturk, A. (1990):

Deficiencies of coagulation - inhibiting and fibrinolytic proteins in outpatients with deep vein thrombosis.

N. Eng. J. Med.; 323: 1512-1518.

Heldenburg, D.; Rubenstein, O.; Levto, L.; Berns, B.; (1980):

Serum lipids and lipoprotein concentrations during acute phase of myocardial infarction. Atherosclerosis, 35: 433-7.

Hellgren, M.; Svensson, P.J. and Dahlback, B. (1995):

- Resistance to activated protein C as a basis for venous thromboembolism associated with pregnancy and oral contraception. *Am. J. Obstet. Gyn.*; 173: 210-213.
- Hendricks MGR, Salimens MMM, Vauboven CPA(1990):
High prevalence of latently present cytomegalovirus in arterial walls of patients suffering from grade III atherosclerosis.
Am. J. Pathol. 1990, 136: 23-28.
- Hills LP and Tiffany TT(1980):
Studies of fibrinogen measurement in the CAP survey program.
Clin. Chem., 26: 1459(1980).
- Hirz, H.; Weil, J.; Buchman, S.; Azzam, S.; Auberger, K.(1987):
Homozygotes sauling in eirier sippe mit erblidem protein C Mangel. *Klin. Waaen. Schr.*; 67: 576-89.
- Hoffmann JJ ML and Neuleendi Jk PN.(1978)
Thromb. Haemostas. (Stuttgart) 39, 640 (1978).
- Holcombe, C. (1992):
Helicobacter pylori: The African enigma.
Gut, 33: 429-431.
- Hopkins, R.J.; Vial, P.A.; Ferreccio, C., et al. (1993):
Seroprevalence of *H. pylori* in Chile: vegetables may serve as one route of transmission. *J. Infec. Dis.*; 168: 222-226.
- Hubert, H.B.; Feinleib, M.; McNamara, P.M. and Castelli, W.P(1983):

- Obesity as an independent risk factor for cardiovascular disease:
A 26 year follow up of participants in the Framingham Heart
Study. *Circ.*; 67: 96,8.
- Hughes, N.C. and Wickramasinghe, S.N. (1996):
Lecture notes on haematology. 5th edn., Blackwell Scientific
Publications, Oxford.
- Hu, L.T. and Mobley, H.L.(1990):
Purification and N-terminal analysis of urease from *H.pylori*.
*Inf. Immun.*58:992-998
- Hurst, J.W. (1990):
The heart, textbook of cardiovascular disease. 7th edition.
- Husman, M.; Gries, C.; Jehnichen, P., et al. (1994):
Helicobacter species isolated from an AIDS patient with septic
arthritis: a case report and non-radioactive analysis of 16 S
rRNA sequence. *J. Clin. Microbiol.*; 32(2): 3037.
- Hussell, T.; Isacson, P.G.; Crabtree, J.E., et al. (1993):
The response of cells from low-grade B cell gastric lymphomas
of mucosa associated lymphoid tissue to *H. pylori*.
Lancet, 342: 571-574.
- Husson, M.O.; Gottrand, F.; Vachee, A., et al. (1995):
Importance in the diagnosis of gastritis of detection by PCR of
the *cag A* gene in *H. pylori* strains isolated from children.
J. Clin. Microbiol.; 33(12): 3300-3303.

- Jenkins, C.D. (1983):
Psychological and behavioral factors. In Kaplan, N.M. and Stamler, J. (eds): Prevention of coronary heart disease. Philadelphia, W.B. Saunders Company, p.99.
- Jensen OK and Ingerslev J(1998):
Increased P-homcysteine a risk factor for thrombosis.
Uges Kr - Leager 1998, Jul 20; 160(30): 4405-10.
- John, D.; Rory, C.; Richard, P. (1997):
Chronic infections and coronary heart disease: is there a link?
Lancet, 350: 430-436.
- Jones, D.M.; Lessells, A.M. & Eldrige J., et al. (1984):
Campylobacter-like organisms on the gastric mucosa: culture-histological and serological studies. J. Clin. Pathol., 37: 100.
- Johnson,A.L. , Corononi, J.C. ,Cassel J.C.(1975):
Influence of race,sex and weight on blood pressure behaviuor in young adults. Am.J.Cardiol.35:523
- Jugdutt, B.I.; Stevens, G.F.; Zacks, D.J.; Lee, S.J. a(1983):
Myocardial infarction, oral contraception, cigarette smoking and coronary artery spasm in young women. Am. Ht. J.; 106: 757.
- Kang, S.S. Wong, P.W.K.; Cook, H.V.; Norusis, M.; Messer, J.V.:
Protein bound homocysteine - a possible risk factor for coronary artery disease.

Kannel, W.B. and Gordon, T. (1974):

The Framingham study: An epidemiological investigation of cardiovascular disease, section 30. Some characteristics related to the incidence of cardiovascular disease and death: The Framingham study 18 year follow up, Washington D.C. Dept of Health Education and Welfare Publication No. (NIH): 74-599.

Kannel, W.B.; Hjortland, M.C.; McNamara, P.M. (1976):

Menopause and the risk of cardiovascular disease.
Ann. Intern. Med.; 85: 447.

Kattunen T and Niemela S(1990):

Increased blood leucocytes in patients with *Campylobacter pylori*. Ann. Intern. Med., 112: 232.

Karnes, W.E., Samloff, I.M., Siurala, M., et al. (1991):

Positive serum antibody and negative tissue staining for *H. pylori* in subjects with atrophic body gastritis.
Gastroenterology, 101: 167-174.

Kawamata, O.; Yoshida, H.; Hirota, K., et al. (1996):

Nested polymerase chain reaction for the detection of *H. pylori* infection with novel primers designed by sequence analysis of urease A gene in clinically isolated bacterial strains.
Biochem. Biophys. Res. Commun. 219(1): 266-272.

Kendall, B.J. and Marshall B.J. (1993):

- The coming age of *Helicobacter pylori*.
Contemporary Int. Med., 3.
- Keys, A. (1975): Atherosclerosis 22: 149.
- Kital, T.; Nagano, T. and Yokode, M. (1987): Probucol prevents the progression of atherosclerosis in watanabe heritable hyperlipidaemic rabbits, an animal model for familial hypercholesterolaemia. Proc. Natl. Acad. Sci., USA, 84: 5928.
- Klein, P.D.; Gilman, R.H.; Leon Barua, R., et al. (1994):
The epidemiology of *H. pylori* in Peruvian children between 6 and 30 months of age. Am. J. Gastroenterol.; 89(12):2196-220.
- Klein, P.D.; Graham, D.Y.; Gaillou, A., et al. (1991):
Water source as a risk of *H. pylori* infection in Peruvian children. Lancet, 1:1503-1506.
- Knuiman, J.T.; West, C.E. and Burema, J. (1982):
Serum total and high density lipoprotein cholesterol concentrations and body mass index in adult men from 13 countries. Am. J. Epidemiol.; 116: 631.
- Kosenum, T.U. and Megraud, F. (1995):
Diagnosis of *H. pylori*.
Curr. Opin. Gastroenterol.; 11(Suppl. 1): 5-10.
- Kosenum, T.U.; Seppala, K.; Sarna, S. and Sipponen, P. (1992):
Diagnostic value of decreasing IgG, IgA and IgM antibody titers

- after eradication of *H. pylori*. *Lancet*, 339: 893-895.
- Krajden, S.; Fuksa, M. and Anderson, J. (1989):
 Examination of human stomach biopsies, saliva and dental
 plaques for *Campylobacter pylori*.
J. Clin. Microbiol.; 27: 1397-1398.
- Kreuning, J.; Lindeman, J.; Biemond, I. et al. (1994):
 Relation between IgG and IgA antibody titers against *H. pylori*
 in serum and severity of gastritis in asymptomatic subjects.
J. Clin. Pathol.; 47: 227-231.
- Krienit, W. (1906):
 Ueber des aufreton von spirochaten verschied enen from n
 mageninhalte bei carcinoma. *Vertriculi*, 153.
- Kupiers, E.J.; Pena, A.S. and Meuwissen, S.G.M. (1994b):
H. pylori and gastric cancer limitation of retrospective studies.
Gastroenterol., 106: 1389-1399.
- Kupiers, E.J.; Pena, A.S., Van Kamp G., et al. (1993a):
 Seroconversion for *H. pylori*. *Lancet*, 342:328-331.
- Kurose, I.; Granger, D.N.; Evans, D.J. Jr., et al. (1994):
H. pylori induced microvascular protein leakage in rats: role of
 neutrophils, mast cells and platelets. *Gastroenterol.*; 107; 70-79.
- Labigne, A.; Cussac, V. and Courcoux, P. (1991):
 Shuttle cloning and nucleotide sequences of *H. pylori* gene
-

- responsible for urease activity. *J. Bacterio.*; 173: 1920-1931.
- Lage, A.P.; Godfroid, E.; Fauconnier, A., et al. (1995):
Diagnosis of *H. pylori* infection by PCR: Comparison with other
invasive techniques and detection of *cag A* gene in gastric
biopsy specimens. *J. Clin. Microbiol.*; 33(10): 2752-2756.
- Langenberg, M.L.; Tytgat, G.N.J.; Schipper, M.E.I., et al. (1984):
Campylobacter- like organisms in the stomach of patients and
healthy individuals. *Lancet* 1: 1248.
- Leying, H.; Suerbaum, S.; Geis, G. and Haas, R. (1992):
Cloning and genetic characterization of a *H. pylori* flagellin
gene. *Mol. Microbiol.*; 6: 2863-2874.
- Lindberg G, Eklund GA, Gullberg B, Rastam L.(1991):
Serum sialic acid concentration and cardiovascular mortality.
BMJ, 302: 143-6.
- Lip, G.H.; Wise, R.; Beevers, G. (1996):
Association of *Helicobacter pylori* infection with coronary heart
disease. Study shows association between *H. pylori* infection
and hypertension. *BMI*; Jan 27, 312(7025): 250-1.
- Lipid Research Clinics Program (1984):
The lipid research clinics coronary primary prevention trial
results: reduction in incidence of coronary heart disease.
JAMA, 251:351.

- Liu, K.; Cedrest, L.B.; and Stamler, J. (1982):
Relationship of education to major risk factors and death from
coronary heart disease, cardiovascular diseases and all causes.
Findings of the three Chicago epidemiologic studies.
Circ.; 66:1308.
- Liuzzo, G.; Biasucci, L.M.; Gallimore, J.R. (1994): The
prognostic value of C-reactive protein and serum amyloid A
protein in severe unstable angina.
N. Engl. J. Med.; 331: 417-424.
- Logen, R.P.; Polson, R.J.; Misiewicz, J.J. et al. (1991):
Simplified single sample 13 carbon urea breath test for H. pylori
comparison with histology, culture and ELISA serology.
Gut, 32(12): 1461-1464.
- Lolin, Y.I.; Sanderson, J.E.; Cheng, S.K.; Chan, C.F. (1996):
Hyperhomocysteinaemia and premature coronary artery disease
in the Chinese. Heart; 76: 117-22.
- Long, E.R. (1933):
Arteriosclerosis: A survey of the problem.
The MacMillan Company, New York, p.19.
- Lopes-Virella, M.F. (1994):
Interactions between bacterial lipopolysaccharides and serum
lipoproteins and their possible role in coronary heart disease.

- Eur. Heart J., 14 Suppl. K: 118-124.
- Loy, C.T.; Iruing, L.M.; Katelaris, P.H. and Talley, N.J. (1996):
Do commerical serological kits for H. pylori differ in accuracy?
A meta analysis. Am. J. Gastroenterol., 91(6): 1138-1144.
- Luzza, F.; Maletta, M.; Imeneo, M. et al. (1995):
Evidence against increased risk of H. pylori infection in
dentists: a serological and salivary study.
Eur. J. Gastroenterol. Hepatol. 42, 541-542
- Macchia, G.; Massone, A.; Burrone, D., et al. (1993):
The Hsp 60 protein of H. pylori: structure and immune response
in patients with gastroduodenal diseases.
Mol. Microbiol.; 9:645-652.
- Majmudar, P.; Shah, S.M.; Dhunjiboy K.R. and Desai, H.G. (1990):
Isolation of H. pylori from dental plaques in healthy volunteers.
Indi. J. Gastroenterol.; 9:271-272.
- Malor, R.A. (1985):
Protein C in thromboembolic disease.
Semin. Thromb. Hemost.; 11:387-93.
- Malor, R.A.; Klevis, A.Z. and Griaiffin, J.H. (1989):
Mechanism of action of human activated protein C. a thrombin
dependent anticoagulant enzyme. Blood, 59: 1067-72.
- Mapstone, N.P.; Lynch, D.A.; Lewis, F.A., et al. (1993):

- PCR identificaton of *H. pylori* in faeces from gastritis patients.
Lancet, 341: 447.
- Marlor, R.A.; Montgomery, R.R. and Broekmoms, A. (1989):
 Diagnosis and treatment of homozygous protein C deficient
 children. *J. Pediat.*; 114: 528-34.
- Marshall, B.J. (1994):
Helicobacter pylori. *Am. J. Gastroenterol.*; 89: S116-S128.
- Marshall, B.J. and Warren, J.R. (1984):
 Unidentified curved bacilli in the stomach of patients with
 gastritis and peptic ulceration. *Lancet*, 1: 1311.
- Martin, D.A.C.; Boiexdr, D.; Conton, R.; Gisbert, J.P. (1995):
 High seroprevalence of *Helicobacter pylori* in coronary heart
 disease. *Lancet* 346 (8970): 310, Jul. 29.
- Maseri, A. and Chierchia, S. (1982):
 Coronary artery spasm: Demonstration, definition, diagnosis and
 consequences. *Prog. Cardiovasc. Dis.*; 25: 169.
- Maseri, A.; Severi, S. and DeNes, M. (1978):
 Variant angina: one aspect of a continuous spectrum of
 vasospastic myocardial ischaemia. *Am. J. Cardiol.*; 42: 1019.
- Masini, E.; Bechi, P.; Dei, R., et al. (1994):
H. pylori potentiate histamine release from rat serosal mast cells
 induced by bile acids. *Dig. Dis. Sci.*; 39: 1493-1500.
-

McGill, H.C. Jr. (1977):

Arteriosclerosis problems in pathogenesis.

Atherosclerosis rev., 2: 27.

McGill, H.C. Jr. (1979):

The relationship of dietary cholesterol to serum cholesterol concentration and to atherosclerosis in man.

Am. J. Clin. Nutr. (Suppl) 32: 2664.

McNulty, C.A.M. and Watson, D.M. (1984):

Spiral bacteria of the gastric antrum. Lancet 1:1068.

Meade TW, Brozovic M, Chakrabarti RR, Haines AP, Imeson JD, (1986):

Haemostatic function and ischaemic heart disease. Principal of the north wick park heart study. Lancet, 1986, ii:533-7.

Megraud, F. and Lamouliette, H. (1992):

H. pylori and duodenal ulcer: evidence suggesting causation.

Dig. Dis. Sci.; 37: 769-772.

Megraud, F.; Bonnet, F.; Garnier M. and Lamouliette, H. (1985):

Characterization of Campylobacter pyloridis by culture, enzymatic profile and protein content.

J. Clin. Microbiol.; 22: 1007-1010.

Megraud, F.; Brassens Rabbe, M.P.; Denis, F. et al. (1989):

Seroepidemiology of Campylobacter pylori infection in various populations. J. Clin. Microbiol.; 27:1870-1873.

- Meiattini F., Prencipe L., Bardelli F, Giannini G. And Tarlip(1978):
Clin. Chem. 24, , p. 2161.
- Mendal, M.A.; Goggin, P.M.; Molineaux, N.; Levy, J. (1994):
Relation of Helicobacter pylori infection and coronary heart
disease. Br. Heart J.; 71: 437-439.
- Mendal, M.A.; Patel, P.; Ballam, L.; Strachan, D(996):
C-reactive protein and its relation to cardiovascular risk factors:
a population based cross sectional study. BMJ, 312: 1061-65.
- Mendal MA, Goggin PM, Motneaux N, Leby J, Toosy T, (1992):
Association between childhood living conditions and
Helicobacter pylori seropositivity in adult life.
Lancet 1992, 1: 896-7.
- Meuwissen, S.G.M.; Ridwan, B.U.; Hasper, H.J., et al. (1992):
Hypertrophic protein losing gastropathy: a retrospective analysis
of 40 cases in the Netherlands.
Scand. J. Gastroenterol.; 27 (Suppl. 194): 1-7.
- Miletich, J.; Sherman, L. and Bronze, G. (1987);
Absence of thrombosis in subjects with heterozygous protein C
deficiency. N. Engl. J. Med.; 317: 991-996.
- Miller, N.E. (1982):
Coronary atherosclerosis and plasma lipoproteins.
J. Cardiovasc. Pharmacol. (Suppl 2): 4: 190.

- Miragliatta, G.; Del Prete, R.; Mosca, A. (1994):
Helicobacter pylori infection and coronary heart disease.
Lancet, 344(8924): 751, Sep. 10.
- Miragliotta G, Fumarola D, Mosca A, Francavilla A (1989):
Campylobacter pylori associated gastritis and procoagulant
activity production. Am. soc. microbiol. Ann. , Abst. p 222.
- Misiewicz, J.J.; Tytgat, G.N.J.; Goodwin, C.S., et al. (1990):
The Sydney System: a new classification of gastritis. Working
Party Reports of the world Congress of Gastroenterology,
Oxford, Blackwell Scientific Publications, 1-10.
- Mitchell, H.M.; Hazell, S.L.; Kolesnikow, T. et al. (1996):
Antigen recognition during progression from acute to chronic
infection with a cag A positive strain of H. pylori.
Infect. Immun.; 64(4): 1166-1172.
- Mitchell, H.M.; Lee, A. and Carrick, J. (1989):
Increased incidence of C.pylori infection in gastroenterologists:
further evidence to support person to person transmission.
Scand. J. Gastroenterol., 24: 396-400.
- Moayyeidi, P.; Tompkins, D.S. and Axon, A.T. (1994):
Salivary antibodies to H. pylori: screening dyspeptic patients
before endoscopy. Lancet 344: 1016-1017.
- Mobley, H.L.T. and Foxall, P.A. (1994):

- H. pylori urease quoted from Hunt R.H. and Tytgat G.N.J. eds.
H. pylori:
Basic Mechanisms to Clinical Cure. Dordrecht, Kluwer, pp.4158.
- Moran, A.P. and Wadstrom, T. (1994): Bacterial pathogenic factors.
Curr. Opin. Gastroenterol.; 10(Suppl. 1): 17-21.
- Morgando, A.; Sanseverino, P.; Perotto, C.; Molino, F. (1995):
Helicobacter pylori seropositivity in myocardial infarction.
Lancet, Jul. 29, 346(8970): 310.
- Murray, L.J.; Bamford, K.B.; O'Reilly, D.P.J.; McCrum, E.E. (1995):
Helicobacter pylori infection: relation with cardiovascular risk
factors, ischaemic heart disease and social class.
Br. Heart J.; 74: 497-501.
- Naga, M.; El-Kassas, M.; Goubran, H., et al. (1994):
Are immune complexes formed in the presence of H. pylori
infection in chronic gastritis responsible for the development of
gastric erosions? Egyptian J. Int. Med.; 3: 105-114.
- Nanavar, F.; Roosendal, R.; Kupiers, E.J., et al. (1995):
Presence of H. pylori in the oral cavity, oesophagus, stomach
and faeces of patients with gastritis.
Eur. J. Clin. Microbiol. Inf. Dis.; 14(3): 234-237.
- Ndawula, E.M.; Owen, R.J.; Mihr, G.; Borman, P.; Hurtado, A. (1994):
Helicobacter pylori bacteremia.
-

- Eur. J. Microbiol. Infect. Dis.; 13: 621.
- Neale, K.R. and Logan, R.P. (1995):
The epidemiology and transmission of *H. pylori* infection in children. Aliment. Pharmacol. Ther. 9 (Suppl. 2): 77-84.
- Negrini, R.; Lisato, L.; Zanella, I., et al. (1991):
H. pylori infection induces antibodies cross-reacting with human gastric mucosa. Gastroenterology, 101: 437-445.
- Neri, M.; Susi, D.; Bovani, I., et al. (1994):
Bacterial mucosal infiltration in *H. pylori* - associated gastritis: histological and clinical consequences.
Am. J. Gastroenterol.; 89: 1801-1805.
- Nielson, H.; Birkholz, S.; Andersen L.P. and Moran A.P. (1994):
Neutrophils activation by *H. pylori* lipopolysaccharides.
J. Infect. Dis.; 170:135-139.
- Niemela, S.; Karttunen, T.; Karhonen, T. (1996):
Could *Helicobacter pylori* infection increase the risk of coronary heart disease by modifying serum lipid concentrations?
Heart; 76: 573-75.
- Nieminen, M.S.; Mattila, K.; Valtonen, V. (1993):
Infection and inflammation as risk factors for myocardial infarction. Eur. Heart. J.; 14 Suppl K.: 12-16.
- Nilsson PM, Moller L, Ostergren PO (1995):
-

- Social class and cardiovascular disease. An update.
Scand. J. Soc. Med., 1995; 23:3-8.
- Nelson LA (1968):
Acta. Path. Microbiol. Scand. 73 9129.
- O'Toole, P.W.; Kostrzynska, M. and Trust, T.J. (1994):
Non-motile mutants of *H. pylori* and *H. mustelae* defective in
flagellar hook production. Mol. Microbiol.; 14:691-703.
- Palmer, E.D. (1954):
Investigations of the gastric spirochetes of the human.
Gastroenterol.; 27: 218-220.
- Papini, E.; De Bernard, M.; Milia, E., et al. (1994):
Cellular vacuoles induced by *H. pylori* originate from late
endosomal compartments.
Proc. Natl. Acad. Sci., USA, 91:9720-9724.
- Parsonnet, J.; Hansen, S.; Rodriguez, L., et al. (1994):
H. pylori infection and gastric lymphoma.
N. Eng. J. Med.; 330: 1267-1271.
- Parsonnet J., Blaser, M.J., Perez- Perez GI, Hargreg- Bean N.(1992):
Symptoms and risk factors of *Helicobacter pylori* infection in a
cohort of epidemiologists. Gastroenterology 1992, 102: 41-6.
- Patel, P.; Mendal, M.A.; Carrington, D. (1995):
Association of *Helicobacter pylori* and *Chlamydia pneumoniae*
-

- infection with coronary heart disease and cardiovascular risk factors. *BMJ*, 311: 711-714.
- Patel, P.; Mendal, M.A.; Northfield, T. and Strachan, D. (1994a):
H. pylori infection in children: risk factors and a possible direct effect on growth. *BMJ*, 309: 1119-1123.
- Patel, P.; Mendal, M.A.; Khulusi, S. et al. (1994b):
Salivary antibodies to H. pylori: screening dyspeptic patients before endoscopy. *Lancet*, 344: 511-512.
- Patel, P.; Carrington, D.; Strachan, D.P. (1994c):
Fibrinogen: a link between chronic infection and coronary heart disease. *Lancet*, 343: 1634-1635.
- Parente, V. Imbesi G. Maconi, E Rossi, (1996).
Is HP infection associated with a tendency towards a procoagulant state in healthy individual.
Am J Gastroenterol.(91)6:1150-1152
- Particia M., Catalona, C. , Ross G.(1993):
Coagulation regulation and hypercoagulable states haematology.
The national medical series for independent stuMiddle east
edition, p.:241.
- Paunio, M.; Hook-Nikanne, J.; Kosenum, T.U., et al. (1994):
Association of alcohol consumption and H. pylori infection in young adulthood and early middle age among patients with

- gastric complaint. A case control study on Finish conscripts, officers and other military personnel.
Eur. J. Epidemiol.; 10(2): 205-209.
- Peek, R.M.J.; Miller, G.G.; Tham, K.T., et al. (1995):
Detection of H. pylori gene expression in human gastric mucosa. J. Clin. Microbiol.; 33: 28-32.
- Penn A, Garte SJ, Warren L, Nasta D, Mindich B(1986):
Transforming gene in human atherosclerotic plaque DNA.
Proc. Natl. Acad. Sci. USA 1986, 83: 7951-7955.
- Perez-Garcia, J.I.; Pajares-Garcia, J.M. and Jimenez-Alonso, I. (1996):
C13 urea breath test in the diagnosis of H. pylori infection in the gastric mucosa: validation of the method.
Rev. Esp. Enferm. Dig; 88(3): 202-208.
- Perez-Perez, G.I.; Taylor, D.N.; Bodihta, L., et al. (1990):
Seroprevalence of H. pylori infection in thailand.
J. Infect. Dis.; 161:1237-1241.
- Peters, P.K.; Cady, L.D. and Bischoff, D.B. (1983):
Physical fitness and subsequent myocardial infarction in healthy workers. JAMA, 249: 3052.
- Petrie BL, Melnick JL, Adam E (1987):
Nucleic acid sequence of cytomegalovirus virus in cells cultured from human arterial tissue.

- J. Infect. Dis 1987, 155: 158-159.
- Pfeffer, R.I.; Whipple, G.H.; Kurosaki, T.T. (1978):
Coronary risk and oestrogen use in post-menopausal women.
Am. J. Epidemiol.; 107: 479.
- Phadnis, S.H.; Ilver, d.; Janzon, L., et al. (1994): Pathological
significance and molecular characterization of the vacuolating
toxin gene of *H. pylori*. Infect. Immun.; 62: 1557-1565.
- Philip, D. (1993):
Clinical chemistry in diagnosis and treatment. Sixth edition, P.
317.
- Polish, L.B.; Douglas, J.M.; Davidson, A.J., et al. (1991):
Characterization of risk factors for *H. pylori* infection among
men attending a sexually-transmitted disease clinic: lack of
evidence for sexual transmission.
J. Clin. Microbiol.; 29:2139-2143.
- Ponzetto, A. (1996):
Extra- gastro-intestinal diseases and *Helicobacter pylori*.
Eur. J. Gastroenterol. Hepatol.; 9(6): 616, Jun.
- Pulido, J.; Lingua, R.; Cristal, S. and Byrne S. (1987):
Protein C deficiency associated with various haemorrhage in
neonates. Am. J. Ophth.; 104: 546-7.
- Puolokainen CC, Shor A, Wang SP, Grayston JT(1993):

Serological response to *Chlamydia pneumonia* in adults with coronary arterial fatty streaks and fibrolipids plaque.

J. Clin. Microbiol. 1993; 31: 2212-14.

Quick AJ (1966):

Hemorrhagic diseases and thrombosis, Philadelphia, Lea and Febiger, p233.

Ramirez JA.(1996):

Isolation of *Chlamydia pneumonia* from coronary artery of patients with coronary atherosclerosis.

Ann. Intern. Med. 1996, 125: 979-82.

Rebora, A.; Drago, F. and Parodi, A. (1995):

May *H. pylori* be important for dermatologists.

Dermatol.; 191(1):6-8.

Reinauer, S.; Megahed, M.; Goez, G., et al. (1995):

Henoch-Shonlein purpura associated with gastric *H. pylori* infection. J. Am. Acad. Dermatol.; 33: 876.

Reines, H.D.; Halushka, P.V.; Cook, J.A.; Wise, W.C. (1982):

Plasma thromboxane concentrations are raised in patients dying with septic shock. Lancet, 2: 174-175.

Replogle, M.; Glaser, S.; Hiatt, R. and Parsonnet, J. (1994):

Gender as a risk factor for *H. pylori* infection in young healthy adults. Am. J. Gastroenterol.; 89: 1312.

- Ryder, R.; Hayes, T.; Mulligan, I.; Kingwood, J.; Williams, S. (1984):
How soon after myocardial infarction should plasma lipids be
assessed? *BMJ*, 289:1651-2.
- Ridkler, P.M.; Hennekens, C.H. and Lindpainter, R. (1995):
Mutation in gene coding for coagulation factor V and risk of
myocardial infarction, stroke and venous thrombosis in
apparently healthy men. *N. Eng. J. Med.*; 322: 912-7.
- Romaniuk, P.J.; Doltawaska, B.; Trust, T.J. et al. (1987):
Campylobacter pylori the spiral bacterium associated with
human gastritis is not a true *Campylobacter*
spp. *J. Bacteriol.*; 169: 2137-2141.
- Rose G and Marmot MG (1981):
Social class and coronary heart disease.
Br. Heart. J. 1981. 45: 13-9.
- Rosen S(1994):
Multicenter evaluation of a kit for activated protein C resistance
on various coagulation instruments using plasmas from healthy
individuals. *Thromb. Haemost.* 72, 255-260 (1994).
- Rosendaale, F.R.; Koster, T.; Uanlentrou, K.J.P. (1995):
High risk of thrombosis in patients homogenous for factor V
leiden (APC) resistance. *Blood*, 85(6): 1504-1508.
- Rosendaale; F.R.; Siscovick D.S.; Swartz, S.M.; Bevelly, S. (1997):

- Factor V leiden (resistance to activated protein C) increases the risk of myocardial infarction. *Blood*; 15: 89(8): 2817-21.
- Ross, R. (1986):
The pathogenesis of atherosclerosis.
An Update *N. Engl. J. Med.*; 314: 488.
- Rossner, S. and Hallurg, D. (1980):
Long term follow up of serum lipoproteins after jejuno-ileal bypass surgery for marked obesity. *Int. J. Obes.*; 4: 197.
- Sakata, Y.; Guriden, S.; Lawrence, D.; Griffin, J.H. (1985):
Activated protein C stimulates the fibrinolytic antiactivator activity. *Proc. Natl. Acad. Sci., USA*, 82: 1121-1125.
- Salamela, K.S.; Roine, R.P., Koivisto, T., et al. (1993):
Characteristics of *H. pylori* alcohol dehydrogenase. *Gastroenterol.*; 105: 325-330.
- Salaspuro, M. (1994):
H. pylori alcohol dehydrogenase. Quoted from Hunt R.H. and Tytgat, G.N.S., eds. *H. pylori : Basic mechanism to clinical cure*.
Dodrecht Kluwer Academic Publishers, pp.232-242.
- Sanari, N.K.; Lavick, D.; Martin, D.; Dlinger, P. (1994):
Resistance to activated protein C and risk of premature myocardial infarction (letter). *Lancet*, 344: 1709-1710.
- Sather, M.; Simjee, A. and Wittenbur, F. (1994):
-

- Seroprevalence of *H. pylori* in Natal, Kuazulu, South Africa.
Eur. J. Gastroenterol. Hepatol.; 6:37-41.
- Scragg, P.K.P.; Fraser, A.; Metcalf, P.A. (1996):
Helicobacter pylori seropositivity and cardiovascular risk factors
in a multicultural work force.
J. Epidemiol. Commun. Health.; 50: 578-79.
- Seery, J.P. (1991):
Achlorhydria and gastric carcinogenesis. *Lancet* 2:1508-1509.
- Sevensson, P.J. and Dahlback, B. (1994):
Resistance to activated protein C as a basis for venous
thrombosis. *W. Eng. J. Med.*; 300: 517-522.
- Shabib, S.; Laxer, R.; Silverman, E., et al. (1994):
Seroprevalence of *H. pylori* infection is not increased in pediatric
inflammatory arthritis. *J. Rheumatol.*; 21(8):1548.
- Shahamet, M.; Mai, U.E.; Pasko-Kolva, C., et al. (1991):
Evaluation of liquid media for growth of *H. pylori*.
J. Clin. Microbiol.; 29(12): 2835-2837.
- Shaper, G. (1989):
Epidemiology of ischaemic heart disease.
Med. Int. J., Vol. 68, Aug., 2808-2813.
- Sharma, S.A.; Miller, G.G.; Perez-Perez, G.I., et al. (1994):
Humoral and cellular immune recognition of *H. pylori* proteins
-

- are not concordant. Clin. Exp. Immunol.; 97:126-132.
- Shor A., Kuo CC, Patton DL(1992):
Detection of Chlamydia pneumonia in coronary arterial fatty streaks and atheromatous plaques.
S. Afr. Med. J. 1992, 83: 158-61.
- Silberhaus, K.; Schernthaner, G. and Sinzinger, H. (1979):
Decreased vascular prostacyclin in juvenile onset diabetes.
N. Engl. Med. J.; 300: 366.
- Simor, A.E.; Shames, B.; Drumm, B., et al. (1990):
Typing of C.pylori by bacterial DNA restriction endonuclease analysis and determination of plasmid profile.
J. Clin. Microbiol.; 28: 83-86.
- Situs F, Forman D, Yarnell JWG(1991):
Helicobacter infection rates in relation to age and social class in population of Welsh men. Gut 1991, 32: 25-8.
- Solimany, B.L.; Murty, V.L.N.; Piatrouski, J., et al. (1992):
Glycosulfatase activity of H. pylori toward human gastric mucin: effect of sucralfate. Am. J. Gastroenterol.; 87:1132-1137.
- Speir E, Madali R., Huang ES.(1994):
Potential role of human cytomegalovirus and P53 interaction in coronary restenosis. Science 1994, 265: 391-94.
- Spiegelhalder, C.; Gerstenecher, B.; Kersten, A., et al. (1993):
-

- Steer, H.W. and Colin-Jones, D.G. (1975):
Mucosal changes in gastric ulceration and their response to carbenoxolone sodium. *Gut*, 16: 590-597.
- Strachan DP, Mendall MA, Carrington D, Bulland BK, (1998):
Relation of *Helicobacter pylori* infection to 13-year mortality and incident ischaemic heart disease in a case-control prospective heart disease study. *Circulation*, 1998, Sep. 29; 98(13): 1286-90.
- Suerbaum, S.; Josenhans, C. and Labigne, A. (1993):
Cloning and genetic characterization of the *H. pylori* and *H. mustelae* flagellin genes. *J. Bacteriol.*; 175: 3278-3288.
- Suerbaum, S.; Leying, H.; Klemm, K., et al. (1991):
Antibacterial activity of pantoprazole and omeprazole against *H. pylori*. *Eur. J. Clin. Microbiol. Infect. Dis.*; 10:92-93.
- Suerbaum, S.; Thiberge, J.M.; Kansau, I., et al. (1994):
H. pylori hspA-hspB heat-shock gene cluster: nucleotide sequence, expression. *Mol. Microbiol.*; 14: 959-974.
- Sullivan, P.B.; Thomas, J.E.; Wight, D.C.D., et al. (1990):
H. pylori in Gambian children with chronic diarrhoea and malnutrition. *Arch. Dis. Child.*; 65: 189-191.
- Sung, J.J.Y. and Sanderson, J.E. (1996):
Hyperhomocysteinaemia, *Helicobacter pylori* and coronary heart disease. *Heart*, 76: 305-07.

- Tabernero, M.D.; Thomas, J.F.; Albercon, I.; Orfao, A. (1991):
Incidence and clinical characteristics of hereditary disorders
associated with venous thrombosis. *Am. J. Med.*; 36: 249-254.
- Taha, A.S.; Angerson, W.; Nakshabandi, I., et al. (1993):
Gastric and duodenal mucosal blood flow in patients receiving
non-steroidal anti-inflammatory drugs: influence of age,
smoking, ulceration and *H. pylori*.
Aliment. Pharmacol. Ther. 7:41-45.
- Taylor, D.E.; Eaton, M.; Chang, N.; and Salama, S.M. (1992):
Construction of a *H. pylori* genome map and demonstration of
diversity at the genome level. *J. Bacteriol.*; 174: 6800-6807.
- Taylor, D.E.; Hargreaves, J.A.; Ng L.K., et al. (1987):
Isolation and characterization of *Campylobacter pyloridis* from
gastric biopsies. *Am. J. Clin. Pathol.*; 87: 49-54.
- Taylor, N.S.; Fox, J.G. and Yan L. (1995):
In vitro hepatotoxic factor in *Helicobacter hepaticus*,
Helicobacter pylori and other *Helicobacter* species.
J. Med. Microbiol.; 42:48.
- The International Collaborative Group (1979):
Joint discussion. *J. Chron. Dis.*; 32: 829.
- Thomas, J.E.; Gibson, G.R.; Darboe, M.K. et al. (1992):
Isolation of *H. pylori* from human faeces. *Lancet* 340: 1194-1195.

- Thompson, L.M.; Simber, R.M.; Johnson, J.L. and Krieg, N. (1988):
Phylogenetic study of the genus *Campylobacter*.
Int. J. Syst. Bacteriol.; 38:190-200.
- Tsugane, S.; Tei, Y.; Takahashi, T., et al. (1994):
Salty food intake and risk of *H. pylori* infection.
Jpn. J. Cancer. Res.; 85: 474-478.
- Tufano, M.A.; Rossano, F.; Catalonetti, P., et al. (1994):
Immunological activities of *H. pylori* porins.
Infect. Immun.; 62: 1392-1399.
- Tummuru, M.K.R.; Cover, T.L. and Blaser, M.J. (1993):
Cloning and expression of a high molecular mass major antigen
of *H. pylori*: evidence of linkage to cytotoxin production.
Infect. Immun.; 61: 1799-1809.
- Tummuru, M.K.R.; Covert, T.L. and Blaser, M.J. (1994):
Mutation of the cytotoxin- associated *cag A* gene does not affect
the vacuolating cytotoxin activity of *H. pylori*.
Infect. Immun.; 62: 2609-2613.
- Ubbink, J.; Verma K.W.; Vander M.A.; Becker P. (1993): Vitamin
 B_{12} , vitamin B_6 and folates nutritional status in men with
hyperhomocysteinemia. *Am. J. Clin. Nutr.*; 57: 47-53.
- Vallance, P.; Collier, J.; Bhagat, L. (1997):
Infection inflammation and infarction: does acute endothelial

- dysfunction provide a link? *Lancet*, 349: 1391-92.
- Van der Bom, J.G.; Bots, M.; Slogboom, P.E.; Meier, P., (1996):
Reduced response to activated protein C is associated with
increased risk for cerebrovascular disease.
Ann. Intern. Med.; 125: 265-269.
- Virchow, R. (1856):
Gesammelte abdan lungen zur wissenschaftlichen. Medicin.
Meidinger sohn and Company, Frank Furt Am- Main, p.:458.
- Volmers, H.P.; Dammrich, J.; Ribbert, H., et al. (1994):
Human monoclonal antibodies from stomach carcinoma patients
react with *H. pylori* and stimulate stomach cancer cells in vitro.
Cancer, 74: 1525-1532.
- Von-Ekardstein and Assmann G. (1998):
Homocysteine and atherogenesis.
Internist. Berl. Feb., 39(2): 214-5.
- Vorobjova, T.; Kisand, K.; Haukonomm, A., et al. (1994):
The prevalence of *H. pylori* in a population from Southern
Estonia. *Eur. J. Gastroenterol. Hepatol.*; 6:529-533.
- Wagner, S.; Beil, W.; Mai, E.U.H., et al. (1994):
Interaction between *H. pylori* and human gastric epithelial cells
in culture: effect of anti-ulcer drugs. *Pharmacol.*; 49:226-237.
- Walter, P.F.; Morris, D.C.; Hurst, J.W.; King III, S.B. (1986):

- Atherosclerotic coronary heart disease, recognition, prognosis and treatment. Modern electrocardiography. The Williams and Wilkins Company, Baltimore, Vol. 1, p.:5.
- Warren, J.R. and Marshall, B.J. (1983):
Unidentified curved bacilli on gastric epithelium in active chronic gastritis. *Lancet*, 1: 1237.
- West, K.M. (1978):
Epidemiology of diabetes and its vascular lesions.
New York Lesevier.
- Westblom, T.U.; Fritz, S.B.; Phadnis, S. et al. (1993):
PCR analysis of Peruvian sewage water: support for faecal- oral spread of *H. pylori*. *Acta. Gastroenterol. Belg. Suppl.*; 56:47.
- Whitaker C.J., Dubiel A.J., Galpin O.P.(1993):
Social and geographical risk factors in *Helicobacter pylori* infection. *Epidemiol. Infect.* 111: 63-70.
- Wilcox, R.G.; Bennett, T.; Brown, A.M. and MacDonald, I.A. (1982):
Is exercise good for high blood pressure? *BHJ*; 285: 707.
- Williams, R.S.; Lague, E.E. , Lewis, J.L. (1980):
Physical conditioning augments technique fibrinolytic response to venous occlusion in healthy adults. *N. Engl. J. Med.*; 302:987.
- Wincup, P.H.; Mendall, M.A.; Perry, I.J.; Strachan, D.P. (1996):
Prospective relations between *Helicobacter pylori* infection,

coronary heart disease and stroke in middle- aged men.

Hear, Jun, 75(6): 568-572.

Wisdom R.A. (1976):

Enzyme immunoassay. Clin. Chem. 22: 1235

Wissler, R.W. (1979):

Biochemistry of atherosclerosis.

Marcel Dekker, New York, Vol. (7): p.:345.

Wood, P.D.; Haskell, W.L. and Blair, S.M. (1983):

Increased exercise and plasma lipoproteins level.

Metabolism; 32:31.

World Health Organization, World Health statistics annual 1993,
Geneva, WHO, 1993.

Wu, L.L.; Wu, J.; Junt, S.C.; James, B.C.; Vincent, G.M. (1994):

Plasma homocystein as a risk factor for early familial coronary
artery disease. Clin. Chem.; 40: 552-561.

Xia, H.X.; Keane, C.T.; Chen, J. et al. (1994):

Transportation of H. pylori culture by optimal systems.

J. Clin. Microbiol.; 32:3075-3077.

Xiang, Z.; Censini, S.; Bayeli, P.F. et al. (1995):

Analysis of expression of cag A and vac A virulence factors in
43 strains of H. pylori reveals that clinical isolates can be
divided into two major types and that cag A is not necessary for

expression of the vacuolating cytotoxin.

Infect. Immun.; 63: 94-98.

Xu A. and Wick G. (1996):

The role of heart shock proteins in protection and pathophysiology of arterial wall. Mol. Med. Today, 2: 372-379.

Yamashiraya HM, Ghosh L, Yang R, Robertson AL(1988):

Herpes viridae in the coronary arteries and aorta of young trauma victims. Am. J. Pathol., 130: 71-79.

Yarnell, JWG; Baker, I.A.; Sweetman, P.M. (1991):

Fibrinogen, viscosity and white blood cell count are major risk factors for ischaemic heart disease. The caerphilly and speed well collaborative heart disease studies. circulation, 83: 836-844.

Zoller, B. and Dahlback, B. (1994):

Linkage between factor factor V gene mutation and inherited resistance to activated protein C. Lancet, 373: 1536-1537.