

REFERENCES

REFERENCES

- Abbas-MF, Abbas-MJ and Abdel- Basit-OI (2000), "Indole- 3-acetic acid concentration during fruit development in date palm (phoenix dactylifera L.C.V. Hillaw". Fruits-paris 55:2,155-188.
- Abdel-Razik, MS.; El-Darier, S. (1991): "Functions of fig tress (Ficus Carica, L.) in agroecosystems of the western Mediterranean desert of Egypt", Qatar University Science-Journal. 11: 183-199.
- Adley Farahat Moustafa, (1996): " Effect of some growth retardants and nutrient elements on growth and resistance of some fig cultivars to drought" Ph. D.thesis. Hort. Dep. Faculty of Agric. Moshtohor, Zagazig university, Cairo. Egypt.
- Akar, B and Oner, MD. (1994): " Purification of fig tree latex and its use in Antep cheese production" Gold, 19:5, 329-331.
- Aksoy, U.; Anac, D.; Frago, Mac (ed.); Beusichem, ML. Van (1987): "Soil properties and mineral content of leaves in fig orchards producing high-quality fruits". Referred papers from the Eighth International Colloquium for the Optimization of plant Nutrition, 31 August-8 September 1992, Lisbon, Portugal, 1993, 305-308.
- Aleksandra Zigo and Franci Stampar, (1995): "Characterization of isozymes varation in common fig (Ficus carica L.)". Research Reports Biotechnical faculty of the University of Ljublijana. 65, P. 97-102.
- Allen, S.E., Grimshay, H.M., Pakinson, J.A., and Quarm by, c. (1974): "chemical Analysis of Ecological Materials", Black well Scientific publications. Osney, Oxford, London: 565 pp.
- Aly, G. H. (1989): "Certain physiological changes accompanying fruit development of *Carica papaya*". M.Sc. Thesis. Bot. Dept. Faculty of Sci., Zagazig Univ., Egypt.

- Archbold, D.D. and Dennis, F.G. (1984): Quantification of free ABA and free and conjugated IAA in strawberry achene and receptacle tissue during fruit development. *Jr. J. Am. Soc. Hortic. Sci.*, 109 (3): 330-5. (Eng).
- Askin, A.; Ceylan, S.; Yener, H.; Aksoy, U. (ed), Fergusson, L. (ed); Ilpaksay-S. (1998): "A study on the nutritional status of fig Orchards in Birgi-Irimagzi", *Acta-Horticulturae*, No 480, 239-246.
- Audus, L.J. (1959); "Plant growth substances" Leonard Hill, London, 1959: 186-189.
- Avery, G.S. Jr., Berger, J. and Shalucha, B. (1942). The total extraction of free auxin and auxin precursor from plant tissues. *Amer. J. Botany*, 29: 596.
- Bagdady, H.A., and Menesi, F. (1964): "Fruits and methods of production". Dar El-Maref, Cairo, 1964: 437-428 in arabic.
- Bagenal, N.B. and Cantab, 13.A. (1948): "Fruit Growing". Ward, hock & Co. Limited, pp. 416.
- Bahgat, M., and Ezzat, A.H. (1965): " Fig in Egypt" Hort. Dept. Ministry of Agric. Cairo, 1965.
- Bailey, L.H. (1949): "Manual of cultivated plants" Macmillan, New York., 1116 pp.
- Bailey, L.H. (1963): "The standard cyclopedia of Horticulture. The Mac Millan comp. New York, 1963: II,: 1201
- Bailey, L.H.(1963): "Manual of cultivated plants", The Mac. Milian comp. New york, 1963: 339.
- Bain, J.M., (1958): "Morphological, anatomical and physiological changes in the developing fruit of the valencia orange, citrus sinensis (L.)". Osbeck. *Aust. J. Bot*, 6: 1-25.

- Bakr , E.I.M.(1970): " studies on vegetative and generative cycles in growth in seedy and seedless guava trees under giza conditions" Ph.D. Thesis. Cairo Univ. Fac. Agric. , Egypt.
- Barker, J., Isherwood, F.A. and Collins, W.B. (1963): Sugarlevels in fruits of the low bush blueberry estimated at four physiological ages. *Nature, lond.*, 198: 810-11.
- Bernice, K.W., Annabel, L.M and Martha, L.O (1959): "A table of food values". *Food the yearb. Agric; U.S.A, Washington, D.C.*, 238.
- Beutel, J., K. Uriu, and O. lilleland (1983): "leaf analysis for Californian deciduous fruits". *Soil and plant Tissue Testing in California B ul. 1879. Univ. of california, Berkeley.*
- Biale, J.B. (1960): "The postharvest biochemistry of tropical and subtropical fruits". *Avd. Fd. Res.*, 10: 293-354.
- Biale, J.B. (1964): Growth, maturation and senescance in fruits. *Science*, 146: 880-888.
- Biale, J.B. and R.E. Young, (1981): "Respiration and ripening in fruits. Retrospect and Prospect," P. 1-39 in: J. Friend and M.J.C. Rhodes (eds.). *Recent advances in the biochemistry of fruits and vegetables*, Academic, London.
- Bianco-R- , Rieger- M and L.Bianco- R (2002) : "Roles of sorbito] and sucrose in growth and respiration of 'Encore' peaches at the three developmental stages" *Journal- of- the- American- Society- for- Horticultural- science.* 127: 2,297- 302.
- Bohl, B.S. and Akum, B.T. (1983): "Advanced organic chemistry", New Delhi India.
- Bollard, E.G. (1970): *The Biochemistry of Fruit and their products*. Ed. Hulme. A.C. London and New York, Volume I., Pp 387-420.
- Bose, TK.; Mitra, SK.; Sadhu, MK. (1988): "Mineral nutrition of fruit crops", Calcutta, India, Naya, Prokash, 773 pp.

- Brower, J.E. and Zar, J.H. (1984): "Field and Laboratory Methods for General Ecology". Win. C.Brown publishers Dubuque, Iowa; 226 pp.
- Brugovitzky, E., Bosica, I. And Adorjan, M. (1967): "Investigation on the inhibitors of *Rosa canina*. I: Detection of inhibitors in various ripening stages". Stud. Univ. Bares. Bolyai. Ser. Biol., 12(1): 78-81.
- Buta-JG and Spavlding-Dw (1994) : " Changes in indole-3- acetic acid and abscisic acid levels during tomato (*lycopersicon esculentum* Mill) fruit development and ripening" , journal of plant Growth Regulation. 13:3, 163-166, Califorenia Bul. 1879. Univ. of Califorenia, Berkeley.
- Chaim, F., Isaac, K. and Dilley, D.R. (1968): "protein synthesis in relation to ripening of pome fruits". Plant physiol, (43): 1146-1153.
- Chandler, W.H. (1957): " Deciduous orchards", Lea and Febiger, hiladelphia,1957: 397-407.
- Chaplin, M.F. and Kennedy, J.F. (1994): "Carbohydrate Analysis- Apractical approach". Oxford University Press, Oxford, New York., Tokyo. 2 nd Ed: 324 pp.
- Chaplin, M.H. (1966) : M.Sc. Thesis, Rutgers Univ., New Brunswick.
- Charley, V.L.S. (1949): " In the principles and practice of cider —making" P. 312 Leonard Hill. Ltd, London.
- Chaudhari, S.M. and Desai. U.T. (1994): "Effects of heading back on yield and Physico-chemical characters of fig (*Ficus carica* L.) cv. Poona fig", Recent Horticulture 1 (1), 52-53.
- Chessa, I. Nieddu, G.; Schirra, M. (1992). "growth and ripening of main-crop fig", Advanced Horticulatural sciences, 6 (3): 112-115.

- Chessa, I.; Nieddu, G.; Serra, P. (1998): "Fig germplasm characterization using isozyme analysis". *Acta-Horticulturae*, No. 480, 143-148.
- Claussen, W. (1983): Investigations on the relationship between the distribution of assimilates and sucrose synthetase activity in *Solanum melongena*. L 2. Distribution of assimilates and sucrose synthetase activity. *Z. Pflanzen physiol* 13d., 110. S: 175-182.
- Claypool, L.L. and S. Ozbek, (1952): "Some influences of temperature and carbon dioxide on the respiration and storage life of the Mission fig" *Proc. Amer.Soc. Hort. Sci.* 60: 226-230.
- Condit, Ira, J.(1947): "The fig" *Chronica Botanica Co. Waltham*, 1947: XVIII+222 P. illus.
- Coombe, B.G. (1960) : Relationship of growth and development to changes in sugars, auxins, and gibberellins in fruit of seeded and seedless varieties of vitis. *Plant physiol*, 35: 241-250.
- Corcoran, M.R. and Phinney, B.O. (1962): Changes in amount of gibberellin- like substances in developing seeds of *Echinoeystis*, *Lupinus*, and *Phaseolus vulgaris* *physiol. Plant.* 15: 252-262.
- Crane J.C. (1948): " fruit growth of four fig varieties as measured by diameter and fresh weight " *Proc. Amer. Soc. Sci.* 52 : 237-244.
- Crane, J.C. (1964): Growth substances in fruit setting and development. *Ann. Rev. Plant physiology*, 15: 305-326.
- Crane, J.C., and Baker, R.E. (1953): "Growth comparisons of the fruits and fruitlets of figs and strawbberies". *Proc. Amer. Soc. Hort. Sci.*: 62, 1953: 257-260.

- Crane, J.C. and Baskaya, M. (1950): "Differential ovary wall development in fruitlets of hormone induce parthenocarpic Calimyrna fig syconia". Proc. Amer. Soc. Hort. Sci.: 56, 1950:83-85.
- Crane, J.C., Bradley, M.V. and Luckwill, L.C. (1959): Growth substances in fruit setting and development. J. Hort. Sci., 34: 142-53.
- Crane J.C. and Brown, J.G. (1950): " Growth of fig fruit, *Ficus carica* Variety Mission:., Proc. Amer. Soc. Hort. Sci.: 56, 1950:93-97.
- Crane, J.C.; N. Marei, and M.M. Nelson, (1971): "Growth and maturation of fig fruits stimulated by 2- chloro ethyl phosphoric acid". J. Amer. Soc. Hort. Sci. 95: 367-370.
- Dalai, K.B., Salunkhe, D.K., Bose, A., A. and Olson, L.E. (1965): Certain physiological and biochemical changes in the developing tomato fruit. (*Lycopersicum esculentum* Mill.) J. Fd. Sci, 30: 504-508.
- Davey, J.E. and Van-. Staden, J. (1978): Cytokinin activity in *Lupinus albus*. III Distribution in fruits. Physiol. Plant., 43: 87-93.
- Davies, J.W. and Cocking, E.C. (1965): Changes in carbohydrates, proteins and nucleic acids during cellular development in tomato fruit locule tissue. Planta, 67: 242.
- Dekazos, E.D., and Crane, J.C., (1966): "Fluctuations of total and nitrate nitrogen in parthenocarpic and non parthenocarpic fig varieties". Hilgardia, 37, 1966: 155-164.
- Deshpande, P.B. and Salunkhe, D.K. (1964): Effects of maturity and storage on certain biochemical changes in apriocots and peaches. Pd. Technol., 18: 1195-1242.
- Dubois, M., Gilles, K.A., Hamilton, J.K., Rebers, P.A. and Smith, P. (1956): "Colourimetric method for determination of sugar and related substances", Analyt. Chem. 28, 350.

- Duckworth, R. B. D. (1966): "Fruit and vegetables". Pergamon Press, London, 1966, 20, 31, 41.
- Durley, R.C., Crozier, A., pharis, R.P. and Mclaughlan, G.E. (1972): Chromatography of 33 gibberellins on a gradient eluted silica gel partition column. *Phytochemistry*, 11: 3029-33.
- El-Barkauki, M.K. ; Higazy M.k. and Im. M.F. (1973): "Physical and physiological studies on ceulle DE Dama figs" *Azhar univ. Res. Bulletin fac. Of Agric. Cairo, Egypt, March, Bulletin No. 1.*
- El-Hefnawi, S.M.; Gaish, A.W. and Mohsen, A.M. (1995): I"Effect of bearing wood type on growth behaviour of sultani Fig tress" *Zagazig journal of Agricultural Research Vol. 22. No. (5) pp. 1245-1256.*
- El-Hefnawi, S.M.; Gawish, A.W.; Mohsen, A.M. (1995): II"Cropping and fruiting behaviour of sultany fig tress under saline sand soil conditions". *Zagazig journal of Agriculatural research. Vol. 22 No. (5). 1257-1270.*
- El-Kassas, S.E. and Mahmoud, H.M. (1989): "Effect of Iron application on some physiological responses of (sultani) fig cultivar grown on sandy calcareous and clay soil". *Asuit. J. of Agric. Sci. Vol. 20 No. 3 P. 21-40.*
- El-Meleigy, E.A. (1982): **Hormonal and metabolic changes accompanying grain development of *Zea mays*.** M.Sc. Thesis. Bot. Dept. Faculty of Sci. Ain Shams Univ., Cairo, Egypt.
- Ersoy- N, Gozlekci-S, kaynak- L, lopez- Corrales- M (ed) and Bernalte-Garcia - MJ. (2003) I " Studies an changes of carbohydrales in the leaves of fig (*Ficus carica L.* cv. Beyaz orak grown

under Mediterranean conditions" Acta-Horticulturae No.605, 263-267.

Ersoy-N, Gozlekci-s kaynak- L., Lopez- corrales- M (ed.) and Bernalte- Garcia- MJ: (2003): " Seasonal variations in the content of nutrient elements in the leaves of fig (*Ficus carica* L. yesilguz)" Acta- Horticulturae, No. 605, 269-275.

Evans, J.W. (1941): "changes in the biochemical composition of the corn kernel during development" Cereal Chem., 18: 468-473.

Faust, M. (1989). " Physiology of temperate zone fruit trees", John Wiley and Sons, New York.

Foda, H.A. and Radwan, S.S. A. (1961): "Changes of growth regulation substances during development and germination of cotton". Ain Shams Sci. Bull., 7; 271-297.

Foda, H.A. and Radwan, S.S.A. (1962): "Growth regulators and dormancy of apricot seeds". Ain Shams Sci. Bull., 8: 305-346.

Fricker, A.; Prochazka; E. and Gutschmidt; J. (1973): "Die Süsskra[t von fructose in abh angigkeit von temperature, Konzentration and substrat". Lebenmwiss. V. Technologie, 6: 63-65.

Gasgil, N., (1993): "seasonal variations in primary and secondary plant nutrients in leaf, lamina, petiole and shoots of fig trees and their relationships" M.Sc. Thesis. Ege Univ. Graduate School of Applied and natural Sciences.

Ghazi, S.M. (1972): "Studies on growth regulating substances of certain plants of cucurbitaceae", M.Sc. Thesis. Faculty of Sci. Ain Shams University.

- Giancarlo Collei, F.Gordon Mitchell and Adel A .Kader (1991): "Extension of postharvest life of "Mission" fig by CO₂ enriched atomspheres" Hort Science, Vol. 26 (9), September 1991.
- Goodwin, P.B. (1978): "Phytohormones and fruit growth. In phytohormones and related compounds". A comprehensive Treatise. Vol. 11. Ed, D.S. Letham, P.B. Goodwin, and T.J.W. Higgins. Elsevier, Amsterdam. Pp: 175-214.
- Goren, R. and Goldschmidt, E.E. (1970): "Relative systems in the developing Citrus fruit. I: The hormonal balance in orange fruit tissues". *Physiol. Plant.*, 23: 937-947.
- Gustafson, F.G. (1936): "Inducement of fruit development by growth promoting chemicals". *Proc. Nat. Acad Sci., Wash*; 22: 628-636.
- Gustafson, F.G. (1939): "Auxin distribution on setting and development". *Amer. J. Botany*, 26: 189-194.
- Gustafson, F.G. (1960): "Influence of gibberellic acid on setting and development of fruits in tomato". *Plant physiol.*, 35: 521-523.
- Hadwiger, LA. And Hall, C.A. (1961): "Constituents of fruits. 5- Amino acids". *Biochemistry of Fruits and their products*. Vol 1. P. 141. Hulme, A.C. (ed.) London, Academ press.
- Hakerlerler, H and Saatci, N.; Aksoy-U (ed.), Fergusson-L (ed.), Hepaksoy, S. (ed.) (1998): "Fruit and leaf nutritional status of some fig clones and cultivars and relationships with some sugar fractions", *Acta Horticulture* 480, 247-252.
- Harada-A, Yoneyama- S, Doi-s and Aoyama-M. (2003):. "Changes in contents of free amino acids and soluble carbohydrates

- during fruit-body development of *Hysizygyus marmoreus*", food-chemistry, 83:3, 343-347.
- Harvey, J. and Chan, Jr. (1979): "Sugar composition of papayas during fruit development". Hort. Sci., 14 (2): 140-141.
- Hassan-Ebrahim Zadeh, Mansour- Seyyednejad and Alireza- Talaei (2000): " Carbohydrate changes in olive during fruit ripening", pakistan Journal of Botany, 32:1, 121-129
- Hassanein, R.A. (1977): "Effect of certain growth regulators on plant growth and development". Ph. D. Thesis, botany Dept., Faculty of Sci., Ain Shams Univ.
- Hatcher, E.S.J. (1943): "Auxin production during development of grains in cereals". Nature, 151: 278.
- Hatcher, E.S.J. and Gregory, F.G. (1941): "Auxin production during the development of the grain of cereals". Nature, 148; 626.
- Hemberg, T. (1955): "Studies on the balance between free and bound auxin in germinating maize", Plant physiol., 8: 418.
- Hemberg, T. (1958): "Auxin and growth inhibiting substances in maize kernels". Plant physiol., 11 (2): 284-311.
- Higazy, M. K. (1967): "Production of fruit crops". Cairo, 1967, 262-267. in arabic.
- Hinsvark, O.N., Houff, W.M.H., Wittwer, S.H. and Sell, H.M. (1954): "The extraction and colourimetric estimation of indole —3-acetic acid and its esters in developing corn kernels". Plant physiol., 29: 107-108.
- Hopping, M.E., Martin, J.B. (1975): J, Amer. Soc Hort. Sci., 4, 384. In: "Hormonal and metabolic changes accompanying grain development of *Zea mays*". El- Meleigy, E.A. M.Sc. Thesis, Ain Shams Univ. Cairo.

- Hulme, A.C. (1954): "The climacteric rise in respiration in relation to changes in the equilibrium between protein synthesis and break down". J. Exp. Bot., 5: 159-72.
- Hulme, AC. "ed" (1970): "The Biochemistry of Fruits and their products" Vol. "I" London, Academic press.
- Imre, A.; Tamas and Card, J. Engels, (1981): "Role of indole acetic acid and abscisic acid in the correlative control by fruits of Axillary bud development and leaf senescence", plant physiol, 68, 476-481.
- Iwahori, S., Weaver, R.H. and Pool, R.M. (1968): "Gibberellin like activity in berries of seeded and seedless Tokay grapes", plant physiol., 43: 333-337.
- Jackson, D.I. and Commble, B.G. (1966): "Gibberellin- like substances in the developing apricot fruit". Science, 154: 277-278.
- Jackson, G.A.D. (1968): "Hormonal control of fruit development, seed dormancy and germination with particular reference to Rosa. In plant growth regulation". Sci. Monographs, 13: 127-154.
- Jackson, M.L. (1967): "Soil chemical Analysis" Hall of India Private, New Delhi. India. Prentice. Hall, Inc. N.J.: 248 pp.
- Jamieson, B. G. M. and Reynolds, J. F. (1967): "Tropical plants types". Pergamon press, London, 1967: 253.
- Jones, W.W., and Shaw, L. (1943) : "The process of oil formation and accumulation in the Macadamia". Plant physiol., 18 :1.
- Josanijs, Sandhu- AS, Zora-Singh and Singh-Z (1999): "Changes in the endogenous phytohormones in lemon fruit during growth and development" India- Journal- of plant- physiology, 4:1, 20-2313

- Josef, B. (1985): "Sugar accumulation and changes in the activities of related enzymes during development of the apple fruit". J. Plant physiol., 121: 331-341.
- Kabasakal, A., (1983) : "Researches on seasonal variations in some mineral nutrients in Sarilop fig variety and relationships between soil and plant properties and shoot and fruit growth" Ege Univ., Fac. Of Agric., PhD Thesis.
- Kamienska, A. (1969): "Gibberellin —like substances in black poplar inflorescences and infructescences during their development". Roczn. Roln. ser. Aroslinn. 93 (1) : 177-188.
- Kando- S, Ponrod- W, Kanlayanarat-S, Hirai-N, Wanvisa- ponrid and Sirichai- Kanlayanarat, (2002): "Absciscic acid metabolism during fruit development and maturation of mangosteens" Journal of the American society for Horticultural Science, 127:5, 737-741.
- Kando-S, Hayata-Y, Iwasaki-N, Bodson-M (ed) and Verhoyen- MNJ. (2000): "Effects of indole- 3- acetic acid and gibberellins on fruit development and maturation of sweet cherries". Acta Horticulturae. No 51, 75-82.
- Kang- Namjun, Shon- Young Goek, Rho- IlRae, cho-Youngseop, kim-Hoetae, kang-NJ, Shon-YG, Rho-IR, Cho-YS and kim- Ht. (2002): Changes in carbohydrates accumulation and metabolic enzyme activity during fruit development and maturation in *Cucurbita maxima* and *Cucurbita pepo*" Journal of the Korean society for Horticultural science, 43:5, 571-574.

- Kennard William, C. AND Winters, H. F. (1960): "Some fruits and nuts of the tropics", Miscellaneous publication No. 801. Agric. Res. Service, U.S. Dept. Agric., 1960: 61-63.
- Key, J.L. and Donald, S. (1959): "Growth inhibitor in immature soyabean seeds and 2,4-D sprayed soyabean seedlings". Science. 130 (3385): 1340-1341.
- Khan, A.A. (1977): "The physiology and Biochemistry of seed dormancy and germination". Elsevier/ North Holland Biomedical press.
- Kilmer, V.J. and Alexander, L.T. (1949): "Methods of making mechanical analysis of soils", soil sci., 68: 15-24
- Kim, SS.; Lee, CH.; Oh-SL; chung, DH, (1992): "Chemical components in two cultivars of Korean figs (*Ficus carica* L.). Journal of the Korean Agricultural chemical society; 35 (1) 51-54.
- Kliewer, W.M. (1964): "Influence of environment on metabolism of organic acids and carbohydrates in *Vitis vinifera*". Plant physiol., 39 : 869-880.
- Kolesnikov, V.(1966): "Fruit Biology", Mir Publisher, Moscow, 1966: 93-94.
- Koukouriku- Petridou- M and Porlingis- I (2001): "Changes in the levels of free and conjugated indole-3- acetic acid in almond fruits during development", Advances- in- Horticultural- Science, 14:2, 65-70.
- Krezdorn, A.H., and Adrianco, G.W.(1961): "Fig growing in the south", Agric. Hand Book No. 1961, Agric. Res. Service. U.S.D.A., Washington DC, 1961.
- Krivorot-AM, Loiko-RE, Yoro khovich-LM and Blanke-M (1996): "Dynamics of apple fruits mineral content and its influence

- on shelf life in Belarus". *Acat- Horticulturae* No. 466, 127-132,
- Krugman, S.L. (1965): "Changes in the auxins of sugar pine seeds during maturation". *Plant physiol (Suppl)* 40k: viii.
- Laemmli, U.K., (1970): "Cleavage of structural proteins during the assembly of the head of bactriophage T4" *Nature*, 227: 680.
- Lee- Shive Ru, Shiesh- ching chang- Lin- Hueiling, Lee- Kuochvan, Lee-SR, Shiesh- CC, Lin-HI, and Lee-kc. (2001) : " Changes in weight, specific gravity, carbahydrates and amylase activity during development of mango fruit cv. 'chiin Hwang", *Journal of the chinese society for Horticultural Science*, 47: 2,201-208.
- Lee, Y.P. and Takahashi, T. (1966): "An improved colorimetric determination of amino acids with use of ninhydrine", *Annal. Biochem.* 14, 71-77.
- Leopold, A. Carl (1964): "Plant growth and development". Mc-Graw Hill comp., New York, 1964: 259-267.
- Letham, D.S. (1968): "In Biochemistry and physiology of plant growth substances". Wightman F, and setterfield, G. (eds) Rung., Ottawa, P., 19.
- Letham. D.S., Goddwin, P.B. and Higgins, T.J. V. (1978): "Phytohormones and Related compounds. Vol. II: Phytohormones and the development of Higher plants". Elsevier/ North- Holland Biomedical press.
- Lim-TK, Luders, L and poffley,M. (1999): " Seasonal changes in durian leaf and soil mineral nuturient element content". *Journal of plant Nutrition*, 22-4-5, 657-667.

- Lis, E.K., and Antoszewski, R. (1982): "Do growth substances regulate the phloem as well as the xylem transport of nutrients to the strawberry receptacle". *Planta.*, 156-492-95.
- Londhi, F., Bradley, M.V. and Cran, J, C. (1969): "Auxins and gibberellin- like substances in parthenocarpic and non-parthenocarpic syconia of *Ficus carica* L. cv. King" *plant physiol.*, 44 (4): 555-561.
- Luckwill, L.C. (1948): "The hormone content in relation to endosperm development and fruit drop in apple". *J. Hort. Sci.*, 24: 32-44.
- Luckwill, L.C. (1949): "Fruit drop in the apple in relation to seed development". *Ann. Appl. Biol.*, 36: 567-568.
- Luckwill, L.C. (1953): "Studies of fruit development in relation to plant hormones. 1. Hormone production by the developing apple seeds in relation to fruit drop". *J. Hort. Sci.*, 28: 18-24.
- Luckwill, L.C. (1977): "growth regulators in flowering and fruit development In symposium series 37. pesticide chemistry in the 20 th century". J.R. Plimmer, ed. *Am. Chem. Soc.* , Pp: 293-304.
- Mac-Millan, F.L.S., (1956): "Tropical planting and gradening". Mac-Millan co. London, 1956: 271.
- Marei, N. and Crane, J.C. (1971): "Growth and respiratory response of fig (*Ficus carica* L.cv-Mission) fruits to ethylene. *Plant physiology.* 48: 249-254.
- Martin, G.C., Dennis, F.G., Macmillan, J. and Gaskin, P. (1977): "Hormones in pear seeds I. Levels of gibberellins, abscisic acid, phaseic acid, dihydrophaseic acid, and two metabolites of dihydrophaseic acid in immature seeds of *pyrus communis*" *L.J. am. Soc. Hortic. Sci.* 102: 16-19.

- Martin, G.C., Horgan, R. and Nishi jima, C. (1982): "Changes in hormone content of pear receptacles from anthesis to shortly after fertilization affected by pollination or GA3 treatment". J. am . Soc. Hortic. Sci, 107: 479-82.
- Ma-WL and Wu-X, (1989): "A preliminary study of symbiosis between *Blastophaga pumilae* Hill (Hymenoptera) and *Ficus Pumilae* L. (Moraceae)". Acta-Ecologica-Sinica. 9: 1, 9-14.
- Maxie E.C. and J.C. Crane (1968): "Effect of ethylene on growth and maturation of fig (*Ficus carica* L.) fruit. Proc. Amer. Soc. Hort. Sci.1968: 92: 255-267.
- Metzner, H., Rau, H. and Senger, H. (1965): "linter suchungen zur synchronisier barkeit ein zeiner pigment". Mangol Mutanten von chlorella. Planta, 65, 186.
- Michniewicz. M. and Kopcewicz, J. (1968): "The dynamics of growth substances during germination and early growth of larch (*Larix decidua* Mill.) and pine (*Pinus selvestris* L.) II; Auxins and inhibitors of auxin and gibberellin induced growth". Roczn. Naukrolu Ser. A. Roslin, 94 (2) : 219-231.
- Mickaliski , L. (1968): "Content of plant growth regulators in the developing seeds of Oak (*Quercus robur* L.) I. Gibberellin-like substances". Acta Soc. Bot. Pol., 37 (3): 541-46.
- Mohammed , F. Ibrahim(1970): "Some morphological and physiological studies on some variety of fig. M.S.C. Thesis. Hort. Dep. Faculty of Agric. Azhar University, Egypt.
- Morris, B. Jacobs (1951): " The chemistry and technology of food products". Interscience publisher, New York, II, 1951: 155.
- Nagar, P.K. , Iyer, R.I. and Sircar, P.K (1982): "cytokinins in developing fruits of *Moringa petrigosperma* Garttn" Physiol. Plant, 55: 45- 50.

- Nagiub, M.I. (1963): "Colounnetric estimation of plant poly saccharides", *Zeit. Zucker*, 16-15.
- Natalie, M. Cowart and John, H. Graham, (1999): "Within-and among-individual variation in fluctuating asymmetry Department of Biology, Berry College, Mount Berry, Georgia 30149-0446 of leaves in the fig (*Ficus carcia* L.,) USA *International journal of plant sciences* 160 (1): 116-121.
- National Research Council (1978): "Nutrient requiremetns of laboratory Animals", publication No. 2767 National Academy of Sciences, Washington DC.
- National Research Council (1980): "Mineral tolerance of Domestic Animals", National Academy of Sciences, Washington DC.
- Nikolaeva, M.G., Tsar- Kova, V.A. and Poly- Akova, E.N. (1968): Discovery of a plant hormone, dormin, in dormant seeds. *Bot. ZH.*, 53 (7): 975-978.
- Nikovski, I. (1974): "Lehrbuch der lebensittel chemie"; Berlin-Heide Lberg-New York. Springer verlag.
- Nitsch, J.P. (1950): Growth and morphogenesis of strawberry as related to auxin. *Amer. J. Botany*, 37: 211-215.
- Nitsch, J.P. (1952): Plant hormones in the development of fruits, *Quant. Rev. Biol.*, 27: 32-57.
- Nitsch, J. P., and Nitsch, C. (1955): Separation chromatogra phique des auxines de 1 ovule fe cond de haricot a different etodes de son development. *Bull. Soc. Cot. France.*, 102 (9): 528-532.
- Nitsch J.P., pratt. C. & Nitset, C and shaults, N.J. (1960): Natural growth substances in concord and concord seedless grapes in relation to berry development. *Amer. J. Botany*, 47: 566-576.

- O'Brien, T.G., Kinnaird-MF., Dierenfeld, ES., Conklin, Brittain, NL, Wrangham, RW and Silver, SC. (1998) "What's so special about figs?" *Nature-London* 392: 667, 66.
- O'Brien, T.G.; Kinnaird-MF.; Dierenfeld, ES.; Conklin, Brittain, NL. Wrangham, RW.; Silver, SC.; (1998): "What's so special about figs?" *Nature-London*, 392: 667, 668,
- Oches, J.J., Soule, M.J., Digkman, M.J. And Wehblug(1961): "Tropical and subtropical agriculture". The Mac Millan comp., I, 1961: 656-666.
- Ogawa, Y. (1966): "Changes in the content of gibberellin like substances in the seed of *Prunus persica*". *Bota., Mag. (Tokyo)*, 78 (929) : 412-16.
- Palejwala, V.A., Parikh, H.R., and Modi, V.V. (1985): "The role of abscisic acid in the ripening of grapes". *Physiol. Plant.*, 65: 498-502.
- Pant-Joshi, G.; Rawat, M.S.M.; Negi, Y.S.; Badoni, S. (1994): "Nutrient composition of fruits of some common *Ficus* species". *Progressive Horticulture*, 26 (1/2) 41-44
- Patrick, H. Brown, P.H.(1994): "Seasonal variations in fig (*Ficus Carica* L.) Leaf nutrient concentrations" *Hort science* 29 (8): 871-873 .
- Pavlov, P. and Krumova, Z. (1981): "Study of the content and the changes in free and low- yield tomatoes M. popov inst". *Plant physiol., sofia, Bulg. Fizi Rast (Sofia)*, 7 (4) : 30-9.
- Piper, C.S., (1947): "Soil and plant Analysis" Inter Science Publisher, Inc., New York.
- Pregi, F.(1945): "Quantitative organic micro analysis 4th edit, J. & A Churchill, Ltd London.

- Proebsting, E-L. and Warner R. M., (1954), "the effect of fertilizers on yield, quality and leaf composition of figs", *proc. Amer. Soc. Hort. Sci.* 63:10-18.
- Pruthi, J.S. (1963): "Physiology, chemistry, and technology of Passion Fruit". *Adv. Fd. Res*, 12: 203-82.
- Raghupathi, HB.; Bhargava, BS.; Kumar, BP.; Prasanna, Kumar, B. (1997): "Selection of index tissue in fig (*Ficus carica* L.) for nutritional diagnosis", *My sore-Journal of Agricultural-Sciences*, 31:3, 221-224•
- Rane, D.A., and Singh, R.N.(1964): "Fruit bud initiation and differentiation in the fig (*Ficus carica*, Linn.) varieties black Ischia and Brown Turkey under Delhi conditions". *Indian jour.Hort.*, 21, 1964: 24-29.
- Rees, DI. (1958): "The chemical constituents of Victoria plums: changes during growth on the tree". *J. sci. Food Agric.*, 9: 404-420.
- Reinhard, E. and Sacher, R. (1967): "Über die gibberelline in samen und kapsel von *Pharbitis purpurea* II. Die gibberelline in verschiedenen Entwicklungsstadien", *Z. pflanzen physiol.*, 58: 151-164.
- Reuter, D.J. and J.B. Robinson, (1986), " plant analysis", *An Interpretation manual*. Inkata press, victoria, Australia.
- Ribereau- Gayon, J and Peynoud, E (1961) : "Traite d, oenologie" vol. 1 pp: 62-63 111-122. Be ranger , parts.
- Ritemeir, R.F. (1951): "Soil potassium", *Adv. Agron.*, 3: 113-115.
- Robbins, C.T. (1993): "Wildlife feeding and Nutrition" Academic, New York. '
- Robertson, R.N. and Turner, J.F. (1951): "The physiology of growth in apple fruits. II- Respiratory and other metabolic activities as

- Sandhu, S.S. and Dhillon, B.S. (1982): "Relation between growth pattern, endogenous growth hormones and metabolites in the developing fruit of sharbati peach". Indian J. Agric. Sci., 52 (5) : 302-10.
- Sangeetha-N and Ramarethinam-S,(2000): " Some aspects of senescence in the foliage of mulberry (*Morus alba* L.), Indian- Journal-of- sericulture, 39:2, 79-102. '
- Sawger, R. (1963): "Chemical composition of some natural and processed orange juices'. J. Sci. Fd. Agric., 14: 302-10.
- Sciancalepore, LI., Vito, and De Dorbessan Wilma (1981): "Changes in concentration of glucose and fructose in berries during fruit development in a tropical climate". Riv. Agric. Subtrop. Trop., 75 (2-3): 287-94
- Selvaraj, Y. pal, D.K., Subramanyam, M.D. and iyer, C.P.A. (1982): "Changes in the chemical composition of four cultivars of papaya (*Carica papaya* L.) during growth and development". J. of Horti. Sci, 57 (1): 135-143.
- Seth, A., and wareing, P.F. (1967): "Hormone directed transport of metobolites and its possible role in plant senescence" j. Exp. Bot, 18 65-77.
- Singh. V and jain D.K ., (1981) " Taxonomy of Angiosperms", reastogi publications, shivaji Rood, Meerut-250, 002, india, pp 368-379.
- Singleton, V.L. and Gortner, W.A. (1965): "Chemical and physical development of the pineapple fruit. 11. Carbohydrate and acid constituents". J. Fd. Sci, 30: 19-23.
- Sinnott, E.W.(1960): "plant morphogenesis" Mc Graw- Hill, New York.
- Sirca, S.M. and Chakravorty, M. (1957): "Studies on the physiology of rice XIII. Distribution of free auxins in different organs of

- plant". Proc. Nat. Int. Sci. India, Bid. Sci. 23 (314) : 102-116.
- Souidan, A.A. and Zeawail, M. El-F. (1994): "Studies on endogenous natural compounds in *Ficus retusa*, L. tree", Annals of Agric. Sc. Moshtohor, Vol 32 (1), 387-397.
- Stahl, A.L. (1935): "The composition of numerous tropical and sub tropical fruits". Proc. Of the Florida state Hort. Sci., 1935
- Stahly, E.A. and Thompson, A.H. (1959): "Auxin levels in developing Halehaven peach ovules". Maryland, University, Agri. Exp. Sta., Bull., A —104, p. 22.
- Stoddart, J.L. (1965): Ann. Bot (N.S.), 29-741 (Cited in: "phytohormones and Related compounds- A comprehensive Treatise". Vol. II, 1978, Letham, D.S., Goodwin, P.B. and Higgins, T.J.V. (eds.) Elsevier/ North- Holland Biomedical press).
- Storey- R and treeby-Mt. (2002) : " Nutrient uptake into navel oranges during fruit development" Journal-of - Horticultural-science- and- Biotechnology, 77:1, 91-99,..
- Storey, WB. (1976): "Evolution of crop plants". Longman, London, Fg, pages 205-208 in NW simmonds, ed.
- Studeir, F.W. (1973). "Analysis of bacteriophage T4, early RNAs and proteins on slab gels", Journal of molecular biology, 79: 237-248. subtropical fruits. Adv. Fd. Res., 10: 293-354.
- Sugyma, N.; Roemer, K.; Bunemann, G. (1991): "Sugar patterns of exotic fruits from the-Hannover-market,Germany". Gartenbauwissenschaft, 56: 3, 126-129.
- Swisher, H.E. and Higby, W.K. (1961): In " Fruit and vegetable juice processing technology" (D.K. Tressler and M.A. Joslyneds).

- Pp: 903-32. Avi publishing company Inc. Westport Connecticut.
- Taylor, J.S ,.Blackman, S.J. and Edward, C.Y. (1982): "Hormonal and structural aspects of fruit development in the orchid, *Epidendrum*". Department of Biology, University of calgary, Alberta canda T2 NI N4.
- Thomas-H. (1990): "Leaf development in *loliun temvulentum*: "protein metablism during development and senescence of attached and excised leaf tissue" *Journal- of - plant- physiology-* 136:1, 45-50.
- Trojna, M. and Hubacek, J. (1977): "Changes in the sugar content during the development of hop cones". *Sh. VYS-SK. Zemed. Prazo, Fa. Agron, Rada, A* (1): 7-16 (czech).
- Tsantili, E. (1990): "Changes during development of *Trapela* fig fruits" *Dcientis Hort. 44* (3-4) 227-234 Development of pomology, Agric. Univ. of Athens 11855, Greece (*Hort Abst, Vol. 61: 4677*).
- Varga, M. and Erzsebet, K. (1959): "Distribution and quantitative changes of the inhibitor in the various organs of the bean plant during ontogony". *Acta. Biol. Acad. Sci. Hungarica. 9* (4): 369-387.
- Vincent, E., and Crane, J.C. (1950): "Fruit bud initiation and differentiation in the fig". *Proc. Amer. Soc. Hort. Sci.:* 56, 1950: 86-92.
- Wali, Y. A., El-Nabawi,S.M., El Sahregi,A.F., Abd El-Kader,A.S., Geweli,A.A., and Hassan, Y.M.(1970): "Horticultural crops" Cairo, 1970: 217. in Arabic.

- Wareing, P.E. and Foda, H.A. (1957): "Growth inhibitors and dormancy in seeds of *Xanthium pensylvanicum*". *Physiol. Plant.*, 10: 266-280.
- Wareing, P.F. and Seth, A.K. (1967): *Symp. Soc. Exp. Biol.*, 21, 543 (Cited in: " *Phytohormones and Related compounds- A comprehensive Treatise*". Vol. II, 1978, Letham, D.S., Goodwin, P.B. and Higgins, T.J.V. (eds) Elsevier /North-Holland Biomedical press).
- Wasfy, W. Shindy and Orrin, E. Smtih, (1974): "Identification of plant hormones from cotton ovules", *plant physiology*, 55, 550-554.
- Wickson, E.J.(1926): "The California fruits and how to grow them". Pacific Pural Press, San Francisco, 1926: 231-343.
- Widdowson, E.M., and Mc Cance, R.A. (1935): "The available carbohydrate of fruits". *Biochem. J.*, 29: 151-156.
- Wiltbank, W.J. and Krezdorn, A.H. (1969): "Determination of gibberellins in ovaries and young fruits of navel organes and their correlation with fruit growth". *J. Am. Soc. Hort. Sci.*, 94: 195-201.
- Wittwer, 5.14., and Bukovac, M.J. (1962): "Quantitative and qualitative differences in plant response to the gibberellins, 1,2". *Amer. J. Bot.*, 49: 524.
- Wittwer, S.H., Bukovac, M.J., Sell, H.M. and Weller, L.E. (1957): "Some effects of gibberellin on flowering and fruit setting" ., *Plant physiol. M* 32: 39-41.
- Wright, S.T.C. (1956): "Studies of fruit development in relations to plant hormones. III: Auxins in relation to fruit morphogenesis and fruit drop in the black currant, *Ribes nigrum*". *J. Hort. Sci*, 31: 196-211.

- Yahata, D.; Nogata, H. (1999): "Cultivar variations in sugar contents in the fig syconia, their pants and nodal positions.", *Journal of the Japanese Society for Horticultural science* 68, 5, 987-992.
- Yo Shioka, K. (1995): "Changes in saccharides and enzyme activities related to cabohydrate metabolism during growth and development of fig fruit (*ficus carcia L.*) on the tree", *Journal-of-the Jampanes-Society-for-Food Science-and-Technology*, 42: 4, 219-224.
- Yu-young Beob; park Jong cheol; Lee- Jong, Ho; kim, Gyeong Eup; Jo-sungkee, Byun- Myung Woo; Miya shiro, H and Hattori, M (1998) "Screening of some plant extracts for inhibitory effects on HIV-1 and its essential enzymes". *Korean-journal- of- pharmacognosy*, 29: 4, 338- 346.
- Zedan, Z.A.,and Maximoas. C.E.(1960):" Fruit orchards" Cairo, 1960: 300. in arabic.
- Zhou-Biyan, Ji-Zuoliany, Ye- Yong. Chang, zhao- Xloodong - and Ye-yooxiong, (1998): "Changes of endogenous hormones in litchi fruits during fruit development", *Acta-Horticulturae-Sinica*, 25:3,236-240:123,
- Zigo, A. and Stampar, F. (1995): "Characterization of isozymes variation in common fig (*Ficus carica L.*)", *Research,. Reports biotechnical faculty of the University of Ljubljana*, 65, p. 97-102.