

REFERENCES

- Achten, G.; Andre, J. and Laporte, M. (1988):**
Normal and abnormal nails in light and electron microscopy, in Orfanos CE, Stadler, R, Gollnick (eds): Dermatology in five continents, Proceedings of XVII the world congress of Dermatology, New York, NY, Springer - Verlag, pp. 907 - 908.
- Achten, G. (1963):**
The Nail normal and pathological, Dermatologica 126, 229 - 245.
- Achten, G.; Andre, J. and Laporte, M. (1991):**
Nails in Light and Electron microscopy. Semin Dermatol; 10 : 54 - 64.
- Achten, G. and Parent, D. (1983):**
The normal and pathologic nail. A review.
Int. J. Dermatol., 10 : 556 - 565.
- Achten, G.; Wanet - Rouard, J. and Wiane, L. (1979) :**
Onychomycoses. Dermatologica, 159 (Suppl0 : 128 - 140.
- Aditya, K. Gupta, Daniel, N. Saunder and Neil, H. (1994):**
Antifungal agents.
J. Am. Acad. Dermatol., 30 : 677 - 688.
- Al-Sogair, S.M.; Moawad, M.K. and AL-Humaidan, Y.M. (1991):**
Fungal infection as a cause of skin disease in the eastern province of Saudi Arabia: prevailing fungi and pattern of infection. Mycoses, 34 : 333 -7.
- Andre, J. and Achten, G. (1987):**
Onychomycosis, Int. J. Dermatol., 26 : 481 - 90.
- Arikian, S.R. (1992):**
Pharmacoeconomic analysis of oral therapies for onychomycosis, 147 : 32 - 44.

- Arikian, S.R.; Einarson, T.R.; Kobelt, G. and Schubert, F. (1994):**
A multinational pharmacoeconomic analysis of oral therapies for onychomycosis. *Br. J. Dermatol.*, 130 (Supp. 43) : 35 - 44.
- Artis, W.M.; Odle, B.M. and Jones, H.E. (1981):**
Griseofulvin resistant dermatophytosis correlates with in vitro resistance. *Arch Derm.*, 113 : 16 - 20.
- Balfour, J.A. and Faulds, D. (1992):**
Terbinafine : a review of its pharmacodynamic and pharmacokinetic properties and therapeutic potential in superficial mycoses. *Drugs*, 43 : 259 - 84.
- Baran, R. (1981):**
Nail growth direction revisited.
J. Amer. Acad. Derm., 4 : 78 - 83.
- Baran, R. (1987):**
Frictional longitudinal melanonychia : A new entity.
Dermatologica, 174 : 280 - 284.
- Baran, R. and Badillet, G. (1982):**
Primary onychylosis of the big toenail : A review off 113 cases.
Br. J. Dermatol., 106 : 529 - 534.
- Baran, R. and Dawber, R.P.R. (Eds.) (1984):**
Diseases of the nail and their management. Oxford. Blackwell Scientific, p. 50 - 55.
- Bartnicki - Garci, S. (1968) :**
Cell wall chemistry, morphogenesis and taxonomy of fungi.
Ann. Rev. Microbiol., 22 : 87 - 108.
- Baudraz - Rosselet, F.; Pakosi, T.; Wili, P.B. and Kenzelmann, R. (1992):**
Treatment of onychomycosis with terbinafine., 126 : 40 - 46.
- Birnbaum, J.E. (1990):**
Pharmacology of the allylamines.
J. Am. Acad. Dermantol., 25 (suppl) : 782 - 5.

- Blank, H. (1982) :**
Commentary: Treatment of dermatomycoses with griseofulvin.
Arch Dermatol., 118 : 835 - 839.
- Blank, H. and Both, J.F. Jr (1959):**
The treatment of dermatomycoses with orally administered griseofulvin. Arch Dermatol., 79 : 259 - 261.
- Brammer, K.W. and Tarbit, M.H. (1987):**
A review of the pharmacokinetics of fluconazole (UK - 49,858) in laboratory animals and man. In : Fromtling RA, ed. Recent trends in the discovery, development and evaluation of antifungal agents. Barcelona : JR Prous Science Publishers, 141-9.
- Breathnach, A.S. (1971):**
The Ultrastructure of Human, Skin.
Br. J. Dermatol., 84 : 68 - 70.
- Breckenridge, A. (1992):**
Clinical significance of interactions with antifungal agents.
Br. J. Dermatol., 126 : 19 - 22.
- Buchanan, I. and Humpston, D.J. (1968):**
Nail fold capillaries in connective tissue disorders.
Lancet, 41 : 845 - 847.
- Buselmeier, F.J. (1980):**
Combination urea and salicylic acid ointment nail avulsion in one dystrophic nails, follow - up observation. Cutis., 25 : 393 - 396.
- Back, D.J.; Jjia, J.F. and Abel, S.M. (1992):**
Azoles, allylamines and drug metabolism.
Br. J. Dermatol., 126 : 14 - 8.
- Cauwenbergh, G.; Degreef, H. and Heykants, J. (1988):**
Pharma, Cokinetic profile of orally administered itraconazole in human skin. J. Am. Acad Dermatol., 18 : 263 - 8.

Chandler, F.W.; Kaplan, W. and Ajello, L. (1980):

Introduction : Taxonomy of the fungi and classification of fungal and actinomycotic diseases.

In : Color atlas and text of the histopathology of mycotic disease. Year Book Medical Publishers, Inc., Chicago., Ch.1, Pig - 17.

Clayton, Y.M. (1992):

Clinical and mycological diagnostic aspects of onychomycoses and dermatomycoses. Clin. Exp. Dermatol., 17 (Suppl. 1) : 37 - 40.

Clayton, Y.M. and Hay, R.J. (1994):

The epidemiology of fungal skin and nail diseases. Br. J. Dermatol., 130 : 9 - 11.

Cleary, J.D.; Taylor, J.W. and Chapman, S.W. (1992):

Itraconazole in antifungal therapy. Ann Pharmacother, 26 : 502 -9.

Coldiron, B. (1992):

Recalcitrant onychomycosis of the toenails successfully treated with fluconazole. Arch. Dermatol., 128 : 909 - 10.

Cox, F.W.; Stiller, R.I. and South, D.A. (1982):

Oral ketoconazole for dermatophyte infections. J. Am. Acad Dermatol., 6 : 455 - 462.

Daniel, C.R. (1985):

Nail micronizer : Cutis, 36 : 118.

Daniel, C.R.; Lawson, L.A. (1987):

Tinea unguium. Cutis., 326 - 327.

Davies, R.R. (1968):

Mycological test and onychomycosis, J. Clin. Pathol. 21 : 729 - 730.

Davies, R.R.; Everall, J.D. and Hamilton, E. (1967):

Mycological and clinical evaluation of griseofulvin for chronic onychomycosis.

Br. Med., 3 : 464 - 468.

Dawber, R.P.R. :

The ultrastructure and growth of human nails. Arch Dermatol. Res., 269 : 197 - 204.

Denning, D.W. and Stevens, D.A. (1989):

New drugs for systemic fungal infections : greater choice means more difficult decisions.
Br. Med. J., 299 : 407 - 8.

DeWit, S. and Clumeck, N. (1989):

Fluconazole in the treatment of fungal infections associated with AIDS. Infection, 17 : 121 - 3.

Dudley, M.N. (1990):

Clinical pharmacology of fluconazole.
Pharmacotherapy, 10 (suppl) : 1415 - 1455.

English, M.P. (1976):

Nails and fungi.
Br. J. Dermatol., 94 : 697 - 701.

English, M.P. and Lewis, L. (1974):

Ringworm in the South West of England, 1960 - 1970, with special reference to onychomycosis.
Br. J. Dermatol., 90 : 67 - 75.

Evans, E.G.V. (1990):

Nail dermatophytosis : the nature and scale of the problem.
J. Dermatol. Treat., 1 (Suppl, 2) : 47 - 8.

Faergemann, J. and Swanbeck, G. (1988):

Treatment of onychomycosis with a propylene glycol - urea - lactic acid solution. Mycoses, 32 : 536 - 540.

Faergemann, J.; Zehender, H. and Jones, T. (1990):

Terbinafine levels in serum, stratum corneum, dermis - epidermis (with out stratum corneum), hair, sebum and eccrine sweat. Acta Derm. Venereol., 71 : 322 - 6.

Farber, E. and South, D.A. (1978):

Urea ointment in the nonsurgical avulsion of nail dystrophies.
Cutis, 22 : 689 - 693.

- Feuerman, E. J.; Alteras, I.; Honig, M.D. and Lehrer, N. (1975):**
Saprophytic occurrence of *Trichophyton menttagrophytes* and *Microsporum gypseum* in coats of healthy laboratory animals. *Mycopathologia*, 55 : 13 - 15.
- Finlay, A. Y. (1992):**
Pharmacokinetics of terbinafine in the nail.
Br. J. Dermatol., 126 : 28 - 32.
- Fluit, M.H. (1955):**
Some observations on the vasular supply of the nail bed and terminal segments of the finger.
Brit. J. Plastic Surg., 8 : 186.
- Forslind, B. and Thyresson, N. (1985):**
On the structure of the normal nail. *Arch, Dermatol.*, 251 : 199 - 204.
- Forslind, B.; worblewski, R. and Afzelius B.A. (1976):**
Calcium and Sulphur location in human nail. *J. Inves. Derm.*, 67, 273.
- Frey, D.; Oldfield, R.J. and Bridger, R.C. (1979):**
A colour Atlas of pathogenic Fungi. London, England, Wolfe.
- Fritsch, H.; Stettendorf, S. and Hegemann, L. (1992):**
Ultrastructural changes in onychomycosis during the treatment with bifonazole, Urea ointment, *Dermatol.*, 185 : 32 - 36.
- Fromtling, R.A. (1988):**
Overview of medically important antifungal azole derivatives.
Clin Microbiol. Rev. 1 : 187 - 217.
- Gentles, J.C. and Evans, E.G.Y. (1973):**
Foot infections is swimming baths.
Br. Med. J. 111 : 260 - 2.
- Germann, H.; Barran, W. and Plewig, G. (1980):**
Morphology of corneocytes from human nail plates.
J. Invest Dermatol., 74 : 115 - 118.

- Gilije, O.; Kierland, R. and Blades, E.J. (1974):**
Capillary microscopy in the diagnosis of dermatologic diseases.
J. Invest. Derm., 22, 199 - 206.
- Goodfield, M.J.D. (1992):**
Short duration therapy with terbinafine for dermatophyte onychomycosis : A multicentre study.
Br. J. Dermatol., 126 (Supl 39) : 33 - 35.
- Goodfield, M.J.D.; Rowell, N.R. and Forster, R.A. (1989):**
Treatment of dermatophyte infections of the finger or toenails with terbinafine (SFG 86 - 327, Lamisil) an orally active fungicidal agent.
Br. J. Dermatol., 12 : 1753 - 1757.
- Goslen, J.B. and Kobayashi, G.S. (1981):**
Fungal diseases with cutaneous involvement, in Fitzpatrick TB, Eisen, AZ, Wolff, K. et al. (eds): Dermatology in General Medicine (ed 3). New York, NY, McGraw - Hill, pp. 2193 - 2248.
- Graybill, J.R. and Sharkey, P.K. (1990) :**
Fungal infections and their management.
Br. J. Clin. Pract., 71 : 23 - 31.
- Hadley, M.E. and Quevado, W.C. (1986):**
Vertebrate epidermal melanin unit. Nature (London), 209 : 1334.
- Haley, L. and Daniel, C.R. III (1990):**
Fungal infections. In : Scher RK, Daniel CR III, eds. Nails : Therapy, Diagnosis, Surgery. Philadelphia, Pa : WB Saunders, 106 - 119.
- Ham, A.W. and Leeson, T.S. (1961):**
In histology, 4th edn. Pitman, Medical, London, pp. 38 - 42.
- Haneke, E. (1986):**
Differential diagnosis of mycotic nail diseases, in Hay JR (ed) : Advances in Topical Antifungal Therapy. New York, NY, Springer, pp. 94 - 101.

Haneke, E. (1988):

General aspects of onychomycoses, in Torres - Rodriguez J.M. (ed) : Proceedings Xth Congress of the International Society of Human and Animal Mycology. Barcelona, Spain, Prous, 1988, P. 235 - 239.

Haneke, E. (1989) :

Epidemiology and pathology of onychomycoses, in Nolting S, Korting HC (eds) : Onychomycoses. New York NY, Springer, pp. 1-8.

Haneke, E. (1989):

The nails in chronic mucocutaneous candidosis, in Torres - Rodriguez JM (ed) : Proceedings 15th Annual meeting, Soc. Cut Ultrastructure Research. Barcelona, Spain, p. 230 - 233.

Haneke, E. (1990) :

Fluconazole levels in human epidermis and blister fluid. Br. J. Dermatol., 123 : 273 - 7.

Haneke, E. (1990):

Topical treatment of onychomycoses. In Nolting S, Korting HC (eds) : Onychomycoses. New York. NY, Springer, pp. 76 - 80.

Haneke, E. (1991):

Fungal infections of the nail. Semin Derm, 10 : 41 - 35.

Hashimoto, K. (1971):

Ultrastructure of the human toenail. Proximal nail matrix. J. Invest Dermatol., 56 : 235 - 246.

Hashimoto, K.; Gross, R.G.; Nelson, R. and Lever, W. (1966):

The ultrastructure of skin of the human embryo : III The formation of the nail in 16 - 18 week old embryos. J. Invest. Derm., 47, 205.

Haus, C.K. and Monika, S.K. (1992):

Is tinea unguium still widely incurable ? Arch Dermatol., 128 : 243 - 248.

Hanser, F.V. and Rothman, S. (1980):

Monilial granuloma. Arch Derm., 61 : 307 - 319.

Hargreaves, G.K. (1960):

The treatment of onychomycosis with griseofulvin. Br. J. Dermatol., 72 : 358 - 364.

Hay, R.J (1981):

management of chronic mucocutaneous candidosis. Clin Exp Dermatol., 6 : 515 - 518.

Hay, R.J. and Baran, R. (1986):

Fungal (onychomycosis) and other infections of the nail apparatus. In Baran R, Dawber RPR, (eds) : Diseases of the Nails and their management. Oxford, Blackwell. Scientific publications, pp. 121 - 156.

Hay, R.J. and Clayton, Y.M. (1982):

The treatment of patients with chronic mucocutaneous candidosis with ketoconazole. Clin. Exp. Dermatol., 7 : 155 - 158.

Hay, R.J.; Clayton, Y.M. and Moore M.K. (1987):

A comparison of tioconazole 28% nail solution versus base as an adjuvant to oral griseofulvin in patients with onychomycosis. Clin. Exp. Dermatol., 12 : 175 - 177.

Hay, R.J.; Clayton, Y.M.; Moore, M.K. and Midgley, G. (1988) :

An evaluation of itraconazole in the management of onychomycosis. Br. J. Dermatol., 119 : 359 - 366.

Hay, R.J.; Logan, R.A. and Moore, M.K. (1991):

A comparative study of terbinafine versus griseofulvin in dry type dermatophyte infections. J. Am. Acad dermatol., 24 : 243 - 6.

Hay, R.J. and Moore, M.K. (1984):

Clinical features of superficial fungal infections caused by *Hendersonula toruloidea* and *Scytalidium hyalinum*. Br. J. Dermatol., 110 : 677 - 683.

Hay, R.J.; Roberts, D. and Doherty, V.R. (1988):

The topical treatment of onychomycosis using a new combined urea imidazole preparation. Clin Exp Dermatol., 17 : 164 - 167.

Henderson, J.T. (1987):

Fluconazole : a significant advance in the management of human fungal disease. In : Fromtling RA, ed. Recent trends in the discovery, development and evaluation of antifungal agents. Barcelona : JR Prous Science Publishers, 77 - 9.

Heykants, J.; Michiels, M. and Meuldermans, W. (1987):

Developement and evaluation of antifugal agents. In : Fromtling RA, ed. Recent trends in the discovery, development and evaluation of antifungal agents. Barcelona : JR Prous Science Publishers, 223 - 49.

Higashi, N. (1968):

Melanocytes of nail matrix and nail pigmentation. Arch. Derm., 97, 570 - 574.

Higashi, N. and Tadeo, S. (1969):

horizontal distribution of DOPA plus melanocytes in the nail matrix. J. Invest. Derm. 53, 163 - 165.

HoPing Kong, B.; Kapica, L. and Lee, R. (1984):

Keratin invasion by *Hendersonula toruloidea*. A tropical pathogenic fungus resistant to therapy. Int. J. Dermatol., 23 : 65 - 66.

Jacobs, P.H.; Nall, L. (1990):

Discovering antimycotic drugs : today and tomorrow. Cutis, 45 : 245 - 50.

Jarett, A. and Spearman, R. I. (1966):

The histochemistry off the human nail. Arch. Derm., 94, 652.

Jensen, J.C. (1989):

Clinical Pharmacokinetics of terbinafine (Lamisil). Clin. Exp. Dermatol., 14 : 110 - 3.

Johnson, M. and Shuster, S. (1990) :

Ventral nail contribution to the nail plate is continuous along the length of the nail bed. *Br. J. Dermatol.*, 123 : 825.

Kechijian, P. (1985):

Onycholysis of the fingernails : Evaluation and management. *J. Am. Acad. Dermatol.*, 12 : 550 - 560.

Kenik, J.G.; Maricq, H.R. and Bole, G.G. (1981) :

Blind evaluation of the diagnostic specificity of nail fold capillary microscopy in connective tissue diseases. *Arth. and Reum.*, 24 : 885 - 891.

Kobayashi, G.S. (1990):

Fungi In : B.D. Davis, R. Dulbecco, H.N. Eisen, and H.S. Ginsberg (Ed.), *Microbiology* (4th Ed.). J. B. Lippincott Company, Philadelphia, Ch. 43, P. 737 - 765.

Kurgansky, D. and Sweren, R. (1990) :

Onychomycosis in a 10 week - old infant. *Arch Dermatol.*, 126 : 1371.

Laporte, M. Andre, J. and Stouffs - Vanhoof, F. (1988):

Nail changes in onychomycosis : Light and electron microscopy, *Arch. Dermatol.*, 280 : 585 - 589.

Lavrijsen, APM.; Balmus, K.J. and Nugteren - Huying, W.M. (1992):

Hepatic injury associated with itraconazole. *Lancet*, 340 : 251-2.

Lewin, K. (1965):

The normal fingernail. *Brit. J. Derm.*, 77, 421.

Lewis, B.L. (1951):

Microscopic studies of foetal and mature nail and surrounding soft tissue. *Arch. Derm.*, 70, 732.

Lewis, B.L. and Montgomery, H. (1955):

The senilenail. *J. Inves. Derm.*, 24 : 11 - 18.

Lubach, D. and Beckers, P. (1992):

Wet working conditions increase Brittleness of Nails, but Do Not cause it. *Dermatol.*, 185 : 120 - 122.

Mahon, Quoted by Rosenthal, T. (1934):

Early nineteenth century dermatology and the brothers Mahon.
Arch. Derm. Syph 30 : 245 - 250.

Marriott, M.S. and Richardson, K. (1978):

The discovery and mode of action of fluconazole. In : Fromtling RA, ed. Recent trends in the discovery, development and evaluation of antifungal agents. Barcelona : JR prous Science Publishers, 81 - 92.

Meisel, C.W. (1990):

The treatment of onychomycoses in clinical practice : in Nolting S. Korting HC (eds) : Onychomycosis Berlin, Springer., pp. 12 - 28.

Mercer, E.N. and Birbeck, M.S. (1966):

"Electron microscopy", A hand book for biologists, 2nd Ed.
Oxford, Black well Scientific publications, P. : 38 - 44.

Meyer, J.C.; Grundmann, H.P. and Schnyder, U.W. (1981):

Onychomycosis (Trichophyton mentagrophytes : A seanning electron microscopic obervation. J. Cutan Pathol., 8 : 342 - 353.

Millman, A.J. and Strier, R.P. (1982):

congenital onychodysplasia of index fingers. J. Amer. Acad. Derm., 7: 57 - 65.

Mitchell, T.G. (1988):

Medical mycology, In : W.K. Joklik, H.P. Willett, D.B. Amos and C.M. Wilfert (Ed). Zinsser Microbiology (19 th Ed.),
Appleton and lange, Norwalk., P : 879 - 886.

Mitchell, A.s.; Holland, J.T. (1989):

Fluconazole and phyenytoin : a predictable interaction [Letter].
Br. Med. J. 298 : 1315.

Munro, C.S.; Rees, J.L. and Shuster, S. (1992):

The unexpected rapid response of fungal nail infection to short duration therapy.

Acta Derm. Venereol. (Stockh), 72 : 131 - 3.

- Norton, L.A. (1982):**
Diseases of the nails. In Conn (ed) : Current Therapy, Philadelphia, WB Saunders, P. 664.
- Novakova, I.; Donnelly, P. and DeWitte, T. (1987):**
Itraconazole and cyclosporin nephrotoxicity. Lancet, 2 : 920 - 1.
- Pardo-Castello, V. and Pardo, O.A. (1960):**
Diseases of the Nails. Springfield, III, Charles, C. Thomas Publisher, P. 24 - 30.
- Parent, D.; Achten, G. and Stouffs - Vanhoof, F. (1985):**
Ultrastructure of the normal human nail. Am. J. Dermatopathol., 7 : 529 - 535.
- Perper, J.A. and Sobel, M.N. (1981):**
Identification of fingernail markings in manual strangulation Amer. J. Forens. Med. Path., 2, 45 - 48.
- Ralph, D. (1991):**
The diagnosis of fungal nail infection. Arch Dermatol., 127 : 1565 - 1567.
- Ramesh, V.; Reddy, B.S.N. and Singh, R. (1983):**
Onychomycosis. Int. J. Dermatol., 22 : 148 - 52.
- Rebell, G. and Taplin, D. (1983):**
Dermatophytes : Their Recognition and identification, ed. 2. Miami, Fla, University of Miami, Press.
- Reinel, D. (1992):**
Topical treatment of onychomycosis with amorolfine 5% nail lacquer : Comparative efficacy and tolerability of one and twice weekly use. Dermatology 182 (Suppl) : 21 - 24.
- Rippon, J.W. (1967):**
Elastase : Production by ringworm. Fungi. Science, 157 : 947.
- Rippon, J.W. (1968):**
Extracellular collagenase from *Trichophyton schoenleinii*. J. Bact, 95 : 43 - 46.

Rippon, J.W. (1985):

The changing epidemiology and emerging patterns of Dermatophyte species, In : M.R. McGinnis (Ed.), current topics in medical mycology. Spring - Verlag, New York, Vol. 1 : 208 - 234.

Rippon, J.W. (1988):

Medical Mycology. The pathogenic fungi and the pathogenic actinomycosis, (3rd Ed.).
W. B. Saunders Company, Philadelphia., p. 200 - 206.

Roberts, D.T. (1990):

Current therapy for onychomycosis.
J. Dermatol. Treat, 1 (Suppl. 2) : 49 - 50.

Roberts, D.T. (1992):

Prevalence of dermatophyte onychomycosis in the United Kingdom : results of an omnibus survey, Br. J. Dermatol., 126 (Suppl. 39) : 23 - 7.

Roberts, D.T.; Evans, E.G.V. and Allen, B.R. (1990):

Fungal nail infection. London : Gower Medical Publishing, P. 43 - 47.

Roberts, D.T. and Tuyp, E. (1985):

Onychomycosis. Semin Dermatol., 4 : 222 - 226.

Roseeuw, D.; De Donker, P. (1993):

New approaches to the treatment of onychomycosis. J. Am. Acad Dermatol., 29 : 545 - 550.

Ryan, T.J. (1973) :

Direct observations of blood vessels in the superficial microvasculature system of the skin. In : The physiology and Pathophysiology of the Skin, ed. Jarrett, A. Academic Press, London, and New York, 12, pp. 658 - 659.

Ryder, N.S. (1992):

Terbinafine : mode of action and properties of the squalene epoxidase inhibition. Br. J. Dermatol., 126 : 2 - 7.

Saag, M.S. and Dismukes, W.E. (1988):

Azole antifungal agents : emphasis on new triazoles. *Antimicrob Agents Chemother*, 32 : 1 - 8.

Samman, P.D. (1982):

The nails, in Rook A, Wilkinson DS, Ebling FJS (eds) : *Textbook of Dermatology*, (ed 3). Oxford, England, Blackwell, p. 1825 - 1855.

Samman, P.D. (1978):

The nails in disease, 3rd edn, Heinemann, London, p. 14.

Samman, P.D. and Fenton, D.A. (1986):

The nails in disease. London, England, William Heinemann, P. 20 - 24.

Saul, A.; Bonifaz, A. (1990) :

Pharmacokinetics of itraconazole following oral administration to normal volunteers. *Antimicrob Agents Chemother*, 32 : 1310 - 3.

Schaude, M.; Ackerbauer, H. and Mieth, H. (1987):

Inhibitory effect of antifungal agents on germ tube formation in *Candida albicans*. *Mykosen*, 30 : 281 - 7.

Scher, R.K. and Ackerman, A.B. (1980):

Subtle clues to diagnosis from biopsies of nails. *Am. J. Dermatopathol.*, 2 : 55 - 57.

Schuster, I. (1987):

Potential of allylamines to inhibit cytochrome P - 450. In : Fromtling, RA, ed. *Recent trends in the discovery, development and evaluation of antifungal agents*. Barcelona : JR Prous Science Publisher, 471 -9.

Simon, G. (1980):

Skin diseases elucidated by anatomic investigation. The nails. *Am. J. Dermatopathol.*, 2 : 243 - 244.

South, D.A. and Farber, E. (1980):

Urea ointment in nonsurgical avulsion of nail dystrophies, reappraisal. *Cutis* 21 : 609 - 612.

Speller, D.C.E. (1980):

Other antifungal agents. In : Speller DCE, ed. Antifungal chemotherapy. Chichester : John Wiley and Sons, 183 - 210.

Stettendorf, S. (1990):

Topical treatment of onychomycoses with bifonazole - urea ointment : in Nolting S, Korting HC (eds) : Onychomycoses. Berlin, Springer, pp. 102 - 107.

Strauss, J.S. and Kligman, A.M. (1957):

An experimental study of tinea pedis and onychomycosis of the foot. Arch Derm., 7 : 70 - 79.

Suarez, S.M.; Silvers, D.N.; Scher, R.K.; Pearlstein, H.H. and Auerbach, R. (1991):

Histologic evaluation of nail clippings for diagnosing onychomycosis. Arch. Dermatol., 127 : 1517 - 1519.

Summerbell, R.C.; Kane, J. and Krajden, S. (1989):

Onychomycosis, tinea pedis and tinea manum caused by non - dermatophytic filamentous fungi. Mycoses, 32 : 609 - 19.

Suringa, D.W.R. (1970):

Treatment of superficial onychomycosis with topically applied glutaraldehyde. Arch. Dermatol., 102 : 163 - 167.

Tachibana, M.; Noguchi, Y. and Monro, A.M. (1978):

Toxicology of fluconazole in experimental animals. In : Frömting RA, ed. Recent trends in the discovery, development and evaluation of antifungal agents. Barcelona : JR Prous Science Publishers, 93 - 102.

Terry, R.B. (1955):

The nail. Lancet, 179 : 27 - 29.

Tilton, R.C. and McGinnis, M.R. (1987):

Fungi and actinomycetes In : B.J. Howard, J. Klaas II, S.J. Rubin, A.S. Weissfeld and R.C. Tilton (Ed). Clinical and pathogenic microbiology (1st Ed.). The C.V. Mosby Company, St. Louis, p : 515 - 629.

Van, Custem, J.; Van Gerven, F. and Janssen, PAJ. (1987):

The in vivo and in vitro antifungal activity of itraconazole. In : Fromtling RA, ed. Recent trends in the discovery, development, and evaluation of antifungal agents. Barcelona : JR Prous Science Publishers, 177 - 92.

Villars, V.V. and Jones, T.C. (1992):

Special features of the clinical use of oral terbinafine in the treatment of fungal diseases.
Br. J. Dermatol., 126 : 61 -9.

Walshe, M.M. and English M.P. (1966):

Fungi in nails. Br. J. Dermatol., 78 : 198 - 207.

Walsoe, I.; Stangerup, M. and Svejgaard, E. (1990):

Itraconazole in onychomycosis. Acta Derm Venereol, 70 : 137 - 40.

Weary P.E. and Canby, C.M. (1969):

Further observations on the keratinolytic activity of *Trichophyton schoenleinii* and *T. rubrum*. J. Invest. Derm., 53 : 53 - 63.

Weismann, K.; Knudsen, E.A. and Pedersen, C. (1988):

White nails in AIDS / ARC due to *trichophyton rubrum* infection. Clin. Exp. Dermatol., 13 : 24 - 27.

Weitzman, I. and Kane, J. (1991):

Dermatophytes and agents of superficial mycoses In : A. Balows, W.J. Husler, Jr., K.L. Herrmann, H.D. Isenberg and H.J. Shadomy (Ed.). Manual of clinical Microbiology (5th Ed.). American Society for Microbiology, Washington, D.C., p. 601 - 616.

Wheatley, D.; Richardson, M.D. and Scott, E.M. (1988):

Tinea infections treated with bifonazole gel. Mycoses., 31:471-5.

White, M.I. and Clayton, Y.M. (1982):

The treatment of fungus and yeast infections of nails by the method of chemical removal. *J Clin. Exp. Dermatol.*, 7 : 273 - 276.

Willemsen, M.; De Doncker, P. and Willems, J. (1992):

Post treatment itraconazole levels in the nail, new implications for treatment. *J. Am. Acad. Dermatol.*, 26 : 731 - 735.

Winkelmann, R.K. (1960):

Nerve endings in normal and pathologic skin. Charles C. Thomas, Springfield, U.S.A., p. 100.

Wishart, J.M. (1987):

The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection. *J. Am. Acad Dermatol.*, 17 : 220 - 3.

Yunis, I.; Abd El-Aziz, E.; El-Gendy, A.; Abd El-Fatah, M.; Ali, A. and Mash-hoor, M. (1993):

Evaluation of T-cell function in dermatophytosis. *Medical J. of Cairo University*, 61 : 153 - 160.

Zaias, N. (1963):

Embryology of the human nail. *Arch. Derm.*, 87, 37.

Zaias, N. (1972):

Onychomycosis. *Arch. Dermatol.*, 105 : 263 - 274.

Zaias, N. (1980):

The nail in health and disease. MTP press, Lancaster, England, p. 53 - 57.

Zaias, N. (1985):

Onychomycosis. *Dermatol Clin.*, 3 : 445 - 460.

Zaias, N. (1986):

Superficial white onychomycosis. *Sabouraudia*, 5 : 99 - 103.

Zaias, N. (1990):

Management of onychomycosis with oral terbinafine. *J. Am. Acad. Dermatol.*, 23 : 810 - 2.

Zias, N. and Drackman, D.A. (1983):

A method of determination of drug effectiveness in onychomycosis. *J. Am. Acad. Dermatol.*, 9 : 912 - 9.

Zaias, N.; Oertel, I. and Elliott, D.F. (1969):

Fungi in toenails. *J. Invest Derm.*, 53 : 140 - 142.