

Burnett, J.W. and Marcy, S.M. (1963):

Lipoid proteinosis. Am. J. Dis. Child. 105:
81-84.

Caplan, R.M. (1962): Lipoid proteinosis; A review including
some new observations. Univ. Michigan. Med. Bull.
28: 365-377.

Caplan, R.M. (1967):

Visceral involvement in lipoid proteinosis. Arch.
Derm. 95: 149-155.

Caro, I. (1978):

Lipoid proteinosis. Int. J. Derm. 17: 388-393.

Caro, I. (1982):

Lipoid proteinosis. In: Current Dermatologic
Therapy. Maddin, S. (ed.). WB. Saunders. Philadelphia
288-289.

Charlin, C. and Fernandez, F.L. (1975):

Urbach-Wiethe syndrome. Arch. Ophth. (Paris).
35: 521-526.

Cowan, M.A.; Alexander, S. ; Vickers, H.R. and Cowdell,
R.H. (1961):

Case of lipoid proteinosis. Brit. Med. J. 26:
557-560.

Crawford, G.M. (1946):

Lipoid proteinosis. generalized. Arch. Derm. 53:
178 - 179.

Cripps, D.J. (1964):

Four cases of erythropoietic protoporphyria presenting as light sensitive lipoid proteinosis.
Proc. Roy. Soc. Med. 57: 1095-1097.

Cunliffe, W.J. (1979):

Disorders of connective tissue, In: Textbook of Dermatology. Rook, A.; Wilkinson, D.S. and Ebling, F.J.G. (eds), vol. 2, 3rd ed. Blackwell Scientific Publications. Oxford, London, Edinburgh, Melbourne p . 1611.

Dickey, R. and Davis, S. (1964):

Lipoid proteinosis (Urbach-Wiethe); Report of a case and review. Ann. Otol. 73: 287-296.

Dragstedt, L.R.; Von Prohaska, J. and Harnes, H.P. (1936):

Observations on a substance in pancreas which permits survival and prevents liver damage in depancreatized dogs. Am. J. Physiol. 117: 175.

Findlay, G.H. (1960):

Hyalinosis cutis et mucosae. S. Afr. Med. J. 34: 189-195.

Findlay, G.; Scott, F. and Cripps, D. (1966):

Porphyria and lipoid proteinosis; A clinical, histological and biochemical comparison of 19. South African cases. Brit. J. Derm. 78: 69-80.

Findlay, G.H. (1979):

Lipoid proteinosis. In: Dermatology in General Medicine. Fitzpatrick, T.B.; Eisen, A.Z.; Wolff, K.; Freedberg, I.M. and Austen, A.F. (eds) 2nd ed. Mc Graw-Hill Book Company. New York St. Louis. San Francisco. Auckland. Bogota. London, pp. 1134-1136.

Finkelstein, M.W.; Hammond, H.L. and Jones, R.B. (1982):

Hyalinosis cutis et mucosae Oral Surg. 54:49-58.

Fleischmajer, R.; Nedwich, A.; Ramos, E. and Saliva, J.
(1969):

Hyalinosis cutis et mucosae; Ahistochemical staining and analytical biochemical study. J. Investig. Derm. 52: 495-503.

Fleischmajer, P.; Timple, R.; Graves, P.; Perlsh, J.S.;

Raisher, L. and Altchek, D. (1981):

Hyalinosis cutis et mucosae; Abasal lamina disease
J. Investig. Derm. 76: 314-315.

Fleischmajer, P.; Krieg, T.; Dziadek, M.; Altchek, D. and

Timple, R. (1984):

Ultrastructure and composition of connective tissue
in hyalinosis cutis et mucosae skin. J. Investig.
Derm. 52: 252-258.

Grosfeld, J.C.M.; Spass, J.; Van de Staak, W.J. and Stadhouders,
A.M. (1965):

Hyalinosis cutis et mucosae. Dermatologica. 130:
239-266.

- Haneke, E.; Hornstein, O.P.; Meisel stosiek, M.; Steiner, W. (1984):
Hyalinosis cutis et mucosae in siblings. Hum. Genet. 48: 342-345.
- Hanig, E. and Kremer, H. (1955):
Bericht über 2 fälle von Familiarer Hyalinosis cutis et mucosae (Lipoid-Proteinose). Hautarzt. 11: 491. Quoted from Laymon and Hill (1957).
- Harper, J.I.; Duquid, K.P.; Staughton, R.C. and Moffat, D.A. (1983a):
Oropharyngeal and laryngeal lesions in lipoid proteinosis J. Laryngography. Otol. 97: 877-880.
- Harper, J.I.; Filipe, M.I. and Staughton, R.C. (1983b):
Lipoid proteinosis; variations in the histochemical characteristics. Clin. and Exp. Derm. 8:135-141.
- Harper, J.; Davance, V.C.; Sims, T.J. and Light, N.D. (1985):
Lipoid proteinosis; An inherited disorder of collagen metabolism, Brit. J. Derm. 113: 145-151.
- Hashimoto, K.; Klingmüller, G. and Rodermund, O.E. (1972):
Hyalinosis cutis et mucosae. Acta. Derm. venereal (Stockh). 52: 179-195.
- Hewson, G.E. (1963):
Lipoid proteinosis (Urbach-Wiethe Syndrome). Brit. J. Ophth. 47: 242-245.

Heyl, T. (1963):

Lipodi proteinosis; the clinical picture. Brit.
J. Derm. 75: 455-472.

Heyl, T. and Dekock, D.H. (1964):

Achromatographic study of skin lipids in lipoid
proteinosis. J. Investig. Derm. 42: 333-336.

Heyl, T. (1971):

Lipoid proteinosis in South Africa. Dermatologica
142: 129-132.

Hofer, P.A. (1973):

Urbach Wiethe disease (Lipoglycoproteinosis; Lipoid
proteinosis; Hyalinosis cutis et mucosae). Acta.
Dermato-venerologica. 53: Suppl. 71: 1-52.

Hofer, P.A. (1974):

Urbach Wiethe disease (lipoglycoproteinosis-lipoid
proteinosis; Hyalinosis cutis et mucosae). Hereditas.
77: 209-218.

Hofer, P.A.; Larsson, P.A.; E.K, B.; Göller, H. and

Lorentzon, R. (1974):

A clinical and histopathological study of twenty-
seven cases of Urbach-Wiethe disease. Acta, Path .
Microbiol. Suppl. 245, 1-87.

Hofer, P.A. and Öhman, J. (1974):

Laryngeal lesions in Urbach- Wiethe disease;
(Lipoglycoproteinosis; lipoid proteinosis; Hyalinosis

cutis et mucosae). Acta. Path. Microbiol. 82:
547-558.

Hofer, P.A. and Bergenholtz, A. (1975):

Oral manifestations in Urbach-Wiethe disease;
lipoglycoproteinosis; lipoid proteinosis; Hyalinosis
cutis et a mucosae. Odontol. Revs. 26: 39-57.

Holtz, K.H. and Schulze, W. (1951):

Hyalinosis cutis et mucosae (lipoid proteinosis
Urbach Wiethe); A clinical study and pathogenesis.
Arch. Derm. Syph. 192: 206-213.

Ishibashi, A. (1978):

Histogenesis of hyalinosis cutis et mucosae. J.
Derm. 5 . 265-278.

Ishibashi, A. (1982):

Hyalinosis cutis et mucosae; Defective digestion
and storage of abasal lamina glycoprotein synthe-
sized by smooth muscle cells. Dermatologica. 165:
7-15.

Izaki, M.; Horiuchi, T.; Hozaki, H. (1954):

Lipoidosis cutis et mucosae (Lipoid proteinosis
Urbach Wiethe); Report of a case. Keio J. Med. 3:
163-177.

Jensen, A.D.; Khodadoust, A.A. and Emery, J.M. (1972):

Lipoid proteinosis; Report of a case with electron
microscopic findings. Arch. Ophth. 88: 273-277.

Katzenellenbogen, I. and Ungar, H. (1957):

Lipoid proteinosis. *Dermatologica*. 115. 23-35.

Kefalides, N.A. (1975):

Basement membranes structural and biosynthetic considerations *J. Investig. Derm.* 65: 85-92.

Kint, A. (1970):

A comparative electron microscopic study of the perivascular hyaline from porphyria cutanea tarda and from lipoid proteinosis. *Arch. Exp. Der.* 239: 203-212.

Koletzky, S. and Stecher, R.M. (1939):

Primary systemic amyloidosis. *Arch. Path.* 27: 267-288.

Laymon, C.W. and Hill, E.M. (1957):

An Appraisal of hyalinosis cutis et mucosae. *Arch. Derm.* 75: 55-64.

Lever, W.F.; Schultz, E.L. and Hurley, N.A. (1951):

Plasma proteins in various diseases of the skin; Electrophoretic studies; A.M.A. *Arch. Derm. Syph.* 63: 702.

Lever, W.F. and Lever, G.S. (1983):

Hyalinosis cutis et mucosae (lipoid proteinosis). In: *Histopathology of the skin*. 6th ed. lippincott. Company. Philadelphia. London. Mexico. City. New York. St. Louis - Saopaulo-Sydney. p. 414

Touraine, M.A. (1940):

Lipoido-proteinose de Ja Peau et des muqueuses
(maladie d'Urbach-Wiethe). Bull. Soc. dermat. syph.
47: 273--286. Quoted from Laymon and Hill (1957).

Ungar, N and Katzenellenbogen, I. (1957):

Hyalinosis of skin and mucous membranes (Urbach-
Wieth's lipoid proteinosis); Histochemical study
of a case twenty eight years after its first pub-
lication, Arch. Path. 63: 65-74.

Urbach, E. (1929):

Arch. Derm. Syph. 157: 451. Quoted from Laymon and
Hill. (1957).

Urbach, E. (1932):

Lipoidoproteinose (lipoidosis cutis et mucosae)
In: Handbuch. der Haut-und Geschlechtskrankheiten.
Jadassohn, J. (eds). vol. 12. Berlin. Springer
Verlag. p. 235. Quoted from Laymon and Hill (1957).

Urbach, E. and Wiethe, C. (1929):

Lipoidosis cutis et mucosae. Arch. Path. Anat. 273:
285-319.

Van Der. Walt, J.J. and Heyl, T. (1971):

Lipoid proteinosis and Erythropoietic protoporphyria.
Arch. Derm. 104: 501-507.

Weidner, W.A.; Wenzel, J.E. and Swischuk, L.E. (1970):

Roentgenographic findings in lipoid proteinosis;