

25. Brett, E.M. and Lake, B.D. (1975):

Reassessment of rectal approach to neuropathy in childhood.
Archives of Disease in Childhood, 50, 753.

26. Brownstein S, Meagher-Villemure K, Polomeno RC, et al (1978):

Optic nerve in globoid leukodystrophy (Krabbe's disease).
Ultrastructural changes. Arch Ophthalmol; 96: 864.

27. Budden, S.S., Kennaway, N.G., Buist, NRM et al (1986):

Dysmorphic syndrome with phytanic acid oxidase deficiency,
abnormal very long chain fatty acids, and pipecolic acidemia:
studies on four children. Journal of pediatrics, 108, 33.

28. Bull PC, Thomas GR, Rommens JM, et al (1993):

The Wilson disease gene is a putative copper transporting P-type
AT Pase similar to the menkes gene. Nature Genet 5: 327.

29. Callahan JW, Archibald A. Skomorowski MA, et al (1990):

First trimester prenatal diagnosis of Tay-Sachs disease using the
sulfated synthetic substrate for hexosaminidase A. Clin Biochem;
23: 533.

30. Cannizzaro LA, Chen YQ Rafi MA, Wenger DA (1994):

Regional mapping of the human galactocerebrosidase gene
(GALC) to 14q31 by in situ hybridization. Cytogenet cell genet;
66: 244.

31. *Cantor RM, Roy C, Lim JS, et al(1987):*

Sandhoff disease heterozygote detection: a component of population screening for Tay-Sachs disease carriers. II. Sandhoff disease gene frequencies in American Jewish and non-Jewish populations. *Am J Hum Genet*; 41:16.

32. *Cardona F, Rosati E (1995):*

Neuronal ceroid-lipofuscinoses in Italy: an epidemiological study. *Am J Med Genet* 1995; 57: 142-143.

33. *Carpenter, S., Karpati, G., Andermann, F et al., (1977):*

The ultrastructural characteristics of the abnormal cytosomes in Batten-kuf's disease. *Brain*, 100, 137.

34. *Chamberlain S, Shaw J, Rowland A et al; (1998):*

Mapping of mutation causing Friedreich's ataxia to human chromosome 9. *Nature* 334: 248-249.

35. *Chiappa KH (1983):*

Evoked potentials in clinical medicine. New York, Raven Press, PP 251-324.

36. *Chiappa KH, Hill RA and Tayakar P (1997):*

Evoked potentials in clinical medicine. In: Joynt RJ and Griggs RC (ed): *Clinical neurology*, Vol 1/Chap 7 Lippincott Williams and Wilkins.

37. *Chiappa KH, Ropper AH (1982):*

Evoked potentials in clinical medicine. N Engl J med 306: 1140-1150, 1205-1211.

38. *Claussen M, Heim P, Knispel J, Goebel HH, Kohlschutter A (1992):*

Incidence of neuronal ceroid-lipofuscinoses in West Germany: variation of a method for studying autosomal recessive disorders. Am J Med Genet; 42: 536-538.

39. *Clayton PT, Lake BD, Hall NA et al., (1987):*

Plasma bile acids in patients with peroxisomal dysfunction syndromes: analysis by capillary gas chromatography-mass spectrometry. European Journal of Pediatrics 146: 166-173.

40. *Cracco JB, Basck VV, Cracco RQ (1980):*

Cerebral and spinal somatosensory evoked potentials in children with CNS degenerative disease. Electroencephalogs Clin Neurophysiol 49: 437-445.

41. *Cracco JB, Cracca RQ (1979):*

Somatosensory spinal and cerebral evoked potentials in children with occult spinal dysraphism. Neurology 29:543.

42. *Cracco JB, Cracco RQ (1986):*

Spinal, brainstem and cerebral SEP in pediatric age group. In: Evoked potentials, edited by RQ cracco and I Badis-Wollner, PP 471-482. Alan R Liss, New York.

References

43. *Cracco JB, Udani V, Cracco RQ (1988):*

MN-SSEPs in infants. *Electroencephalogs Clin Neurophysiol* 69: 79P.

44. *Crocker AC (1961):*

The cerebral defect in Tay-Sachs disease and Niemann-Pick disease. *Journal of Neurochemistry* 7: 69.

45. *Crome L, Hanefeld F, Patrick D, et al (1973):*

Late onset globoid cell leukodystrophy. *Brain*; 96: 84.

46. *Cullity P, franks CI, Duchworth T Brown BH (1976):*

Somatosensory evoked cortical responses: detection in normal infants. *Dev Med child Neurol* 18: 11-18.

47. *Dana S, Wasmuth JJ (1982):*

Selective linkage disruption in human-chinese hamster cell hybrids: deletion mapping of the leuS, hexB, emtB, and chr genes on human chromosome 5. *Mol Cell Biol*; 2: 1220.

48. *Davis SL, Aminoff MJ, Berg BO (1985):*

Brain-stem auditory evoked potentials in children with brain stem or cerebellar dysfunction. *Arch Neurol* 42: 156-160.

49. *De Meirleir LJ, Taylor MJ, Logan WJ (1988):*

Multimodal evoked potential studies in leukodystrophies of children. *Can J Neurol Sci* 15: 26-31.



50. *De Michele G, Filla A, Cavalcanti F et al, (1994):*

Late onset Friedreich's disease: Clinical features and mapping of mutation to the FRDA locus, Journal of Neurology, Neurosurgery and Psychiatry 57: 977-979.

51. *Demaerel P, Faubert C, Wilims G, Casaer P, Piepgras U, Baert AL(1991):*

MR findings in leukodystrophy, Neuroradiology 33:368-371.

52. *Desmedt JE, Brunko E, Debecher J (1976):*

Maturation of the somatosensory evoked potentials in normal infants and children, with special reference to the early N1 component. Electroencephalogs Clin Neurophysiol 40: 43-58.

53. *Desmedt JE, Manil J (1970):*

Somatosensory evoked potentials of the normal human neonate in REM sleep, in slow wave sleep and in waking. Electroencephalography and Clinical Neurophysiology 29: 113-126.

54. *Desnick RJ, et al (1973):*

Renal transplantation in type II Gaucher disease. Birth Defects; 9: 109.

55. *Despland P, Galambes R (1980):*

The auditory brainstem response (ABR) is a useful diagnostic tool in the intensive care nursery. Pediatrics Res 14: 154-158.

References

56. *Divry P, Vianey-Liaud C, Gay C, Macabeo V, Rapin F, Echenne B (1988):*

N-Acetylaspartic aciduria: Report of three new cases in children with a neurological syndrome associating macrocephaly and leukodystrophy. *J Inher Metab Dis* 1988; 11: 307-8.

57. *Domino EF, Matsuoka S, Waltz J et al (1965):*

Effects of cryogenic thalamic lesions in the somesthetic evoked reponse in man. *Electroencephalogr Clin Neurophysiol* 19: 127.

58. *Ducati A, Fava E, Motti EDF (1988):*

Neuronal generator of the visual evoked potentials: Intracerebral recording in awake humans. *EEG Clin Neurol*, 71:89-99.

59. *Durieux-Smith A, Edwards CG, Picton TW, MC Murray B (1985):*

Auditory brain stem response to clicks in neonates. *J Otolaryngol* 19: 12-18.

60. *Edwards CG, Burienx-Smith A, Picton TW (1985):*

Auditory brain stem response audiometry in neonatal hydrocephalus. *J Otolaryngol* 14: 40-96.

61. *Egger J, Harding BN, Boyd SG et al (1987):*

Progressive neuronal degeneration of childhood (PNDC) with liver disease. *Clinical pediatrics* 26: 167-173.

161. *Lesser RP, Kaepke R, Lueders H (1979):*

Effect of stimulus intensity on short latency somatosensory evoked potentials. *Electroencephalogr Clin Neurophysiol* 47: 377.

162. *Levy SR (1997a):*

Brain stem auditory evoked potentials in pediatrics. In: Chiappa KH (ed): *Evoked potentials in clinical medicine* 3rd ed, Lippincott. Raven Publishers, Philadelphia P, 269.

163. *Levy SR (1997b):*

Somatosensory evoked potentials in pediatrics. In: Chiappa KH (ed): *Evoked potentials in clinical medicine* 3rd ed. Lippincott-Raven Publishers, Philadelphia P, 453.

164. *Lingam S, Wilson J (1987):*

Neurological abnormalities in Wilson's disease are reversible. *Neuropediatrics* 18: 11-12.

165. *Loeb H (1969):*

Tondeur M, Jonniaux G, et al: Biochemical and ultrastructural studies in a case of mucopolysaccharidosis "F" (fucosidosis). *Helv Paediatr Acta*; 24:519.

166. *Lowden JA, et al (1974):*

Juvenile GMI gangliosidosis: occurrence with absence of two S-galactosidase components. *Arch Neurol*; 31: 200.

167. *Lowden JA, et al (1973):*
Prenatal diagnosis of GMI-gangliosidosis. *N Engl J Med* 1973; 288: 225.
168. *Lowden JA, O'Brien JS (1979):*
Sialidosis: a review of human neuraminidase deficiency. *American Journal of Human Genetics* 31: 1-18.
169. *Ludwig B, Kishikawa T, Wende S et al (1983):*
Cranial computed tomography in disorders of complex carbohydrate metabolism and related storage disease *American Journal of Neuroradiology* 4: 431-433.
170. *Luzi P, Rafi MA, Wenger DA (1995):*
Structure and organization of the human galactocerebrosidase (GALC) gene. *Genomics*; 26: 407.
171. *Lyon G, Hagberg B, Evrard P, et al (1991):*
Symptomatology of late onset Krabbe's leukodystrophy: the european experience. *Dev Neurosci*; 13: 240.
172. *Majnemer A, Rosenblatt B, Riley P, Laureau E, O'Gorman AM (1987):*
Somatosensory evoked response abnormalities in high risk newborns. *Pediatr Neurol* 3: 350-355.

References

173. *Malone MJ, Stoffyn P (1967):*

Peripheral nerve glycolipids in metachromatic leukodystrophy.
Neurology; 17: 1033.

174. *Markand ON, Garg BP, DeMeyer WE, Warren C, Worth RM (1982):*

Brainstem auditory, visual and somatosensory evoked potentials in the leukodystrophies. Electroencephalogr Clin Neurophysiol 54: 39-48.

175. *Markand ON, Ochs R, Worth RM, et al (1978):*

Brainstem auditory evoked responses in chronic degenerative central nervous system disorders. Presented at the International Evoked Potential Symposium, Nottingham, U.K.

176. *Matalon R, Michals K, Kaul R (1995):*

Canavan disease: from spongy degeneration to molecular analysis.
J Pediatr; 127: 511-7.

177. *Matalon R, Michals K, Sebesta D, Deanching M, Gashkoff P, Casanova J (1988):*

Aspartoacylase deficiency and N-acetylaspatic aciduria in patients with Canavan disease. Am J Med Genet; 29: 463-71.

178. *Mauguiere F (1994):*

Electroencephalography, Evoked potentials, and Magnetic stimulation. In Moher JP and Gautier JC (ed): Guide to Clinical Neurology. Churchill Livingstone. p147

179. *Max, S.R., Maclaren, N.K., Brady, R.O. et al, (1974):*
GM₃ (hematoside) sphingolipodystrophy. New England Journal of Medicine, 291, 929.
180. *McSherry JW, Walters CL: Horbar JD (1982):*
Acute visual evoked potential changes in hydrocephalus. Electroncephalogr Clin Neurophysiol 53: 331-333.
181. *MeFarlin DE, Strober W, Ealdmann TA (1972):*
Ataxia-telangiectasia. Medicine 51: 281-314.
182. *Milla PJ, Black IE, Patrick AD et al (1977):*
Mannosidosis: Clinical and biochemical study. Archives of Disease in Childhood 52: 937-942.
183. *Milunsky A, et al (1970):*
Prenatal genetic diagnosis. N Engl J Med; 283:1498.
184. *Miranda SB, Hach M, Fantz F, et al (1977):*
Neonatal pattern vision. A predictor of future mental performance. J Pediatrics 91: 642.
185. *Mohler DN, Majerus PW, Minnich V, Hess CE, Garrick, MD (1970):*
Glutathione synthetase deficiency as a cause of hereditary hemolytic disease. New Eng J Med 283: 1253-1257.

References

186. Mohotoff B, Schulman-Galambos C, Galambos R (1977):

Brain stem auditory evoked responses in children. Arch Otolaryngal 103: 38-43.

187. Moser, AE., Inderjit Singh, AB, Brown, FR et al (1984a):

The cerebrohepatorenal (Zellweger) syndrome. New England Journal of Medicine, 310, 1141.

188. Moser, HW, Moser, AE, Singh, I and O'Neill, BP (1984b):

Adrenoleukodystrophy: survey of 303 cases: Biochemistry, diagnosis and therapy. Annals of Neurology, 16, 628.

189. Naidu S, Hoffmann KJ, Moser HW, et al (1998):

Galactosylceramide-beta-galactosidase deficiency in association with cherry red spot. Neuropediatrics; 19:46.

190. Naidu S, Theda C and Moser W., (1999):

Peroxisomal disorders. In swaiman KF and Ashwals (ed): Pediatric Neurology, Principles and Practice. 3rd ed. Mosby Inc P 510.

191. Nakai H, Byers MG, Nowak NJ, Shows TB (1991):

Assignment of beta-hexosaminidase A alpha-subunit to human chromosomal region 15q23-q24. Cytogenet cell Genet; 56: 164.

192. Neil Gorden MD (1993):

Neurological problems in childhood: Degererative cerebral diseases. Butter worth Heinemann 249: 289.

References

193. *Neil JF, Merikangas JR, Glew RH (1979):*

EEG findings in adult neuronopathic Gaucher's disease. Clin Electroencephalogr; 10: 198,

194. *Nelson FW, Goldie WD, Hecht jt, butler IJ, Scott CI (1984):*

Short latency somatosensory evoked potentials in the management of patients with achondroplasia. Neurology 1053-1058.

195. *Neufeld EF, Muenzer J (1989):*

The mucopolysaccharidoses. In: Seriver CR, et al, eds. The metabolic basis of inherited disease, 6th ed. New York: McGraw-Hill.

196. *Neufeld EF (1974):*

The biochemical basis for mucopolysaccharidoses and mucopolipidoses. Prog Med Genet; 10: 81.

197. *Neville BR, Lake BD, Stephens R et al., (1973):*

A neurovisceral storage disease with vertical supranuclear ophthalmoplegia and its relation to Niemann-Pick disease. Brain 96: 97-120.

198. *Nishio, T., Sia, H., Nohara, R. et al., (1986):*

A case of adrenoleukodystrophy. Brain and development, 8 192.

199. *Norden NE, Ockermann PA, Szabo L (1973):*

Urinary mannose in mannosidosis. Journal of pediatrics 82: 686-688.

References

200. *O'Brien JS: The gangliosidoses. In: Stanbury JB, et al., eds (1983):*

The metabolic basis of inherited disease, 3rd ed. New York: McGraw-Hill.

201. *Okada S, Kato T, Yabuuchi H, et al (1979):*

The complementation of beta-galactosidase in fused cells of mucopolipidosis II with another variant of beta-galactosidase deficiency using new single cell enzyme assay. *Biochem Biophys Res Commun*; 88: 559.

202. *Okada, S, and O'Brien, J.S. (1969):*

Tay-Sachs disease: generalized absence of a beta-D-N-acetyl-hexosaminidase component. *Science*, 165, 698.

203. *Oken BS and Chiappa KH (1986):*

Somatosensory evoked potentials in neurological diagnosis. In cracco RQ and Badis-Wallner I (eds): *Evoked potentials*. Alan R.Liss, Inc. P 379-389.

204. *Oppenheimer DR (1976):*

Diseases of the basal ganglia, cerebellum and motor neurons. In: Blackwood W, Corsellis JAN (eds) *Greenfield's neuropathology*, 3rd edn. Arnold, London.

205. ***Pampiglione G, Harden A (1977):***
So-called neuronal ceroid lipofuscinosis: Neurophysiological studies in 60 children. *J Neurol Neurosurg Psychiatry* 40: 323-30.
206. ***Percy A.K. (1987):***
The inherited neurodegenerative disorders of childhood: Clinical assessment. *J. Child Neurol.* 2: 82.
207. ***Pereira LV, Desnick RJ, Adler DA, et al (1991):***
Regional assignment of the human acid sphingomyelinase gene (SMPDI) by PCR analysis of somatic cell hybrids and in situ hybridization to 11 p 15. 1-p15.4. *genomics*; 9: 229.
208. ***Petersen GM, Rotter JI (1983):***
Cantor RM, et al: The Tay-Sachs disease gene in North American Jewish populations: geographic variations and origin. *Am J Hum Genet*; 35: 1258.
209. ***Petroulakis E, Cao Z., Clarke JTR, et al (1998):***
W474C amino acid substitution affects early processing of the alpha-subunit of beta-hexosaminidase A and is associated with subacute G (M2) gangliosidosis. *Hum Mutat*; 11: 432.
210. ***Petushkova NA (1991):***
First-trimester diagnosis of an unusual case of alpha-mannosidosis. *Prenat diagn*; 11:279.

References

211. *Picton T, Taylor MJ, Durieux-Smith A (1992):*

Brain stem auditory evoked potentials in pediatrics. Electrodiagnosis in Clinical Medicine, edited by M Aminoff, PP 537-569. Churchill Livingstone, New York.

212. *Poulas, A., Sharp, P., Fellenberg, A.J., and Danks, D.M., (1985):*

Cerebro-hepato-renal (Zellweger syndrome, adrenoleucodystrophy, and Refsum's disease: plasma changes and skin fibroblast phytanic acid oxidase. Human Genetics, 70. 172.

213. *Pratt H, Starr A (1981):*

Mechanically and electrically evoked somatosensory potentials in humans: Scalp and neck distributions of short latency components. Electroencephalogr Clin Neurophysiol 51: 138.

214. *Pratt VM, Kiefer JR, Lahdetie J, Schleutker J, Hodes ME, Dlouhy SR (1993):*

Linkage of a new mutation in the proteolipid protein (PLP) gene to Pelizaeus-Merzbacher disease (PMD) in a large Finnish kindred. Am J Hum Genet; 52: 1053-6.

215. *Prence EM, Natowicz MR (1992):*

Diagnosis of alpha-mannosidosis by measuring alpha-mannosidase in plasma. Clin Chem; 38: 501.

References

216. *Pridmore CL, Baraitser M, Harding B et al (1993):*
Alexander's disease: clues to diagnosis. *Journal of Child Neurology* 8: 134-144.
217. *Rachel O, Markand ON, F.R.C.P.9(C), and De Myer WE(1979):*
Brainstem auditory evoked responses in leucodystrophies. *Neurology* 29:1089-1093.
218. *Raine, D.N., (1970):*
Biochemical relationships in the neuronal sphingolipidoses. *Developmental Medicine and Child Neurology*, 12, 348.
219. *Rapin I, Goldfischer S, Katzman R et al (1978):*
The cherry-red spot myoclonus syndrome. *Annals of Neurology* 3: 234.
220. *Rappaport M, Maloney JR, Ortega H et al., (1985):*
Survival in young children after drowning: Brain evoked potentials as outcome predictors. *Clin Electroencephalogr* 16: 183-191.
221. *Ray MW, Gilmore R, Walsh JW (1986a):*
Evaluation of children and young adults with tethered cord syndrome. Utility of spinal and scalp recorded somatosensory evoked potentials. *Surg Neurol* 26: 241-248.
222. *Ray MW, Gilmore R, Walsh JW (1996b):*
Somatosensory evoked potentials in tethered cord syndrome. *electroencephalogr Clin Neurophysiol* 64: 42P.

References

223. Rees, L.H., Grant, D.B. and Wilson, J. (1975):

Plasma corticotrophin levels in Addison-Schilder's disease: British Medical Journal, III, 201.

224. Regan D (1988):

Human Brain electrophysiology. Chapter 1.3: Distinctions between the transient and steady-state responses of a system. Chapter 2.6.4: visual evoked potentials to luminance changes. Chapter 2.6.5: Visual pattern evoked potentials. New York: Elsevier.

225. Reid CS, Pyeritz RE, Kopits SE, Marla BL, Wang W, Mc Pherson RW, Hurko O, Phillips JA, Rosenbaum AE (1987):

Cervicomedullary compression in young patients with achondroplasia: value of comprehensive neurologic and respiratory evaluation. J Pediatr 110: 522-530.

226. Ries M, Deeg KH (1993):

Polyposis of the gallbladder associated with metachromatic leukodystrophy. Eur J Pediatr; 152: 450.

227. Ronen S, Nawraski I, Yanko L (1983):

Cortical blindness in infancy; A follow-up study. Ophthalmologica; 187:217.

References

228. *Rossini PM, Cracco JB (1987):*
Somatosensory and brainstem auditory evoked potentials in neurodegenerative disorders. *Eur Neurol* 26: 176-188.
229. *Rossini PM, Zarola F, diCapua M, Cracco JB (1986):*
Somatosensory evoked potentials studies in neurodegenerative system disorders. In: *Maturation of the CNS and Evoked potentials*. Edited by V Gallai, PP 125-134, Excerpta Medica, Amsterdam.
230. *Rushton AR, Shaywitz BA, Duncan CC et al, (1981):*
Computed tomography in the diagnosis of Canavan's disease. *Annals of Neurology* 10: 57-60.
231. *Russo LS, Aron A, Anderson PJ (1976):*
Alexander's disease: a report and reappraisal. *Neurology* 26: 607-614.
232. *Saito T (1987):*
Presenting symptoms and natural history of Wilson's disease. *European Journal of Pediatrics* 146: 261-265.
233. *Salamy A (1984):*
Maturation of the auditory brain stem response from birth through early childhood. *J Clin Neurophysiol* 1: 293-329.

References

234. Santavuori P (1988):

Neuronal ceroid-lipofuscinosis in childhood. *Brain Dev* 1988; 10: 80-83.

235. Satishchandra P, Ravishanker Naik K (2000):

Visual pathway abnormalities. Wilson's disease: an electrophysiological study using electroretinography and visual evoked potentials. *J Neurol Sci* May 1; 176(1): 13-20.

236. Scaiali A, Antozzi C, Villani F, Rimaldi M, Zeviani M, Panzica Ananzini G (1998):

Utility of multimodal evoked potential study and electroencephalography in mitochondrial encephalomyopathy *Ital J Neurol Sci* Oct; 19 (5): 291-300.

237. Schaumburg HH, Powers JM, Rains CS, Suzuki K, richardson JCP (1975):

Adrenoleukodystrophy: A clinical and pathological study of 17 cases. *Arch Neurol*; 32: 577-91.

238. Scheffer IE, Baraitser M, Wilson J et al (1991):

Pelizaeus-Merzbacher disease - classical or connatal? *Neuropædiatrics* 22: 71-78.

References

239. *Scher MS (1999):*

Pediatric neurophysiologic evaluation. Swaiman KF and Ashwal S (ed): Pediatric Neurology. Principles and practice. 3rd edition by Mosby Inc, P. 171.

240. *Scriver CR, Baudet AL, Sly WS et al., (1995):*

The metabolic and molecular basis of inherited diseases, 7th edn. McGraw Hill, New York.

241. *Seitelberger F: Pelizaeus-Merzbacher disease. In: Vinken PJ, Bruyn GW, eds (1970):*

Handbook of clinical neurology. Vol 10. Leukodystrophies and poliodystrophies. Amsterdam: Elsevier, 1970; 150-202.

242. *Shahrohi E, Chiappa KH and Yang RR (1978):*

Pattern shift visual evoked responses in two hundred patients with optic atrophy and/or multiple sclerosis. Arch. Neurol (Chic) 35: 65-71.

243. *Shapiro LJ, Aleck KA, Kaback MM, et al (1979):*

Metachromatic leukodystrophy without arylsulfatase A deficiency. Pediatr Res; 13: 1179.

244. *Shibasaki H, Miyazaki M (1992):*

Event-related potential studies in infants and children. Journal of Clinical Neurophysiology 9:408-418.

239. *Sitzoglou C, Fatiou F (1985):*

A study of the maturation of the somatosensory pathway by evoked potentials. *Neuropediatrics* 16:206-208.

240. *Sklar EH, Ehle AL, Clark WK (1979):*

Visual evoked potentials: A non-invasive technique to monitor patients with shunted hydrocephalus. *Neurosurgery* 4: 529-534.

241. *Slamy A, Mendelson T, Tooley WH, et al (1980):*

Differential development of brainstem potentials in healthy and high-risk infants. *Science* 280: 553.

242. *Sokol S (1980):*

Visual evoked potentials. In: Aminoff MJ, ed. *Electrodiagnosis in clinical neurology* New York; Churchill Livingstone, 348-69.

243. *Sorcinelli R, Sitzia A, Loi M (1987):*

Cherry-red spot, optic atrophy and corneal cloudings in a patient suffering from GM1 gangliosidosis type I. *Metab Pediatr Syst Ophthalmol*; 10: 62.

244. *Starr A, Hamilton AE (1976):*

Correlation between confirmed sites of neurologic lesions and abnormalities of far-field auditory brainstem responses. *Electroencephalogs Clin Neurophysiol* 41: 595-608.

References

245. *Statz A, Boltshauser E, Schmizel A et al., (1981):*
Computed tomography in Pelizaeus-Merzbacher disease.
Neuroradiology 22: 103-105.
246. *Stochard JE, Stochard JJ (1981):*
Brainstem auditory evoked potentials in normal and
otoneurologically impaired newborns and infants. In Henry CE
(ed): Current Clinical Neurophysiology. Amsterdam: Elsevire, pp
420-446.
247. *Stochard JE, Stochard JJ, Coen RW (1983):*
Auditory brainstem response variability in infants. Ear Hearing 4:
11-23.
248. *Stochard JE, Stochard JJ, Westmoreland BF, Corfits JL (1979):*
Brain stem auditory-evoked responses. Arch Neurol 36: 823-831.
249. *Stochard JE, Westmoreland BF (1981):*
Technical considerations in the recording and interpretation of the
brainstem auditory evoked potential for neonatal neurologic
diagnosis. Am JEEG technol 21: 31-54.
250. *Stochard JJ, Hecox K (1981):*
Brainstem auditory evoked potentials in sudden infants death
syndrome (SIDS), "near-miss for SIDS", and infants apnea
syndromes. Electroencephalogr Clin Neurophysiol 51: 43P.

274. *Watanabe K, Iwase K, Hara K (1972):*

Maturation of visual evoked responses in low-birthweight infants.
Developmental. Medicine and child Neurology 14: 425-435.

275. *Webb GC, Vaska VL, Gali KK, Ford JH, Board PG (1995):*

The gene encoding human glutathione synthetase (GSS) maps to
the long arm of chromosome 20 at band 11.2. genomics 30: 617-
619.

276. *Wellner VP et al., (1974):*

Glutathion synthetase deficiency, an inborn error of metabolism
involving the γ -glutamylcycle in patients with 5-Oxoprolinuria.
Proc Nat Acad Sci 71: 2505-2509.

277. *Williamson M, Cragg H, Grant J, et al (1993):*

A 5' splice site mutation in fucosidosis. J Med Genet; 30: 218.

278. *Willis J (1986):*

Effects of state and stimulus rate on short latency somatosensory
evoked potentials in infants. Ann Neurol 20:411.

279. *Willis J, Duncan C, Bell K (1987):*

Short latency somatosensory evoked potentials in perinatal
asphyxia. Pediatr Neurol 3: 203-207.

280. *Willis J, Seales D, Frazier E (1984):*

Short latency somatosensory evoked potentials in infants.
Electroencephalogr Clin Neurophysiol 59: 366-373.

281. *Wilson, J (1972):*

Investigation of degenerative disease of the central nervous system.
Archives of Disease in Childhood, 47, 163.

282. *Wilson, J., Manners, BTB., Robins, D.G. and Erdohazi, M (1981):*

Persistent hiccups as a presenting feature of Alexander's
leucodystrophy. Developmental Medicine and Child Neurology,
23, 660.

283. *Wycliffe ND, Thompson JR, Mc Leary M, Halshouser BA and
Ashural S (1999):*

Pediatric Neuroimaing. Swaiman KF and Ashwal S (ed): Pediatric
Neurology Principles and practice. 3rd ed by Mosby Inc P 122.

284. *Yamanouchi H, Kaga M, Iwasaki Y, Sakuragawa N and Arima M
(1993):*

Auditory evoked responses in Krabbe disease. *Pediats Neural* 9:
387-90.

285. *Young ID, Young ED, Mossman J et al., (1987):*

Neuraminidase deficiency; case report and review of the
phenotype. *Journal of Medical Genetics* 24: 283-290.

References

286. *Zimmerman MC, Margan DE, Dubno JK (1987):*

Auditory brain stem evoked response characteristics in developing infants. *Ann Otol Rhinal Laryngol* 96: 291-299.