

REFERENCES

- Aafjes, J.H.; and Van der vijver, J.C.M. (1985):*
Fertility of men with and without a varicocele.
Fertil. Steril., 43 : 901-904.
- Agger, P. (1971):*
Scrotal and testicular temperature : its relation to sperm count
before and after operation for varicocele.
Fertil. Steril., 22 : 286-297.
- Agger, P.; and Johnson, S.G (1978):*
Quantitative evaluation of testicular biopsies in varicocele.
Fertil. Steril., 29 : 52-57.
- Ahlberg, N.E., Bartley, O., and Chidekel, N. (1965):*
Retrograde contrast filling of the left genadal vein : A
roentgenologic and anatomical study.
Acta. Radiol. Diagn., 3 : 385-389.
- Ahlberg, N.E.; Bartley, O.; and Chidekel, N. (1966):*
Phlebography in varicocele scroti.
Acta. Radiol. Diagn., 4 : 517-528.
- Aitken, R.J.; Best, F.S., and Less, M.M. (1982):*
The correlates of fertilizing capacity in normal fertile men.
Fertil. Steril, 38 : 68-73.
- Aitken, R.J.; Irvine, S.; and Clarkson, J.S. (1986):*
Predictive value of in vitro sperm function tests.
In : Male Contraception.; Advances and future prospects. edited
by Zatuchni, G.I.; Goldsmith, A.; Spieler, J.M.; and Sciarra,
J.J.Harper and Row Publishers, Philadelphia, London, New
York.
PP : 138-152.

Ambroise Pare (1541):

Les oeuvres d'Ambrose pare, 10th edn, p 323.

Quoted from Glezerman, M. (1984).

Amelar, R.D.; and Dubin, L. (1973):

Male infertility. Current diagnosis and management.

Urol., 1 : 1-4.

Amelar, R.D. and Dubin, L. (1987):

Right varicocelectomy in selected infertile patients who have failed to improve after previous left varicocelectomy.

Fertil. Steril., 47 : 833-836.

Amelar, R.D.; Dubin, L.; and Walsh, P.C. (1977):

The Varicocele and Infertility.

In : Male Infertility. edited by W.B. Saunders Company, Philadelphia, London, Toronto, PP : 57-69.

Amelius cornelius cellsus

Cited by Nilsson, 1983.

Ando, S.; Colpi, G.M.; and Panno, M.L. (1984):

Physiopathologic aspects of Leydig cell function in varicocele patients.

J. Androl., 5 : 163-170.

Anniballo, R (1979):

An excessive ratio of tapering forms of spermatozoa as distinctive

feature in the presence of varicocele.

Fertil-Steril., 32 : 704-705.

Annoni, F.; Giovanni, M.C.; and Francesco, M.M. (1988):

Doppler examination in varicocele. A standard method of evaluation.

J. Androl., 9 : 248-252.

Ayodeji, O., and Baker, H.W.G. (1986):

Is there specific abnormality of sperm morphology in men with varicocele?

Fertil. Steril., 45 : 839-842.

Baker, H.W.G.; Burger, H.G.; and Straffon, W.G.E. (1985):

Testicular vein ligation and fertility in men with varicocele.

Brit. Med. J.; 291 : 1678-1680.

Baumgartel, H.; Riedel, B.; and Kaden, R. (1971):

Zur Frage der andrologischen Bewertung und Behandlung der Varicocele.

Andrologia, 3 : 167.

Quoted from Glezerman, 1984.

Belker, A.M.; (1981):

The varicocele and male infertility. Pathophysiology, diagnosis and surgical intervention.

Urol. Clin. N. Amer.; 8 : 40-41.

Berger, O.G. (1980):

Varicocele in adolescence.

Clin. Paediatr., 19 : 810-811.

Blasco, L. (1984):

Clinical tests of sperm fertilizing ability.

Fertil. Steril., 41 : 177-182.

Bloodgood, J.C. (1918):

A warning against operations for varicocele on applicants for enlistment, registrants for the selective draft and soldiers.

J.A.M.A.; 70 : 409.

Quoted from Szabo and Kessler, 1984.

Boyce, W.H.; and Palitano, A.V. (1970):

Varicocele.

In : Urology, edited by Campbell, H.F.; and Harrison, J.H. 3rd edition., W.B., Saunders company, Philadelphia, London, Toronto, PP : 261:627.

Braedel, H.U.; Steffens, M.; and Polsky, M.S. (1990):

Out-patient sclerotherapy of idiopathic left-sided varicocele in children and adults.

Brit. J.U.; 65 : 536-540.

Braedel, H.U.; Steffens, M.; and Polsky, M.S. (1994):

A possible ontogenic aetiology for idiopathic left varicocele.

J. Urol. 151 : 62-66.

Brown, J.S. (1976):

Varicocelectomy in the subfertile male : A ten-year experience with 295 cases.

Fertil. Steril.; 27 : 1046-1053.

Brown, J.S. (1984):

Varicocelectomy.

In : Current Operative Urology.;

2nd edition, Harper and Row Publishers, Philadelphia, London,

Sydney.; PP : 1620-1624.

Brown, J.S.; Dubin, L.; and Hotchkiss, R.S. (1967):

Venography in subfertile men with varicocele.

J. Urol., 98 : 388-392.

Buch, J.P.; and Cromie, W.J. (1985):

Evaluation and treatment of the preadolescent varicocele.

Urol. Clin. N. Amer., 12 : 3-12.

Bumstead, H; and Taylor, M. (1833):

Quoted from *Glezerman, M. (1984).*

Burton, A.C. (1965):

Physiology and Biophysics of the circulation: An introductory text. Chicago : Year Book Medical publishers, Inc.,

Quoted from *Mali et al., 1986.*

Caldamone, A.A.; Valvo, J.R.; and Cockett, A.T.K. (1985):

Evaluation of the infertile and subfertile male.

Urol. Clin. N. Amer., 8 : 17-30.

Chakraborty, J.; Sinha, A.P.; and Jhunjhun, W. (1985):

Stagnation of blood in the microcirculatory vessels in the testes of men with varicocele.

J. Androl., 6 : 117-126.

Chan, S.Y.W.; Fox, E.J.; Chan, M.M.C.; and Wang, C. (1985):

The relationship between the human sperm hypo-osmotic swelling test, routine semen analysis, and the human sperm zona-free hamster ovum penetration assay.

Fertil. teril., 44 : 668-672.

Charny, C.W. (1962):

Effects of varicocele on fertility. Results of varicocelectomy.

Fertil. Steril., 13 : 47-56.

Charny, C.W. and Baum, S. (1968):

Varicocele and infertility.

J.A.M.A.; 204:1165-1168.

Chatel, A.; Bigot, J.M.; and Helenon, C. (1978):

Anatomie radiologique des veines spermatiques. A propose de
152 phlebographies spermatiques retrograde.

J. Chir., 115 : 445.

Quoted from Flati et al., 1990.

Cockett, A.T.K.; Takihara, H.; and Cosentino, M.J. (1984):

The varicocele.

Fertil. Steril., 41 : 5-11.

Cockett, A.T.K.; Urry, R.L.; and Dougherty, K.A. (1979):

The varicocele and semen characteristics.

J. Urol., 121 : 435-436.

Cohen, M.S., Plaine, L. and Brown, J.S. (1975):

The role of internal spermatic vein plasma catecholamines
determination in subfertile men with varicoceles.

Fertil. Steril., 26 : 1243-1249.

Comhaire, F. (1981):

Vasculature of the testis : Assessment and management of
varicocele.

In : The Testis., edited by Burger, H.; and de krester, D.; Raven
Press, New York, PP : 419-431.

Comhaire, F.; and Kunnen, M. (1976):

Selective retrograde venography of the internal spermatic vein :
a conclusive approach to the diagnosis of varicocele.
Andrologia, 8 : 11-24.

Comhaire, F.; and Kunnen, M. (1984):

Treatment of varicocele by transcatheter embolization with
Bucrylate.

In : Varicocele and Male Infertility 11., edited by Glezerman, M
and Jecht, E., Springer-Verlag, Berlin, New York, Tokyo,
PP : 94 -97.

Comhaire, F.; and Kunnen, M (1985):

Factors affecting the probability of conception after treatment of
subfertile men with varicocele by transcatheter embolization with
Bucrylate.

Ferti. Steril., 43 : 781-785.

Comhaire, F.; Kunnen, M.; and Nahoum, C. (1981):

Radiological anatomy of the internal spermatic vein (s) in 200
retrograde venograms.

Int. J. Androl., 4 : 379-382.

Comhaire, F.; Menteyene, R.; and Kunnen, M. (1976):

The value of scrotal thermography as compared with selective
retrograde venography of the internal spermatic vein for the
diagnosis of subclinical varicocele.

Fertil. Steril., 27 : 694-698.

Comhaire, F.; and Vermeulen, A. (1974):

Varicocele sterility : Cortisol and catecholamines.

Fertil. Steril.; 25 : 88-95.

Comhaire, F.; and Vermeulen, A. (1975):

Plasma testosterone in patients with varicocele and sexual
inadequacy.

J.Clin. Endocrinol. Metab., 20 : 824-829.

Coolsaet, B. (1980):

The varicocele syndrome: Venography determining the optimal level for surgical management.

J. Urol., 124 : 833-839.

Coolsaet, B. (1981):

A new classification of left sided varicoceles based on venography.

In : Advances in Diagnostic Urology., edited by Schulman, C.C., Berlin,

Heidelberg, New York; Springer-Verlag PP : 53-61.

Corner, E.M.; and Nitch, C.A.R (1906):

The immediate and remote results of the high operation for varicocele with a report on the examination of 100 cases.

Brit. Med. J., 1 : 191-194.

Quoted from Szabo and Kessler (1984).

Cosentino, M.J.; Takihara, H.; and Cockett, A.T.K (1982):

Phospholipase A₂ in the semen of men with varicocele.

Annual Meeting of the American Urological Association (abstract).

Czaplicki, M.; Bablock, L.; and Janczewski, Z. (1979):

Varicocelectomy in patients with azoospermia.

Arch. of Andrology, 3 : 51 - 55.

Daniel, W.W. (1987) :

Biostatistics : A foundation for analysis in the health sciences.

edited by John Wiley and sons, 4th ed. New York, Toronto.

De-Castro, M.P.P. (1982):

Non-surgical treatment of varicocele.

In : Treatment of Male Infertility., edited by Bain, J. Schill, W.B.;and Schwarzstein, L.; Springer-Verlag, Berlin,

Heidelberg, New York, PP : 169-175.

Dhabuwala, C.B., Hamid, S. and Moghissi, K.S. (1992):

Clinical versus subclinical varicocele : improvement in fertility after varicocelectomy.

Fertil-steril., 57, 854-857.

D'Ottavio, G. (1981):

11 varicocele ichoputico in D'Ottavio, G.; Pozza, D. (eds).
Andrologia, Chirurgica. Rome, Borly, PP : 77.
Quoted from Howards, 1990.

Drevius, L. O.; and Eriksson, H. (1966):

Osmotic swelling of mammalian spermatozoa.
Expl. Cell. Res. 42 : 136.
Quoted from Chan et al., 1985.

Dubin, L.; and Amelar, R. D. (1970):

Varicocele size and results of varicocelectomy in selected
subfertile men with varicocele.
Fertil. Steril., 21 : 606-609.

Dubin, L.; and Amelar, R. D. (1971):

Aetiologic factors in 1294 consecutive cases of male infertility.
Fertil. Steril., 22 : 469-474.

Dubin, L. and Amelar, R. D. (1975):

Varicocelectomy as therapy in male infertility : A study of 504
cases.
Fertil. Steril., 26 : 217-220.

Dubin, L.; and Amelar, R. D. (1977):

Varicocelectomy : 986 cases in a twelve-year study.
Urol., 10 : 446-449.

Dubin, L.; and Amelar, R. D. (1978):

Varicocele.
Urol. Clin. N. Amer., 5 : 31-42.

Dubin, L. and Amelar, R. D. (1980):

A plea for a more scientific approach in the treatment of male
infertility.
Fertil. Steril., 34 : 74-75.

Dubin, L.; and Hotchkiss, R. S. (1969):

Testicular biopsy in subfertile men with varicocele.

Fertil. Steril., 20 : 50-57.

El-Ghareeb, H.M. (1964):

Surgical treatment of varicocele.

Kasr-El-Aini Journal of Surgery, 5 : 201-208.

El-Sadr, A.R. ; and Mina, E. (1950):

Anatomical and surgical aspects in the operative management of varicocele.

The Urologic and Cutaneous review., 54 : 275-262.

Etriby, A.A., Girgis, S.; Hefnawy, H.; and Ibrahim, A.A. (1967):

Testicular changes in subfertile males with varicocele.

Fertil. Steril., 18 : 666-671.

Etriby, A.A.; Ibrahim, A.A.; and Mahmoud, K.Z. (1975):

Subfertility and Varicocele 1 : Venogram demonstration of anastomosis sites in subfertile men.

Fertil. Steril., 26 : 1013-1017.

Farris, B.L.; Fenner, D.K.; Jacob, W.H.; and Thomason, A.M. (1981):

Seminal characteristics in the presence of varicocele as compared with those of expectant fathers and prevasectomy men.

Fertil. Steril., 35 : 325-327.

Fenster, H.; and McLoughlin, M. (1982):

Varicocele : Its role in male infertility.

In : Treatment of Male Infertility.; edited by Bain, G.; Schill, W.B. and Schwarzstein, L.; Springer-Verlag, Berlin.

Heidelberg, New York, PP : 209 -220.

Fernando, M.G.; Lewis, R.W., and Hudson. M.P. (1976):

Varicocele and Male infertility. Urol., 9:211-214.

Flati, G.; Porowska, B.; Flati, D. and Carboni, M.C. (1990):

Microsurgical treatment of varicocele selecting most appropriate shunt.

Urol., 35 : 121-126.

Fobbe, F.; Hamm, B. and Sorensen, R. (1987):

Percutaneous transluminal treatment of varicocele : where to occlude the internal spermatic vein.

A.J.R. 149 : 983-987.

Formanek, A.; Rusnak, B.; and Gonzaler, R. (1981):

Embolization of the spermatic vein for treatment of infertility : A new approach.

Radiol., 139 : 315-321.

Fox, U.; Romagnoli, G.; and Colombo, F. (1984):

The microsurgical drainage of the varicocele.

Fertil. Steril., 41 : 475-478.

Fracs, D.G. (1975):

The Palomo operation for varicocele and its effects on fertility.

Brit. J. Urol., 47 : 230-234.

Freund, J.; Conway, G.J.; and Morris, H.G. (1980):

Detection of varicocele by radionuclide blood-pool scanning.

Radiol., 137 : 227-230.

Fritjofsson, A.; and Ahren, C. (1967):

Studies on varicocele and subfertility.

Scand. J. Urol. Nephrol., 1 : 55-62.

Gaur, D.D., Agarwal, D.K. and Purohit, K.C.C. (1994):

Retroperitoneal laparoscopic varicocelectomy.

J. Urol., 151, 895-897.

Gebauer, A.; Antes, G.; and Staehler, G. (1982):

Diagnosis and differential diagnosis of varicocele by ultrasound.

In : Varicocele and Male Infertility., Recent Advances in Diagnosis and Therapy., edited by Jecht, E.W.; and Zeitler, E., Springer-Verlag Berlin, New York. PP : 83 - 87.

Gehring, W.G. (1986):

Correlation of the hypo-osmotic swelling test (HOS-test) rate with the recovery rate after cryopreservation. Statements about the fertilizing ability of human spermatozoa.

Fertilitat., 2 : 217-221.

Gehring, W.G. (1987):

Bovine mucous penetration test and routine semen analysis of fresh and cryopreserved human spermatozoa.

Andrologia., 19 : 544-547.

Gill, B.; Kogan, S.J. and Levitt, S.B. (1990):

Significance of intraoperative venographic patterns on the postoperative recurrence and surgical incision placement of paediatric varicocele.

J. Urol., 144 : 502-505.

Giordanengo, F., Vandone, P.L. and De-Monti (1993):

Idiopathic varicocele: a comparison between types of surgery based on the results of spermiogenesis.

Minerva-chir. 48 : 767:771.

Girgis, S.M.; Abdella, M.I.; Ibrahim, I.I.; and Osman, M.I. (1981):

Clinical and hormonal studies of subfertile males with varicocele.

Arch. Androl., 6 : 267-271.

Girgis, S.M.; and Wassef, N.F. (1980):

Bilharziasis and azoospermia.

Archives of Androlgy .

5 : 369-372.

Glass, R.H.; and Ericsson, R.J. (1979):

Spontaneous cure of male infertility.

Fertil. Steril., 31 : 305-308.

Glenister, T.W. (1976):

Testis and Epididymis.

In : Textbook of Human Anatomy., edited by Hamilton, W.J.;
2nd ed. English Language Book Society and Macmillan,
London.

PP : 461 :469.

Glezerman, M. (1984):

A short historical review and comparative results of surgical treatment for varicocele.

In : Varicocele and male Infertility 11., edited by Glezerman, M.; and Jecht, E.W., Springer-Verlag, Berlin, New York, Tokyo.

PP : 87-93.

Glezerman, M.; Rakowszczyk, M. Beer, R.; and Goldman, B. (1976):

Varicocele in oligospermic patients : Pathophysiology and results after ligation and division of the internal spermatic vein. J. urol., 115 : 562-565.

Golomb, J.; Vardinon, N.; and Braf, Z. (1986):

Demonstration of antispermatozoal antibodies in varicocele related infertility with an enzyme-linked immunosorbent assay (ELISA).

Fertil. Steril., 45 : 397-402.

Gonda, R.L.; Karo, J.; Forte, R.A.; and Donnel, K.T. (1987):

Diagnosis of subclinical varicocele in infertility.

A.J.R. 148 : 71-75.

Gonzales, R.; Reddy, P.; and Narayan, P. (1983):

Comparison of Doppler examination and retrograde spermatic venography in the diagnosis of varicocele.

Fertil. Steril., 40 : 96-99.

Gould, J.E.; Overstreet, J.W.; and Hanson, F.W. (1983):

What functions of the sperm cell are measured by in vitro fertilization of zona-free hamster eggs?.

Fertil. Steril., 40 : 344-347.

Graham, S.D.; and Paulson, D.F. (1980):

Hydrocele, Spermatocele and Varicocele.

In : Diagnosis in Andrology., edited by Bain, J.; and Hafez, E.S.E., Martinus, Nijhoff publisher, Boston, London.

PP : 121-127.

Grants J.C.B.; and Basmajian, J.V. (1965):

Grants Method of Anatomy.; 7th ed., Williams and Wilkings Company, PP : 211 - 223

Green, N.A.; and Hill, J.T. (1981):

The anatomy of varicocele : the role of venography.

In : Advances in Diagnostic Urology., edited by Schulman, C.C.; Berlin, Heidelberg, New York; Springer-Verlag PP : 41: 45-51.

Greenberg, S.H. (1977):

Varicocele and male infertility.

Ferti. Steril., 28 : 699-706.

Greenberg, S.H. (1981):

Doppler ultrasound for localization of testicular artery during varicocelectomy.

Urol., 17 : 480-483.

Greenberg, S.H.; (1984):

Varicocelectomy.

In : Current Operative Urology., 2nd eddition, edited by harper and Row publishers, Philadelphia, New York, London, PP : 1616-1622.

Greenberg, S.H.; Lipshultz, L.I.; and Wein, A.J. (1977):

The use fo Doppler stethoscope in the evaluation of varicocele.

J. Urol., 117 : 296-298.

Greenberg, S.H.; Lipshultz, L.I.; and Wein, A.J. (1978):

Experience with 425 subfertile male patients.

J. Urol., 119 : 507-510.

Gunter, D. (1975):

The Palomo operation for varicocele and its effects on fertility.

Br. J. Urol., 47 : 230.

Hadziselimovic, F.; Herzog, B.; Jenny, P.; and Buser, M. (1989):

Testicular and vascular changes in children and adults with varicocele

J. Urol., 142 : 583-585.

Hadziselimovic, F.; Leibundgut, B.; and Buser, M. (1986):

The value of testicular biopsy in patients with varicocele.

J. Urol., 135 : 707-710.

Hagood, P.G.; Mehan,, D.J.; and Andrus, C.H. (1992):

Laparoscopic Varicocelectomy : Preliminary report of a new technique.

J. Urol., 147 : 73-76.

Hammen, R. (1944):

Studies on impaired fertility in man with special reference to the male.

Acta obstet. Gynecol. Scand., 3 : 24-30.

Hanley, H.G. (1966):

The results of surgical treatment in varicocele.

Proceedins of the Royal Society of Medicine., 59 : 767-769.

Hanley, H.G.; and Harrison R.G. (1962):

The nature and surgical treatment of varicocele.

Brit. J. Surg., 50 : 64-67.

Harris, J.D.; McConnell, B.J.; and Lipshultz, L.I. (1980):

Radioisotope angiography in diagnosis of varicocele.

Urol., 16 : 69-72.

Harrison, R.G. (1949):

The distribution of the vasal and cremasteric arteries to the testis and their functional importance.

Journal of Anatomy, 83 : 267-284.

Harrison, R.G. (1952):

Functional importance of the vascularization of the testis and epididymis for the maintenance of normal spermatogenesis.

Ferti. Steril., 3 : 366-375.

Harrison, R.G. (1966):

Male infertility : The anatomy of varicocele.

Proceedings of the Royal society of Medicine., 59 : 763-765.

Harrison, R.G. (1981):

The genital organs.

In : Cunningham's Textbook of Anatomy., Edited by Romanes, G.J. 12th. ed., Oxford University Press, Oxford New York, Toronto, PP : 554.

Harrison, R.G. and Barclay, A.E. (1948):

The distribution patterns of the mammalian testis and their functional significance.

J. Exp. Biol., 26 : 304-313.

Harrison, R.M.; Lewis, R.W.; and Roberts, J.A. (1986):

Pathophysiology of varicocele in non-human primates : long term seminal and testicular changes.

Fertil. Steril., 46 : 500-510.

Harvey, C. (1960):

The speed of human spermatozoa and the effect on it of various diluants with some preliminary observations on clinical material.

J. Reprod. Fertil., 1 : 84.

Hembree, W.C. and Overstreet, J.W. (1977):

Defects in human sperm function in clinical infertility reduced zona pellucida penetration in vitro.

In : The testis in normal and infertile men., edited by Troen, P.; and Nankin, H.R.; New York, Raven Press.

PP : 513-517.

Hendry, W.F.; Sommerville, I.F. and Pugh, R.C.B. (1973):

Investigation and treatment of the subfertile male.

Brit. J. Urol., 45 : 684-692.

Herman, J.R. (1975):

Andrew's varicocele clamp.

Urol., 6 : 252-255.

Hienz, H.A.; Voggenthaler, J.; and Weissbach, L. (1980):

Histological findings in the testes with varicocele during childhood and their therapeutic consequences.

Eur. J. Pediatr., 133 : 139-146.

Hill, J.T.; and Green, N. (1977):

Varicocele : a review of radiological and anatomical features in relation to surgical treatment.

Brit. J. Surg., 64 : 747.

Hirokawa, M. Matsushita, K. and Asatura, S. (1993):

Assessment of palomo's operative method for infertile varicocele.

Andrologia. 25, 47-51.

Hirsh, A.V.; Cameron, K.M.; and Pryor, J.P. (1980):

The Doppler assessment of varicoceles and internal spermatic vein reflux in infertile men.

Brit. J. Urol., 52 : 50-56.

Hirsh, A.V.; and Pryor, J.P. (1981):

Are there different types of varicocele?

In : Proceedings of the second international congress of Andrologia.

PP : 75- 86

Hirsh, A.V.; and Pryor, J.P (1984):

The Doppler assessment of varicocele.

In : Varicocele and Male Infertility 11., edited by Glezerman, M.; and Jecht, E.W.; Springer-Verlag, Berlin, New York. PP: 55- 59.

Hollinshead, W.H.; and Rosse, C.; (1985):

The inguinal and femoral canals; the scrotum, the applied anatomy of hernia.

In : Textbook of Anatomy, edited by Hollinshead, W.H.; and Rosse, C, 4th edition, Harper and Row Publishers, Philadelphia. New York, London,

PP : 672-721.

Horner, J.S.; (1960):

The varicocele.

Medical Officer., 104 : 377-381.

Hornstein, O.P. (1982):

Orchipathia with varicocele.

In : Varicocele and Male Infertility, Recent Advances in Diagnosis and Therapy, edited by Jecht, E.W. and Zeitler, E., Springer-Verlag, Berlin, New York, pp : 19-26.

Hotchkiss, R.S. (1970):

Infertility in the male.

In : Urology, edited by Campbell, M.F.; and Harrison, J.H., Saunders, Philadelphia, London, Toronto,

PP : 674-703.

Quoted fom Glezerman, 1984.

Howards, S.S. (1984):

Varicocele.

Fertil. Steril., 41 : 356-358.

Howards, S.S. (1990):

Varicocele : Adolescent.

In : Common Problems in Infertility and Impotence., edited by Rajfer, J., Year Book Medical Publishers, Inc., Chicago, London,

PP : 60-63.

Hudson, R.W.; Crawford, A.V.; and McKay, D.E. (1981):

The gonadotropin response of men with varicocele to a four-hour infusion of gonadotropin-releasing hormone.

Fertil. Steril., 36 : 633-636.

Hudson, R.W.; Marrero, R.A.P.; and McKay, D.E. (1986):

Hormonal parameters in incidental varicoceles and those causing infertility.

Fertil. Steril., 45 : 692-700.

Hudson, R.W., and McKay, D.E. (1979):

The response of men with varicocele to gonadotropin-releasing hormone.

Ferti. Steril., 32 : 248-249.

Hunter, D.W.; Bildose, M.C.; and Amplatz, K. (1989):

Aid for safer sclerotherapy of the internal spermatic vein.

Radiol., 173 : 282-285.

Ibrahim, A.A; Awad, H.A.; El-Hagger, S. and Mittawy, B.A.; (1977):

Bilateral testicular biopsy in men with varicocele.

Fertil. Steril., 28 : 663-667.

Ishigami, K; Yoshida, Y.; and Mohri, K. (1970):

A new operation for varicocele : Use of microvascular anastomosis.

Surgery, 67 : 620-623.

Ito, H.; Fuse, H.; Minagawa, H.; and Kawamura, K. (1982):

Internal spermatic vein prostagianding in varicocele patients.

Fertil. Steril., 37 : 218-222.

Ivanissevich, O (1960):

Left varicocele due to reflux. Experience with 4,470 operative cases in forty-two years.

J. Int. Cell. Surg., 34 : 742-744.

Ivanissevich, O.; and Gregokini, H. (1918):

A new operation for the cure of varicocele.

Sem. Med., 61 : 17-20.

Quoted from Glezerman, 1984.

Iwata, G. Iwai, N. and Yamada, K. (1992):

Thermography in a child with varicocele.

Eur. J. Pediatr. Surg. 2:308-311.

James, F. and Donovan, J.R. (1993):

Laparoscopic varix ligation.

- In : Laparoscopic Urology. Quality Medical publishing, Inc.
Missouri pp:260-271.
- Jarow, J.P.; Assimos, D.G.; and pittaway, D.E. (1993):**
Effectiveness of laporoscopic varicocelectomy.
Urol., 42, 544-547.
- Javert, C.T. and Clark, R.L. (1944):**
Combined operation for varicocele and inguinal hernia.
Surg. Gynec. Obst., 79 : 644.
- Jeyendran, R.S.; Van der ven, H.H.; and Gravo, B.G. (1984):**
Development of an assay to assess the functional integrity of
human sperm membrane and its relationship to other semen
characteristics.
J. Reprod. Fertil., 70:219.
- Johnson, W. (1975):**
120 infertile men.
Brit. J. Urol., 47:230.
- Johnsen, S.G.; and Agger, P. (1975):**
Quantitative evaluation of testicular biopsies before and after
operation for varicocele.
Fertil. Steril., 29 : 58-63.
- Johnson, D.E.; Pohl, D. and Rivera-Correa, H. (1970):**
Varicocele : an innocuous condition?
South Med. J., 63 : 34-36.
- Kass, E.J. and Belman, A.B. (1987):**
Reversal of testicular growth failure by varicocele ligation.
J. Urol. 137 : 475-476.
- Kass, E.J.; Preitas, J.E. and Bour, J.B. (1989):**
Adolescent varicocele. Objective indications for treatment.
J. Urol., 142 : 579-582.
- Kaufman, S.L.; Kadir, S.; Walsh, P.C.; and White, R.I. (1983):**
Mechanism of recurrent varicocele after balloon occlusion or
surgical ligation of the internal spermatic vein.

Radiol., 147 : 435-440.

Klaiber, E.L.; Broverman, D.M. and Vogel, W. (1980):

Increased incidence of testicular varicocele in cigarette smokers.

Fertil. Steril., 34 : 64-65.

Klarke, B.G. (1966):

Incidence of varicocele in normal men and among men of different ages.

J.A.M.A. 198 : 1121-1122.

Kohler, F.P.C.; (1967):

On the aetiology of varicocele.

J. Urol. 97 : 741-742.

Kondoh, N. Koh, E. and Matsui, T. (1990):

Improvement of semen characteristics after surgical repair of bilateral testicular varicocele as compared to unilateral varicocele patients.

Arch. Androl., 24 : 61-67.

Kondoh, N., Meguro, N. and Okuyama, J. (1993):

Significance of subclinical varicocele detected by scrotal sonography in male infertility: a preliminary report.

J. Urol. 150:1158-1160

Kormano, M.; Kahanpaa, K.; and Tahti, E. (1970):

Thermography of varicocele.

Fertil. Steril., 21 : 558-564.

Kursh, E.D. (1987):

What is the incidence of varicocele in a fertile population?

Fertil. Steril., 48 : 510. Lenchl etd 93.

Lerchl, A., Keck, C. and Nieschlag, E. (1993):

Diurnal variations in scrotal temperature of normal men and patients with varicocele before and after treatment.

Int. J. Androl. 16 : 195-200.

Levitt, S. G ill, H.; and Reda, E. (1987):

Routine intaoperative post-ligation venography in the treatment of paediatric varicocele .

J . Urol . , 137 : 716-718 .

Lewis, E. L (1950):

The Ivanissevich Operation .

J . Urol . , 63 : 165-167 .

Lewis, R. W. ; and Harrison, R. M. (1979):

Contact scrotal thermography : application to problems of infertility .

J . Urol . , 122 : 40-42 .

Lich , R. J. ; and Howerton, L. W. (1979):

Anatomy and surgical approach to the urogenital tract in the male.

In : Urology., edited by Campbell, M. F. ; and Harrison, J. H. ; W. B.

Saunders Company, Philadelphia, London, Toronto,
pp : 31-52

Lima, S. S. Castro, M. P. ; and Costa, O. F. (1978):

A new method for the treatment of varicocele .

Andrologia, 10 : 103-106 .

Lindholmer, C. ; Thulin, L and Eliasson, R. C. (1973):

Concentrations of cortisol and renin in the internal spermatic vein of men with varicocele .

Andrologia, 5 : 21-22 .

Lindholmer, C. ; Thulin , L ; and Eliasson, R. (1975):

Semen characteristics before and after ligation of the left internal spermatic vein in men with varicocele .

Scan. J. Urol. nephrol., 9 : 177-180 .

Lipshultz, L. I. and Corriere, J. N. (1977):

Progressive testicular atrophy in the varicocele patients .

J . Urol . , 117 : 175-176 .

Lome, L. G. and Ross, L. (1977):

Varicocelectomy and infertility .

Urol . , 9 : 416-814 .

London, S. N. ; Hany, A. F. ; and Weinberg, J. B. (1984):

Diverse humoral and cell-mediated effects of antisperm antibodies

on reproduction .

Fertil . Steril . , 41 : 907-910 .

Ludwig ; (1982):

Pathogenesis of varicocele . In : Varicocele and Male Infertility, Recent Advances in Diagnosis and Therapy, ed, ted by Jecht, E.W. and Zeithler, E., Springer - verlag, New York, PP: 2 - 3.

Lund L., Rasmussen, H.H., and Ernst, E. (1993):

Asymptomatic varicocele testis.

Scand. J. Urol. Nephrol., 27 : 395-398.

Lynch, W. J. , Badenoch, D. F. and McAnena, O. J. (1993):

Comparison of Laparoscopic and Open Ligation of the Testicular Vein .

Br. J. Urol . , 72, 796-798 .

Lyon, R. P. ; Marshall, S. and Scott, M. P. (1982):

Varicocele in childhood and adolescence : Implication in adulthood infertility ? .

Urol, 19 : 641-644 .

MacLeod, J. (1965):

Seminal cytology in the presence of varicocele.

Fertil. Steril., 16 : 735-757.

MacLeod, J. (1969):

Further observations on the role of varicocele in human male infertility.

Fertil. Steril., 20 : 545-563.

Macomber, D; and Sanders, M.B. (1929):

The spermatozoa count : value in diagnosis, prognosis and treatment of sterility.

N. Eng. J. Med., 200 : 981-984.

Mali, W.P.; Oei, H.Y.; and Coolsaet, B.L.R.A. (1986):

Haemodynamics of the varicocele. part II Correlation among the results of renocaval pressure measurements, varicocele scintigraphy and phlebography.

J. Urol. 135 : 489-493.

Marks, J.L.; McMahan, R. and Lipsliultz, L.I. (1986):

Predictive parameters of successful varicocele repair.

J. Urol., 136 : 609-612.

Marmar, J. L.; Thomas, J.D.; and Donald, P. (1985):

The management of varicoceles by microdissection of the spermatic cord at the external inguinal ring.

Ferti. Steril., 43 : 583-588.

Maroto, J.R.; Tartajo, F.V. Gonzalex, R.G. and Gancedo, P.G. (1986):

The functional value of collateral testicular vascularisation. An experimental study.

Brit. J. Urol., 58 : 553-556.

Marsman, J.W.P. (1985):

Clinical versus subclinical varicocele: Venographic findings and improvement of fertility after embolization.

Radio., 155 : 635-638.

Matsuda, T., Horh, Y, Higashi, S and Oishi, K. (1992):

Laparoscopic varicocelectomy : A simple technique for clip ligation of the spermatic vessels.

Amr. J. Ass., 147, 636-638.

Mastuda, T., Horii, y., and Yoshida, O. (1993):

Should the testicular artery be preserved at varicocelectomy?

J. Urol., 149, 1397-1360.

McClure, R.D. (1988):

Male Infertility.

In : Smith's General Urology., 12th ed., edited by Tanagho, E.A.; and McAninch, J.W., Appleton & Lange, Norwalk, Connecticut, Los Altos, California.
PP : 637-662.

McClure, R.D. and Hricak, H. (1986):

Scrotal ultrasound in the infertile man : Detection of subclinical unilateral and bilateral varicoceles.
J. Urol., 135 : 711-715.

McClure, R.D. and Robaire, B. (1983):

Relationship of varicocele size to testicular volume and to the effect on varicocelectomy outcome. Presented at the Annual Meeting of the American Urological Association, Las Vegas. (abstract 504).

McFadden, M.R. and Mehan, D.J. (1978):

Testicular biopsies in 101 cases of varicocele.
J. Urol., 119 : 372-374.

McMinn, R.H.M. (1990):

Abdomen.

In : Last's Anatomy, Regional and Applied., 8th ed., edited by McMinn, R.H.M. Churchill Livingstone, Edinburgh, London, Melbourne and New York.
PP : 295-415.

McShane, P.M. (1984):

Immunological aspects of male infertility.
Semin. Urol., 2 : 107-110.

Mehan, D.J. (1976):

Results of ligation of internal spermatic vein in the treatment of infertility in azoospermic patients.
Fertil. Steril., 27 : 110-114.

Mehan, D.J.; Hagood, P.; Andrus, C.; and Parra, R. (1991):

Laparoscopic ligation of internal spermatic veins. A new surgical approach to the correction of varicocele.

47th Annual Meeting of the American Fertility Society
(abstract, S 25).

Meisel, C. (1982):

The Doppler technique for the diagnosis of varicocele.

In : Varicocele and male Infertility., Recent advances in
Diagnosis and Therapy, edited by Jecht, E.W.; and Zeitler, E.,
Springer-Verlag, Berlin, New York.

PP : 78-91.

Morag, B.; Rubinstein, Z.J.; and Goldwasser, B. (1984):

Percutaneous venography and occlusion in the management of
spermatic varicocele.

Amer. J. Roentgen., 143 : 635-638.

Murray, R.R.; Mitchell, S.E.; and Kaufman, S.L. (1986):

Comparison of recurrent varicocele anatomy following surgery
and percutaneous balloon occlusion.

J. Urol., 135 : 286-289.

Nadel, S.N.; Hutchins, G.M.; and White, R.I. (1984):

Valves of the internal spermatic vein : potential for misdiagnosis
of varicocele by venography.

Fertil. Steril., 41 : 479-481.

Naftulin, B.N.; Samuels, S., and Lewis, E. (1991):

Semen quality in varicocele patients is characterized by tapered
sperm cells.

Fertil. Steril. 56 : 149-151.

Nagar, H. and Levran, R. (1993):

Impact of active case - finding in the diagnosis and therapy of
paediatric varicocele.

Surg. Gynecol-obstet. 177 : 38-40.

Nagler, H.M. (1990):

Varicocele : Adult.

In : Common Problems in Infertility and Impotence., Edited by Rajfer, J., Year Book Medical Publishers, Inc., Chicago, London, PP : 51-59.

Nelson, C.M.K; and Bunge, R.G. (1974):

Semen analysis : Evidence for changing parameters of male fertility potential.

Fertil. Steril., 25 : 503-506.

Netto-Junior, N.R (1982):

Varicocele.

In : Aspects of Male Infertility., edited by Williams, W.R. and Wilkins, C., Baltimore, London,

PP : 70-78.

Newton, R; Schinfeld, J.S.; and Schiff, I. (1980):

The effect of varicocelectomy on sperm count, motility and conception rate.

Fertil. Steril., 34 : 250-254.

Nieschlag, E., Behre, H.M. and Pohl, J. (1993):

Surgical ligation Vs. angiographic embolization of the veno spermatica : a prospective randomized study for the treatment of varicocele-related infertility.

Andrologia., 25 : 233-237

Nilsson, S. (1983):

Varicocele

In : Male Infertility edited by Hargreave, T.B., springer-Verlag, Berlin-Hidelberg, New York.

Tokyo, PP : 199-207.

Nilsson, S.; Edvinsson, A.; and Nilsson, P. (1979):

Improvement of semen and pregnancy rate after ligation and division of the internal spermatic vein : Fact or fiction ?

Brit. J. Urol., 51 : 591-596.

Oster, J. (1971):

The varicocele in children and adolescents.

Scand. J. Urol. Nephrol.

5 : 27-32.

Palomo, A. (1949):

Radical cure of varicocele by a new technique : Preliminary report.

J. Urol., 61 : 604-607.

Perrin, P.; Rollet, J. and Durand, L. (1980):

The Doppler stethoscope in the diagnosis of subclinical varicocele.

Brit. J. Urol. 52 : 390-391.

Philipp, E.E.; and Carruthers, G.B. (1981):

Surgical operations for male infertility.

In : Infertility., edited by Philipp, E.E.; and Carruthers, G.B., William Heinemann Medical Book LTD.

PP : 243-252. playmote et al., 1987.

Plymate, S.R., Nagao, R.R. and Paulson, C.A. (1987):

The use of sperm penetration assay in evaluation of men with varicocele.

Fertil. Steril., 47 : 680-684.

Pochaczewsky, R.; Lee, W.J.; and Mallett, E. (1986):

Management of Male Infertility : Roles of contact thermography, spermatic venography and embolization.

A. J. R., 147 : 97-102.

Porst, H.; Bahren, W.; and Lenz, M. (1984):

Percutaneous sclerotherapy of varicocele-An alternative to conventional surgical methods.

Brit. J. Urol., 56 : 73-78.

Portuondo, J.A.; Calabozo, M; and Echanojauregui, A.D. (1983):

Morphology of spermatozoa in infertile men with and without varicocele.

J. Androl., 4 : 312-315.

Pozza, D.; D'Ottavio, G. and Masci, P. (1983):

Left varicocele at puberty.

Urol. 22 : 271-274.

Pryor, J.L.; and Howards, S.S. (1988):

Varicocele.

In : Contemporary Management of Impotence and Infertility,
edited by Tanagho, E.; Lue, T.; and McClure, R.D., Williams
and Wilkins, Baltimore, Hong Kong, London.

PP : 247-256.

Raboch, J., and Starka, L. (1971):

Hormonal activity in men with varicocele.

Fertil. Steril., 22 : 152-155.

Ralph, D.J. Timoney, A.G. and Pryor, J. P. (1993):

Laparoscopic varicocele ligation.

Brit. J. Urol., 72 : 230-233.

Ramadan, A.E.S.; Eldemiry, M.I.M.; and Ramadan, A.E. (1984):

Doppler-controlled varicocelectomy.

Brit. J. Urol., 56 : 432-433.

**Reyes, B.L.; Trerotola, S.O., Venbrux, A.C. and Sauader, S.J.C
(1994):**

Percutaneous embolotherapy of adolescent varicocele : results
and long-term follow-up.

J. Vas. Interv. Radiol. 5, 131-134.

Riberio, E.B. (1956):

Present conceptions of varicocele and its treatment.

J. Int. Coll. Surg., 25 : 179-183.

Riedl, P.; Lunglmayr, G.; and Stackl, W. (1981):

A new method of transfemoral testicular vein obliteration for
varicocele using a balloon catheter.

Radiol., 139 : 323-325.

Rintoul, R.F. (1980):

Testis, Spermatic cord and Scrotum.

In : Farquharson's Textbook of operative surgery, 6th. ed, E.L.B.S., Churchill Living Stone, London, Longman Group limited Co. PP : 922-939.

Robbins, S.L.; and Cotran, R.S. (1979):

Pathologic Basis of Diseases .

In : Text Book of Pathology, edited by Robbins, S.L. and Cotran, R.S., Saunders company, Philadelphia, London, Toronto PP : 629-642.

Robinson, D.; Rock, J.; and Menkin, M.F. (1968):

Control of human spermatogenesis by induced changes in intrascrotal temperature.

J.A.M.A., 204 : 290-293.

Rodriguez-Netto, N.J.; Lerner, J.S. and Paolini, R.M. (1980):

Varicocele : The value of reflux in the spermatic vein.

Int. J. Fertil., 25 : 71-74.

Rodriguez-Rigau, L.J.; Smith, K.D.; and Steinberger, E. (1978):

Relationship of varicocele to sperm output and fertility of male partners in infertile couples.

J. Urol., 120 : 691-694.

Rodriguez-Rigau, L.J.; Smith, K.D.; and Steinberger, E. (1981):

Varicocele and the morphology of spermatozoa.

Fertil. Steril., 35 : 54-57.

Rogers, B.J.; Mygalt, G.G. and Hale, R.W. (1985):

Monitoring of suspected infertile men with varicocele by sperm penetration assay.

Fertil. Steril., 44 : 800-805.

Ross, L.S. and Ruppman N. (1993):

Varicocele ligation in 565 patients under local anaesthesia : a long-term review of technique, results and complications in light of proposed management by laparoscopy.

J. Urol., 149, 1316-1363.

Rothman, C.M.; Newmerk, H.; and Karson, R.A. (1981):

- The recurrent varicocele-a poorly recognized problem.
Fertil. Steril., 35 : 552-556.
- Roy, C.R.; Wilson, T.; and Horne, D. (1989):**
Varicocele as the presenting sign of an abdominal mass.
J. Urol., 141 : 597-599.
- Russell, J.K. (1954):**
Varicocele in groups of fertile and subfertile males.
Br. Med. J., 1 : 1231-1233.
- Sayfan, J.; and Adam, Y.G. (1978):**
Intraoperative internal spermatic vein phlebography in the subfertile male with varicocele.
Fertil. Steril., 29 : 669-675.
- Sayfan, J.; Adam, Y.G.; and Soffer, Y. (1980):**
A new entity in varicocele subfertility : The "Cremasteric Reflux".
Fertil. Steril. 33 : 88-90.
- Sayfan, J.; Halevy, A.; Oland, J. (1985):**
The roles of the spermatic cord layers in the development of varicocele.
J. Urol., 133 : 223-224.
- Sayfan, J.; Halevy, A.; Oland, J.; and Nathan, H. (1984):**
Varicocele and left renal vein compression.
Fertil. Steril., 41 : 411-417.
- Saypol, D.C. (1981):**
Varicocele.
J. Androl., 2 : 61-64.
- Saypol, D.C.; Lipshultz, L.I. and Howards, S.S. (1983):**
Varicocele.
In : Infertility in the male., edited by Lipshultz, L.I. and Howards, S.S., Churchill Livingstone, New York.
PP : 299-313.
- Schmidt, S.S.; Schoysman, R.; and Stewart, B.H. (1976):**

Surgical approaches to male infertility.

In : Human semen and fertility regulation in men., edited by Hafez; E.S.E.; Saint Lonis, The C.V., Mosby Company.

PP : 476-493.

Schrott, K.M. (1982):

Surgical treatment of varicocele.

In : varicocele and Male Infertillity., Recent Advances in Diagnosis and Therapy, edited by Jecht, E.W. and Zeitler, E., Springer-veriag, Berlin, New York.

PP : 120-122.

Scott, L.S.; (1961):

Varicocele a treatable cause of subfertility.

Brit. Med. J. 1 : 788-790.

Scott. L.S.; and Young, D. (1962):

Varicocele : a study on its effects on human spermatogenesis and of the results produced by spermatic vein ligation.

Ferill. Steril., 13 : 325-334.

Seyferth, W.; Jecht, E.; and Zeitler, E. (1981):

Percutaneous sclerotherapy of varicocele.

Radiol., 139 : 335-340.

Seyferth, W.; Richter, E.I. and Grossevorholt, R (1982):

Technique of retrograde phlebography of internal spermatic vein.

In : Varicocele and Male infertility., Recent Advances in Diagnosis and Therapy., edited by Jecht, E.W.; and Zeitler, E.; Springer-verlag, Berlin, New York,

PP : 44-48.

Shafik, A. (1972):

Plication operation : a new technique for the radical cure of varicocele.

Brit. J. Urol., 44 : 152.

Shafik, A. (1973):

Venous plexuses of the spermatic cord. Anatomy and role in varicocele.

Urologia, 40 : 419-422.

Shafik, A. (1974):

Tunical sling operation.

A technique for the cure of varicocele.

Urologia., 20 : 120- 124

Shafik, A.; Khalil, A.M.; and Saleh, M. (1972):

The fasciomuscular tube of the spermatic cord. A study of its surgical anatomy and relation to varicocele. A new concept for the pathogenesis of varicocele.

Brit. J. Urol., 44 : 147-151.

Shafik, A.; Mofiah, A.; Olfat, S.; and Mohi-El-Din, M. (1990):

Testicular vein : Anatomy and role in varicocelogenesis and other pathologic conditions.

Urologia., 35 : 175-182.

Shafik, A.; and Olfat, S. (1981):

Scrotal lipomatosis.

Brit. J. Urol., 53 : 50-53.

Soffer, Y.; Ron, R.; Sayfan, J.; and Caspi, E. (1983):

Spermatic vein ligation in varicocele : Prognosis and associated male and female infertility factors.

Fertil. Steril., 40 : 353-357.

Sofikitis, N.; Dritsas, K.; Agapitos, E.; and Kakulakis, A.; (1991):

Variations in the anatomic characteristics of the left testicular system.

47th Annual Meeting of the American Fertility Society (abstract, S 26).

Steckel, J. Dicker, A.P., and Goldstein M. (1993):

Relationship between varicocele size and response to varicocelectomy

J. Urol. 149, 769-771

Stecker, J. F. (1985):

Varicocele.

A.U.A. Update., Vol. 4, lesson 32.

Steen, O.; Knops, J.; Declerck, L.; and Van de Voovde, H. (1976):

Prevention of fertility disorders by detection and treatment of varicocele at school and college age/

Andrologia, 8 : 47-53.

Stephenson, J. D, and O'Shaughnessy, E. J. (1968):

Hypothermia and its relationship to varicocele and intrascrotal temperature.

Fertil . Steril . , 19 :110-117 .

Stewart, B. H. (1974):

Varicocele in infertility : Incidence and results of surgical theraph.

J. Urol . , 112 : 222-223 .

Stewart, B. H. (1979):

Surgery of the scrotum and its contents .

In : Campbell's Urology, edited by Harrison, J. H. ; Gitts, R. F., Perlmuter, R. D. , Stomey, T. A. and Walsh, p.c. , 4th edition .
philadelphia : Saunders . pp : 2493-2495 .

Stewart, B. H. (1983):

Infertility and vas reconstruction .

In : Urologic Surgery . , 3rd ed. , edited by Glenn , J. F. ,J. B.
Lippincott company, Philadelphia, Toronto,
pp : 1077-1097 .

Swerdloff, R. S. ; and Walsh, P. C. (1975):

Pituitary and gonadal hormones in patients with varicocele .

Fertil . Steril . , 26 : 1006-1012 .

Szabo, R. ; and Kessler, R. (1984):

Hydrocele following internal spermatic vein ligation : A retrospective study and review of the literature .

J. Urol . , 132 : 924-925 .

Takahara, H. ; Cosentino, M. J. ; and Cockett, A. T. K. (1983):

Significance of a new orchidometer in andrology clinic .
Testicular atrophy in varicocele patients and recovery after varicocelectomy . Presented at the Annual Meeting of the American Urological Association, Las Vegas (abstract 503) .

Thelen, M. ; Wessbach, L. ; and Franken, T. (1979):

Die Benhandlung der idiopathischen varikozele durch trans femorale spiralokklusion der vena testicularis sinistra .

R. O. E. F. O. 131 : 24-29 .

Quoted from Formanek et al., 1981 .

Tierney, W. J. ; Daly, I. W. ; and Abbatiele, E. R. (1979):

The effect of prosaglandin E₂ and prostaglandin in F₂ on spermatogenesis.

Int. J. Fertil., 24 : 206-210.

Tinga, D. J. ; Jager, S. ; Kremer, J. ; and Mensink, H. J. (1984):

Factors related to semen improvement and fertility after varicocele operation. Fertil. Steril., 41 : 404-410.

Tulloch, W. S. (1952):

A consideration of sterility factors in the light of subsequent pregnancies. 11. Subfertility in the male.

Trans. Edinb. Obstet. Soc., 104 : 29-34.

Tulloch, W. S. (1955):

Varicocele in subfertility : results of treatment.

Br. Med. J., 2 : 356-358.

Turner, T. T. (1983):

Varicocele : still and enigma

J. Urol., 129 : 695-699.

Uehling, D. T. (1968):

Fertility in men with varicocele.

- Int. J. Fertil., 13 : 58-60.
- Van der Ven, H.H.; Jeyendran, R.S. and Diedrich, K., (1986):**
Correlation between human sperm swelling in hypoosmotic medium (hypoosmotic swelling test) and in vitro fertilization.
J. Androl., 7 : 190-193.
- Van-Der-Vis-Melsen, M.I.; Baert, R.J.; and De-Wringer, P.J. (1982):**
Sensitivity of scrotal scintigraphy in the diagnosis of varicocele.
Clin. Nucl. Med., 7 : 287-291.
- Vereecken, R.L.; and Boeck, X.G. (1986):**
Does fertility improvement after varicocele treatment justify prevention at puberty?
Urol., 28 : 122-126.
- Vermeulen, A.; and Vandeweghe, M. (1984):**
Improved fertility after varicocele correction : fact of fiction?
Fertil. Steril., 42 : 249-256.
- Verstoppen, G.R.; and Steeno, O.P. (1977):**
Varicocele and the pathogenesis of the associated subfertility.
A review of the various theories : 1 : Varicocelogenesis.
Andrologia., 9 : 133-140.
- Verstoppen, G.R.; and Steeno, O.P. (1978):**
Varicocele and the pathogenesis of the associated subfertility.
A review of the various theories : 111 : Theories concerning the deleterious effects of varicocele on infertility.
Andrologia, 10 : 85-102.
- Wallijn, E.; and Desmet, R. (1978):**
Hydrocele : A frequently overlooked complication after high ligation of spermatic vein for varicocele.
Int. J. Androl., 1 : 411-415.
- Walsh, P.C.; Smyth, W.; and Kaufman, S.L. (1981):**
Balloon occlusion of the internal spermatic vein for the treatment of varicocele.

J.A.M.A., 246 : 1701-1705.

Weiss, D.B.; Rodrguez-Rigau, L.J.; and Smith, K.D. (1978):

Quantitation of Leydig cells in testicular biopsies of oligzoospermic men with varicocele.

Fertil. Steril., 30 : 305-312.

Weissbach, L.; Thalen, M.; and Adolphs, H.D. (1981):

Treatment of idiopathic varicoceles by transfemoral testicular vein occlusion J. Urol., 126 : 345-356.

White, R.L.; Kaufman, S.L.; and Kadir, S. (1981):

Occlusion of varicoceles with detachable balloons.

Radiol., 139 : 327-334.

Wiley, G.G. (1985):

Varicocele and Puberty. The critical factor?

Brit. J. Urol., 57 : 194-197.

Wilhelm, S.F.; (1937):

Sterility in Males. Oxford University Press, Loudon, PP. 130-142.

Williams, p.L.; Warwick, R.; Dvson, M.; and Bannister, L.H. (1989):

Angiology, Lateral visceral Branches of the Aorta, Hepatic Portal System.

In : Gray's Anatomy., 37th ed.,

Churchill Livingstone, Edinburg, London, Melbourne and New York. PP : 210-22, 774-818.

Wokalek, H. (1982):

The Varicocele : Clinical Aspects.

In : Varicocele and Male Infertility., Recent Advances in Diagnosis and Therapy., edited by Jecht, E.W.; and Zeitler, E.; Springer-Verlag, Berlin, Heidelberg, New York., PP : 13-18.

W. H. O. (World Health Organization) (1985):

Comparison among different methods for diagnosis of varicocele.

Fertil, Fertil., 43 : 575-582.

Wosnitzer, M. and Roth, J.A. (1983):

Optical magnification and Doppler ultrasound probe for varicocelectomy.

Urol., 22 : 24-26.

Wutz, J. (1982):

Epidemiology of idiopathic varicocele.

In : Varicocele and Male Infertility., Recent Advances in Diagnosis and Therapy., edited by Jecht, E.W.; and Zeitler, E. Springer-Verlag, Berlin, New York, PP : 6-12.

Yamaguchi, M.; Sakatoku, J.; and Takihara, H. (1989):

The application of intrascrotal deep body temperature measurement for the non-invasive diagnosis of varicoceles.

Ferti. Steril., 52 : 295-301.

Yanagimachi, R. (1972):

Penetration of guinea pig spermatozoa into hamster eggs in vitro.

J. Reprod. Fertil., 28 : 477-481.

Yanagimachi, R.; Yanagimachi, H.; and Rogers, B. J. (1976):

The use of zona-free animal ova as a test-system for the assessment of the fertilizing capacity of human spermatozoa.

Biol. Reprod., 15 : 471-475.

Yarborough, M.A.; Burns, J.R.; and Keller, F.S. (1989):

Incidence and clinical significance of subclinical scrotal varicoceles

J. Urol., 141 : 1372-1374.

Yerokhin, A.P. (1979):

Classification and frequency of varicocele in children.

Khin Khir., 6 : 45-46.

Quoted from Howards 1990.

Zerhouni, E.A.; Siegelman, S.S.; Walash, P.C.; and White, R.I. (1980):

Elevated pressure in the left renal vein in patients with varicocele : Preliminary observations.

J. Urol., 123:512-513.

Zorgniotti, A. W. and MacLeod, J. (1973):

Studies in temperature, human semen quality and varicocele.

Ferti. Steril., 24 : 854-863.