

REFERENCES

- Abbott, W. G. H., Lillorja, S., and Yong A. A. (1987) :* Relationships between plasma lipoprotein concentrations and insulin action in an obese hyperinsulinemic population. *Diabetes*, 36:897-904.
- Anderson E.A., Balon T.W., Hofman R.P., Sinkey C.A., Mark A. L. (1992) :* Insulin increases sympathetic activity but not blood pressure in borderline hypertensive humans. *Hypertension*, 19:621-627.
- Auguet, M., Dleflotte, S. and Braquet, P. (1989) :* Increased influence of endothelium in obese Zucker rat aorta. *J. Pharm. Pharmacol.*, 41: 861-864.
- Baba, T., Kodama, T., Tomiyama, T., Fujita, N. and Takebe, K.(1991) :* Hyperinsulinemia and blood pressure in non- obese middle-aged subjects with normal glucose tolerance. *Tohoku J. Exp. Medicine*, 165: 229-235.
- Bain, S. C, and Dodson, P. M. (1991) :* The chronic cardiovascular risk factor Syndrome (Syndrome X) : Mechanisms and implications for atherogenesis. *Postgrad. Med. J.*, 67-922-927.
- Banting , F. G. , and Best , C. H. L. , (1922) :* The internal secretion of the Pancreas. *J. Lab. Clin. Med.*, 7 :251.

Beaumont, J. L. (1978) : Immunological aspects of atherosclerosis. Atherosclerosis. Reviews, 3: 133.

Berguland, G., Larsson, B., Andersson, O., Larsson, O., Svardsudd, K., Bjorntorp, P. and Wilhelmsen, L. (1976) : Body composition and glucose metabolism in hypertensive middle-aged males. Act. Med. Scand., 200: 163-169.

Bevilacqua, M. P., Pober, J. S., Majeau, G. R., Cortan, R. S. and Gimbrone, M. A. Jr. (1985): Interleukin -1 induces biosynthesis and cell surface expression of procoagulant activity in human vascular endothelial cells. J. Exp. Med., 160: 618.

Bevilacqua, M. P., Stenglin, S., Gimbrone, M. A. Jr. and Seed, B.(1989) : Endothelial leukocyte adhesion molecule -1 and inducible receptor for neutrophils related to complement regulatory proteins and lectins. Science, 243: 1160.

Birkeland, K. I., Chatzipanagiotou F. , Hanssen K. F., Vaaler S. (1992) : Relationship between blood pressure and in vivo action insulin in type II (non-insulin-dependent) diabetic subjects. Metabolism, 41:301-305.

Blaustein, M. P. (1977) : Sodium ions, calcium ions, blood pressure regulation, and hypertension: A reassessment and a hypothesis. Am. J. Physiol., 232:C165-C173.

Boackle, R. (1990) : The complement system. In : Introduction to medical immunology, edited by Virella, G., Goust, J. M. and Funenberg, H. H.; 2nd Ed., M. Dekker, NY, pp.143.

Breviario, F., Bertocchi, F., Dejana, E. and Bussolino, F. (1988) : IL-1 induced adhesion of polymorphonuclear leukocytes to cultured human endothelial cells. Role of platelet-activating factor. J. Immunol., 141: 3391.

Briffeuil, P., Thu, T. H., Kolanowski, J. (1992) : Reappraisal of the role of insulin on sodium handling by the kidney : effect of intrarenal insulin infusion in the dog. Eur. J. Clin. Invest., 22: 523-528.

Brownlee, M., Vlassara, H. and Cerami, A. (1985) : Non-enzymatic glycosylation products on collagen covalently trap low density lipoprotein. Diabetes, 34: 938.

Brush, J. S. (1971) : Purification and characterization of a protease with specificity for insulin from rat muscle. Diabetes, 20:140-145.

Buchanan, T. A., Youn J. H., Campese V. M., Sipos G. F. (1992) : Enhanced glucose tolerance in spontaneously hypertensive rats : Pancreatic B-cell hyperfunction with normal insulin sensitivity. Diabetes, 41:872-878.

Burke, G. L. Webber, L. S., Srinivasan et al. (1986) : Fasting plasma glucose and insulin levels and their relationship to cardiovascular risk factors in children: Bogalusa heart study. Metabolism., 35:441-446.

Burke, G. W., Gruessner, R., Dunn, S. L. and Sutherland, D. E. R. (1990) : Conversion of whole pancreatico-duodenal transplant from bladder to enteric drainage for metabolic acidosis or dsysuria. Transplant Proc., 22:651-652.

Calne, R., Y. (1984) : Paratopic segmental pancreas grafting : A technique with portal venous drainage. Lancet, 1:595-597.

Capron, L., Housset, E., and Hartman L. (1980) : Effects of in vitro and in vivo exposure to insulin upon glucose carbon accumulation in rat aorta : differnt patterns of response for intima, media and adventitia. Metabolism, 29:859-65.

Cavender, D., Saegusa, Y., and Ziff, M. (1987) : Stimulation of endothelial cell binding of lymphocytes by tumor necrosis factor. J. Immunol., 139 : 1855.

Cerami, A. and Beutler, B. (1988) : The role of cachectin/TNF in endotoxic shock and cachexia. Immunol. Today, 9 : 28.

Cerilli, J., Brasile, L., Sosa, J., Kremer, J., Clarke, J., Leather, R. and Shah, D. (1987) : The role autoantibody to vascular endothelial cell antigens in atherosclerosis and vascular disease. Transplant. Proc., 4 (Suppl.5) : 47.

Chait, A., Ross, R., Albers, J. J. and Bierman, E. L. (1980) : Platelet-derived growth factor stimulates activity of low density lipoprotein receptors. Proc. Natl. Acad. Sci. U.S.A., 77: 4084.

Chait, A., Iverius, P. H. and Brunzell, J. D. (1982) : Lipoprotein lipase secretion by human monocyte-derived macrophages. J. Clin. Invest., 69 : 490.

Christleib, A. R., Krolewski, A. S., Warram, J. H., Soeldener, J. S. (1985) : Is insulin the link between hypertension and obesity ?. Hypertension, 7(suppl 2) : 54-57.

Clinton, S.K. (1992) : Cytokines and growth factors in athrogenesis. Arch. Pathol. Lab. Med., 116: 1292-1300.

Collins, V. R., Dowse, G. K. Finsh, C. F. and Zimmet, P. Z. (1990) : An inconsistent relationship between insulin and blood pressure in three pacific Island populations. J. Clin. Epidemiol, 43: 1369-1378.

Cruz, A. B. Jr., Amatuzio, D. S., Grande, F., Hay L. J. (1961) : Effect of intraarterial insulin on tissue cholesterol and fatty acids in alloxan-diabetic dogs. Circ. Res., 9:39-43.

Cullen, K., Stenhouse, N. S., Wearne, K. L., Welborn, T. A. (1983) : Multiple regression analysis of risk factors for cardiovascular disease and cancer mortality in Busselton, Western Australia - 13 year study. J. Chronic. Dis., 36: 371-77.

Dall-Aglio, E., Tosini, P., Ferrari, P., Zavaroni, I., Passeri, M., and Reaven G. M. (1991) : Abnormalities of insulin and lipid metabolism in Milan hypertensive rats. Am. J. Hypertens.

Damle, N. K., Doyle, L. V., Bender, J. R. and Bradley, E. C. (1987) : Interleukin-2 activated human lymphocyte exhibit enhanced adhesion to normal vascular endothelial cells and cause their lysis. J. Immunol., 138: 1779.

Davis, M. M. and Bjorkman, P. J. (1988) : T-cell antigen receptor genes and T-cell recognition. Nature, 334: 395.

Debetts, J. M. H., Van der Linden, C. J., Dieteren, I. E. M. And Buurman, W. A. (1988) : Fc-receptor cross-linking induces rapid secretion of tumor necrosis factor (cachectin) by human peripheral blood monocytes. J. Immunol, 141: 1197.

DeFronzo, R. A., Goldberg, M., Agus, Z. S (1976) : The effects of glucose and insulin on renal electrolyte transport. J. Clin. Invest., 58:83-90.

DeFronzo, R. A., Tobin, J. D., and Andres, R. (1979) : Glucose Clamp technique : A method for quantifying insulin secretion and resistance. Am. J. physiol., 237 : E214-E 223.

Diem, P., Abid, M., Redmon, J. B., and Sutherland D.E.R. (1990) : Systemic Venous drainage of pancreas allografts as independent cause of hyperinsulinemia in type I diabetic recipients. Diabetes, 39:534-540.

Diener, A., Beatty, P. G., Ochs, H. D. and Harlan, J. M. (1985) : The role of neutrophil membrane glycoprotein 150 (GP-150) in neutrophil-mediated endothelial cell injury in vitro. J. Immunol., 135: 537.

Ducimentiere, P., Eschwege, E., Papoz, L., Richard, J. L., Claude, J. R., Rosselin, G. (1980) : Relationship of plasma insulin level to the incidence of myocardial infarction and coronary heart disease in a middle aged population. Diabetologia, 19: 205-10.

Duckworth, W. C. , and Kitabchi, A. E. (1981) : Insulin metabolism and degradation. Endocr. Rev., 2:1210-233.

Duff, G. L., and McMillan, G. C. (1949) : The effect of alloxan diabetes on experimental cholesterol atherosclerosis in the rabbit I. The inhibition of experimental cholesterol atherosclerosis in alloxan diabetes II. The effect of alloxan diabetes on the retrogression of experimental cholesterol atherosclerosis. J. Exp. Med., 89: 611-629.

Duff, G. L., Brechin, D. J. H., Findelstien, W. E. (1954) : The effect of alloxan diabetes on experimental cholesterol atherosclerosis in the rabbit IV. The effect of insulin therapy on the inhibition of atherosclerosis in the alloxan-diabetic rabbit. J. Exp. Med., 100:371-80.

Ellsworth, J. L., Kraemer, F. B. and Cooper, A. D. (1987) : Transport of B- very low density lipoproteins and chylomicron remnants by macrophages is mediated by the LDL receptor pathway. J. Biol. Chem., 262: 2316.

Emeson, E. E. and Robertson, A. L. (1988) : T lymphocytes in aortic and coronary intimas. Their potential role in atherogenesis. Am. J. Pathol., 130: 369.

Faggiotto, A., Ross, R., Harker, L. (1984) : Studies of hypercholesterolemia in the non human primate. I. Changes that lead to fatty streak formation. Arteriosclerosis, 4: 323.

Falholt, K., Alberti, K. J. M. M., and Heding L. G. (1985) : Aorta and muscle metabolism in pigs with peripheral hyperinsulinemia. Diabetologia, 28: 32-37.

Falhot, K., Certfield, R., Alejandro, R. and others (1985) :
The effects of hyperinsulinemia on arterial wall and peripheral muscle
metabolism in dogs. *Metabolism*, 34:1146-1149.

Ferrannini, E., Buzzigoli, G., Bonadonna, R., and others (1987) : Insulin resistance in essential hypertension. *N. Eng. J. Med.*,
317: 350-357.

Ferreri, N. R., Howland, W. C. and Spiegelberg, H. L. (1986)
: Release of leukotrienes C₄ and B₄ and prostaglandin E₂ from human
monocytes stimulated with aggregated IgG, IgA, IgE. *J. Immunol.*,
136: 4188.

Fidelman, M. L., Seeholzer, S. H., Walsh, K. B., Moor, R. D. (1982) : Intracellular PH mediates action of insulin on glycolysis in
dog skeletal muscle. *Am. J. Physiol.*, 242:C87-C93.

Folkow, B. (1990) : "Structural factor" in primary and secondary
hypertension. *Hypertension*, 16:89-101.

Foster, D. W., Siperstien, M. D. (1960) : Effect of diabetes on
cholesterol and fatty acid synthesis in the rat aorta. *Am. J. Physiol.*,
198 : 25-28.

Fraze, E., Donner, C. C., Swislock, A. L. M. and Reaven, G. M. (1985) : Ambient plasma free fatty acid concentrations in non-insulin dependent diabetes mellitus : Evidence for insulin resistance. J. Clin. Endocrinol. Metab., 61: 807-811.

Freychet, P., Kahn, R., Roth, J. and Neville, D. M. Jr. (1972) : Insulin interactions with liver plasma. J. Biol. Chem., 247 : 3953 - 3961.

Friedman, M., Bayers, S. O., Roseman, R. H. et al. (1970) : Coronary prone individuals (Type A behaviour pattern) : some biochemical characteristics. JAMA, 212:1030-37.

Frontoni, S., Ohman, L., Haywood, J. R , DeFronzo, R. A, Rossetti L. (1992) : In vivo insulin action in genetic models of hypertension. Am. J. Physiol., 262:E191-E196.

Fuster, V., John, H., Badimon, L., et al (1991): Importance of Experimental Models for the Development of clinical Trials on Thromboatherosclerosis. Circulation 1991;83:15-25.

Gaber, A. O., Shokouh-Amiri, M. H. and Britt, L. G. (1993) : A technique for portal pancreatic transplant with enteric drainage. Surg. Gynecol Obstet , 177:410.

Gans, R. O. B, Toorn, L., and Bilo, H. J. G (1991) : Renal and cardiovascular effects of exogenous insulin in healthy volunteers. Clin. Science, 80:219-225.

Gans, R. O. B , Bilo, H. J. K., Nauta, J. J. P., Heine, R. J., and Donker, A.J.M (1992) : Acute hyperinsulinemia induces sodium retention , and a blood pressure decline in diabetes mellitus. Hypertension, 20:199-209

Garcia-Webb, P., Bouser, A. M., Whiting, D. et al. (1983) : Insulin resistance-A risk factor for coronary heart disease ?. Scand. J. Clin. Lab. Invest., 43:677-685.

Ginsberg, H., Kinmerling, G., Olefsky, J. M., and Reaven, G. M.(1975): Demonstration of insulin resistance in untreated adult onset diabetic subjects with fasting hyperglycemia. J. Clin. Invest., 55: 454-461.

Goodman, H. M. (1992) : The Pancreatic islets In : Essential medical physiology. New York. Raven, pp. 605 - 620.

Griffith, R. L., Virella, G. T., Stevenson, H. C. and Lopes-Virella, M. F. (1988) : Low density lipoprotein metabolism by human macrophages activated with low density lipoprotein immune complexes. J. Exp. Med., 168:1041.

Grisolia, S., and Wallace, R. (1976) : Insulin degradation by lysosomal extracts from rat liver, model for a role of lysosomes in hormone degradation. Biochem. Biophys. Res. commun., 70: 22-27.

Guyton, A. C. (1991) : Insulin , Glucagon and Diabetes Mellitus. In : Textbook of Medical Physiology, 8th ed., Philadelphia, London, W.B. Saunders, pp. 855 - 867.

Haffner, S. M, Stern, M. P., Hazuda, H. P., Pugh, J. A. and Patterson, J. K. (1986) : Hyperinsulinemia in a population at high risk for non-insulin-dependent diabetes mellitus. N. Eng. J. Med., 315: 220-224.

Haffner, S. M., Fony, D., Hazuda, H. P. et al. (1988) : Hyperinsulinemia, upper body adiposity and cardiovascular risk factors in non-diabetic. Metabolism, 37:338-45.

Hall, J. E., Brands, M. W., Kivlighn, S. D., Mizelle, H. L. (1990): Chronic hyperinsulinemia and blood pressure. Interaction with catecholamines ? hypertension, 15:519-527.

Hamlin, R. L., Kittleson, D. V. M., Rice, D. et al. (1984) : Non invasive measurement of systemic arterial pressure in dogs by automatic sphygmomanometer. Am. J. Vet. Res., 43:1271-1273.

Hansson, G. K., Jonasson, L., Seifert, P. and Stemme, S. (1989) : Immune mechanisms in arteriosclerosis. Arteriosclerosis, 9: 567.

Henricksen, T., Evensen, S. A. and Carlander, B. (1979) : Injury to human endothelial cells in culture induced by low density lipoproteins. Scand. J. Clin. Lab. Invest., 39: 361.

Hermesmeyer, R. K. (1987) : Vascular muscle membrane cation mechanisms and total peripheral resistance. Hypertension, 10 (suppl.1) : 20-22.

Hollanbeck, C., and Reaven, G. M. (1987) : Variations in insulin stimulated glucose uptake in healthy individuals with normal glucose tolerance. J. Clin. Endocrinol. Metab., 64:1169-1173.

Hurt, E. and Camjo, G. (1987) : Effect of arterial proteoglycans on the interaction of LDL with human monocyte derived macrophages. Atherosclerosis, 67: 115.

Janka, H. U., Ziegler, A. G., Standl, E., Mehnert, H. (1987) : Daily insulin dose as a predictor of macrovascular disease in insulin treated non-insulin-dependent diabetics. Diab. Metab., 13: 359-64.

Jarrett, R. J., McCartney, P., Keen, H. (1982) : The Bedford survey. Ten year mortality rates in newly diagnosed diabetics and normoglycemic controls and risk indices for coronary heart disease in borderline diabetics. Diabetologia, 22:79-84.

Jarrett, R. J. (1988) : Is insulin atherogenic? Diabetologia, 31:71-75.

Jarrett, R. G. (1992) : In defence of insulin : a critique of syndrome X. Lancet, 340: 469.

Jonasson, L., Bondjers, G. and Hansson, G. K., Holm, J. and Skalli, O. (1986) : Regional accumulation of T cells, macrophages and smooth muscle cells in the human atherosclerotic plaque. Arteriosclerosis, 6 : 131.

Jonasson, L., Bondjers, G. and Hansson, G. K. (1987) : Lipoprotein lipase in atherosclerosis : its presence in smooth muscle cells and absence from macrophages. J. Lipid Res., 28 : 437.

Kasiske, B. L., O'Donnell, M. P. and Keane, W. F. (1991) : Effects of a high salt diet on blood pressure and glomerular injury in obese Zucker rats. Clin. Res., 39: 247A (Abstract).

Kasiske, B. L., O'Donnell, M. P. and Keane, W. F. (1992) : The Zucker rat model of obesity, insulin resistance, hyperlipidemia, and renal injury. Hypertension, 19 (suppl 1): I-110-I-115.

Kelly, W. D., Lillehei, R. C., Merkel, F. K. et al. (1967) : Allo- transplantation of the Pancreas and duodenum along with the kidney in diabetic nephropathy. *Surgery*, 61:827-837.

Kilpatrick, J. M., Hyman, B. and Virella, G. (1987) : Human endothelial cell damage induced interactions between polymorphonuclear leukocytes and immune complex-coated erythrocytes. *Clin. Immunol. Immunopath.*, 44: 335.

King, G. L., Kahn C. R., Rechler, M. M., Nissley, S. P. (1980) : Direct demonstration of separate receptors for growth and metabolic activities of insulin and multiplication stimulating activity (an insulin like growth factor) using antibodies to the insulin receptor. *J. Clin. Invest.*, 66:130-140.

King, G. L., Goodman, D., Buzney, S., Mosses, A., Kahn, C. R. (1985) : Receptors and growth promoting effects of insulin and insulin like growth factors on cells from bovine retinal capillaries and aorta. *J. Clin. Invest.* 75:1028-1936.

Kirchner, K. A (1988) : Insulin increases loop segment chloride reabsorption in the euglycemic rat. *Am. J. Physiol.*, 255:F1206-F1213.

Klimov, A. N., Denisenko, A. D., Popov, A. V., Nagornev, V. A. and Pleskov, V. M. (1985) : Lipoprotein- antibody immune complexes : Their catabolism and role in foam cell formation. Atherosclerosis, 58: 1.

Knatterud, G. L., Klimt, C. R., Levin, M. E., Jacobson, M. E., Goldner, M. G. (1978) : Effects of hypoglycemic agents on vascular complications in patients with adult-onset diabetes VII. Mortality and selected nonfatal events with insulin treatment. JAMA, 240: 37-42.

Kotchen, T. A., Zhang, H. Y., Covelli, M., and Blehschmidt, N. (1991) : Insulin resistance and blood pressure in Dahl rats and in one kidney, one-clip hypertensive rats. Am. J. Physiol., 262: E692-E697.

Krone, W., Naegele, H., Behnki, B., Greten, H. (1988) : Opposite effects of insulin and catecholamines on LDL- receptor activity in human mononuclear leukocytes. Diabetes, 37:1386-91.

Kuo, P. T. and Feng, L. Y. (1970) : Study of serum insulin in atherosclerotic patients with endogenous hypertriglyceridemia (types III and IV hyperlipoproteinemia). Metabolism., 19:372-380.

Kurokawa, K. and Lerner, R. L. (1980) : Binding and degradation of insulin by isolated renal cortical tubules. Endocrinology, 106:655-662.

Laakso, M., Pyorala, K. I., and Marniemi J. (1987) : Plasma insulin, Serum lipids and lipoproteins in middle age non insulin dependent diabetic and non-diabetic subjects. Am. J. Epidemiol, 125: 611-621.

Laakso, M. and Barrett-Connor, E. (1989) : Asymptomatic hyperglycemia is associated with lipid and lipoprotein changes favoring atherosclerosis. Arteriosclerosis, 9 : 665-72.

Laakso, M., Sarlund, H. and Mykkanen, L. (1989) : Essential hypertension and insulin resistance in non-insulin-dependent diabetes. Eur. J. Clin. Invest., 19:518-526.

Laakso, M., Sarlund, H., Salonen, R., Suhonen, M., Pyorala, K., Salonen, J. T. and Karhapää, P. (1991) : Asymptomatic atherosclerosis and insulin resistance Arteriosclerosis and thrombosis, 11: 1068-1076.

Lechi, C., Zatti, M., Corradini, P., Bonadonna, G., Arosio, E. and Pedrolini, C. (1984) : Increased leukocyte aggregation in patients with hypercholesterolemia. Clin. Chem. Acta., 144: 11.

Lembo, G., Napoli, R., Capaldo, B. et al. (1992) : Abnormal sympathetic overactivity evoked by insulin in the skeletal muscle of patients with essential hypertension. J. Clin. Invest., 90: 24-29.

Lever, A. F. (1986) : Slow pressor mechanisms in hypertension: A role for hypertrophy of resistance vessels. J. Hypertens., 4:515-524.

Libby, P., Warner, S. J. C. and Friedman, G. B. (1988) : Interleukin-1: a mitogen for human vascular smooth muscle cells that induces the release of growth inhibitory prostanoids. J. Clin. Invest., 81: 487.

Lopes-Virella, M. F., Klein, R. L. and Stevenson, H. C. (1987) : Low density lipoprotein metabolism in human macrophages stimulated with microbial or microbial-related products. Arteriosclerosis, 7: 176.

Lopes-Virella, M. F. and Virella, G. (1990) : Immune mechanisms in the pathogenesis of atherosclerosis. J. Clin. Immunol. Immunopath., 42: 383.

Luscinskas, F. W., Brock, A. F., Arnaout, M. A. and Gimbrone, M. A. (1989) : Endothelial leukocyte adhesion molecule 1-dependent and leukocyte (CD11/CD18)-dependent mechanisms contribute to polymorphonuclear leukocyte adhesion to cytokine-activated human vascular endothelium. J. Immunol., 142: 2257.

Mabanya, J. C. N., Thomas, T. H., Wilkinson, R., Alberti, K. J. M. M. and Taylor, R. (1988) : Hypertension and hyperinsulinemia : a relation in diabetes but not essential hypertension. Lancet, 1: 733-734.

Mahensmith, R. L., and Aronson, P. S. (1985) : The plasma membrane sodium-hydrogen exchanger and its role in physiological and pathophysiological processes. Circ. Res., 56: 773-788.

Mahler, R. (1971) : The effect of diabetes and insulin on biochemical reactions of the arterial wall. Acta. Diabetol Lat., 8:68-83.

Marette, A., Deshaies, Y., Collet, A. J., Tulp, O., Bukowiecki, L. J (1991) : Major thermogenic defect associated with insulin resistance in brown adipose tissue of obese diabetic SHR/N-cp rats. Am. J. Physiol., 261:E204-E213.

Marigliano, A., Tedde, R., Sechi, L. A., Pisanu, G. and Pacifico, A. (1990) : Insulinemia and blood pressure : relationships in patients with primary and secondary hypertension and with or without glucose metabolism impairment. Am. J. Hypertens., 3: 521-526.

Martin, Š., Maruta, K., Burkart, V., Gillis, S. and Kolb, H. (1989) : IL-1 and INF-increases vascular permeability. Immunology, 64: 301.

Marx, J. L. (1988) : Cytokines are two-edged swords in disease. Science, 239: 257.

Masuyama, J. I., Minato, N. and Kano, S. (1986) : Mechanisms of lymphocyte adhesion to human vascular endothelial cells in culture. J. Clin. Invest., 77: 1396.

Mattiasson, I., berntop, K , Lindgarde F (1992) : Insulin resistance and Na/K-ATPase in hypertensive women : A difference in mechanism depending on the level of glucose tolerance. Clin. Science 82:105-111.

Mcgill, H. C. Jr.and Holman,R.L. (1949) : The influence of alloxan diabetes on cholesterol atheromatosis in the rabbit. Proc. Soc. Exp. Biol. Med., 72 : 72-3.

McMurty, J. P., Wexler, B. C. (1981) : Hypersensitivity of spontaneously hypertensive rats (SHR) to heat, ether, and immoobilization. Endocrinolgy, 108:1730-1736.

Michaelis, I. V., Carswell, N., Velasquez, M. T. et al. (1990) : Influence of genetic obesity, dietary carbohydrate and age on parameters of glucose tolerance and kidney and adrenal gland histology in female SHR/N-corpulent rats. INT. J. Obesity., 14:973-985.

Miller, R. A., Wilson, R. B. (1984) : Atherosclerosis and myocardial ischemic lesions in alloxan diabetic rabbits fed a low cholesterol diet. Arteriosclerosis, 4:586-591.

Minick, C. R. and Murphy, G. E. (1973) : Experimental induction of arteriosclerosis by the synergy of allergic injury to arteries and lipid rich diet. II. Effect of repeatedly injected foreign protein in rabbits fed a lipid rich, cholesterol-poor diet. Amer. J. Path., 73: 265.

Modan, M., Halkin, H., Almog, S., Lusky, A., Eshkol, A., Shefi, M., Shitri, A., Fuchs, S. (1985) : Hyperinsulinemia : a link between hypertension, obesity and glucose intolerance. J. Clin. Invest., 75: 809- 17.

Munro, J. M., Van der Walt, J. D., Munro, C. S., Chalmers, J. A. C. and Cox, E. L. (1987) : An immunohistochemical analysis of human aortic fatty streaks. Hum. Pathol., 18: 375.

Musson, R. A., Shafran, H. and Henson, P. M. (1980) : Intracellular levels and stimulated release of lysosomal enzymes from human peripheral blood monocytes and monocyte-derived macrophages. J. Reticuloendothelial Soc., 28 : 249.

Muuronen, A., Kaste, M., Nikkila, E. A. et al. (1985) : Mortality from ischemic heart disease among patients using anticonvulsive drugs : a case control study. Br. Med. J., 291:1481-83.

Nakagawara, A., Nathan, C. F. and Cohn, Z. A. (1981) :
Hydrogen peroxide metabolism in human monocytes during
differentiation in vitro. J. Clin. Invest., 68 : 1243.

Nakao, J., Ito H., Kanayasu, T., Mutota, S. I. (1985) :
Stimulatory effect of insulin on aortic smooth muscle migration induced
by 12L-hydroxy 5, 8, 10, 14-eicosatetraenoic acid and its modulation by
elevated extracellular glucose levels. Diabetes, 185-191.

*Nawroth, P. P., Bank, I., Hadley, D., Cassimeris, J., Chess,
L. and Stern, D. (1986) :* Tumor necrosis factor/ cachectin interacts
with endothelial cell receptors to induce release of interleukin 1. J.
Exp. Med., 165 : 1363.

Ngheim, D. D. Gonwa, T. A and Corry, R. J. (1987) :
Metabolic effects of exocrine Secretions in pancreatic transplantation.
Transplantation, 43:70-77.

Nizer, A. Lefebvre, P., Crabbe, J. (1971) : Control by insulin
of sodium, potassium, and water excretion by the isolated dog kidney.
Pflugers Arch., 323:11-20.

Nordestgaard, B. G., and Zilversmit, D. B. (1988) :
Hyperglycemia in normotriglyceridemic, hypercholesterolemic insulin
treated diabetic rabbits does not accelerate atherogenesis.
Atherosclerosis, 72: 37-47.

Nordestgaard, B. G., and Zilversmit, D. B. (1989) : Large lipoproteins are excluded from the arterial wall in diabetic cholesterol fed rabbits. J. Lipid Res., 29:1491-1500.

Olfsky, J. M., Reaven, G. M. and Farquhar, J. W. (1974) : Effects of weight reduction on obesity : Studies of carbohydrates and lipid metabolism. J. Clin. Invest., 53:64-76.

Orchard, J. J., Becker, D. J., Bates, M. Kuller, L. H. and Drash A. L. (1983) : Plasma insulin and lipoprotein concentrations: an otherogenic association. Am. J. Epidemiol, 118:326-337.

Pfeifle, B., and Ditschuneit, H. (1981) : Effect of insulin on the growth of cultured arterial smooth muscle cells. Diabetologia, 20:155-158.

Pollare, T., Lihell, H. and Berne, C. (1990) : Insulin resistance is a characteristic feature of primary hypertension independent of obesity . Metabolism, 39:167-174.

Polonsky, K. S. and Rubenstein, A. H. (1989) : The kinetics and metabolism of insulin, Proinsulin and C - Peptide . In : Endocrinology, 2nd ed., philadelphia, London, Saunders, pp1304-1317.

Pyorala, K. (1979) : Relationship of glucose tolerance and plasma insulin to the incidence of coronary heart disease : results from two population studies in Finland. Diabetes Care, 2: 131-41.

- Pyorala, K., Savolainen, E., Kaukola, S. and Haapakoski, J. (1985) : Plasma insulin as coronary heart disease risk factor: relationship to other risk factors and predictive value during 9 1/2 year follow-up of the Helsinki policemen study population. Acta. Med. Scand. Suppl., 701 :38-52.*
- Pyorala, K. (1991) : Hyperinsulinemia as predictor of atherosclerotic vascular disease : epidemiological evidence. Diabete Metab., 17: 87-92.*
- Raines, E. W., Dower, S. K. and Ross, R. (1989) : Interleukin-1 mitogenic activity for fibroblasts and smooth muscle cells is due to PDGF-AA. Science, 243 : 393.*
- Reaven, G. M., Ferner R. L Stern M. P. et al. (1967) : Role of insulin in endogenous hypertriglyceridemia. J. Clin. Invest., 46:1756-1767.*
- Reaven, G. M. and Hoffman, B. B. (1987) : A role for insulin in the aetiology and course of hypertension. Lancet, 2: 435-436.*
- Reaven, G. M. (1988) : Role of insulin resistance in human disease. Banting lecture. Diabetes, 37: 1595-1607.*
- Reaven, G. M., Twersky, J., and Chang, H. (1991) : Abnormalities of carbohydrate and lipid metabolism in Dahl rats. Hypertension, 18:630-635.*

Reaven, G. M. (1992) : The role of insulin resistance and hyperinsulinemia in coronary heart disease. Metabolism, 5 (suppl 1) : 16-19.

Renkonen, R., Mattila, P., Turunen, J. P. Hayry, P. (1989) : Lymphocyte binding and penetration through vascular endothelium is stimulated by platelet activating factor. Scand. J. Immunol., 30:673.

Rocchini, A. P., Katch, V., Kreselis, D., Martin, M. (1989): Insulin and renal sodium retention in obese adolescents. Hypertension, 14:367-384.

Ross, R. and Glomset, J. A. (1976) : The pathogenesis of atherosclerosis. N.Eng. J. Med., 295: 369.

Ross, R. (1986) : The pathogenesis of atherosclerosis-an update. N. Eng. J. Med., 314: 488.

Rowe, J. W., Young, J. B., Minaker, K. L. (1981) : Effect of insulin and glucose infusions on sympathetic nervous system activity in normal man. Diabetes, 30:219-225.

Rubenstien, A. H., Seftel, H. C., Miller, K., Berson, I., Wright, A. D. (1969) : Metabolic response to oral glucose in healthy South African White, Indian, and African subjects. Br. Med.J., 1: 748- 51.

Saad, M. F., Knowler, W. C. Pettitt, D. J. and Bennett P. H. (1988) : The natural history of impaired glucose tolerance in the Pima Indians. N.Eng.J.Med., 319:1500-1506.

Saad, M. F., Knowler, W. C., Pettitt, D. J., Nelson, R. G., Mott, D. M. and Bennett, P. H. (1990) : Insulin and hypertension : relationship to obesity and glucose intolerance in Pima Indians. Diabetes, 39: 1430-1435.

Saad, M. F., Lillioja, S., Nyomba, B. L., et al. (1991) : racial differences in the relation between blood pressure and insulin resistance. N. Eng. J.Med., 324 :733-739.

Salisbury, B. G. J., Falcone, D. J. and Minick, C. R. (1985) : Insoluble low density lipoprotein-proteoglycan complexes enhance cholesteryl ester accumulation in macrophages. Am. J. Path., 120: 6.

Sato, Y., Shiraushi, S., Oshida, Y., Ishiguro, T., Sakamoto, N. (1989) : Experimental atherosclerosis-like lesions induced by hyperinsulinism in Wistar rats. Diabetes, 38:91-96.

Saudek, C. D., Boulter, P. R., Knopp, R. H. and Arky, R. A. (1974) : Sodium retention accompanying insulin treatment of diabetes mellitus. Diabetes, 23: 240-246.

Sawicki, P. T., Heinemann, L., Starke, A. and Berger, M. (1992) : Hyperinsulinemia is not linked with blood pressure elevation in patients with insulinemia. Diabetologia, 35: 649-58.

Shen, D. C., Sheih, S. M., Fuh, M. M. T., Wu, D. A., Chen, Y. D. I., Reaven, G. M. (1988) : Resistance to insulin-stimulated glucose-uptake in patients with hypertension. J. Clin. Endocrinol Metab., 66:580-583.

Shokouh-Amiri, M. H., Fatholt, K., Holst, J. J. et al. (1992) : Pancreas endocrine function in pigs after segmental Pancreas autotransplantation with either systemic or portal Venous drainage. Trans. Proc., 24:799-800.

Smoak, C.G., Burke, G. L., Webber, L. S. et al. (1987) : Relation of obesity to clustering of cardiovascular risk factors in children and young adults : the Bogalusa heart study. Am. J. Epidemiol., 125:364-372.

Standl, E. and Janka, H. U. (1985) : High serum insulin concentrations in relation to other cardiovascular risk factors in macrovascular disease of type 2 diabetes. Horm. Metab. Res., 15 (suppl.) : 46- 51.

Starzl, T. E., Hakala, T. R., Shaw, W., and others (1984) : A flexible procedure for multiple cadaveric organ procurement. Surg. Gynecol. Obslet, 158:223-230.

Steinberg, D. (1987) : Lipoproteins and atherosclerosis : Some unanswered questions. Am. Heart Journal., 113:626.

Steinberg, D., Parthasarathy, S., Carew, T. E., Khoo, J. C. and Witztum, J. L. (1989) : Beyond cholesterol: modifications of low density lipoprotein that increase it's atherogenicity. N.Eng.J.Med., 320: 915.

Stevenson, H. C., Dekaban, G. A., Miller, P. J., Benyajati, C. and Pearson, M. L. (1985) : Analysis of human blood monocyte activation at the level of gene expression. J. Exp. Med., 161: 503.

Stout, R. W. and Vallance-Owen J. (1969) : Insulin and atheroma. Lancet, 1: 1078-1980.

Stout, R. W. (1970) : Development of vascular lesions in insulin treated animals fed a normal diet. Br. Med. J., 3: 685-687.

Stout, R. W., Buchanan, K. D. and Vallance-Owen, J. (1972) : Arterial lipid metabolism in relation to blood glucose and plasma insulin in rats with streptozotocin-induced diabetes. Diabetologia, 8:398-401.

Stout, R. W., Buchanan, K. D. and Vallance-owen, J. (1973) : The relationship of arterial disease and glucagon metabolism in insulin treated chickens. Atherosclerosis, 18:153-162.

- Stout, R. W. (1977) : The relationship of abnormal circulating insulin levels to atherosclerosis. Atherosclerosis, 27: 1-3.*
- Stout, R. W. (1987) : Insulin and atheroma - an update, 1:1077-79.*
- Stout, R. W. (1990) : Insulin and atheroma. 20-yr perspective. Diabetes Care, 13:631-54.*
- Stout, R. W. (1991) : Insulin as a mitogenic factor : role in the pathogenesis of cardiovascular disease. Am. J. Med., 90 (suppl 2A) : 62S-65S.*
- Sutherland, D. E. R., Gruessner, A., Moudry - Manns, K., (1991) : Report on results of pancreas Transplantation in the United States October 1987 to October 1991 from the United Network for Organ Sharing Registry. In : Terasaki, P. L., Ed. Clinical Transplants 1991. Los Angeles, UCLA Tissue typing Laboratory.*
- Szondy, E., Mezey, Z., Lengyel, E. and Gero, S. (1985) : Occurrence of anti-low density lipoprotein antibodies and circulating immune complexes in aged subjects. Mechanisms of aging and development, 29: 117.*
- Talor, Z., Emmanoud, D. S. and Katz, A. I. (1982) : Insulin binding and degradation by luminal and basolateral tubuler membranes from rabbit Kidney. J. Clin. Invest., 69: 1136-1146.*

Terris, S. and Steiner, D. F. (1981) : Binding and degradation of ^{125}I insulin by rat hepatocytes. J. Biol. Chem., 250: 8389- 8398.

Tobey, T. A., Greenfield, M., Kraemer, F. et al. (1981) : Relationship between insulin resistance, insulin secretion, very low density lipoprotein Kinetics and plasma triglycerids level in normotriglyceridemia in man. Metabolism, 30:165-171.

Tonnensen, M. G., Anderson, D. C., Springer, T. A., Knedler, A., Avdl, N. and Henson, P. M. (1989) : Adherence of neutrophils to cultured human microvascular endothelial cells. J. Clin. Inves., 83: 637

Tyden, G., Wilczek, H., Lundgren G., et al. (1985) : Experience with 21 intraperitoneal segmental pancreatic transplants with enteric or gastric exocrine diversion in humans. Transplant. Proc., 17:331-334.

Uusitupa, M. I. J., Niskanen, L. K., Shtonen, O., Voutilainen, E., and Pyorala, K. (1990) : 5- year incidence of atherosclerotic vascular disease in relation to general risk factors insulin level and abnormalities in lipoprotein composition in non- insulin -dependent diabetic and non diabetic subjects. Circulation, 82: 27-36.

Varandani, P. T. (1972) : Insulin degradation. Purification and properties of Glutathione insulin transhydrogenase of rat liver. Biochem. Biophys. Acta., 286: 126-135.

Warner, S. J. C., Auger, K. R. and Libby, P. (1987) : Interleukin 1 induces interleukin II. Recombinant human interleukin 1 induces production by adult human vascular endothelial cells. *J. Immunol.*, 139: 1911.

Welborn, T. A., Breckenridge, A., Rubinstein A. H., Dollery C. T. and Fraser T. R. (1966) : Serum Insulin in essential hypertension and in peripheral vascular disease. *Lancet*, 1:1336-1337.

Welborn, T. A. and Wearne, K. (1979) : Coronary heart disease incidence and cardiovascular mortality in Busselton with reference to glucose and insulin concentrations. *Diabetes Care*, 2:154- 60.

Werb, Z., Bonda, M. J. and Jones, P. A. (1980) : Degradation of connective tissue matrices by macrophages : I. Proteolysis of elastin, glycoproteins, and collagens by proteineases isolated from macrophages. *J. Exp. Med.*, 152: 1340.

Wissler, R. W. (1992) : Theories and new horizons in the pathogenesis of atherosclerosis and mechanisms of clinical effects. *Arch. Pathol. Lab. Med.*, 116: 1281-1291.

Young, I. R., and Stout, R. W. (1987) : Effects of insulin and glucose on the cells of the arterial wall : interaction of insulin with dibutyryl cyclic AMP and low-density lipoprotein in arterial cells. *Diabetes Metab.*, 13: 301-306.

Zavaroni I., Dall Aglio E., Alpi O., et al. (1985) : Evidence for an independent relationship between plasma insulin and concentration of high density lipoprotein cholesterol and triglyceride. *Atherosclerosis*, 55:259-266.

Zavaroni, I., Bonora, E., Pagliara, M., et al. (1989) : Risk factors for coronary artery disease in healthy persons with hyperinsulinemia and normal glucose tolerance. *N. Eng. J. Med.*, 320: 702-706.

Zemel, M. B., Sower, J. R., Shehin, S., Walsh, M. F. and Levy, J. (1990) : Impaired calcium metabolism associated with hypertension in Zucker obese rats. *Metabolism*, 39: 704-708.

Zemel, M. B., Sower, J. R., Peuler, J. D., and Simpson, L. (1992) : Hypertension in insulin resistant Zucker obese rats is independent of sympathetic neural support. *Am. J. Physiol.*, 262:E368-E371.