

# REFERENCES

## REFERENCES

- Abd-El-Fatah. S. (1991): Studies on insects infesting leguminous plants M. Sc. Thesis, Egypt. Fac. Agric. Dept. Plant Protec. Zagazing University, 156 pp.
- Abeles, F. G. (1973): "Ethylene in plant biology", Academic, New York cited by Lorna, H., Sheldon, R., Furutanic S.C. and Moniz, J.J. J. **Econ. Entomol**, 81(5): 1373-1376 (1988).
- Abou Bakr, H., El Hussein, M., Helmi, N. and Kamel, A. (1989): "On the biology and Morphology of the immature stages of peach cockchafer *Pachnoda fasciata* (Coleoptera: Scarabaeida). Proc. Ist. Int. Conf. Ent. Vol. 1: 115-128.
- Abou Bakr, H., El Hussein, M., Helmi, N. and Kamel, A. (1989): Adult food and mixtures as factors affecting egg-laying in *Pachnoda fasciata* F. (Coleoptera: Scarabaeidae). Proc. Ist. Int. Conf. Ent. Vol. 1: 287-244.
- Ali, M. A and Ibrahim, I. L. (1988): Preliminary study on occurrence and abundance of *Tropinota squalida* Scop. (Coleoptera: Scarabaeidae) infesting ornamental plants and fruit crops. Al-Azhar. J. Agric. Res., 9: 1-14, Cairo Egypt.

- Allsoop, P G (1992): Sugars, amino acids, and ascorbic acid as phagastimulants for larvae of *Antitrogus parvulus* and *Lepidiota negatoria* (Coleoptera: Scarabaeidae). Journal of Economic-Entomology. 85: 1,106-111.
- Arita, L. H., Furutani, S. C. and Moniz, J. J. (1988): Preferential Feeding by chinese rose beetle (Coleoptera: Scarabaeidae) on Ethophen treated plant. J. Econ. Entomol. 81(5): 1373-1376.
- Ball, H. J. (1982): "Spectral responses of the adult western corn root worm (Coleoptera: Chrysomelidae) to a selected wavelength. J. Econ. Entomol. 75: 932-933.
- Barar, K. S. and Sandhu, G. S. (1982): Field biology of white grub, *Holotrichia Consanguinea* Blanchard (Scarabaeidae: Coleoptera) in punjab. Journal of soil biology and Ecology. 2(1): 32-35.
- Barker, G M; Addison, PJ; Robertson, L N (1991): Glasshouse evaluations of seed treatments for protection of ryegrass seedlings from insect pests. Proceedings of the forty fourth Newzealand weed and pest control conference 343-346.

- Barratt, B. T. P. and Campbell, R. H. (1982):** Biology of striped chafer *Odontria striata* (Coleoptera: Scarabaeidae) I. the adult, flight and ground surface activity, female reproductive maturation and food - plant section Newzealand Journal of Zoology 9(2): 219-266.
- Biswas, -MM; Mannan, -A; Kunda, -R (1989):** Use of granular pesticides in controlling white grubs and top shoot borer in sugarcane Pestology, 13: 12, 6-9.
- Blume, R. R. (1984):** *Euoniticellus intermedius* (Coleoptera: Scarabaeidae) Description of adults and immatures and Biology of adult. Environ. Entomol. B: 1064-1068.
- Briggs, S. P. and Allen, W. A. (1981):** Preferance of *Popillia japonica* larvae to five baits in the laboratory, Environmental Entomology 10: 386-387.
- Chambelin, T. R and Collenbach, J. A (1943):** Oviposition of June beetles and survival of their offespring in grasses and legumes. J. Econ. Ent., XXX VI, pp. 681-688.
- Cherry, R. H; Coale-F J; Porter, P. S (1990):** Oviposition and survivorship of sugarcane grubs (Coleoptera: Scarabaeidae) at different soil moisture Journal of Economic-Entomology 83: 4, 1355-1359.

Cliffe, -A; Kerse, -G; Canty, -C; Wrenn, -R; Barker, -G (1990): "Residual effects of controlled release chlorpyrifos against grass grub larvae". Proceeding of the Forty third Newzealand weed and pest control conference. 343-346.

Cook, D. F (1990): Differences in courtship, mating and post copulatory behaviour between male morphs of (Coleoptera: Scarabaeidae). Animal-Behaviour 1990, 40: 3, 428-436.

Cumpston, D. M. (1940): Proc. Linnean Soc. New south wales, 65, 289-300 cited by Ritcher, (1958) op. cit.

Donaldson, J. M. I. (1981): Laboratory rearing teqnique and life cycle of *Anomale transvalensis* (Coleptera: Scarabaeidae) J. Ent. Soc. Sth. Afr. Vol. 44 no. 2, pp: 283-288.

Donaldson, J. M. I. (1985a): The life cycle and biology of *Pachnoda sinuata flaventris* (Coleoptera: Scarabaeidae) under laboratory conditions with field notes. Phytophylactica, 17(2): 89-94.

Edwards, P. B. (1986): Phenology and field Biology of the dung *Onitis Caffer* (Coleoptera: Scarabaeidae) in Southern Africa Bull. Entomol. Res. 76(3): 433-446.

**El-Deeb, M. A. (1992):** Biological and Ecological Studies on *Tropinota squalida*

scop at Sharkia Governorate. I- the adult stage. Zagazig. J. Agric. Res. Vol.

19(3):

1409-1419.

**El-Deeb, M. A. (1992):** Biological and Ecological studies on *Tropinota squalida*

(scop) at Sharkia Governorate. II- the immature stages. Zagazig J. Agric.

Res. Vol. 19(3): 1421-1429.

**El-Minshawy, A. M.; Hedaya, H. Karam and M. B. Hafez (1989):** Control of the

pubscent rose chafer using coloured pan traps in Nobaria district, Egypt. 3<sup>rd</sup>

Nat. Conf. Pests & Dis. of Veg. & Fruits in Egypt and Arab count. Ismailia

Oct. 1989.

**El-Shouny, K. Y. (1987):** Biological and Ecological studies on some. insects pests

infesting horticultural crop in Gharbia Governorate (A. R. Egypt). Ph. D.

Thesis, Fac. Agric. Al-Azhar Univerrrsity, Cairo, Egypt.

**Fabre, J. H. (1918):** The sacred beetles and others cited by Growson (1981) in a

biology of coleoptera, Academic press.

**Fincher, G. T. R. (1970):** Cited by Blume, (1984) op. cit.

Fleming, W. E. (1972): Biology of Japanese beetle a historical reviews. U. S. Dep. Agric. Tech. Bull. 1545.

De. Fluiter, H. J., (1941): J., Arch. Rubbercult. Ned-India, 25(2): 167-227. Cited by Ritcher op. cit.

Frantsevich, L. I., Mokrushov, P. A. and Zolotov, V. V (1975): Astro-orientation in *Lethrus apterus zhobsch.* Biol. 36. pp 61-65.

Glaser, J. D. (1976): The biology of *Dynastes tityus* (linn) in Maryland (Coleoptera: Scarabaeidae). The coleopterists Bulletin 30(2): 133-138.

Goodyer, G J (1984): Black-headed pasture cockchafer. Agfacts No. p2. AE. 5, 4 pp.

Gruner, I (1974): Influence of the wavelength of the light on the flight of *phyllophaga pleei* (Col. scarabaeidae). Influence de la longueur d'onde de la lumere sur le vol de *phyllophaga pleei* (Col. Scarabaeidae). Annales de la Societe Entomologique de Frnace 10(3): 763-769.

Guppy, J. C (1982): Effect of temperature and light intensity on nocturnal activity patterns of the northen June beetles *Phyllophaga fusca* and the common June beetle *P. anxis* (Coleoptera: Scarabaeidae). Can. Ent. 114: 1151-1157.

Hafez, M. and Bishara, S. I. (1961): Studies on the Biology and Ecology of *Pentodon bispinosus* kust. In Egypt 1. the adult stage.

Bull. Soc. Ent. Egypt. XLV: 155-179.

Hafez, M. and Bishara, S. I. (1961): Studies on the Biology and Ecology of *Pentodon bispinosus* kust. In Egypt. 2. the immature forms.

Bull. Soc. Egypt. XLV: 179-197.

Hardy, R. J. (1971): Some aspect of the biology and behaviour of *Adoryphorus Couloini* (Burmester) (Coleoptera: Scarabaeidae: Dynastinae).

J. Aust. Ent. Soc. 20: 67-79.

Helmi, N; Abou Bakr, H.; Abol Ela, R. and Kamel, A. (1989): On the biology and Morphology of the adult stage of the peach cockchafer *Pachnoda fasciata* (Coleoptera: Scarabaeidae).

Proc. Ist. Conf. Econ. Vol. 1: 143-157.

Houston, N. and McIntyre, K. I. (1985): Effect of temperature and light intensity on *Onitis alexis* (Coleoptera: Scarabaeidae). Florida Entomologist, 70:

301-305.

Hurpin, B. and Fresneau, M. (1964): Elevage deu Dynastidae, *Oryctes nasicornis*, phyllopage silenus F. (Coleoptera: Scarabaeidae). Rev. De path, Vec. Ent. Agr. De Fr. 43(2).

Johnson, C. G. (1969): Migration and Dispersal of insects by flight. Cited by Crowson (1981): op. cit.

Kain, W. M.; East, R.; Douglas, J. A. (1979): *Costelytra zealandica* pasture species relation ships on the pumice soils of the control north Island of Newzealand.

The 2<sup>nd</sup> Australian conference of grassland invertebrates Ecology pp: 88-91.

Kamel, A. S. (1988): Biology and morphological studies on *Pachnoda fasciata* F (Coleoptera: Scarabaeidae) M. Sc Thesis, Banha. Faculty of Science, Zagazig University, Department of Entomology 92 pp.

Kawasaki, K.; Tamaki, Y (1985): Evidence of the sex-attractant pheromone and activity rhythm in *phyllopertha diversa* Waterhouse (Coleoptera: Scarabaeidae) Applied Entomology and Zoology 20(2): 137-142.

Kim, K. W (1991): Effect of soil moisture on survival of large black chafer (*Holotnichia morosa* Waterhouse) egg and larvae.  
Korean-Journal-of Applied-Entomology 30: 1,37-41.

Kingston, T. J.; Coe, M. (1977): The biology of agiant dung beetle *Helicoprus dilloni* (Coleoptera: Scarabaeidae).

Journal of Zoology 181(2): 243-265.

- King, P. D.; Merar, C. F.; Meckings, J. S (1981): Ecology of block beetle, *Heteronychus arotar* (Coleoptera: Scarabaeidae) influence of pasture species on oviposition site preference Newzealand Journal of Zoology 8(1): 119-122.
- Kirk A., A. (1983): The Biology of *Bubas bison* (L.) (Coleoptera: Scarabaeidae) in Southern France and its potential for recycling dung in Australia. Bulletin of Entomological Research 73(1): 129-136.
- Klemperer, H. G (1983): Subsocial Behaviour in *Oniticellus Cictus* (Coleoptera: Scarabaeidae). Effect of the broad on parental care and oviposition. Physiol. Entomol., Vol. 8, no 4. pp 393-402.
- Kumawat, -Sk; Yadva, -CPS (1990): Effect of various insecticides applies as soil treatment, seed coating and seed dressing on groundnut against white grub. Indian-Journal-of-Entomology. 52: 2,187-190.
- Ladd, T. L., Jr. (1986): Influence of sugar on the feeding response of Japanese beetle (Coleoptera: Scarabaeidae). J. Econ. Entomol. 79: 668-671.
- Ladd, T. L., Jr. (1988): Japanese beetle (Coleoptera:Scarabaeidae). Influence of sugars on feeding response of larvae. J. Econ. Entomol. 81(5): 1390-1393.

- Ladd, T. L., Jr; Stinner, B. R.; and Krueger, H. R. (1984):** Influence of colour and height of Eugenol-Baited sticky traps on Attractiveness to Northern Corn Rootworm Beetles (Coleoptera: Chrysomelidae).  
J. Econ. Entomol. 77: 652-645.
- Le Geyt Worsly, R. (1928):** Cited by (Hafez and Bishara 1961) op. cit.
- Lithfield, J. T. and Wilcoxon, F. (1949):** A simple method of evaluating dose effect experiments. Pharmacol. Exp. Ther. 96-99.
- Lumaret, J. P.; Kirk, A. (1987):** Ecology of dung beetles in the french Mediterranean region (Coleoptera: Scarabaeidae). Acta Zool. MEX NUEVA SER O(24): 1-55.
- Maynard, J. A and Swan, J. M. (1963):** Organophosphorus compound. Aust. J. Chem. 16: 596-608.
- Meshram, -PB; Pathak, -SC; Jamaluddin (1990):** Effect of some soil insecticides in controlling the major insect pests in teak nursery.  
Indian-Forester, 116: 3,206-213.
- Mineo, G. (1965):** Una grave infestazione dicetonie pelose alla vite in sicilia *Tropinota hirta podae* (*Tropinota squalida* scop). A heavy infestation by hairy cetoniids on vines in sicily *T. hitra* and *T. squalida*.  
Bull. Ist. Agr. Oss. Fitopat. Palermo, 5: 307-316.

- Mohamed, S. F. (1991):** Studies on some Ecological and Biological aspect of the hairy rose beetle, *Tropinota squalida* scop. (Coleoptera: Scarabaeidae). M. Sc. Thesis, Department of Entomology, Faculty of Agriculture. Al Azhar University.
- Monthean, -C; Potter, DA. (1992):** Effect of RH 5849, anovel insect growth regulator on Japanese beetle (Coleoptera: Scarabaeidae) and fall army worm (Lepidoptera: Noctuidal) in turfgrass.  
Journal-of-Economic-Entomology 85: 2, 507-513.
- Morgan, F. D (1977):** Swarming behaviour in the Australian beetle *Heteronyx obeus* with note on related species.  
Ecol. Ent. 2: 91-96.
- Nour El-Din, M. (1984):** Ecological studies on the insect attacking cucurbitaceae, Ph. D. Thesis, plant. Protection Department, Faculty of Agriculture Al-Azhar University.
- Ozkan, HE; Reichard, -DL; Niemczyk, -HD; Klein, -MG; Krueger, -HR. (1990):** Subsurface injection of turfgrass insecticides. Tenth sumposium on pesticides formulations and application systems, 236-277.
- Patil, -SM; Adsule, -VM; Khaire, -VM. (1991):** Efficacy of some insecticides against the white grub infesting chilies.  
Journal-of-Maharashtra-Agricultural-Universities, 16: 2, 276-277; 3 ref.

- Petty, G.J. (1982):** "Isazophos, a promising new insecticides for control of larvae off  
fassorial rhizophagous beetles (Coleoptera: Scarabaeidae) in pin apple field"  
Journal of the Entomological scciety of Southern Africa 45(1): 33-41.
- Potter, D. A (1981):** Seasonal emergence and flight of northen and southern masked  
chaferr in relation to air and soil temperature and rain fall patterns.  
Environ. Entomol. 10: 793-797.
- Pottinger, R.P.; Welsh, R. D.; East, R.; Stratton, A. E (1978):** Control of  
*Costelytra zealandica* adults with cypermethrin (Coleoptera:  
Scarabaeidae). Proceeding of the 2<sup>nd</sup> Australian Conference on grassland  
invertebrates ecology, palmerston, North Zealand 22-28 May 1978.
- Price, -JF; Kring, -JB (1991):** *Dyscinetus morator* (Coleoptera: Scarabaeidae)  
flight activity, food plant acceptance, damage and control in caladium.  
Florida-Entomologist. 1991, 74: 3, 415-421.
- Ralph, -W. (1992):** "Controlling potato pests in the soil" Rural research, No 155,  
11-15.
- Ritcher, P. O and Duff, R. (1971):** A description of the larvae of *Ceratophyus*  
*goherinus* (cartwright) with a revised key to the larvae of north American  
Geotrupini and Notes on the biology. Pan. Pacific. Entomol. 47(2): 158-163.

- Setokuchi, O. (1982): Studies on Ecology of soybean beetle *Anomala rufocuprea* Motschulsky (Coleoptera: Scarabaeidae). II. Observation of the feeding and oviposition of adult beetles in the laboratory Proc. Pl. Prot. Kyushu Vol. 28: 172-175.
- Stephenson, B. P. (1979): Automatic photography used to study the nocturnal activity of *Aphodius tasmaniae* larvae (Coleoptera: Scarabaeidae) pp. 274-7. Proceeding of the 2<sup>nd</sup> Australian conference on Grassland invertebrate Ecology Government printer, Wellington.
- Stone, J. D; Bweno, R. Jr. (1987): Effect of larval density and soil type on the vertical distribution and survival of *Phyllophaga crinita*. Southwestern-Entomologist, 12: 2, 101- 105.
- Sutherland, O. R. W (1971): Feeding behaviour of the grass grub *Costelytra zealandica* (white) (Coleoptera: Melolonthinae). 1. The influence of carbohydrates N. Z. J. Sci. 14: 18-24.
- Sweetman, H. L. (1931): Preliminary report on the physical Ecology of certain phyllophage (Ecology, pp 401-422).
- Tesic, T. (1971): The possibility of using coloured water traps for studying the flight of some insect species zatitabilja 22 (112/113): 77-83.

Tollefson, J. J., Owens, J. C. and Witkowski, J. F. (1975): Influence of sticky trap colour and size on catch of corn root worm adults.

Proc. N. C. Branch Entomol. Soc. An 30-83.

Tyndal - Biscoe, M. (1978): Physiological age-garding in females of the dung beetle

*Euoniticellus intermedius* (Reiche) (Coleoptera: Scarabaeidae).

Bull. Ent. Res. 68: 207-217.

Ueda, Y. (1991): On the recorded sounds produced in soil by larvae of larvae of

cupreous chafer, *Anomala cuprea* Hope (Coleoptera: Scarabaeidae).

Proceeding-of-the kanto-Tosan-plant protection-Society. No 38: 223-224.

Villani, M. G; Nyrrup, J P (1991): Age dependent movement patterns of Japanese

beetles and European chafer (Coleoptera: Scarabaeidae) grubs in soil-

turfgrass microcosms.

Environmental Entomology, 20: 1,241-251.

Vittum, P. J. (1986): Biology of Japanese Beetle (Coleoptera: Scarabaeidae) in

Estern Massachusetts.

J. Econ. Entomol. 79: 387-391.

Wada, K. (1984): Ecological notes on *Bolbocersoma nigroplagiatum*

(waterhouse) (Coleoptera: Scarabaeidae).

Entomological-Review-of-Japan 34: 1, 95-100.

- Waston, R. N. (1979): Use of modified light traps to improve catches of black beetle, *Heteronychus arotor* (Coleoptera: Scarabaeidae) and black field cricket. *Teleogryllus commodus* (Orthoptera: Gryllidae). Newzealand Entomologist 7(1): 92-97.
- Wensler, R. J. (1974): Crepuscular activity of adult *Sericethis geminata* (Coleoptera: Scarabaeidae) influence of eircadian rhythmicity and light intensity. Newzealand Journal of Zoology 1(2): 197-204.
- Wiener, L. F., Capinera, J. L. (1980): Preliminary study of the Biology of the white grub *Phyllophaga fimbripes* le conte (Coleoptera: Scarabaeidae). Journal of Kansas Entomological Society 53(4): 701-710.
- Wightman, J. A. (1972): Rearing *Costelytra Zealandica* (Coleoptera: Scarabaeidae). 2. The use of living plant tissue in soil based larval rearing media. Newzealand Journal of Sience 1972 15(4): 473-474.
- White, W. H (1990): Flight and feeding activity of the 5 sugarcane beetle (Coleoptera: Scarabaeidae) in Louisiana. Journal of Agriculatural-Entomology 7: 2, 103-111.
- Withowski, J. F., Owens, J. F. and Tollefson, J. J (1975): Diel activity and vertical flight information of adult westernn corn root worm in Iowa cronfield. J. Econ. Entomol. 68: 351-352.