

REFERENCES

REFERENCES

- * *Abdullah, H. Baaqui (1990): Epidemiology of persistent diarrhea in Bangladeshi children. Dissertation for M.D. Public Health. Johns Hopkins University. Baltimore, Maryland (1990).*
- * *Ackers, J.P. (1986): Intestinal protozoal infection "Amebiasis" Dialogue on Diarrhea. 27: 7.*
- * *Adams, E.B. (1978): Invasive amoebiasis, Medicine. 1978, (56), 315.*
- * *Anderson, C.M. and Burke, V. (eds): Pediatric gastroenterology, Oxford., Blackwell Scientific publishers; (1975).*
- * *Andres, J.M. Advances in understanding the pathogenesis of persistent diarrhea in young children. In: Barness L.A. ed. Advances in pediatrics. Chicago: Year book medical publishers. 1988: 489:90.*

- * Araya, M.N.; Espinosa, B.J. and Bruner, O. (1991): Persistent Diarrhea in the Community Characteristics and Risk Factors. *Acta Pediatr. Scand.* 80: 181-189.
- * Ashford, R.W. (1986): Parasites and diarrhea, strongyloides. *Dialogue on Diarrhea issue.* 27: 5.
- * Badruddin, S.H.; Islam, A.; Hendricks, K.M.; Bhutta, Z.A.; Shaikh, S.; Snyder, J.D. and Molla, A.M. (1991): Dietary risk factors associated with acute and persistent diarrhea in children in Karachi, Pakistan. *Am. J. Clin-Nutr.* Oct: 54(4): 745-9.
- * Baqui, A.H.; Black, R.E.; Sack, R.B. and Yunus, M.D. et al. (1992): Epidemiological and clinical characteristics of acute and persistent diarrhea in rural Bangladeshi children. *Acta Pediatr. Suppl.* 381: 15-21.
- * Barnes, L.A. (1979): Chronic diarrhea in children. *Postgraduate medicine.* 65: 163-168.

- * Baurdy, B.; Savarino, J.S.; Vial, P.; Kaper, J.B. and Levine, M.M. (1990): A sensitive and specific DNA probe to identify enteroaggregative E.Coli. a recently discovered diarrheal pathogen. J. Infect. Dis. Jun: 161(6): 1249-51.
- * Berkowitz, C.D. (1988): AIDS and parasitic infections. Pediatr. Clin. N. Am. 32(4): 933.
- * Bhan, M.K.; Khoshoo, V. and Chowdhury, D. (1989): Malabsorption in children with persistent diarrhea: a rapidly reversible phenomenon. J. Ped. Gastroenterol Nutr. 8(1): 134.
- * Bhan, M.K.; Raj, P.; Levine, M.M.; Kaper, J.B.; Bhandor, N.; Srivastava, R. and Sazawal, S. (1990): Enter-aggregative Escherichia coli associated with persistent diarrhea in a cohort of rural children in India. J. Infect. Dis. Jun: 159(6): 1061-74.
- * Bhutta, Z.A.; Molla, A.M.; Issani, Z.; Budriddin, S.; Henricks, K. and Snyder, J.D. (1992): Dietary management of persistent diarrhea: Comparison of a traditional rice-lentil based diet with soy formula Pediatr. 88(5): 1010-18.

- * *Bishop, R.F.; Davidson, G.P.; Holmes, I.H. and Ruck, B.J. (1985):* virus particles in epithelial cells of duodenal mucosa from children with acute nonbacterial gastroenteritis. *Lancet*. 2: 1281-3.
- * *Black, R.F.; Brown, K.H. and Becker, S. (1982):* Longitudinal studies of infectious diseases and physical growth of children in rural Bangladesh. II-Incidence of diarrhea and association with known pathogen. *Am. J. Epidemiol.* 115: 315-324.
- * *Black, R.E.; Brown, K.H. and Becker, S. (1984):* Nutritional status as a determining factor for diarrheal duration. *Am. J. of Clin. Nutr.* 37: 87.
- * *Black, R.E.; Brown, K.H. and Herman, E. (1988):* Management of prolonged diarrheal disease control programs. Department of International Health School of Hygiene and Public Health. The John's Hopkins University, Baltimore, Maryland, USA.
- * *Black, R.E.; Kennedy, H.B. and Stan Becker. (1983):* Influence of acute diarrhea on the growth parameters of children. *Acute Diarrhea: Its nutritional consequences in children* led by J.A. Bellanti. Nestle. Vevey/Raven Press, New York.

- * Blacklow, N.R. and Lubor, G. (1981): Viral Gastroenteritis
New Eng. J. Med. 304(7): 397-406.
- * Bowie, M.; Brinkman, G.L. and Hansen, J.D. (1965): Acquired disaccharide intolerance in malnutrition. J. Pediatr. (66): 1083.
- * Brown, K.H. and Black, R.E. (1988): Idiopathic prolonged diarrhea Management of prolonged diarrhea in Diarrheal Disease control programs prepared for the PRITESH project.
- * Bundy, D. (1986): Parasites and diarrhea: Trichuriasis Dialogue on Diarrhea. 27: 4. Published quarterly by AHRTAG London SE. 19 SG.
- * Camilleri, M.; Murphy, R. and Chadwick, V.S. (1982): Pharmacologic inhibition of chemodeoxycholate-induced fluid and mucus secretion and mucosal injury in rabbit colon. Dig. Dis. Sci. (27): 865-869.
- * Candy, D. (1989): Persistent diarrhea. Dialogue on Diarrhea, the international newsletter on the control of diarrheal diseases. (37): 2 June.

- * *Candy, D. Leung T S M. Marshall W C, Harries J T (1983):*
Increased adhesion of *Escherichia coli* to mucosal cells from infants with protracted diarrhea: A possible factor in pathogenesis of bacterial overgrowth and diarrhea. *Gut* 24: 538-541.

- * *Chadowick, V.S.; Carlson, G.L. and Phillips, S.F. (1979):*
Effect of molecular structure on bile acid induced alterations in absorptive function, permeability and morphology in the perfused rabbit colon. *J. Lab. Clin. Med.* (94): 661-674.

- * *Challacombe, D.; Brown, G. and Edkins, S. (1979):* Duodenal bile acids in infants with protracted diarrhea. *Arch. Dis. Child.* 54: 131-134.

- * *Chawla, L.S.; Sehgal, A.K. and Broor, S.L. (1975):* Tryptic activity in the duodenal aspirate following a standard test meal in giardiasis. *second. J. Gastroenterology.* 10: 445-447.

- * Chowdhury, M.K.; Gupta, V.M.; Bairagi, R. and Battacharya, B.N. (1990): Does malnutrition predispose to diarrhea during childhood ? Evidence from a longitudinal study in Matlab Bangladesh. International center for Diarrheal Disease Research Europ. J. Clin. Nutr. 44/7: 515-25.
- * Clifford, W.L. and Walker, W.A. (1983): Chronic protracted diarrhea of infancy: A nutritional disease. Ped. 72: 786-800.
- * Coello-Ramirez P, Lifshitz F: Enteric microflora and carbohydrate intolerance in infants with diarrhea. Pediatrics 1972: 49: 233.
- * Dahlstrom, K.A.; Danielsson, L.; Kalin, M. and Klingsport, L. (1989): Chronic non-specific diarrhea of infancy successfully treated with trimethoprim - sulfamethoxazole. Scand. J. Gastroentrol. 24(5): 589-97.
- * Davidson, G.P.; Goodwin, D. and Trevor, A. (1984): Incidence and duration of lactose malabsorption. Study in a wellnourished urban population. J. Pediatr. 105 (3): 587-89.

Davis, C P; Houston, C W; Goldblum, R.M.; Weaver, E.M. and Goldman, A.S. (1982): Immunoglobulin A and secretory Immunoglobulin A antibodies to purified tupe I *Klebsiella pneumoniae* in human colostrum. Infect. Immun. 38: 469-501.

Dialogue on Diarrhea. 37. June. 1989: Published quarterly by AHRTAG, London Bridge Street, London, SE, 19, SG.

* Donald, B. (1986): An intestinal 200 Trichuriasis Dialogue on Diarrhea issue. 27: 4.

* Donaldson, R.M. (1978): Role of endogenous enteric bacteria in intestinal function and disease. In: Handbook of Physiology, Sec. 6; Alimentary Canal. P. 2807.

* Dudding, B.A. and Choc, T. (1981): Gastrointestinal infections. Pediatric infectious diseases. Ch. 9 P. 223-245.

* Eastwood, G.L. (1977): Gastrointestinal epithelial renewal. Gastroenterology. 72, 962.

- * Edmeades, R.; Halliday, K. and Shephard, R. (1981): Infantile gastroenteritis: relationship between causes, clinical course and outcome. Med. J. Aust. 2: 29-43.
- * EL-Alamy, M.A.; Thacker, S.R.; Wright, C.E. and Zaky, A.M. (1986): The incidence of diarrheal diseases in defined population of rural Egypt. Am. J. Trop. Med. Hyg. 35 (5): 1006-1012.
- * EL-Gholmy, A.; Khalifa, A.S.; Rifaat, M.; Salam, S. and Mostafa, S. (1968): J. Trop Med. and Hyg. 71: 216.
- * EL-Mougi, M.; EL-Malky, F. and Mahmoud, A. (1988): Relation of clinical picture to aetiology in acute diarrhea in infants, submitted to Al-Azhar Medical Journal.
- * EL-Sabbagh, A.I. (1987): Therapeutic interventions for diarrhea in children and its reflection on the growth pattern. M.D. Thesis, Zagazig University, Benha Faculty of Medicine.

- * Elson, C.O.; Kagnoff, M.P. and Fiocchi, C. (1986):
Intestinal immunity and inflammation: Recent
progress. *Gastroenterology*. 91: 746.
- * Fagundes-Neto U, Toccalino H, Dujorney F : Stool bacterial
aerobic overgroth in the small intestine of
children with acute diarrhea. *Acta. Pediatr. Scand*.
1976: 65: 609.
- * Farias, P. and Duffau, G. (1989): Intestinal cryptospori-
diosis: a case of hospital infection *Rev. Child*.
Pediatr. 60 (1): 44-46.
- * Fauveau, V.; Henry, J.F.; Briend, A.; Yunus, M. and
Chakraborty, J. (1992): Persistent diarrhea as a
cause of childhood mortality in rural Banglادish.
Acta Pediatr. Suppl. 381: 12-14.
- * Fayad, I.; Maraghi, S. and AL-Badrawi, S. (1977): Disacc-
harides intolerance following gastroenteritis. M.
SC. *Pediatr. Thesis*. Cairo University.
- * Fitzgerald, J.F. and Clark, J.H. (1982): Chronic diarrhea.
Pediatr. Clin. North. Am. 29: 221-231.

- * Forfar, J.O. and Arneil, G.C. (1984): (eds.), *Text Book of Pediatrics* churchill Livingstone, Edinburgh, London Melbourne, and New York.
 - * Gabr, M. and Maraghi, S. (1978): Secondary Lactose intolerance management with soy bean lactose free formula. Secondary protien calorie malnutrition. *Gaz. Egypt. Pediatr. Assoc.* (26): 38-43.
 - * Gall, D.G. and Hamilton, J.R. (1974): Chronic diarrhea in childhood, A new book at an old problem. *Pediatr. Clin. North. Am.* 21: 1001-1017.
 - * Gendred and Richard Lenoble (1989): Diarrhea in childhood. *Annala-Nestle*, Volume 47 - Number I February.
 - * Gillon, J.; Thamery, D. and Ferguson, A. (1982): Features of small intestinal pathology (Epithelial cell kinetics, intraepithelial lymphocytes, disaccharidases) in a primary Giardia infection, *Gut.* (23): 498-506.
 - * Girdwood, R.W.A. and Peter Mckenzie. (1983): Intestinal infections. *Gastroentrology*. Ch. 8. P. 217,232.
-

- * Glass, R.I.; Stoll, B.J. and Wyatt, R.G. et al. (1986):
Observations questioning a protective role of
breast-feeding in severe rotavirus diarrhea. Acta.
Ped. Scand. 75: 713-718.
- * Godard, C.; Bustos, M.; Munos, M. and Nussle, O. (1989):
Value of chicken-based formula for refeeding of
children with protracted diarrhea and malnutrition
in a developing country J. Ped. Gastroenterol Nutr
9 (4): 473-80.
- * Goldman, A.S.; Garcia, C.; Smith, E.O.; Nilcholas, B.L. and
Goldman, R.M. (1983): Immunologic components in
human milk during weaning. Acta. Pediatric.
72: 133-134.
- * Goldman, A.S.; Thorpe, L.W.; Goldbum, R.M. and Hason, L.N.
(1986): Anti-inflammatory properties of human milk.
Acta. Pediatr. Scand. 75: 689-695.
- * Gorbach, S.L. (1971): Intestinal microflora. Gastroentr-
ology. (60): 1111 - 1129.

- * *Hassanein, P.; Tappozada, S. and EL-Sayed, H.F. (1992):*
Prospective multicenter community based study on
the burden and risk factors for persistent diarrhea
in Egypt. National Programme for the Control of
Diarrheal Disease.

- * *Hill, I.D. and Mann, S. (1983):* Duodenal microflora in
infants with acute and persistent diarrhea. *Arch.*
Disease. Child. (58): 330-334.

- * *Hirschhorn, N. (1985):* Lectures on pathophysiology of
diarrhea. ICORT 11 December, USA.

- * *Holmes, I.H.; Schnagi, R.D.; Rodger, S.M.; Ruck, B.J.;*
Gust, I.D.; Bishop, R.F. and Barnes, G.L. (1976):
Isolactase, the receptor and uncoating enzyme for
infantile enteritis rota viruses. *Lancet. 1: 1387.*

- * *Holmgren, J. and Svennerholm, A.M. (1977):* Mechanisms of
disease and immunity in cholera. *J. Infect.*
Dis. 136: 105.

- * Gordon, J.E.; Behar, M. and Scrimshaw, N.S. (1964): Acute diarrheal disease in less developed countries, 3 methods for prevention and control. Bull. Wld. Hlth. Org. 31: 21.
 - * Grady, G.E. and Keusch (1971): Pathogenesis of bacterial diarrhea. N Eng. J. Med. 285: 831-891.
 - * Gray, G.M. (1975): Carbohydrate digestion and absorption. Role of small intestine. N. Eng. J. Med. 292: 1225.
 - * Greene, H.L. (1981): Nutritional support of the sick infants Ann. Pediatr. (10): 455-456.
 - * Haffejee, I.E. and Moosa, A. (1990): Rotavirus studies in Indian infants with acute gastroenteritis, Microbiological and epidemiological aspects. Ann. Trop. Pediatr. 10 (2): 165-72.
 - * Halliday, K.; Edmeader, K. and Sheperd, R. (1982): Persistent postenteritis diarrhea in childhood. Med. J. Aust. 8: 18-20.
 - * Hassanein, F. (1984): Diarrhea can be prevented with a few basic interventions. D.C.N.L. 2: 12-13.
-

- * *Jeffrey, R. and Harris, I. (1982): High-molecular weight plasmid correlates with E.Coli. enterinvasiveness. Infec. Immun. 37 (3): 1295-1298.*
- * *Jerrold, A. (1985): Giardiasis. Paediatr. Clin. North. Am. 32 (4): 865-876.*
- * *Jonas, A.; Arigao, S. and Diver, H. (1979): Disturbed fat absorption following infectious gastroenteritis in children. J. Paediatr. (95): 366-372.*
- * *Kapikian, A. Kin, H. and Wyatt, R. (1981): Human rotavirus like agent as the major pathogen associated with winter gastroenteritis in hospitalized infants and young children. N. Eng. J. Med. 294: 965-72.*
- * *Kaster, F.T.; Palmer, D.L.; Chakraborty, J.; Jackson, T. and Curlin, G. (1987): Cellular immune competence and diarrheal morbidity in malnourished Bangladeshi children, a prospective field study. Am. J. Clin. Nutr. 45: 115-120.*
- * *Kemp, A.S.; Cripps, A.W. and Brown, S. (1980): Suppression of leucocyte, chemokinesis and chemotaxis by human IgA. Clin. Exp. Immunol. 40: 388-395.*

- * Levine, M.M.; Nalin, O.R. and Hornick R.B. (1978): E.Coli strains that cause diarrhea but don't produce heat-labile or heat-stable enterotoxin and are non-invasive. Lancet. (1): 1119.
- * Lifshitz, F.; Coello-Ramirez, P. and Cornado, M. (1971): Carbohydrate intolerance in infants with diarrhea. J. Pediatr. (79): 760.
- * Lifshitz, F. (1983): Childhood diarrhea in pediatric Gastroenterology. Mervin Silverberg (ed.) Medical Examination publishing, Co. Inc. New York. P. 286-301.
- * Lifshitz, F. and Fagundes Neto, U. (1983): The malabsorption syndrome, in pediatric Gastroenterology. Mervin Silverberg (ed.) Medical Examination Publishing Co. Inc. New York. P. 307-339.
- * Lifshitz, C.H.; Pautista, A.; Gopalakrishne, G.S.; Stuff, J. and Garza, C. (1988): Absorption and tolerance of lactose in infants recovering from severe diarrhea. J. Pediatr. Gastroent. & Nutr. 4(6): 942-948.

- * Lifshitz, C.H.; Pautista, A.; Stuff, J. and Garza, C. (1985): Absorption and tolerance of lactose in infants recovering from severe diarrhea. J.Pediatr. Gastroenterology. Nutr. 4 (6): 942-948.
- * Lifshitz, F.; Neto, F.U.; Ferriera, V.C.; Cordano, A. and Ribiero, H. (1990): The response to dietary treatment of patients with chronic post-infectious diarrhea and lactose intolerance. J. Am. Coll. Nutr. 9 (3): 231-40.
- * Lima, A.A.; Fang, G.; Schorling, J.B. and Albuquerque et al. (1992): Persistent diarrhea in northeast Brazil: etiologies and interactions with malnutrition. Acta. Pediatr. Suppl. 381: 39-44.
- * Lyngkaran N, Robinson NJ, Sumithran E. Lam SK, Putchucheary SD, Yadav M.: Cow's milk protein-sensitive enteropathy. An important factor in prolonging diarrhoea in acute infective enteritis in early infancy. Arch. Dis. Child. 1978: 53: 150.
- * MacFarlane, D.E. and Bryce, H.J. (1987): Cryptosporidiosis in well-nourished and malnourished children. Acta Pediatr. Scand. 76 (3): 474-7.

- * Mansy, C.E.; Banoub, S. and Eid, E. (1983): Nutritional status of infants with mild diarrhea. Gaz. Egypt. Ped. Assoc. 3. No. 1, 2.
- * Manuel, P.; Deirdre, J. and Jhon, A. (1984): Transient monosaccharide intolerance in infants with protracted diarrhea. J. Pediatr. Gastroenterology. Nut. (3): 41-45.
- * Masoud, B. (1983): Rotavirus diarrhea the Gazz. Egypt. Ped. Assoc. 31: 1-2.
- * Mata, L.J. (ed.). (1978): The children of santa Maria, Cauque. A prospective field study of health and growth. Cambridge M.A.M.T.T. Press.
- * Mata, L. (1982): Breast feeding, neonatal diseases and malnutrition in less developed countries. In: Pediatric Nutrition. Lifshitz, F. (ed.). Marcel Dekker. Inc. New York. P. 355-372.
- * Mata, L. (1986): Parasites and diarrhea: Cryptosporidiosis Dialogue on Diarrhea. Issue. 27: 4.

- * Mata. L.J.; Kromal. R.A.; Unutia. J.J. and Garcia. B. (1977): Effect of infection on food intake and the nutritional state: Prespectives as viewed from the village. Am. J. Clin. Nutr. 30: 1216-1227.
- * Maung. K.U.; Wai. N.N. and Khin. M. et al. (1985): Effect on clinical outcome of breast-feeding during acute diarrhea BMJ. 290, 23 Feb. 251-64.
- * McLaren. D.S. (1972): Classification of nutritional status in early childhood. Lancet. 7769: 2. P. 145.
- * Milla. P.J. (1988): Protracted diarrhea. In Milla. P.J. Muller. DP (eds) Harries' Pediatric. Gastroenterology 2nd edition. London Churchill Livingstone.
- * Moon. H.W. and Nagy. B. (1977): Intestinal colonization and adhesion by enterotoxigenic E.Coli: Ultrastructural observation on adherence to ileal epithelium of the pig. Journal of Infectious Diseases. (136): 124-129.
- * Morage. C. (1985): Notes on medical virology, infantile gastroenteritis ELBS. 3rd edition.

- * *Morrow. A.L.; Reves. R.R.; West. S. and Guerrero. M.L. et al. (1992): Protection against infection with Giardia lamblia by breast feeding in a cohort of Mexician infants. J. Ped. 121 (3): 364-70.*
- * *Motala. C.; Hill. I.D.; Mann, M.D. and Bowie. M.D. (1990): Effect of loperamide on stool output and duration of acute infection diarrhea in infants. J. Pediatr. 117 (3): 467 - 71.*
- * *Munir, M. (1982): Protracted diarrhea in infants and young children. A clinical evaluation with special reference to the role of infection. Pediatric Indonesiana. (22): 89-98.*
- * *Mutanda. L.N.; Patel. A.; Masudi. A.M. and Maina. G. (1990): Aetiology of diarrhea in preterm neonates at Kenyatta National Hospital Nursery. East. Afr. Med. J. 67 (4): 223-230.*
- * *Nasser. S.; Nassar. N.; Riyad. S.; Nagaty. Nasser. N. and Hirschhorn. N. (1988): The clinical epidemiology of acute diarrheal diseases in Egyptian children. Pediatr. 34: 150-157.*

- * *Nath, S.; Sehgal, A.K. and Chawla, L. (1974): Histopathological appearance of duodenum in giardiasis. Indian. J. Med. Res. (62): 719-725.*
- * *Navin, T.R. and Juranek, D.D. (1984): Cryptosporidiosis: Clinical, epidemiologic and parasitologic review. Rev. Infect. Dis. 6: 313.*
- * *Nelson, W.E. (ed). (1983): Nelson textbook of pediatrics 12th edition, W.B. Saunders Company. Philadelphia.*
- * *Nichols, V.N.; Fraley, J.K.; Evans, K.D. and Nichols, B.L. (1989): Acquired monosaccharide intolerance in infants J. Pediatr. Gastroenterol-Nutr. Jan. 8(1): P. 51-7.*
- * *Nicolau, S. and Feldioreanu, E. (1989): The current problem of persistent diarrhea in children. Rev. Pediatr. Obstet. Ginecol. [Pediatr.] Oct-Dec. 38 (4): 345-60.*

- * *Norlander, E.; Phuphaisan, S. and Bodhidatta, L. et al.*
(1990): Microscopic examination of stools and a latex slide agglutination test for the rapid identification of bacterial enteric infections in khmer children *Tha. Diagn. Microbiol. Infect. Dis.* 13 (3): 273-76.
- * *Ostrander, C.R.; Cohen, R.S.; Hopper, A.O. et al. (1983):*
Breath hydrogen analysis. A-review of the Methodologies and Clinical application. *J. Pediatr. Gastroenterol. Nutr.* 2: 525 - 533.
- * *Pacey, A. (1987):* Hygiene and illiteracy. *Waterlines* I. P. 26.
- * *Palmer, D.L.; Koster, F.T.; Alan, A.K. and Islam, M.R.*
(1986): Nutritional status. A determination of severity of diarrhea in patients with cholera. *J. Infect. Dis.* 134 (1): 8-14.
- * *Penny, M.E.; Harendra, D.G. and McNeish, A.S. (1986):*
Bacterial contamination of the small intestine of infants with enteropathogenic E.coli and other enteric infections: a factor in the etiology of persistent diarrhea ?
BMJ. 292(6530): 1223-6.

- * *Persistent diarrhoea in children in developing countries: report of a WHO meeting. World Health Organization. Diarrhoeal Diseases Control Programme. WHO/CDD/88.27, 1988.*
- * *Penny, M.E. and Brown, K.H. (1989): Clinical and Nutritional consequences of lactose feeding during persistent postenteritis diarrhea. Ped. 84 (5): 835-44.*
- * *Peter McIntyre, Peter, F.L.; Boreham, Rex, E.; Phillips and Ross, W. Shepherd. (1986): Chemotherapy in giardiasis: Clinical responses and in vitro drug sensitivity of human isolates in axenic culture. J. Pediatr. 108: 1005-1010.*
- * *Plotkin, G.R.; Kluge, R.M. and Waldman, R.H. (1979): Gastroenteritis; pathology, physiology and clinical manifestations Medicine. 58: 95.*
- * *Poley, J.R. (1983): Chronic nonspecific diarrhea in children: Investigation of the surface morphology of small bowel mucosa utilizing the scanning electron microscope. J. Pediatr. Gastroenterol Nutr. 2: 71.*

- * Price, A.B. (1979): Acute diarrhea: Campylobacter colitis and the role of rectal biopsy. J.Clin.Path.(32):990.
- * Radford, A. (1986): Parasites and diarrhea An intestinal Zoo Dialogue on Diarrhea issue. 27: 3.
- * Robinson, D.A. and Jones, D.M. (1981): Occupational exposure to campylobacter Jejuni infection Lancet. 1: 440-441.
- * Rodriguez, H.; Lugo, C. and Torres, R. (1970): Studies on infant diarrhea. Sugar absorption in small intestine after feeding. Gastroenterology. (59): 369.
- * Rothbaum, R.; McAdam, J.; Gianella, R. and Partin, J.C. (1982): A clinicopathologic study of enterocyte. adherent. E.Coli: A cause of protracted diarrhea in infants. Gastroenterology. 83: 441: 54.
- * Rotimi, V.O. (1981): The development of the bacterial flora in normal neonates. Journal of Medical Microbiology. (14): 51-62.

- * Roy, S.K.; Alam, A.N.; Najid, N.; Khan, A.M.; Hamadani, J. and Shome, G.P. (1989): Persistent diarrhea: a preliminary report on clinical features and dietary management in Bangladeshi children. *J. Trop. Pediatr.* 35 (2): 55-9.
- * Roy, S.K. and Haider, R. (1989): Appropriate dietary management of persistent diarrhea. *Dialogue on Diarrhea issue.* 37: 4-6.
- * Roy, S.K.; Haider, R.; Akbar, M.S.; Alam, A.N.; Khatun, M. and Eckels, R. (1990): Persistent diarrhea: Clinical efficacy and nutrient absorption with a rice based diet. *Archives of Dis. in Child.* 65: 291-297.
- * Ruiz-Palacios, G.M.; Calva, J.J. and Pickering, L.K. et al. (1990): Protection of breast-fed infants against campylobacter diarrhea by antibodies in human milk. *Pediatr.* 116: 707-13.
- * Sachdev, H.P.; Mittal, N.K. and Yadav, H.S. (1990): Oral zinc supplementation in persistent diarrhea in infants. *Ann. Trop. Pediatr.* 10(1): 63-9.

- * Saha, T.K. and Ghosh, T.K. (1977): Invasion of intestinal mucosa by giardia lamblia in man. Gastroenterology. (72): 402-405.
- * Salata, P.A. and Aucott, J.N. (1992): Infectious diseases: Parasitic infections. In : Behrman, R.E.; Kliegman, R.M.; Nelson, W.E.
- * Sallam, S.A.; Hassan, M.N.; Hasab, A.A.; Abdel Gawad, A. and EL-Ator, A. (1983): Epidemiology of diarrheal disease. The Gazz. Egypt. Ped. Assoc. 31(1,2):7-12.
- * Sansonetti, P. and Kopeck, J. (1982): Involvement of a plasmid in the invasive ability of shigella flexneri. Infect. Immun. (35): 852-860.
- * Savilahti, E.K.; Launiala and P. Kuitunen. (1983): Congenital Lactase Deficiency. Arch.Dis.Child. 58: 270 - 252 April.
- * Shahid, N.; Sack, D.; Rahman, M.; Alam, A. and Rahman, N. (1988): Risk factors of persistent diarrhea. Br. Med. J. 297: 1036 - 8.

- * Shaltout, A.A.; Khuffash, F.A.; Hilal, A.A. and Ghanem, M.
(1989): Pattern of protracted diarrhea among
children in Kuwait. Ann. Trop. Pediatr. Mar. 9(1)
P. 30-2.
- * Shepherd, R.T. and Petrie, A. (1979): A guide to parenteral
and enteral nutrition in pediatric patient. Rankin
group press.
- * Shulman, R.T.; Lifshitz, C.H.; Langston, C.; Gopalakrishna
G.S. and Nichols, B.L. (1989): Human milk and the
rate of small intestinal mucosal recovery in
protracted diarrhea. J.Pediatr.Feb.114(2):P. 218-24.
- * Silverberg, M. (ed). (1983): Pediatric gastroenterology
mediacal Examination publishing Co. Inc. New York.
- * Simon, G.L. and Gorbach, S.L. (1984): Intestinal flora in
health and disease. Gastroenterology. (86):174-193.
- * Smith, J.W. (1984): Postenteritis syndrome. In: Smith
(ed): Diseases of the small intestine in childhood
3rd ed. Butterworths, London. P. 267.

- * *Snyder, J.D. (1992): Dietary prtein sensitivity: is it an important risk factor for persistent diarrhea ??.*
Acta Pediatr. Suppl. 381: 78-81.
- * *Snyder, J.D. and Merson, M.H. (1982): The magnitude of the global problem of acute diarrheal disease. A review of active surveillance data. Bull. WHO. 60:605-613.*
- * *Soave, R. (1987): Cryptosporidiosis. In: Rudolph, A.M. & Hoffman-Julien, I.E. (eds): Pediatrics. 18th ed., Intern. ED. Appleton & Lange/Norwalk, Connecticut. P. 689.*
- * *Steinhoff, M.C. and Rochester, N.V. (1980): Rotavirus: The first five years. J. Ped. 4 (96): 611-622.*
- * *Stern, M. (1989): Secondary carbohydrate and protein intolerances following gastroenteritis. Med. Priority. J. 137(9): 585 - 9.*
- * *Stintzing, G. and Mollby, R. (1982): Colonization of the upper jejunum by enteropathogenic and enterotoxigenic E.coli in pediatric diarrhea. Acta. Ped. Scand. 71: 457 - 465.*

- * Sullivan. P.B.; Lunn. P.G.; Northrop-Clewes. C.; Crowe. P.T.; Marsh. M.N. and Neale. G. (1992): Persistent diarrhea and malnutrition the impact of treatment on small bowel structure and permeability. J. Pediatr-Gastroentrol-Nutr. Feb. 14 (2): 208-15.
- * Sunshine. P. and Kretchman. N. (1964): Studies of small intestine during development. Infantile diarrhea associated with intolerance to disaccharides. Pediatr. (34): 38-50.
- * Targan. S.R.; Kagnoff. M.F. and Brogan. M.D. (1987): Immunologic mechanisms in intestinal diseases. Ann. Intern. Med. 106: 853.
- * Ulshen. M.H. and Rollo. J.L. (1980): Pathogenesis of E.Coli gastroenteritis in man: Another mechanism. N. Eng. J. Med. 302: 99.
- * UNICEF. (1990): United Nations Children's Fund. The State of the World's Children. Causes of infants and children deaths in the world. Oxford University Press.

- * *Unsworth. J.; Hutchins. P. and Mitchell. J. et al. (1982):*
Flat small intestinal mucosa and autoantibodies
against the gut epithelium. *J. Pediatr. Gastro-
enterol Nutr.* 4: 503 - 13.
- * *Veerhuis. R. and Kijlstra. A. (1982):* Inhibition of
hemolytic component activity by lactoferrin in
tears. *Exp. Eye. Res.* 34: 257-265.
- * *Veronique. A.; Pelletier. N. and Galeano. P. et al.*
(1986): Secretory diarrhea with protein-losing
enteropathy, enterocolitis cystica supaficialis,
intestinal lymphangiectasia and congenital hepatic
fibrosis. A new syndrome. *J. Pediatr.* 107: 61-65.
- * *Victoria. C.G.; Smith. P.G. and Vaughan. J.P. et al.*
(1989): Infant feeding and deaths due to diarrhea.
Am. J. Epidemiol. 129: 1032-41.
- * *Walker-Smith. J.A. (1982):* Cow's milk intolerance as a
cause of postenteritis diarrhea. *J. Pediatr. Gastr-
oenterol Nutr.* 1: 163.

- * Walker-Smith, J.A.; Nazer, N.; Manuel, P. et al. (1984):
Protein intolerance as a cause of postenteritis
diarrhea. In: Lebenthal, E. ed. Chronic diarrhea in
children. New York: Raven Press. 407-23.
- * Weissmann, G.; Smolen, J.E. and Korchak, H.M. (1980):
Release of inflammatory mediators from stimulated
neutrophils. N. Engl. J. Med. 303: 27-34.
- * WHO. (1987a): Cryptosporidiosis. Diarrheal Disease Control
Program. CCD. /87, 3: 1.
- * WHO. (1987): Persistent diarrhea in developing countries.
Report of WHO Meeting, December. WHO / CDD / 88-27.
- * World Health Organization (WHO), (1988): Persistent
diarrhea in developing countries. Report of a WHO
meeting DDCP. Geneva (CDD 27).