

REFERENCES

- Anjr A. and Gould W.J. (1977) :**
Laryngeal and nasal frigid indirect telescope : Annotol.
Rhinol. Laryngol. 88 : 627.
- Aronson A.E. (1985) :**
Clinical voice disorders.
2nd Ed. New York, Thieme.
- Baldissera F. (1989) :**
Re-innervation of the cricoarytenoid muscle by one single
branch of phrenic nerve.
Otolaryngol. 99 -12.
- Ballenger J.J. ed. (1984) :**
Diseases of the nose, ear and throat.
Thirteenth Edition, Philadelphia, Lee and Febiger.
- Basamjian J.V. (1971) :**
Grant's method of anatomy of anatomy 8th edition : anatomy of
the recurrent laryngeal nerve Page 591-603.
- Bell G.H.; Smith E.D. and Paterson C.R. (1980) :**
Text Book of Physiology (10th edition, the English Language
Society and Chirchil Living Stone, Chapter 20, Neuron and
Synapse) p. 314.
- Ben-Shlomo I.; Zohar S.; Turni H. and Cosacove S. (1990) :**
Sudden dysphonia due to parathyroid opoplexy. A rare case of
recurrent laryngeal palsy.
Head-Neck, 12 : 333-6.
- Bergamaschi R.I.; Becourn G.; Ronceray J. and Arnaud J.P. (1998):**
Morbidity of thyroid surgery.
Am. J. Surg. 176 : 1, 71-5.
- Blaugrund S.M. (1991) :**
Laryngeal framwork surgery, in phonosurgery assessment and
surgical management of voice disorders edited by ford CN and
Bless DM. Raven Press Ltd. New York, Chapter 10, p. 192-
193.

- Cady B. and Rossi L. (1991) :**
Surgery of thyroid and parathyroid gland.
3rd Edition by W.B. Sanders Company, p. 18-22.
- Campbell P.R.; Serpell J.W. and Yaung A.E. (1991) :**
Non recurrent laryngeal nerves. The role of digital subtraction angiography to identify subjects.
AUS. N.Z. J. Surg. 61 : 358-9.
- Cavallaro G.; Toranto G.; Chiofalo M.G. and Covallaro E. (1998) :**
Usefulness of microsurgery to isolation of recurrent laryngeal nerve and parathyroid during thyroidectomy.
Microsurgery, 18 : 8 : 460-1.
- Clark O.H. and Duh Q.Y. (1997) :**
Text Book of endocrine surgery 1st Ed. P. 178-170.
W.B. Sanders Company, Philadelphia.
- Cohen J.H.; Sataloff R.T. (1992) :**
Air way reactivity induced asthma in singer.
J. Voices 4 : 332-337.
- Crumly R.L. (1983) :**
Phrenic nerve graft for bilateral vocal cord paralysis
laryngoscope 93 : 425.
- Crumley R.L. (1988) :**
Anasa cervicalis to RLN anastomosis in unilateral paralysis
laryngoscope, 101 : 384-7.
- Crumley R.L. (2000) :**
Laryngeal synkinesis revisited.
Ann Otol Rhinol Laryngol, Apr, 109 : 4, 365- 71.
- Cumming C.W.; Fredrickson and Others (1998) :**
Otolaryngology head and neck surgery 3rd Edition.
Mosby, p. 2084.
- Cummings C.W.; Sessions D.G.; Weymuller E.A. and Wood P. (1984) :**
Atlas of laryngeal surgery.
Mosby, St. Louis, 89-90.
- David W. and Eisele M.D. (1996) :**
Intra-operative electrophysiologic monitoring of the recurrent laryngeal nerve.
Laryngoscope, 106 : 443-449.

Davis P.J. and Nail B.S. (1987) :

Quantitative analysis of laryngeal mechanosensitivity in the cat and rabbit.
J. Physiol. 388 : 467-485.

Dedo H. (1970) :

The paralysed larynx : electromyographic study in dogs and human.
Laryngoscope; 80 : 239-44.

Dedo H.; Urrea R.D. and Lawson L. (1975) :

Intracordal injection of Teflon in treatment of 135 patients with dysphonia.
An Otol-Rhinol. Laryngol. 82 : 661-7.

Dedo H. (1990) :

Surgery of the larynx and trachea illustrated by Cristine Gralappi Philadelphia Toronto, 1-12.

Delbridge L.; Reeve T.S.; Khadra M.; and Poole A.G. (1992) :

Total thyroidectomy : the technique of capsular dissection.
Aust. N. z. J. Surg. 62 : 2, 96-9.

Dennis D.P. and Kashima H.K. (1989) :

Carbon dioxide-laser posterior cordectomy for treatment of bilateral vocal cord paralysis.
Ann. Otol. Rhinol. Laryngol. 98 : 930.

Dodds M. (1989) :

Re-innervation of the posterior cricoarytenoid muscle by using posterior laryngeal nerve.
Otolaryngol. 99-12.

Duncavage J.; Aly A.L.; Holter S. and Sataloff R.T. (1991) :

Laser surgery of the larynx in phonosurgery : assessment and surgical management edited by Ford C.N and Bless D.M. Raven Press Ltd. New York, p. 180.

Eckel F. (1991) :

Laser surgical micro-laryngeoscopic glottic dilatation in bilateral vocal cord paralysis in adduction.
Laryngo. Rhino. Otologie, 70 : 17-20.

Eisele D.W. (1996) :

Intraoperative electrophysiologic monitoring of the recurrent laryngeal nerve.
Laryngoscope 106 : 343-449.

Fan G.; Frazier M. and Mosser W.P. (1989) :

Injury of the recurrent laryngeal nerve in cardiac operation.
Surg. Gynco. Obstet. 43 : 134-139.

Fata I.I. (1987) :

Histochemical study of posterior. Cricoarytenoid muscle re-
innervation by nerve muscle pedicle in cat.
An Otol. Rhinol. Laryngol. 96 : 479-487.

Fink B. (1974) :

Folding mechanism of the human larynx.
Acta. Otolaryngol. 78 : 124-128.

Flak S.A. (1990) :

The management of hyperthyroidism : a surgeon's perspective.
Otolaryngol. Clin. North Am., 23 : 3, 361-80.

Flint P.W. and Cumming C.W. (1998) :

Phonosurgical procedure chapter 110 in otolaryngology. Head
& Neck Surgery 3rd Edition. V. 3 Edited by Cumming, C.W.
and others.
Mosby, p. 2086.

Ford N.C. and Bless D.M. (1991) :

Phonosurgery assessment and surgical management of voice
disorders by Raven Press Made in U.S.A., 40, 45-47.

Freije J.; Malmgren L.T. and Gacek R.R. (1980) :

Motorendplate distribution in the human lateral cricoarytenoid
muscle.
Arch. Otol.; 112 : 175-176.

Gambino D.R.; Malmgren L.T. and Gaceker R. (1985) :

Three dimensional reconstruction of the neuromuscular
junction distribution in human posterior cricoarytenoid muscle.
Laryngoscope, 95 : 550-560.

Garrett J.D. and Larson C.R. (1991) :

Neurology of the laryngeal system from phonosurgery assessment and surgical management of voice disorders edited by Ford N.c. Chapter 4, p. 44 by Raven Press, New York.

Gonzales H.J.; Govilan J.; Vidal J.M. et al. (1991) :

Complications following thyroid surgery.
Arch. Otolaryngol. Head and Neck Surgery, 117 : 516-518.

Gould W.J. (1990) :

Why is there need for this conference in Cooper J.A. Ed.
Assessment of speech and voice production, research and clinical application? NIDCD monographs Bethesda, p. 1-4.

Haghighi F.; Titzei R. and Durham P. (1987) :

Twitch response in canine vocalis muscle.
J. Speech Hear. Res., 30 : 290-294.

Hermes G.; Grillo M.D. and Douglas J. (1997) :

Tracheostomy and its complications in text book of surgery.
The biological Basis of modern surgical practice by David C.
and Kim Lyerly, p. 181-5.

Hemenway W.G. (1994) :

The management of severe obstruction of the upper airway.
Surg. Clinic North Am. 41-201 Quoted from Simmon Brenner.
Emergency Procedure and Technique 3rd Edition, p. 76-79.

Hermann M. (1988) :

Risk factors in recurrent laryngeal nerve paralysis.
Chir. Surg. P. 182-7.

Hiader A. and Amine M.N. (1997) :

Follow-up study of thyroidectomy.
Bangladesh Med. Res. Cune Bull. 23 : 2 : 51-5.

Hirano M.; Yoshida T.; Kurita S. and Others (1987) :

Anatomy and behavior of the vocal process : In laryngeal function in phonation and respiration by Baert, Sasaki, C.
Horricks Ed. Boston Little Brawn, p. 3-13.

- Hobbiger H.E.; Allen J.G.; Greated R.G.; and Denny N.M. (1996):**
The laryngeal mask air way for thyroid and parathyroid surgery.
Anesthesia . 51 : 1, 972-4.
- Holinger L.D.; Holinger P.H. and Holinger P.C. (1976) :**
Etiology of bilateral abductor vocal cord paralysis : a revision of 389 cases.
Ann Otol. Rhinol. Laryngol. 85 : 428, 336.
- Isshiki N.; Taira T.; Kojima H. et al. (1989) :**
Recent modification in thyroplasty type I.
Ann. Otol. Rhinol. Laryngol. 98 : 777-779.
- J'ri J.; Rov, L. and Czigner J. (1998) :**
Vocal cord lateralization as early treatment for acut bilateral abductor paralysis after thyroid surgery from Eur. Arch. Oto. Rhino. Laryngol. 255-7:375-8.
- Karnell M.P. (1991) :**
Adjunctive measures for optimal phonosurgical results : the role of voice therapy from phonosurgery assessment and surgical management of voice disorders edited by Ford, C.N. and Bless, D.M. p. 213.
- Kasensuwan L. and Nubthuenetr S. (1997) :**
Recurrent laryngeal nerve paralysis : a complication of thyroidectomy.
J. Otoloryngol. 26 : 6, 365-7.
- Keen G. (1987) :**
Operative surgery and management 2nd edition, p. 330, Printed in Great Britain The Bath Press Avon.
- Kirchner F. (1979) :**
Endoscopic lateralization of the vocal cord in abductor paralysis of the larynx : laryngoscope, 89 : 1179.
- Kratz R.C. (1972) :**
The identification and protection of the laryngeal motor nerves during thyroid and laryngeal surgery. A new microsurgical technique.
Laryngoscope 82 : 59-78.

Korovin G.S. (1995) :

Introduction of the laboratory diagnosis of vocal disorders, p. 252-295.

Koufman J.A. ; Walker F.O. and Johorji G.M. (1995) :

The cricothyroid muscle does not affect the vocal cord position in laryngeal paralysis : Laryngoscope, 105 : 4, p. 1, 368-72.

Laubert A. (1988) : Acute bilateral recurrent laryngeal nerve paralysis symptoms of shy drager syndrome.

MNO 36 : 290-2.

Lawy R.B. (1976) :

Experience with vocal cord injection.

Ann. Otol. Rhinol. 85 : 440-450.

Lazoritz S.; Saunders B.S. and Bason W.M. (1979) :

Management of acute epiglottitis.

Crit. Care Med. 7 : 285.

Lee (1995) :

Essential otolaryngology (head and neck surgery) sixth edition.

Appletom and Long, Norwalk, Connecticut, p. 762, 65, 795.

Lekacos N.L.; Tzardis P.J.; Sfikakis P.G.; Pataulis S.D. and Restoss D. (1992) :

Course of the recurrent laryngeal nerve relative to the inferior thyroid artery and the suspensory ligament of Berry.

Int. Surg. 77 : 4, 287-8.

Lennquist S.; Cathline C. and Sends S. (1989) :

The superior laryngeal nerve in thyroid surgery.

Surg. 109 : 909-101.

Leow C.R. and Webb A.J. (1998) :

The lateral thyroid ligament of berry.

Int. Surg. 83-1, 75-8.

Lore J.M. (1980) :

Surgery of the thyroid gland.

Otoloryngol. Clin. North America, 13 : 69-83.

Malmgren L.T. and Gacekz R. (1992) :

Peripheral motor innervation of the larynx : Neurologic Disorders of the larynx by Blitzner, A. et al. in, New York Thieme Medical, p. 36-43.

Mathew O.P.; Sant'Ambrogio G.; Fisher J.T. and Sant'Ambrogio B. (1984) :

Laryngeal pressure receptors.
Resp. Physiol. 57 : 113-122.

McKelvie P. (1990) :

Surgery of the laryngeal paralysis. Rob and Smith's operative surgery. Nose and throat, Fourth Edition Edited by Ballantyne, J.C. and Harrison, D.F.N.; Butterworthes, p. 349-352.

Mc-Minn R.M.H. (1994) :

Last's anatomy regional and applied ninth edition copyright Churchill Livingstone, p. 496-499.

Mermelstein M.; Nonweiler R. and Rubinstein E.H. (1996) :

Intraoperative identification of the laryngeal nerves with laryngeal electromyography.
Laryngoscope, 106 : 61, 752-6.

Michael R. and Kathy A. (1995) :

Evaluation of the total near total thyroidectomy in a short stay hospitalization safe and cost effective surgery, 18 : 943-8.

Michael S. and Craige (1995) :

Functional neurophysiology and vocal cord paralysis in diagnosis and treatment of voice disorders Chapter 7, p. 105
Copyright by Igaku, Shoin, New York.

Miguleis A. (1989) :

Galen's anastomosis in anatomic study in man.
Laryngol Otol. Rhinol. 110 : 423-5.

Miotov F.; Dinove R.; Qutchikov P.; Meuchove I.; Mouriev K. and Todorov A. (1999) :

Comparative analysis of the postoperative complication of thyroid cancer surgery related to surgical approaches.
Folia Med. Plovdiv 41, 3134-9.

- Moore L.K. and Persaud T.V. (1998) :**
The developing human, clinically Oriented Embryology 6th
Edition p. 217, 219, 387, 380, 435, W.B. Saunders Company.
- Murthy G.E. and Smith M.C. (1989) :**
Recurrent laryngeal nerve paralysis.
Laryngol. Otol. 103 : 698-9.
- Nielsen T.R.; Andresen U.K.; Brawn C.L. et al. (1998) :**
Microsurgical techniques in thyroid surgery a 10 year
experience.
J. Laryngol. Otol. 112 : 6, 550-60.
- Nippon M. (1990) :**
Response of the laryngeal muscle to vibration stimuli of the
laryngeal mucosa. 102 : 384-7.
- Poppolorado G.; Guadalaxara A.; Frattalaroli M. et al. (1998) :**
Total compared with subtotal thyroidectomy in benign nodular
diseases : personal series and review of published reports.
Eur. J. Surg. 164 : 7, 501-506.
- Reeve T.S.; Curtin A.; Fingleton L. et al. (1994) :**
Can total thyroidectomy be performed safely by general
surgeon in provincial centers as by surgeon in specialized
endocrine surgical unit.
Arch. Surg. 129-8, 34-6.
- Reker V. and Rudert H. (1998) :**
Modified posterior Dennis and Kashima cordectomy in the
treatment of bilateral recurrent nerve paralysis.
Laryngo. Rhino. Otologie, 77 (4) 213-8.
- Rice D. (1982) :**
Laryngeal re-nerivation : laryngoscope, 92 : 1049-59.
- Richard M.D. and Wheeler P.R. (1989) :**
The laryngeal nerves : current surgical practice, 518, 757-251.
- Ripice F. and Rucci L. (1990) :**
Fiber size in right and left recurrent laryngeal nerves.
Arch. Anat. Embrio, 95 : 229-230.

- Robert R. and Barry E. (1999) :**
Emergency procedure and technique 3rd Edition in Simmon and Brenner, p. 178-79.
- Rodriguez J.M.; Hernandez Q.; Piero A. and Others (1999) :**
Substernal goiter : clinical experience of 72 cases.
Ann. Otol. Rhinol. Laryngol. 108 : 5, 501-4.
- Roher H.D.; Goretzki P.E.; Hellmann P. and Witte J. (1999) :**
Complications in thyroid surgery : incidence and therapy : Chir. Surg. 70 (9) : 999-1010.
- Ross H.M.; Romerell L.J. and Kaye G.I. (1995) :**
Histology, A text Book and Atlas third edition, William and Walkine, p. 283-284.
- Rovo L.; Jari J. and Brozozka M. (2000) :**
Airway complications after thyroid surgery : minimally invasive management of bilateral recurrent nerve injury : laryngoscope, 1104, 140-4.
- Rubin J.S.; Sataloff R.T.; Korovin G.S. and Gauld W.J. (1995) :**
Diagnosis and treatment of voice disorders page 249, 252, 253, by Igaku, Shoin, New York.
- Runkel N.; Riede E.; Mon B. and Buhr H.J. (1998) :**
Surgical training and vocal cord paralysis in benign thyroid disease : Longen book Arch. Surg. 383, 240-2.
- Saffermann R. (1981) :**
Management of laryngoetracheal truma.
Am. J. Surg.; 141 : 412.
- Salama A.B. and Mc-Grath P. (1992) :**
Recurrent laryngeal nerve and the posterior facial attachment.
AUS. N. Z. J. Surg.; 6 : 444-9.
- Sasaki C.T. and Isaacosom G. (1988) :**
Dyamic anatomy of the larynx.
Probl. Anaesthesia 2 : 163-174.

- Sasaki C.T.; Fuduka H. and Kirchner J.A. (1973) :**
Laryngeal abductor activity in response to varying ventilatory resistance.
Ann. Acad. Ophthalmol. Otolaryngol. 77 : 403-410.
- Satoloff R.T. (1987) :**
Professional voice part II physical examination.
J. Voice (2), 191-201.
- Satoloff R.T. (1991) :**
Professional voice user is the science and art of clinical care.
New York, Reven.
- Satoloff R.T.; Joseph R. and Morg J. (1995) :** History and physical examination for patient with voice disorders chapter 17 in diagnosis and treatment of voice disorders copyright by Igaku-Shoin, New York, 247-253.
- Shah A.R. and Jaffe B.M. (1994) :**
Practical management of post thyroidectomy hematoma.
J. Surg. Oncol. 157 : 4, 257-8.
- Shin T. and Rubuzzi D.D. (1977) :**
Conduction studies on the canine recurrent laryngeal nerve.
Laryngoscope, 8 : 580-596.
- Sturniolo G.; Dalia C.; Tonate A; Gangliano E. et al. (1999) :**
The recurrent laryngeal nerve related to thyroid surgery in
Am. J. Surg. 177 : 485-8.
- Texido M.T. and Leonetti J.P. (1990) :**
Recurrent laryngeal nerve paralysis associated with thoracic aorta aneurysm otolaryngol. Head and Neck Surg. 102 : 140-4.
- Thermann M.; Kamp M.; Elies W. and Horst T. (1998) :**
Recurrent laryngeal nerve paralysis after thyroid gland operations etiology and consequences from Chir. Surg. 69 (9) 95, 6.
- Tucker H.M. (1979) :**
Management of the patient with incompetent larynx.
Am. J. Otol. 1 : 47.