

REFERENCES

REFERENCES

Aarons, B.J, and Kune, G.A. (1983): A suction cone to prevent spillage during hydatid surgery. Australian and New Zeland Journal of surgery 53:471 – 472.

Adams, A.R.D, and Maegraith, B.G. (1953): Amebiasis. In: clinical tropical diseases, edited by: Spring field, Charles and Thomas, Illinois, PP. 3 – 17. Quoted from Cuschieri S, A, Steele R, J and Moosa A, R 2001. Parasitic infestations of surgical importants. In: Essential Surgical Practice-Basic Surgical Training, 4th edition, edited by Cuschieri S, A, Steele R, J, Arnold, London, New York, PP. 160 – 163.

Ahrari, H. (1978): Use of Cetrimide in the surgery of hydatid cysts. Bulletin de la Societe de Pathologie Exotique et de ses Filiales 71 : 90 – 94.

Altree, M. (1979): Scanning in hydatid disease. Clinical Radiology 30 : 691 – 697

Aikat, B.K, Bhusnurmath, S.R, and Pal, A.K, et al, (1979) : The pathology and pathogenesis of fatal hepatic amebiasis. Transactions of the Royal Society of Tropical Medicine and Hygiene 73(2): 188-192.

Al Hashimi, H.M. (1971): Intrabiliary rupture of hydatid cyst of the liver. British Journal of Surgery 58: 228 – 232.

Al' perovich, B.I. (1969): Liver resection as a method of radical treatment of alveococcosis. *Klinicheskaya Khirurgiya* 8: 40 – 45.

Al'perovich, B.I, Kazantsev. N.I, and Avdeev, S.V. (1984): Radical and palliative resection of the liver in alveococcosis. *Sovietskaya Meditsina* 93 – 99.

Amir Jahed, A.K, Fardin, R, and Farzad, A, et al, (1975): Clinical echinococcosis. *Annals of Surgery* 182 : 541 – 546.

Ashton, W.L.G, Boardman, P.L, and Disa, C.J, et al, (1970): Human Fascioliasis in shropshire. *British Medical Journal* iii : 500 – 502.

Bakaloudis, P. (1969) : Hepatic regeneration in echinococcosis : an argument for labectomy. *Annals of Surgery* 170 : 256 – 262.

Balasegaram, M. (1981): Management of hepatic abscess. *Current Problems in Surgery* 18:28-340.

Barros, J.L. (1978): Hydatid disease of the liver. *American Journal of Surgery* 135 : 597 – 600.

Bassiouny, H.K, Soliman, N.K, and El-Daly, S.M, et al, (1991): Human fascioliasis in Egypt. Effect infection and efficacy of bithionol treatment. *Journal of Tropical Medicine and Hygiene* 94:333-337.

Beers, B.V, Pringot, J, and Geubel, A, et al, (1990): Hepatobiliary Fasciolosis. Noninvasive findings. *Radiology* 174 : 809 – 810.

Beggs, I. (1983): The radiological appearances of hydatid disease of the liver. *Clinical Radiology* 34 : 555 – 563.

Beggs, I, Walmsley, K, and Cowie, A.G. (1983): The radiological appearance of the liver after surgical removal of hydatid cyst. *Clinical Radiology* 34 : 565 – 571.

Behrns, K. E, and Van Heerden, J.A. (1991): Surgical management of hepatic hydatid disease. *Mayo Clinic Proceedings* 66 : 1193 – 1197.

Bekhti, A, Schaaps, J.P, and Capron, M, et al, (1977): Treatment of hepatic hydatid disease with mebendazole: preliminary results in four cases. *British Medical Journal* 2 : 1047 – 1051.

Bekhti, A, and Pirotte, J. (1987): Hepatotoxicity of mebendazole. Relationship with serum concentrations of the drug. *Gastroenterologie Clinique et Biologique* 11 : 701 – 703.

Bekhti, A, and Pirotte, J. (1987): Cimetidine increases serum mebendazole concentrations. Implications for treatment of hepatic hydatid cysts. *British Journal of Clinical Pharmacology* 24 : 390 – 392.

Bekhti, A, Pirotte, J, and Woestenborghs, R. (1986): A correlation between serum mebendazole concentrations and the aminopyrine breath test. Implication in the treatment of hydatid disease. *British Journal of Clinical Pharmacology* 21 : 223 – 226.

Belghiti, J, Perniceni, T, and Kabbey, M, et al, (1991): Complication of preoperative sterilization of hydatid cysts of the liver. Apropos of 6 cases. *Chirurgie* 117 : 343 – 346.

Belli, L, Del Favero, E, and Marni, A, et al, (1983): Resection versus Pericystectomy in the treatment of hydatidosis of the liver. *American Journal of Surgery* 145 : 239 –242.

Belli, L, Ramani, F, and Puttini, M. (1987): Easier and safer cystopericystectomy using the pringle maneuver. *Surgery, Gynecology and Obstetrics* 164 : 175.

Biggi, E, Derchi, L, and Cicio, G.R, et al, (1979): Sonographic findings of hydatid cyst of the liver ruptured into the biliary ducts. *Journal of Clinical Ultrasound* 7 : 381 – 382.

Bismuth, H. (1982): Surgical anatomy and anatomical surgery of the liver *World Journal of Surgery* 6 : 3.

Bismuth, H, Casing, D, and Garden, O.J. (1989): Major hepatic resection with total vascular exclusion. *Annals of Surgery* 210 : 13.

Bismuth, H, Castaing, D, and Raccuia, J.S. (2001): Surgical anatomy of the liver and bile ducts. In: *Mastery of Surgery*, 4th edition, Vol. II, edited by Baker, R.J and Fischer, J.E, Steve, W, Philadelphia, USA P.P. 1047-1059.

Bismuth, H, and Chiche, L. (1994): Surgical anatomy and anatomical surgery of the liver. In: surgery of the liver and biliary tract, 2nd edition edited by Blumgart, L.H, Churchill Livingstone, New York – Tokyo, PP. 3 – 9.

Bories, P, Mirouze, D, and Aubin, J.P, et al, (1985): Sclerosing-clolangitis following surgical treatment of hydatid cysts of the liver. Probable role of the formal injection of bile ducts. Gastroenterologie clinique et biologique 9 : 113 – 116.

Braithwaite, P.A. (1981): Long term high dose mebendazole for cystic hydatid disease of the liver: failure in two cases. Australian and New Zealand Journal of Surgery 51 : 23 – 27.

Braithwaite, P.A, Allan, R.J, and Dawson, M, et al, (1983): Cyst and host tissue concentrations of mebendazole in patients undergoing surgery for hydatid disease. Medical Journal of Australia 2 : 383 – 384.

Braithwaite, P.A, Thomas, R.J, and Thompson, R.C. (1985): Hydatid disease: the alveolar variety in Australia. A case report with comment on the toxicity of mebendazole. Australian and New Zealand Journal of Surgery 55 : 519 – 523.

Bruckner, D.A. (1985): Serological and intradermal tests for parasitic infections. Pediatric Clinics of North America 32 : 1063 – 1075.

Chang, C.C, and Han, C.T. (1966): Biliary Ascariasis in childhood. Chinese Medical Journal 85 : 167 – 171.

Cottone, M, Amuso, M, and Cotton, P.B. (1978): Endoscopic retrograde cholangiography in hepatic hydatid disease. *British Journal of Surgery* 65: 107 – 108.

Couinaud, C. (1957): Le foie. Etudes anatomiques et chirurgicales. Masson, Paris P.P. 113 – 127. Quoted from Bismuth, H, and Chiche, L. (1994): Surgical anatomy and anatomical surgery of the liver. In: *Surgery of the liver and biliary tract*, 2nd edition, edited by Blumgart, L.H, Churchill Livingstone, New York, Tokyo, PP. 3 – 9.

Cremin, B.J. (1982): Real time ultrasound in Pediatric biliary Ascariasis. *South African Medical Journal* 61 : 914 – 916.

Cullis, S.N.R, Mclauchlan, G, and Bornman, P.C. (1993): Laparoscopic cholecystectomy for gall bladder ascariasis. *Surgical Laparoscopy and Endoscopy* 3 : 67- 68.

Daniele, G.M, and Pisano, G. (1986): Exogenous vesiculation and radicality of the surgery in hepatic hydatidosis. *Minerva chirurgica* 41 : 518 – 591.

Davis, A, and Pawlowski, Z.S. (1985): Amebiasis and its control. A WHO meeting. *Bulletin of the World Health Organization* 63:417 – 426.

Davies, M.R.Q, and Rode, H. (1982): Biliary Ascariasis in children. *Progress in Pediatric Surgery* 15 :55- 74.

DeBakey, M.E, and Ochsner, A. (1951): Hepatic amebiasis. Surgery, Gynecology and Obstetrics 92 : 209 – 231. Quoted from Thomas, P.G.(1994): Amoebiasis and biliary infestation. In: Surgery of the liver and biliary tract, 2nd edition, edited by Blumgart, L.H, Churchill Livingstone, New York, Tokyo, P.P. 1103 – 1120.

Dewe, H.R. (1928): Hydatid disease: it's pathology, diagnosis and treatment. Australian Medical Publishing company, Sydney. Quoted from Milicevic, M. (1994): Hydatid disease. In: Surgery of the liver and biliary tract, 2nd edition, edited by: Blumgart, L.H, Churchill livingstone, New York, Tokyo, P.P. 1121–1146.

Dias, L.M, Silva, R, and Viana, H.L, et al, (1996): Biliary fascioliasis diagnosis, treatment and follow up by ERCP. Gastrointestinal Endoscopy 6 (43) : 616 – 20.

Dietrick, R.B. (1984): Expeience with liver abscess. American Journal of Surgery 147 : 288.

Dintsman, M, Chaimoff, C, and Woloch, Y, et al, (1971): Surgical treatment of hydatid cyst of the liver: Archives of Surgery 103 : 76 – 78.

Djilali, G, Mahrour, A, and Oussedik, T, et al, (1983): Hydrogen peroxide in the surgery of hydatid cyst. Presse Medicale 12 : 235 – 237.

Donnely, B, and Herdurman, W.P. (1977): liver fluke in the common bile duct. Journal of Irish Medical Association 70 : 507 – 509.

Douglass, B.E, Baggenstass, A.H, and Hollenshead, W.H. (1950): The anatomy of portal vein and its tributaries. Surgery, Gynecology, Obstetric 91: 562. Quoted from liver anatomy and development. In: Textbook of surgery, 6th edition, edited by Sabiston, Saunders W, Philadelphia, London, NewYork, PP. 997 – 1005.

Echert, J, Gemmel, M.A, and Maryas, Z, et al, (1984): Guidines for the surveillance, prevention and control of echinococcosis/hydatidosis. World Health organization, Geneva, P 1 – 5.

Eggleston, F.C, Handa, A.K, and Verghese, M. (1982): Amebic peritonitis secondary to amebic liver abscess. Surgery 91: 46-48.

Ekrami, Y. (1976): Surgical treatment of hydatid disease of the liver : Archives of Surgery 111 : 1350 – 1352.

Elias, H, and Sherrick, J.C. (1969): Morphology of the liver. New York. Academic Press

El-Newihi, H.M, Waked, I.A, and Mihas, A.A, (1995): Biliary complications of fasciola hepatica. The role of endoscopic retrograde cholangiography in management. Journal of Clinical Gastroentrology 21 (4) : 309 – 11.

Erguney, S, Tortum, O, and Taspinar, A.H, et al, (1991): Complicated hydatid cyst of the liver. Annals de chirurgie 45: 584 – 589.

Ertan, A, Sahin, B, and Kandilci, U, et al, (1983): The mechanism of cholestasis from hepatic hydatid cysts. Journal of clinical gastroenterology 5 : 437 – 440.

Ewald, D. (1993): Prävalenz von Echinococcus multilocularis bei Rotfuchsen (*Vulpes vulpes* L.) in der Nord-, Ost- und Süd-Schweiz sowie im Fürstentum Liechtenstein. Ph. D. thesis. Ph. 1.2, University of Zurich, Switzerland, P 113.

Fernandez Banares, F, Gonzalez Huix, F, and Xiol, X, et al, (1986): Marrow aplasia during high dose mebendazole treatment. American Journal of Tropical Medicine and Hygiene 35 : 350 – 351.

Filice, C, Pirola, F, and Brunetti, E, et al, (1990): A new therapeutic approach for hydatid liver cysts. Aspiration and alcohol injection under sonographic guidance. Gastroenterology 98 : 1366 – 1368.

Frayha, G.J, Bikhazi, K.J, and Kachachi, T.A. (1981): Treatment of hydatid cysts (*Echinococcus granulosus*) by Cetrimide (R). Transactions of the Royal Society of Tropical Medicine and Hygiene 75 : 447 – 450.

Ganichkin, A.M, Mikhailov, V.A, and Trofimov, V.A. (1990): Characteristics of angiohepatography using an oily contrast medium in the diagnosis of hepatic echinococcosis. Vestnik khirurgii Imeni Grekova 145: 46 – 50.

Garcia Merida, M, Iglesia, P, and Esteban, J.A, et al, (1981): Treatment of peritoneal hydatidosis with mebendazole. Preliminary study. *Annales Espanoles de pediatria* 14: 160 – 167.

Garden, O.J. (1995): The liver and the subphrenic space. In: Farquharson's text book of operative surgery. edited by, Rintoul, R.F, Churchill livingstone. Hong Kong – London – Madrid, PP. 411 – 420.

Gargouri, M, Ben Amor, N, and Ben chehida, F, et al, (1990): Percutaneous treatment of hydatid cysts (*Echinococcus granulosus*). *Cardiovascular and Interventional Radiology* 13 : 169 – 173.

Gilfillan, R.S. (1950): Anatomic study of portal vein and its main branches. *Archives of Surgery* 61 : 449. Quoted from liver anatomy and development. In: Textbook of surgery, 6th edition, edited by Sabiston, Saunders W, Philadelphia, London, NewYork, PP. 997 – 1005.

Gokce, O, Gokce, C, and Yilmaz, M, et al, (1991): Providone – iodine in experimental peritoneal hydatidosis. *British Journal of Surgery* 78 : 495 – 496.

Goldsmith, N.A, and Wood burne, R.T. (1957): Surgical anatomy pertaining to liver resection. *Surgery, Gynecology and obstetrics* 195: 310 – 318. Quoted from Bismuth, H, Casting, D, and Raccuia, J.S. (2001): Surgical anatomy of the liver and bile ducts. In: Mastery of Surgery, 4th edition, Vol. II, edited by Baker, R.J and Fischer, J.E, Steve, W, Philadelphia, USA, P.P. 1047-1059.

Gottstein, B. (1992): Serodiagnosis of echinococcosis. *Echinomed* 3: 3 – 5.

Grewal, R.S. (1984): Amebic liver abscess. *International Surgery* 69:137-139.

Grill, W. (1980): The sunken drain for internal biliary tract drainage. *Langenbecks Archive für Chirurgie* 350: 233 – 239.

Guarner, V. (1986): Treatment of amebiasis. In: *Human parasitic diseases*, edited by: Martinez , P, Vol. II, Elsevier, Amsterdam, PP. 189 – 211.

Haaga, J.R. (1963): Management of complicated hepatic hydatid cysts. *Annual Surgery* 158 : 1020.

Hadden, J.W, and Pascarelli, E.F. (1967): Diagnosis and treatment of human fascioliasis *JAMA* 1967; 149 : 202.

Hadidi, A. (1979): Ultrasound findings in liver hydatid cysts. *Journal of Clinical Ultrasound* 7 : 365 – 368.

Haeley, J.E, and Schroy, P.C. (1953): Anatomy of the biliary ducts within the human liver. Analysis of the prevailing pattern of branching and the major variations of the biliary ducts. *American Medical Association. Archives of Surgery* 66:599-616. Quoted from Smadja, C, and Blumgart, L.H. (1994): The biliary tract and the anatomy of biliary

exposure. In: Surgery of the liver and biliary tract, 2nd edition, edited by Blumgart, L.H, Churchill Livingstone, New York, Tokyo, PP. 11 – 24.

Hangloo, V.K, Kaul, I, and Der, G, et al, (1989): Biliary ascariasis. Indian Journal of Gastro-entriology 8 : 265 – 266.

Hardman, E.W, Jones, R.L, and Davies, A.H. (1970): Fascioliasis – a large outbreak. British Medical Journal iii502-505.

Harris, J. D. (1965): Rupture of hydatid cyst of the liver into the biliary tract. British Journal of Surgery 52 : 210 – 12.

Harrison, H.R, Crowe C.P, and Fulginiti, V.A. (1979): Amoebic liver abscess in children: clinical and epidemiological features. Pediatrics 46:923 – 928.

Heaney, J.P, Jacobson, A. (1975): Simplified control of upper abdominal haemorrhage from the vena cava. Surgery 78 : 138 – 141.

Heath, D.D, and Chives, R.A. (1974): Letter : mebendazole and hydatid cysts. Lancet iii: 218 – 219.

Heath, D.D, Christie, M.J, and Chevis, R.A. (1975): The lethal effect of mebendazole on secondary echinococcus granulosus, cysticerci of taenia pisiformis and tetrathyridia of mesocostoides corti. Parasitology 70 : 273 – 285.

Hemming, A, and Callinger, S. (2001): The liver. In: Basic science and clinical evidence, edited by: Springer and Verlay, Norton, I.A and Bollinger, R.R, New York, PP. 585 – 618.

Hernigou, P, Nabih, A, and Goutallier, D. (1992): Vertebral hydatidosis. Complications, contribution of modern imaging. Revue du Rhumatisme et des Maladies Osteoarticularis 59 : 131 – 135.

Hollinshead, W, and Rosse C. (1985): The liver. In: Textbook of anatomy, 4th edition, edited by Hollin, W, and Rosse, C, Harper and Row, Philadelphia, London PP. 645 – 649.

Ilic, M. (1992): Analiza hirurskog Lecenja chinokokusa jetre. Novi Sad, Medicinski fakultet, PP, 1- 98.

Itzhak, Y, Rubinstein, Z, and Heyman, Z, et al, (1980): Role of ultrasound in the diagnosis of abdominal hydatid disease. Journal of Clinical Ultrasound 8 : 341 – 345.

Jain, N.K, Madan, A, and Sharma, T.N, et al, (1990): Hepatopulmonary amoebiasis. Efficacy of various treatment regimens containing dehydroemetine and or metronidazole. Journal of the Association of Physicians of India 38 : 269-271.

Jonathan, L, Meakins, O, and Seely, A. (2001): Drainage of hepatic, subphrenic and subhepatic abscesses. In: Mastery of Srugery, 4th edition, Vol. II, edited by Baker, R.J. and Fischer, J.E, Steve, W, Philadelphia, USA, P.P. 1082 – 1107.

Jones, E.A, Kay, J.M, and Owens, D. (1977): Massive infection with fasciola hepatica in man. American Journal of Medicine 63 : 836 – 840.

Junge, U, and Mohr, W. (1983): Mebendazole.-hepatitis. Zeitschrift für Gastroenterologic 21 : 736 – 738.

Kayabali, I, Gokocora, H.I, and Yerdel, A.M, et al, (1992): Hepatic fascioliasis and biliary surgery. Int. Surgery 77 : 154 – 7.

Kayser, H.J. (1980): Treatment of hydatid disease with mebendazole at Frere hospital, East London. A preliminary report. South African Medical Journal 58 : 560 – 563.

Kertesz, V, Roberts, P.W., and Sharp, P. (1979): Evaluation of three serological tests for the diagnosis of hydatid disease. Medical Journal of Australia 2 : 678 – 680.

Khodadadi, D.J, Kurgan, A, and Schmidt, B. (1981): Sclerosing-cholangitis following the treatment of echinococcosis of the liver. International Surgery 66 : 361 – 362.

Khuroo, M.S, Mahajan, R, and Zargar, S.A, et al, (1989): Biliary and pancreatic Ascariasis: a long term follow up. National Medical Journal of India 2 : 4 – 7.

Khuroo, M.S, and Zarger, S.A. (1985): Biliary Ascariasis. A common case of biliary and pancreatic disease in an endemic area. Gastroenterology 88 : 418 – 423.

Khuroo, M.S, Zargar, S.A, and Mahajan, R. (1990): Hepatobiliary and Pancreatic Ascariasis in India. Lancet 335 : 1503 – 1506.

Khuroo, M.S, Zargar, S.A, and Mahajan, R, et al, (1987): Sonographic appearance in biliary Ascariasis. Gastroenterology 93 : 267 – 272.

King, L.H, and Mahmoud, A.A. (1989): Drugs five years later : praziquantel. Annals of Internal Medicine 110 : 290 – 296.

Krige, J.E.J, Bornman, P.C, and Harries Jones, E.P, et al, (1987): Modified hepatojejunostomy for permanent biliary access. British Journal of Surgery 74 : 612 – 613.

Kung'u, A. (1982): Glomerulonephritis following chemotherapy of hydatid disease with mebendazole. East African Medical Journal 59 : 404 – 409.

Langer, J.C, Rose, D.B, and Keystone, J.S, et al, (1984): Diagnosis and management of hydatid disease of the liver. A 15 year North American experience. Annals of Surgery 199 : 412 – 417.

Lascano, E.F, Coltortie, E.A, and Varela Diaz, V.M. (1975): Fine structure of the germinal membrane of Echinococcus granulosus cyst. Journal of Parasitology 61: 853 – 860.

Lass, N, Laver, Z, and lengy, J. (1973): The immunodiagnosis of hydatid disease: postoperative evaluation of the skin test and four serological tests. *Annals of Allergy* 31 : 430 - 436

Lassegue, A, Estaroyer, J.M., and Minazzi, H, et al, (1984): Treatment of human alveolar echinococcosis with flubendazole. Clinical morphological and immunological study. *Gastroenterologie Clinique et Biologique* 8 : 314 – 320.

Levin, M.H, Weinstein, R.A, and Axelrod, J.L, et al, (1983): Severe, reversible neutropenia during high dose mebendazole therapy for echinococcosis. *Journal of the American Medical Association* 249 : 2929 – 2931.

Lewell, D.B. (1998): Hydatid disease biology, pathology, imaging and classification. *Clinical Radiology* 53 : 863.

Lloyd, D.A. (1981): Massive hepatobiliary Ascariasis in childhood. *British Journal of Surgery* 68 : 468 – 473.

Lloyd, D.A. (1982): Hepatobiliary Ascariasis in children. *Surgery Annual* 14 : 277 – 297.

Little, J.M. (1976): Hydatid disease at Royal Prince Alfred Hospital. *Medical Journal of Australia* 1 : 903 – 908.

Little, J.M, Hollans, M.J, and Ekberg, H. (1988): Recurrence of hydatid disease. *World Journal of Surgery* 12 : 700 – 704.

Liu, Y.H, Wang, X.G, and Chen, Y.T. (1991): Preliminary observation of continuous albendazole therapy in alveolar echinococcosis. Chinese Medical Journal in English 104 : 930 – 933.

Loewenthal, J, and Way, L.W. (1987): Echinococcosis. In: Surgery of the gallbladder and bile ducts, edit by Way L, Pellegrini C A P. Saunders, W, Philadelphia, P 557 – 568.

Lortat Jacob, J.L, Robert, H.G, and Henry, C. (1952): Un Cas d'hepatec omic droite reglec. Memoires del Academie de Chirurgie 78 : 244 – 251. Quoted from Bismuth, H, Casting, D, and Raccuia, J.S. (2001): Surgical anatomy of the liver and bile ducts. In: Mastery of Surgery, 4th edition, Vol. II, edited by Baker, R.J and Fischer, J.E, Steve, W, Philadelphia, USA, P.P. 1047-1059.

Louw, J.H. (1966): Abdominal complications of *Ascaris lumbricoides* infestation in children. British Journal of Surgery 53 : 510 –521.

Louw, J.H. (1974): Biliary ascariasis in childhood. South Africa Journal of Surgery 12:219-225.

Luder, P.J, Robotti, G, and Meister, F.P, et al, (1985): High oral doses of mebendazole interfere with growth of larval echinococcus multilocularis lesions. Journal of Hepatology 1 : 369 – 377.

Lygidakis, N.J. (1983): Diagnosis and treatment of Intrabiliary rupture of hydatid cyst of the liver. Archives of Surgery 118 : 1186-1189.

Macleod, J, Edwards, C, and Bouchier, I. (1987): Diseases due to infection. In: Davidson's Principles and Practice of Medicine, 15th edition, edited by longman Group (FE) Ltd, Hong Kong, London, PP. 774-776.

Magistrelli, P, Masetti, R, and Coppola, R, et al, (1991): Surgical treatment of hydatid disease of the liver. A 20 year experience. Archives of Surgery 126 : 518 – 522.

Maier, W. (1983): Computed tomographic diagnosis of echinococcus alveolaris. Hepatogastroenterology 30: 83 – 85.

Maier, W. (1983): The role of sonography in the diagnosis of echinococcus. European Journal of Radiology 3 : 63 – 67.

Maki, T. (1966): Pathogenesis of calcium bilirubinate gallstone : role of E.coli, B-glucuronidase and coagulation by inorganic ions, polyelectrolytes and agitation. Annals of Surgery 164 : 90 – 100.

Manzullo, V. (1984): Hydatid cysts of the liver. Minerva Medica 75: 431 – 445.

Martinez-Palmo, A. (1986): Biology of Entamoeba histolytica. In: human parasitic disease. Vol. II, edited by Martinez, P, Elsevier, Amsterdam, PP 12-43.

Matossian, R.M. (1977): The immunological diagnosis of human hydatid disease. Transactions of the Royal Society of Tropical Medicine and Hygiene 71 : 101 – 104.

Me Greevy, P.B., and Nelson, G.S. (1984): Larval cestode infection. In: Hunter's Tropical Medicine, 6th edition, edited by Strickland, G.T, Hunter's and Sainders, New York – London, PP. 771.

Mekky, F.A, Ismail, A.A, and Gamal, M.M, et al, (1994): Surgical aspects of biliary fascioliasis and ascariasis. Bull. Alex. Fac. Med 6 (30) : 1570 – 6.

Meldrum, G.K, and McConnell, J. D. (1968): The control of hydatid disease in Tasmania. Australian Veterinary Journal 44: 212 – 217.

Meyers, W, Riccardi, R, and Cheri, R. (2001): Anatomy and development of the liver. In: Textbook of surgery, 6th edition, edited by: Townrend, C, and Harris, J, Saunders, W, Philadelphia, London, New York, PP 997 – 1005.

Milicevic, M. (1994): Hydatid disease. In: Surgery of the liver and biliary tract, 2nd edition, edited by: Blumgart, L.H, Churchill livingstone, New York – Tokyo 1121–1146.

Miskovitz, P.F, and Javitt, N.B. (1980): Leukopenia associated with mebendazole therapy of hydatid disease. American Journal of Tropical Medicine and hygiene 29 : 1356 – 1358.

Monga, N.K, Sood, S, and Kaushik, S.P, et al, (1976): Amebic peritonitis. American Journal of Gastroenterology 66: 366-373.

Morcos, W.M. (1975): Pathology of amoebiasis – Life cycle and mode of infection of fasciola-life cycle and mode of infection of ascaris. In: Medical parasitology, 2nd edition, edited by Morcoos, W.M, Aly El-Shemy, Cairo, Egypt.

Moreira Vicente, V.F, Merono Garcia, E, and Simon Marco, M.A. (1984): Endoscopic retrograde cholangiography (E.R.C.P) and complicated hepatic hydatid cyst in the biliary tract. Endoscopy 16 : 124 – 126.

Moreno Gonzalez, E, Jover Navalon, J.M, and Landa Garcia, J.I, et al, (1985): Surgical management of liver hydatidosis. 10 – year experience with 269 patients. Italian Journal of Surgical Science 15: 267 – 273.

Morl, M. (1982): Echinococcosis. Rational diagnosis and therapy. Fortschritte der Medezin 100 : 1131 – 1136.

Morris, D.L, Clarkson, M.J, and Stallbaumer, M.F, et al, (1985): Albendazole treatment of pulmonary hydatid cysts in naturally infected sheep: a study with relevance to the treatment of hydatid cysts in man. Thorax 40 : 453 – 458.

Morris, D.L, Dykes, P.W, and Marriner, S, et al, (1985): Albendazole – objective evidence of response in human hydatid disease. Journal of the American Medical Association 253 : 2053 – 2057.

Morris, D.L, and Gould, S.E. (1982): Serum and cyst concentrations of mebendazole and flubendazole in hydatid. British Medical Journal of Clinical Research 285 : 175.

Mottaghian, H, and Saidi, F. (1978): Postoperative recurrence of hydatid disease. British Journal of Surgery 65 : 237 – 242.

Moumen, M, Elalaoui, M.E, and Mechhane, M, el al, (1990): Resection of the prominent dome of a hydatid cyst of the liver. Apropos of 360 cases. Journal de Chirurgie 127: 83 – 86.

Muller, E, Akorbiantz, A, and Ammann, R.W, et al, (1982) : Treatment of human echinococcosis with mebendazole preliminary observations in 28 patients. Hepatogastroenterology 29 : 236 – 239.

Munoz, O. (1986): Epidemiology of amebiasis. In: Human parasitic diseases, vol. II, edited by Martinez, P, Elsevier, Amsterdam, PP 213 – 239.

Murray lyon, I.M , and Reynolds, K.W. (1979): Complications of mebendazole treatment for hydatid disease. British Medical Journal iii: 1111 – 1112.

Nakamura, S, and Tsuzuki, T. (1981): Surgical anatomy of the hepatic veins and the inferior vena cava. *Surgery, Gynecology, Obstetric* 125 : 43.

Nazarian, I, and Saidi, F. (1971): Silver nitrate solution as a scolicide in the therapy of human echinococcosis. *Zeitschrift für tropenmedizin und Parasitologie* 22 : 188 – 190.

Nicholas, J.L. (1970): Obstruction of the common bile duct by fasciola hepatica. *British Journal of Surgery* 57:544-548.

Niron, E.A, and Ozer, H. (1981): Ultrasound appearances of liver hydatid disease: *British Journal of Radiology* 54: 335 – 338.

Niron, E.A, Ozer, H, and Dolunay, H. (1981): Encysted peritoneal hydatidosis, unusual ultrasonographic and clinical presentation of liver echinococcosis. *British Journal of Radiology* 54 : 339 – 340.

Ovnat, A, Peiser, J, and Avinoah, E, et al, (1984): Acute cholangitis caused by ruptured hydatid cyst. *Surgery* 95 : 497 – 500.

Pain, J.A., Reddy, P.J, and Knight, M.J. (1988): Biliary sclerosing following formalin instillation into hydatid cysts. *British Journal of Clinical Practice* 42 : 214 – 217.

Papadimitriou, J, and Mandrekas, A. (1970): The surgical treatment of hydatid disease of the liver. *British Journal of Surgery* 57: 431- 433.

Papadimitriou, J, Tsiftsis, D, and Tountas, C. (1983): Hydatid cyst of the liver ruptured into the biliary tract. *Current Surgery* 40 : 339 – 346.

Paw Lowski, Z.S. (1992): Which protoscolicidal agent, if any. *Echinomed* 3-4 : 4-5.

Picardo, N.G, and Guisantes, J.A. (1981): Comparison of three immunological tests for seroepidemiological purposes in human echinococcosis. *Parasite Immunology* 3 : 191 – 199.

Piens, M.A, Perssat, F, and May, F, et al, (1989): Praziquantel in human hydatidosis. Evaluation by preoperative treatment. *Bulletin de La societe de pathologie Exotique et de ses Filiales* 82 : 503 – 512.

Pillay, S.P, Baker, L.W, and Angorn, I.B. (1978): *Ascaris Lumbricoides* producing obstructive jaundice. *Medical Journal of Surgery* 23: 25- 29.

Pissiotis, C.A, Wander, J.V, and Condon, R.E. (1972) Surgical treatment of hydatid disease: prevention of complications and recurrences. *Archives of Surgery* 104 : 454 – 459.

Pitt, H.A. (1990): Surgical management of hepatic abscesses. *World Journal of Surgery* 14: 498 – 504.

Pitt, H.A, Korzelius, J, and Tompkins, R.K. (1986): Management of hepatic echinococcosis in Southern California. *American Journal of Surgery* 152 : 110 – 115.

Pringle, J.H. (1908): Note on the arrest of hepatic of hepatic hemorrhage revisited. Surgery, Gynecology Obstetrics 153 – 410. Quoted from Bismuth, H, Casting, D, and Raccuia, J.S. (2001): Surgical anatomy of the liver and bile ducts. In: Mastery of Surgery, 4th edition, Vol. II, edited by Baker, R.J and Fischer, J.E, Steve, W, Philadelphia, USA, P.P. 1047-1059.

Propper, H, and Schaffner, F. (1957): Liver structure and function. In: Textbook of surgery, 3rd edition, edited by Sabiston, Saunders W, Philadelphia, London, NewYork, PP. 1174 – 1188.

Radin, D.R, Ralls, P.W, and Colletti, P.M, et al, (1988): C.T of amebic liver abscess. American Journal of Roentgenology 150 : 1297 – 1301.

Radwan, M.A, Mous, A. M, and Muhtaseb, S.A. (1986): Abdominal hydatid disease: follows up of mebendazole therapy by C.T. and ultrasonography. International Surgery 71 : 22 – 26.

Ralls, P.W, Colletti, P.M, and Quinn, M.F, et al, (1982): Sonographic findings in hepatic amebic abscess. Radiology 145: 123 – 126.

Ralls, P.W, Meyers, H.I, and Lapin, S.A, et al, (1979): Gray-scale ultrasonography of hepatic amebic abscesses. Radiology 132 : 125 – 129.

Ralls, P.W, Quinn, M.F, and Boswell, W.D, et al, (1983): Patterns of resolution in successfully treated hepatic amebic abscess: sonographic evaluation. Radiology 149 : 541 – 543.

Rappaport, A.M, and Schniederman, J.H. (1976): The function of the hepatic artery. *Rev. Physiology Biochemistry Pharmacology* 76 : 129

Rashed, M.Y.T, El-Sefi, T, and Boghdadi, I. (1995): Endoscopic retrograde cholangiographic patterns of biliary fascioliasis. *Eur. IHPBA Congress Athens* : 259 – 63.

Rausch, R.L, Wilson, J.F, and McMahon, B.J, et al, (1986): Consequences of continuous mebendazole therapy in alveolar hydatid disease with a summary of a ten-year clinical trial. *Annals of Tropical Medicine and Parasitology* 80 : 403 – 419.

Ravdin, J.I, and Guerrant, R.L. (1982): A review of the parasite cellular mechanisms involved in the pathogenesis of amebiasis. *Reviews of Infectious Diseases* 4: 1185-1207.

Reintgen, D.S and Sabiston, D.C. (1987): The liver. In: *Essentials of Surgery*, edited by Sabiston, D, Saunders, Philadelphia – London – Sydney, PP. 513-586.

Reventos, J, Nogueras, F.M, and Rius, X, et al, (1976): Hydatid disease of the liver with thoracic involvement. *Surgery, Gynecology and Obstetrics* 143 : 570 – 574.

Rodriguez Alvarez, J.L, Carazo Carazo, M, and Ramos Gonzaleza, L, et al, (1981): Massive secondary peritoneal hydatidosis and mebendazole. *Revista Espanola de las Enfermedades del Aparato Digestivo* 59 : 255 – 266.

Ronconi, P, Borzone, A, and Alquoti, P, et al, (1982) : Peoperative treatment of hydatid cysts with mebendazole. International Surgery 67 : 405 – 406.

Saidi, F. (2001): Treatment of echinococcal cysts. In: Mastery of Surgery, 4th edition, Vol. II, edited by Baker, R.J. and Fischer, J.E, Steve, W, Philadelphia, USA, P.P. 1108 – 1125.

Saimot, A.G, Meulemans, A, and Cremieux, A.C, et al, (1983) : Albendazole as a potential treatment for human hydatidosis. Lancet ii : 652 – 656.

Sarda, A.K, Bal, S, and Sharma, A.K, et al, (1989): Intraperitoneal rupture of amebic liver abscess. British Journal of Surgery 76: 202 – 203.

Sayek, I, Yalin, R, and Sanac, Y. (1980): Surgical treatment of Hydatid disease of the liver : Archives of Surgery 115 : 847 – 850.

Schaefer, J.W, and Khan, M.Y. (1991): Echinococcosis (Hydatid disease): Lessons from experience with 59 patients. Reviews of infections Diseases 13 : 243 – 247.

Schantz, P.M, Ortiz Valqui, R.E, and Lumbreras, H. (1975): Non specific reactions with the intradermal test for hydatidosis in persons with other helminth infections. American Journal of Tropical Medicine and Hygiene 24 : 849 – 852.

Schantz, P.M, Van den Bosche, H, and Echert, J. (1982): Chemotherapy for larval echinococcosis in animals and humans: report of a workshop. *Zeitschrift fur Parasitenkunde* 67: 5 – 26.

Schulze, K, Treugut, H, and Mahnke, B, et al, (1980): Diagnosis of echinococcosis of the liver by angiography. *Radiology* 20 : 365 – 372.

Sepulveda, B. (1982): Amebiasis: host-pathogen biology. *Reviews of Infectious Diseases* 4:1247-1253.

Sepulveda, B, and Manzo, N.T.G. (1986): Clinical manifestations and diagnosis of amebiasis. In: *Human parasitic diseases*, vol. 2, edited by Martinez, P., Churchill Livingstone, Elsevier, Amsterdam, PP 169-187.

Sharma, M.P, Rai, R.R, and Acharya, S.K, et al, (1989): Needle aspiration of amebic liver abscess. *British Medical Journal* 299 (6711) : 1308 – 1309.

Sharma, M.P, Sexena, A, and Ghosh, S, et al, (1988): A simple and rapid Dot ELISA dipstick technique for detection of antibodies to *Entameba histolytica* in amebic liver abscess. *Indian Journal of Medical Research* 88: 409 – 415.

Shcherbakov, A.M, and Lur'e, A.A. (1989): Clinical trial of the possibility of increasing the bioavailability of mebendazole using sunflower oil in echinococcosis. *Medicinskaiia Parazitologia Parazitaluye Bolezni* 46 – 49.

Silaev, I.S, and Tret'iakov, A.A. (1975): Surgical treatment of suppurative hydatid echinococcosis of the liver. Vestnik Khirurgii Imeni Grekova 114 : 33 – 36.

Slim, M.S, and Akel, S.R. (1982): Hydatidosis in childhood. Progress in Pediatric Surgery 15 : 119 – 129.

Smadja, C, and Blumgart, L.H. (1994): The biliary tract and the anatomy of biliary exposure. In: surgery of the liver and biliary tract, 2nd edition edited by Blumgart, L.H, Churchill Livingstone, New York – Tokyo, PP. 11 – 24.

Snell, R. (1986): Liver. In : Clinical anatomy for medical students, 3rd edition, edited by Snell R, Little Brown, Boston, Toronto PP. 239 – 244.

Starke, J. (1979): Conservative treatment of echinococcus alveolaris of the liver: preliminary observations. Deutsche Medizinische Wochenschrift 104: 1132 – 1135.

Suchy, F.J. (1994): Liver diseases in children. In: Year Book Inc. edited by Mosby, St. Louis. PP. 558-563.

Sukov, R.J, Cohen, L.J, and Sawph, W.F. (1980): Sonography of hepatic amebic abscesses. American Journal of Roentgenology 134: 911– 915.

Teggi, A, Capozzi, A, and De Rosa, F. (1989): treatment of echinococcus granulosus hydatid disease with mebendzole. Journal of Chemotherapy 1 : 310 – 317.

Thomas, P.G.(1994): Amoebiasis and biliary infestation In: surgery of the liver and biliary tract, 2nd edition edited by Blumgart, L.H, Churchill Livingstone, New York – Tokyo, PP. 1103 – 1120.

Thompson, J.E, Forlenza, S, and Verma, R. (1985): Amebic liver abscess. A therapeutic approach. Reviews of infectious diseases 7: 171 – 179.

Todoroff, T, and Yurukova, D. (1973): Studies on the action of sodium chloride and formalin upon the scolices of echinococcus granulosus. Zeitschrift fur Tropenmedizin und Parasitologie 24: 329 – 335.

Ton That Tung (1979): Les resections majeures et mineures du foie. Masson, Paris.

Tuttle, R.J. (1970): Cause of recurring obstructive jaundice revealed by percutaneous cholangiography-hydatid cyst. New England Journal of Medicine 283 : 805 – 806.

Uccheddu, A, Murgia, C, and Licheri, S, et al, (1989): Endoscopic retrograde cholangiography is the diagnosis of hepatic hydatidosis. Giornale di chirurgia 10 : 46 – 50.

Urbanyi, B, Riechmann, C, and Hellberg, K, et al, (1991): Myocardial echinococcosis with perforation into the pericardium. Journal of Cardiovascular Surgery Torino 32 : 534 – 538.

Vera Thorbeck, R, Rosell, J, and Ruiz Morales, M. (1991): Echinococcosis of the spleen. Its conservative surgical treatment. Zentralblatt für chirurgie 116 : 1411- 1416.

Verroust, P. J, Adam, C, and Smith, M.D, et al, (1979): Circulating immune complexes and C3d in human parasitosis. Kidney International 16: 9-14.

Walsh, J.A. (1986): Problems in recognition and diagnosis of amebiasis; estimation of the global magnitude of morbidity and mortality. Reviews of infections Diseases 8:228-238.

Watters, D. (2000): Gastrointestinal and Hepatobiliary emergencies in the tropics. In: Hamilton Bailey's Emergency Surgery, 13th edition, vol. II edited by Elles, B.W and Paterson, B, S, Arnold.. London, New York PP. 762-784.

Weissleder, R, Wittenber, J, and Stark, D.D. (1989): Magnetic resonance imaging of the liver. In: Alimentary tract radiology, 4th edition, edited by Margulis, A.R, Burhenne H.J, Mosby C.V, St. louis, London, P.P. 1289 – 1308.

Weller, P.F. (1987): Case records of the Massachusetts. General Hospital case. North England Journal of Medicine 817 : 1809.

Wilson, J.F, Davidson, M, and Rausch, R.L. (1978): A clinical trial of mebendazole in the treatment of alveolar hydatid disease. American Review of Respiratory Disease 118 : 747 – 757.

- Wilson, J.F, Rausch, R.L, and Mc Mahon, B.J, et al, (1987):** Albendazole therapy in alveolar hydatid disease: a report of favorable results in two patients after short therapy. *American Journal of Tropical Medicine and Hygiene* 37 : 162 – 168.
- Yalin, R, Aktan, O, and Yegen, C, et al, (1992):** Significant of intracystic pressure in abdominal hydatid disease. *British Journal of Surgery* 79:1182 – 3.
- Yarzabal, L.A, Schantz, P.M, and Lopes Lemes, M.H. (1975):** Comparative sensitivity and specificity of the Casoni intradermal and the immunoelectrophoresis, tests for the diagnosis of hydatid disease. *American Journal of Tropical Medicine and Hygiene* 24 : 843 – 8.
- Yellin, A.E, and Donovan, A.J. (1981):** Biliary lithiasis and helminthiasis. *American Journal of Surgery* 142 : 128 – 136.
- Zargar, S.A, Khuroo, M.S, and Khan, B.A, et al, (1992):** Intrabiliary rupture of Hepatic hydatid cyst: sonographic and cholangiographic appearances. *Gastrointestinal Radiology* 17 : 41 – 45.
- Zheng, G, Zhao, R, and Feng, X.(1986):** Dot immunobinding assay in the serodiagnosis of human hydatid disease. *American Journal of Tropical Medicine and Hygiene* 35 : 812 – 4.
- Zimmon, D.S, Falkenstein, D.B, and Kessler, R.E.(1975):** Endoscopic papillotomy for choledocholithiasis *N.Engl. J. Med.* 293.