ACKNOWLEDGEMENT

I am indebted to ALLAH, the most gracious and the most merciful, the bounties of whom I can never reckon.

This work has been carried out under the supervision and direction of Prof. Dr. H.Y. Olama, Prof. and Head of Botany. Dept., Fac. Science, Banha, El-Zagazig university, Prof. Dr. Bouthaina, F. Abd El-Ghany, Prof and Head of Soil Microbiol. Unit, Dept. of Soil Fertility and Microbiology, Desert Res. Center, Dr. M.A. Sweilam, Ass. Prof of Microbiol., Botany. Dept. Fac. Science, Banha, El Zagazig University, and Dr. M.M. Moustafa, Dr. of Microbiology, Botany Dept. Fac. Science, Banha, El-Zagazig University.

Thanks for them for their effective and fruitful discussions, suggesting and supervising this works.

I would like to express my deepest gratitude to and Prof. Dr. M.A. El-Sibaie Prof of Agric. Microbiol., D.R.C. and Prof. Dr. E.A. Saleh, Prof of Agric. Microbiol., Fac. Agric., Ain Shams Univ. for their kind cooperation

I would like to express my sincere gratitude for all the staff members and workers in Unit of Microbiology Unit, D.R.C. for their continuous assistance and supplying all facilities throughout this work.

Last, I would like to express my everlasting gratitude and respect to my husband and my parents for their unlimited patience, continuous support and encouragement.

3.2.6.2.2. Organic carbon		43
3.2.6.2.3. Total nitrogen		43
3.2.7. Microbiological determinations.		43
3.2.8. Parameters of cucumber plants.		44
3.2.9. Disease Severity Index (DSI)		44
3.2.10. Pre and post-emergence-damping off		45
3.2.11. Statistical analysis		45
4. RESULTS		46
4.1. Isolation and identification of <i>R. solani</i>		46
4.2. Activities of N2-fixing diazotrophs and		
actinomycetes isolates		46
$4.2.1. N_2$ -fixation for diazotrophs		46
4.2.2. Antagonistic effect of isolates against R. sol	ani	55
4.2.3. Root colonization ability for N2-fixing		
diazotrophs and actinomycetes	•••••	56
4.2.4. Selection and identification of the most		
active isolates	•••••	59
4.2.5. Effect of inoculation with biocontrol agents		
on disease severity index (DSI) of cucumber	•	
plants infected with R. solani		59
4.2.6. Effect of inoculation with biocontrol agents		
on the percentage of pre and post emergence		
damping off and survival of cucumber plants	•	69
4.3. Microbial densities.		69
4.3.1. Total microbial counts		
4.3.2. Total actinomycetes counts		74
4.3.3. Azotobacters densities		77
4.3.4. Azospirilla densities		
4.4. Plant characteristics		
4.4.1. Plant height		82
4.4.2. Root length		
4.4.3. Plant weight		_
4.4.4. Root weight		89
4.4.5. Chlorophyll content		99
4.4.6. Flowering and fruiting		
4.4.7. Fruits total nitrogen and total protein		
5. GENERAL DISCUSSION AND CONCLUSION		
6. SUMMARY		_
7. REFERENCES		
ARABIC SUMMARY		

LIST OF TABLES

No.	Title	Page
1.	Soil Physical and chemical analyses of investigated	24
2.	area 10 th of Ramadan. The organic carbon, total nitrogen and related	24
_	parameters of sheep manure.	48
3.	N ₂ fixation and antagonistic activities of azotobacters isolated from different localities cultivated with	46
	different crops.	
4	N2 fixation and antagonistic activities of azospirilla	50
4.	isolated from different localities cultivated with	
	different crops.	
5.	Antagonistic activities of actinomycetes isolated	52
	from different localities cultivated with different	
	crops.	
6.	Effect of inoculation with biofertilizer agents on root	57
	colonization of cucumber seedlings.	
7.	Identification of Azotobacter isolate (Rf).	60
8.	Identification of <i>Azospirillum</i> isolate (K _c).	61
9.	Cultural, morphological and physical characteristics	63
	of streptomyces isolate (Ncui)	
10.	Effect of inoculation with biofertilizer agents and	66
	infection with R. solani on the disease severity index	
4.4	(%) of cucumber plants .	70
11.	Effect of inoculation with biofertilizer agents and	70
	infection with R. solani on the Percentage of pre and	
	post emergence damping off and survival of	
12.	cucumber plants. Effect of inoculation with biofertilizer agents and	72
12.	infection with R. solani on total microbial counts in	12
	the rhizosphers of cucumber plants.	
13.	Effect of inoculation with biofertilize agents and	75
13.	infection with R . solani on actinomycetes counts in	
	the rhizosphere of cucumber plants.	
14.	Effect of inoculaiton with biofertilizer agents and	78
1	infection with R. solani on Azotobacter counts in the	
	rhizosphere of cucumber plants.	
15	Effect of inoculation with biofertilizer agents and	80
	infection with R. solani on Azospirillum counts in the	

	rhizosphere of cucumber plants.	
16.	Effect of inoculation with biofertilizer agents and infaction with <i>B</i> , solve on stem length of everywhere	83
	infection with <i>R. solani</i> on stem length of cucumber plants.	
17.	Effect of inoculation with biofertilizer agents and	85
17.	infection with <i>R. solani</i> on root length of cucumber	03
	plants.	
18.	Statistical main effects of stages, infection with <i>R</i> .	87
	solani and biofertilizer agents on stem and root	
	length of cucumber plants.	
19.	Effect of inoculation with biofertilizer agents and	90
	infection with R. solani on stem fresh weight of	
	cucumber plants.	
20.	Effect of inoculation with biofertilizer agents and	92
	infection with R. solani on stem dry weight of	
	cucumber plants.	0.4
21.	Effect of inoculation with biofertilizer agents and	94
	infection with R. solani on root fresh weight of	
22	cucumber plants.	06
22.	Effect of inoculation ith biofertilizer agents and infection with <i>P</i> solari on root dry weight of	96
	infection with R. solani on root dry weight of	
23.	cucumber plants. Statistical main effects of stages, infection with <i>R</i> .	98
23.	solani and biofertilizer agents on stem fresh and dry	70
	weight and root fresh and dry weight of cucumber	
	plants.	
24.	Effect of inoculation with biofertilizer agents and	100
	infection with R. solani on chlorophyll percentage of	
	cucumber plants.	
25.	Statistical main effect of stages, infection with R.	102
	solani and bioferitlizer agents on chlorophyll	
	percentage of cucumber plants.	
26.	Effect of inoculation with biofertilizer agents and	104
	infection with <i>R. solani</i> on the number of flowers and	
	fruits and weight of fruits of cucumber plants.	10-
27.	Effect of inoculation with biofertilizer agents and	107
	infection with <i>R. solani</i> on total N and Protein	
	percentage of fruits of cucumber plants.	

LIST OF FIGURES

No.	Title	Page
1	Vege tative cells of Rhizoctonia solani (x1000)	47
2	N2 fixation and antagonistic activities of azotobacters	49
	isolated from different localities cultivated with	
	different crops.	
3	N2 fixation and antagonistic activities of azospirilla	51
	isolated from different localities cultivated with	
	different crops.	~ 0
4	Antagonistic activities of actinomycetes isolated	53
	from different localities cultivated with different	
	crops.	~ A
5	Antagonistic activity of A) Azospirillum lipoferum	54
	B)Azotobacter chroococcum C)Streptomyces lydicus	
	againest R. solani	5 0
6	Effect of inoculation with biofertilizer agents on root	58
	colonization of cucumber seedlings.	62
7	Vegetative cells of Azotobacter chr000coccum	02
0	(x1000)	62
8	Vegetative cells of Azospirillum hpoferum (x1000)	64
9	Micromor phology of spore chains of streptomyces	04
10 I	lydicus	65
10 1	Electron microgroph of spore morphology of	0.5
11 L	streptomyces lydicus Effect of inoculation with biofertilizer agents and	67
11 1	Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on the disease severity index	07
12 F	(%) of cucumber plants. Effect of incoulation with a biocontrol agents on the	68
12 1	cucumber plant infected with R. solani	
13	Effect of inoculation with biofertilizer agents and	71
13	infection with <i>R. solani</i> on the Percentage of Pre and	
	post emergence damping off and survival of	
	cucumber plants.	
14]	Effect of inoculation with biofertilizer agents and	73
	infection with R. solani: on total microbial counts in	
	the rhizosphers of cucumber plants.	
15 l	Effect of inoculation with biofertilizer agents and	76
-	infection with R. solani on actinomycetes counts in	
	the rhizosphere of cucumber plants.	

16 Effect of inoculaiton with biofertilizer agents and infection with <i>R. solani</i> on <i>Azotobactercounts</i> in the rhizosphere of cucumber plants.	79
17 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on <i>Azospirillumcounts</i> in the rhizosphere of cucumber plants.	81
18 Effect of inoculation with biofertilizer agent and infection with <i>R. solani</i> on stem length of cucumber plants.	84
19 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on root length of cucumber plants.	86
20 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on stem fresh weight of cucumber plants.	91
21 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on stem dry weight of	93
cucumber plants. 22 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on root fresh weight of	95
cucumber plants. 23 Effect of inoculation ith biofertilizer agents and infection with <i>R. solani</i> on root dry weight of	97
cucumber plants. 24 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on chlorophyll percentage of	101
cucumber plants. Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on the number of flowers and	105
fruits of cucumber plants 26 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on total weight of fruits of	106
cucumber plants. 27 Effect of inoculation with biofertilizer agents and infection with <i>R. solani</i> on total N and Protein percentage of fruits of cucumber plants.	108