

REFERENCES

- Abdel-Aal, S.M. (1978). Physiological and biochemical aspects of some violet coloured Streptomyces. M.Sc. Thesis, Fac. of Science, Cairo University.
- Alderson, G. and M. Goodfellow (1979). Classification and identification of Actinomycetes causing mycetoma. Postepy, Hig. Med. Dosw. 33:109 - 124.
- Aly Amal (1986). Studies on the red Streptomyces isolated from Egyptian Soils. M.Sc. Thesis Fac. Sci, Ain Shams University.
- Asselineau, J. (1966). The bacterial lipids, Hermann, Paris.
- Asselineau, C. and J. Asselineau. (1978 a). Lipides specifiques des mycobacteries, Annales de Microbiologie Institut Pasteur 129 A: 49 - 69.
- Asselineau, C. and J. Asselineau. (1978 b). Trehalose-containing glycolipids, Progress in the Chemistry of Fats and Other Lipids, 16: 59 - 99.
- Backus, E. J. , H.D. Tresner and T.H. Campbell. (1957). The classification of the Actinomyces species (Streptomyces). Archiv. Mikrobiol, 20: 347 - 357.

- Baldacci, E., C. Spalla and A. Grein (1954). The classification of the Actinomyces species (Streptomyces). Archiv. Mikrobiol. 20 : 347 - 357.
- Bergey's Manual of Determinative Bacteriology (1974). Williams and Wilkins Co., Baltimore, London.
- Bergey's Manual of Systematic Bacteriology (1989). Vol IV. Williams S.T. editor. Williams and Wilkins, CO., Baltimore, London.
- Berkely, R.C.W. and M. Goodfellow (1981). The Aerobic Endospore-forming Bacteria: Classification and Identification, Academic Press, London.
- Blinov, N.O. and A.S. Khokhlov, (1970). Paper chromatography of antibiotics, "Nauka". Moscow, USSR: 34 - 38.
- Block, R.J., G. Durrum and G. Zweig (1955). A manual of Paper Chromatography and Paper Electrophoresis, Academic Press. New York.
- Burkholder, P.R., S.H. Sun, J. Ehrlich and L. Anderson (1954). Criteria of speciation in the genus Streptomyces , Ann, N.Y. Acad. Sci. 60 ; 102 - 123.
- Conn. H.J. and J.E. Conn. (1941). Value of pigmentation in classifiying Actinomycetes, A preliminary note, J. Bacteriol., 42: 791 - 800.

Cowan, S.T. (1974). Cowan and Steel's Manual for the Identification of Medical Bacteria, 2nd edn. Cambridge: Cambridge University Press.

Cross, T. (1989). Growth and examination of Actinomycetes. Some guidelines. In: Bergey's Manual of Systematic Bacteriology Vol. IV (1989). : 2340 - 2343. Williams and Wilkins, Baltimore.

Cross, T., A. Maciver and J. Lacey (1968). The thermophilic Actinomycetes in mouldy hay : Micropolyspora faeni sp. nov. J. Gen. Microbiol. 50:351- 359.

Cummins, C.S. and H. Harris (1956). The chemical composition of the cell wall in some Gram positive bacteria and its possible value as a taxonomic character. J. Gen. Microbiol. 14 : 583 - 600.

El.Gammal, Amira (1973). Studies on the biological, physiological and biochemical activities of violet Streptomyces strains, isolated from Egyptian soils. Ph.D. Thesis, Fac Sc. Ain Shams University.

Erikson, D. (1953). Variation of mycelial pattern in Sporogenous and asporogenous Actinomycetes. Inter. Congr. Microbiol. Symposium Actinomycetales, 6th Congr. Rome, : 102 - 121.

- Ettlenger, L., R. Corbaz and R. Hutter (1958). Zur Sytematik Actinomyceten. 4. Einearteinteilung der gattung Streptomyces Waksman et Henrici. Arch. Mikrobiol 31 : 326 - 358.
- Flaig, W., H. Beutelspacher, E. Kuster and G. Segler Holzwissing (1952). Beitrage zur physiologie und morphologie der Streptomyceten. Plant and Soil. 4 :118.
- Flaig, W., E. Kuster and H. Beutelspacher (1955). Elektronen mikroskopische Untersuchungen an Sporen verschiedener Streptomyceten. Zentralblatt fur Backteriol. Parasitenk. Abt. 2 108 : 376 - 382.
- Flaig, W. and H.J. Kutzner (1954). Zur Systematik der Gattung Streptomyces. Naturwissenschaften. 41: 287.
- Flaig, W. and H.J. Kutzner (1960). Beitragy zur Okologie der Streptomyces Waksman et Henrici. Arch. Mikrobiol. 35 : 207 - 228.
- Gause, G.F., T.P. Preobrazhenskaya, E.S. Kudrina, N.O. Blinov, L.D. Ryabova and M.A. Sveshnikova (1957). Problems in the classification of antagonistic Actinomycetes. Moscow State Publishing House of Medical Literature, Medgiz.
- Gilardi, E., L.R. Hill, M. Turri and L.G. Silvestri (1960). Quantitative methods in the systematics of Actinomycetales. J. Microbiol. 8 : 203 - 218.

- Goldfine, H. (1972). Comparative aspects of bacterial lipids. *Advances in Microbial Physiology*. 8 : 1 - 58.
- Goodfellow, M. and R.G. Board (1980). *Microbiological Classification and Identification*. Acad. Press, London.
- Goodfellow, M. and T. Cross (1984 a). Nocardioform bacteria. *Ann. Rev of Microbiol.* 31: 159 - 180.
- Goodfellow, M. and T. Cross (1984 b). *Actionmodura* (H.A. Lechevalier and M.P. Lechevalier, 1970). In: Goodfellow, Mordarski and Williams (Editors). *The Biology of the Actinomycetes*. Academic Press, London.: 105 - 107.
- Goodfellow, M. and D.E. Minnikin (1977). Nocardioform bacteria. *Ann. Rev. of Microbiol.* 31 : 159 - 180.
- Goodfellow, M. and D.E. Minnikin (1978). Numerical and chemical methods in the classification of *Nocardia* and related taxa. *Zentralblatt Bakteriologie. Mikrobiologie. Hygiene. Supplementum*. 6 : 43 - 51.
- Goodfellow, M. and D.E. Minnikin (1981). Classification of nocardioform bacteria. *Zentralblatt. Bakteriologie. Mikrobiologie. Hygiene. Supplementum*. 11 : 7 - 16.

- Goodfellow, M. and D.E. Minnikin (1983). Circumscription of the genus. In: The Mycobacteria: A Source book, Volume 1 (G. P. Kubica and L.O. Wayne, eds.), Marcelle, Dekker, New York.
- Goodfellow, M. and V. A. Orchard (1974). Antibiotic sensitivity of some nocardioform bacteria and its value as criterion for taxonomy. J. Gen. Microbiol. 83 : 375 - 387.
- Goodfellow, M. and T.Pirouz (1982). Numerical classification of sporoactinomycetes containing meso-diaminopimelic acid in the cell wall. J. Gen. Microbiol. 128:503-527.
- Goodfellow, M. and K. P. Schaal (1979). Identification methods for Nocardia, Actinomadura and Rhodococcus. In: Identification methods for Microbiologists, 2nd edn.: 261 - 276. Edited by C. Ratledge and D. W. Lovelock. Academic Press. London.
- Gordon, R.E. (1967). The taxonomy of soil bacteria. In: The Biology of soil Bacteria, PP: 293 - 321. Ed. by T.R.G. Gray and D. Parkinson. Liverpool: Liverpool University Press.
- Gottlieb, D. (1961). An evaluation of criteria and procedures used in the description and characterization of Streptomyces. A co-operative study. Appl. Microbiol. 9 : 55 - 56.

- Hassan Taghreed (1977). Antimicrobial activities of the rose Streptomyces isolated from Egyptian soils. M.Sc. Thesis Fac. of Agriculture, Ain Shams University.
- Helmy Madiha (1974). "Antimicrobial activities of the green group of the Actinomycetes" M.Sc. Thesis. Fac. Sci., Cairo University.
- Hesseltine, C. W., R. G. Benedict and T. G. Pridham (1954). Useful criteria for species differentiation in the genus Streptomyces Ann. N. Y. Acad. Sci. 60 :136 - 151.
- Hill, L. R., M. Turri, E. Gilardi and L. G. Silvestri (1961). Quantitative methods in the systematics of Actinomycetales. II. G. Microbiol. 9 : 56 - 72.
- Hussein, A. M. (1964). Actinomycetes of Egyptian soils. Ph.D. Thesis, Moscow University.
- Hussein, A. M. (1970). Pigments of the Actinomyces rubro - Cyaneus group of Actinomycetes. Cultural and nutritive requirements UAR J. Botany (UAR), 14 (2): 157 - 172.
- Hussein, A. M. and M. G. Battah (1985 a). Streptomyces glaucoolivaceus and Streptomyces viridocolor. Two new species of the green series of the genus Streptomyces. Proc. Egypt. Bot. Soc. 4,: 392 - 410.

- Hussein, A. M. and M. G. Battah (1985 b). Diagnostic properties and pigment characteristics of the new species Streptomyces glaucoruber. Proc. Egypt. Bot. Soc., 4: 411 - 428.
- Hussein, A.M. and Amira El-Gammal (1973). Nutritional requirements for griseorhodin biosynthesis by Streptomyces prunigriseolus. Egypt. J. Physiol. Sci., 4 (1 - 2): 151 - 163.
- Hussein, A. M. and Amira El-Gammal (1977). Nutritional requirements for griscarhodin biosynthesis by Streptomyces premigriseolus Egypt. J. Physiol. Sci., 4 (1-2): 151 - 163.
- Hussein, A.M. and Amira El-Gammal (1978 a). The red pigment antibiotics produced by Streptomyces prunicinereus n.sp. Egypt. J. Microbiol. 13, (1 - 2): 37 - 163.
- Hussein, A. M. and Amira El-Gammal (1978 b). Streptomyces prunicinereus and Streptomyces prunigriseolus: Two new species of the violet pigmented Streptomyces. Egypt. J. Microbiol. 13, (1-2), 25 - 36.
- Hussein, A. M. and Amira El-Gammal (1979 a). Biosynthesical requirements for griseorhodin production by Streptomyces prunicinereus. Egypt. J. Microbiol. 14, (1-2),: 99 - 101.

Hussein, A.M. and Amira El-Gammal (1979 b). Characterization of an antibiotic produced by Streptomyces prunigriseolus. n. sp., Proceedings of Soc. Appl. Microbiol., 289 - 296.

Hussein, A. M. and N. A. Krassilnikov (1965). Slimy Actinomycetes of Egyptian soils. Mikrobiologiya, USSR. 38 : 878 - 882.

Hussein, A. M., M. I. Naguib and Zeinat K. Mahmoud (1985 a). Role of precursors in oleandomycin biosynthesis by Streptomyces antibioticus. Effect of some alcohols and auxins on the biosynthesis of oleandomycin. Egypt J. Microbiol. 20, No. 1.: 1 - 10.

Hussein, A. M., M. I. Naguib and Zeinat K. Mahmoud (1985 b). Oleandomycin by Streptomyces antibioticus. Egypt. J. Microbiol. 20, No. 1.: 11 - 19.

Hussein, A. M., M.I. Naguib and Zeinat K. Mahmoud (1986 a). Time course biodegradation of chicken feather by Micropolyspora keratinolytica, as affected by different phosphorus and vitamin supplements. VI Conference of Microbiology, Cairo, Proceedings: 399 - 362.

Hussein, A. M. and Zeinat Adeeb (1975 a). Comparative studies on the biological, physiological and antimicrobial properties of the grey group of Streptomyces isolated from different soils of Egypt. Third Conf. Microbiol. Cairo, Abstract P. 61.

- Hussein, A. M. and Zeinat Adeeb (1975 b). Studies on the production of dihydrostreptomycin by *Streptomyces humidus* , isolated from Egyptian soils. Third Conf. Microbiol., Cairo, Abstract P. 62.
- Hussein, A. M., A. M. Ragab, Amira El-Gammal, Zeinat Adeeb and Nadia Abd El-Naser (1979). Taxonomy of some grey nonpigmented isolates of *Streptomyces* obtained from Egyptian soils. Proceedings of Soc., Appl. Microbiol: 217 - 234.
- Hussein, A. M., A. M. Ragab, Amira El-Gammal, F. A. Mansour, Ekbal Sami, Madiha Helmy and N. E. Shehata (1980). Taxonomy of Grey pigmented *Streptomyces* sp., Isolated from Egyptian soils. Egypt. J. Bot. 23. (1): 9 - 16.
- Hussein, A.M., A. M. Ragab and Omima A. Essa (1986 b). Characterization of a new antibiotic produced by *Streptomyces saraceticus* Egypt. J. Microbiol. 21:43-52.
- Hussein, A.M., A. M. Ragab and Omima A. Essa (1986 c). Taxonomical and antimicrobial studies on the reddish grey of *Streptomyces* isolated from soils of Egypt. J. Microbiol. 21, (1) : 31 - 36.
- Hussein, A.M. and N. E. Shehata (1975 a). Studies on the effect of different nutritional sources on the production of chlorotetracycline by a strain of *Streptomyces aureofaciens* isolated from Egyptian soils. Third Conf. Microbiol., Cairo, Abstract p. 64.

- Hussein, A. M. and N. E. Shehata (1975 b). Studies on the effect of some microelements and vitamins on the production of chlorotetracycline. Third Conf. Microbiol. Cairo. Abstract p. 65.
- Hussein, A. M. and N. E. Shehata (1975 c). Studies on the biological characteristics and antimicrobial potentialities of some tetracycline producing *Streptomyces* isolates obtained from Egyptian soils. Third Conf. Microbiol. Cairo Abstract. p. 66.
- Hussein, A. M., M. A. Toama and Afaf M. Elnomany (1985 c). Taxonomical studies on a new cellulolytic thermophilic *Streptomyces* species :*Streptomyces thermoviridis* n.sp., Egypt. Bot. Soc. 4, :429 - 449.
- Hussein, A.M., M.A. Toama and Afaf M. Elnomany (1985 d). Studies on cellulase production in shaken cultures by *Streptomyces thermoviridis* n.sp. as affected by different nutritional requirements. Proc. Egypt. Bot. Soc. 4, 450 - 473.
- Hutchinson, H. A. and J. Clayton (1919). On the decomposition of cellulose by an aerobic organism (*Spirochaeta cytophaga* n.sp.). Agric. Sci.: 141.
- Hutter, R. (1962). Zur Systematic der Actinomyceten. X. Streptomyceten mit blauem, blaugrunenluftmycel. Archiv. Mikrobiol. 43: 365 - 391.

- I. S. P (1964). Methods Manual, International Cooperative Project for Description and Deposition of Type Culture of Streptomyces. Ohio Wesleyan Univ. U.S.A.
- Jones, K. L. (1949). Fresh isolates of actinomycetes in which the presence of sporogenous aerial mycelia is a fluctuating characteristic. J. of Bacteriol. 57:141-145.
- Jones, D. and M. J. Sackin (1980). Numerical methods in the classification and identification of bacteria with especial reference to the Enterobacteriaceae. In: Microbiological Classification and Identification, : 73 - 106. Edited by Goodfellow and R. G. Board. Academic press, London.
- Kansoh, Amany, A.L.(1983). Studies on antifungal antibiotics produced by some Streptomyces isolate, obtained from the Egyptian soil. M.Sc.Thesis. Fac.of Pharmacy, Cairo, University.
- Keddie, R.M. and I.J. Bousfield (1980). Cell wall composition in the classification and identification of coryneform bacteria. In: Microbiological classification and Identification (M. Goodfellow and R. G. Board, eds.), : 167 - 188. Academic Press, London.
- Keddie, R.M. and G.L. Cure (1977). The cell wall composition and distribution of free mycolic acids in named strains of Coryneform Bacteria and in isolates from various natural sources. J. Bacteriol. 42 : 229 - 252.

- Keddie, R. M. and G. L. Cure (1978). Cell wall composition of Coryneform bacteria. In: Coryneform Bacteria, eds. Bousfield, I. J. and Callely A. G. : 47 - 83. Academic Press, London.
- Krassilnikov, N. A. (1938). Ray Fungi and Related Organisms - Actinomycetales, Akad. Nauk. USSR Moscow.
- Krassilnikov, N. A. (1950). Actinomycetes antagonists and antibiotic substances. Academy of Science. USSR. Moscow.
- Krassilnikov, N. A. (1951). Intra-Strain and Intra-Species antagonism among microorganisms. Doklady Akad. Nauk USSR, 77: 117.
- Krassilnikov, N. A. (1957). La classification des Actinomycetes producteurs d'antibiotiques. Ann. Inst. Pasteur 92: 597.
- Krassilnikov, N. A. (1960). On the principles of classification of Actinomycetes. The biology of separate groups of Actinomycetes producers of antibiotics. Publishing House of Academy of Science. USSR: 1 - 11.
- Krassilnikov, N. A. (1970 a). Ray fungi. Higher Forms. Publishing House "Nauka", Moscow, USSR.
- Krassilnikov, N. A. (1970 b). Pigmentation of Actinomycetes and its significance in Taxonomy. In: The Actinomycetes (Prauser ed.): 123 - 131, Gustav Fischer Verlag, Jena.

- Krassilnikov, N. A. (1961). On the taxonomic significance of some criteria of actinomycetes. *Mikrobiologiya* 30 (4): 753.
- Kriss, A.E., E. A. Rukina and B. M. Issaiev (1945). Electron microscopic studies on the structure of Actinomycetes. *Mikrobiologiya*. 14: 127.
- Kroppendstedt, R. M. and H. J. Kutzner (1978). Biochemical taxonomy of some problem Actinomycetes. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene. I. Abteilung, Supplement* 6, 125 - 133.
- Kutzner, H. J. (1981). The family Streptomycetaceae In: *The Prokaryotes: A Hand book of habitats, Isolation and Identification of Bacteria, Volume 11* (M.P. Starr, H. Stolp, H.G. Truper, A. Balows and H. G. Schlegel, eds.),: 2028 - 2090. Springer Verlag, Berlin.
- Kuchaeva, A. G., N. A. Krassilnikov, S. D. Tapykova and R. L. Gesheva (1961). On the systematics of the Actinomyces of the lavendulae group. *zv. Microbiol. Inst. Bulgar. Akad. Nauk, Biol. Sci.* 13: 103 - 124.
- Lechevalier, H. A. (1989). A practical guide to generic identification of Actinomycetes. *Bergey's Manual of Determinative Bacteriology* (Williams and Wilkins). Baltimore. 2344 - 2347.

Lechevalier, H.A. and M.P. Lechevalier (1965). Classification des Actinomycetes aerobes sur leur morphologie et leur composition chimique. Annales de L'Institut Pasteur 108 : 662 - 673.

Lechevalier, H. A. and M. P. Lecheavlier (1970). A critical evaluation of the genera of aerobic Actinomycetes. In: The Actinomycetales., (Edited by H. Prauser) VEB. Gustav Fischer Verlag., Jena: 393 - 405.

Lechevalier, H. A., M. P. Lechevalier and B. Becker (1966). Comparision of the chemical composition of cell walls of nocardiae with that of other aerobic Actinomycetes. Int. J. Bacteriol. 16: 151 - 160.

Lechevalier, H.A., M.P. Lechevalier and N. N. Gerber (1971). Chemical composition as a criteria in the classification of Actinomycetes. Adv. Appl. Microbiol., 14: 47 - 72.

Lechevalier, M. P. (1968). Identification of aerobic Actinomycetes of clinical importance. Journal of Laboratory and Clinical Medicine, 71 : 934 - 944.

Lechevalier, M. P. (1976). The taxonomy of the genus Nocardia: Some light at the end of tunnel. In: The Biology of Nocardiae M-Goodfellow, G. H. Brownell and Serrano, eds.: 158. Academic. Press, London.

- Lechevalier, M. P. (1977). Lipids in bacterial taxonomy a taxonomists view point. In: CRC, Critical Reviews in Microbiology., 5 : 109 - 210, CRC Press, Ohio.
- Lechevalier, M.P., C.D. Bievre and H. A. Lechevalier (1977). Chemotaxonomy of aerobic actinomycetes: Phospholipid composition. Biochem. Syst. and Ecol. 5 : 249 - 260.
- Lechevalier, M.P., A. E. Stern and H. A. Lechevalier (1981). Phospholipids in the taxonomy of Actinomycetes. Zentralbl. Bakteriол. Parasitenkd. Infektionskr. Hyg. I Abt. Suppl. 11 : 111 - 116.
- Lieske, R. (1921). Morphologie und Biologie der Strahlenpilze.(Actinomyceten), Gebruder Borntraeger, Leipzig.
- Lloyd, A. B. (1969). Dispersal of Streptomycetes in air. J. Gen. Microbiol 57 : 35 - 40.
- Locci, R. (1976). Developmental micromorphology of Actinomycetes. In: Actinomycetes (Edited by T. Arai). The Boundary Microorganisms.:249-297. University Park Press, London.
- Locci, R. (1989). Streptomycetes and related genera. In Bergey's Manual of Systematic Bacteriology, 1989 (S.T. Williams. Editor): 245 - 2492. Williams and Wilkins Co., Baltimore.

- Locci, R. and G. P. Sharples (1984). Morphology. In: The biology of Actinomycetes, (Goodfellow; Mordarski and Williams. Editors): 165 - 199. Acad. Press. London.
- Mansour, F. (1977). Biological and physiological studies on some Streptomyces species, isolated from Egyptian soils. Ph. D. Thesis Fac. Sci. Mansoura University.
- Mayfield, C. I., S.T. Williams, S. M. Ruddick and H.L. Hatfield (1972). Studies on the ecology of Actinomycetes in soil. IV. Observations on the form and growth of Streptomycetes in soil. Soil Biol. Biochem. 4 : 79 - 91.
- Minnikin, D.E., L. Al-Shamaony and M. Goodfellow (1975). Differentiation of Mycobacterium, Nocardia and related taxa by thin layer chromatographic analysis of whole organism by drolysates. J. Gen. Microbiol. 88:200-204.
- Minnikin, D. E. and M. Goodfellow (1976). Lipid composition in the classification and identification of Nocardia and related taxa. In the Biology of the Nocardiae, : 160 - 219. (Edited by M. Goodfellow, G.H. Brownell and J. A. Serrano). Academic Press, London.
- Minnikin, D. E. and M. Goodfellow (1978). Polar lipid of Nocardioform and related bacteria. Zentrablatt fur Bakteriologie, parasitenkunde, InfektionsKrankheiten und Hygiene, 1. Abteilung, Supplement G. 75 - 83.

- Minnikin, D. E. and M. Goodfellow (1980). Lipid composition in the classification and identification of acid-fast bacteria. In: Goodfellow and Board (Editors), Microbiological Classification and Identification, Academic Press, London, PP: 189-256.
- Minnikin, D.E., I.G. Hutchinson, A.B. Galdicott and M. Goodfellow (1980). Thin layer chromatography of methanolysates of mycolic acid containing bacteria. Journal of Chromatography 188 : 221 - 233.
- Minnikin, D. E. and A. G. O'Donnel (1984). Actinomycete envelope lipid and peptidoglycan composition. In : The Biology of Actinomycetes. (Goodfellow, M., M. Mordarski and W. T. Williams, eds.): 337 - 388. Academic Press, London.
- Minnikin, D. E., T. Pirouz and M. Goodfellow (1977). Polar lipid composition in the classification of some Actinomadura species. International J. of Syst. Bacteriol. 27 : 118 - 121.
- Mordarski, M., M. Goodfellow, K. Szyba, A. Tkacz, G. Pulverer and K. P. Schaal (1980). Ribosomal. ribonucleic acid similareties in the classification of Rhodococcus and related taxa, J. Gen. Microbiol. 118 : 313 - 319.

Mordarski, M., I.Kaszen, A.Tkacz, M.Goodfellow, G. Alderson, K. P. Schaal and G. Pulverer (1981). Deoxyribonucleic acid pairing in the classification of the genus *Rhodococcus*. Zentralblatt für Bakteriologie, Parasitenkunde Infektionskrankheiten und Hygiene (1 Abteilung) Supplement 11 : 25 - 31.

Nahed Mohamed (1987). Taxonomical and biological studies on the white-yellow series of Streptomyces. M.Sc. Thesis Fac. Sc., Zagazeg. University. Benha. Branch.

Nüesch, J. (1965). Isolierung und Selektionierung von Aktinomyceten. In: Symposium Anreicherungskultur und Mutenauslese "Gottungen. April 1964: Zentralblatt für Bakteriologie. Parasitenkunde, Infektionskrankheiten und Hygiene, Abt. 1. Suppl. 1: 234 - 252.

Okami, Y. and M. Suzuki (1958). A simple method for microscopical observation for Streptomyces and critique of Streptomyces grouping with reference to aerial structure. J. antibiotics. 11 : 250 - 253.

Prauser, H. (1978). Consideration on taxonomic relations among Gram-positive, branching bacteria Zentralbl. Bakteriol. Parasitenkund, Infektionskr. Hyg. (1 Abteilung). Supplement 6 : 3 - 12.

Prauser, H. and R. Falta (1968). Phagensensibilität, Zellwandzusammensetzung und taxonomie von Aktinomyceten. Z. Allg. Mikrobiol. 8 : 39 - 46.

Preobrazhenskaya, T. P. (1968). Taxonomy problems of genus Actinomyces (Streptomyces). The Jena International symposium on taxonomy. 1 Veb. Caustav. Fischer Verlag, Jena. 91.

Preobrazhenskaya, T.P., E. S. Kudrina, M. A. Sveshnikova and T. S. Maximova (1960). On the diagnostic value of different criteria for the classification of the genus Actinomyces (Streptomyces). Mikrobiologiya, 29 : 455.

Preobrazhenskaya, T. P. and M. A. Sveshnikova (1957). Characteristics of antagonistic actinomycetes of the Lavendulae-Rose series. P.: 31 - 50. In: Gauze, G. F., T.P. Preobrazhenskaya, E.S. Kudrina, N. Q. Blinov, I. D.Reyabova and M.A. Sveshnikova. Problems of classification of actinomycetes - antagonistists. Government Publishing House of Medical Literature, Medgiz, Moscow. USSR.

Pridham, T. G., P. Anderson, G. Foley, L. A. Lindenfelser, C. W. Hessletine and R. G. Benedict (1956). A selection of media for maintenance and taxonomic study of Streptomyces. Antibiotics Ann. 1956/1957: 947 - 953.

Pridham, T. G. and D. Gottlieb (1948). The utilization of carbon compounds by some Actinomycetales as aid for species determination. J. Bacteriol. 56 : 107 - 114.

- Pridham, T. G., C. W. Hesseltine and R. G. Benedict (1958).
A guide for the classification of Streptomyces
according to selected groups. Appl. Microbiol 6:52-79.
- Pridham, T. G. and H. D. Tresner (1974). Genus Streptomyces.
Waksman and Henrici. In Bergey's Manual of
Determinative Bacteriology, 8th ed., (Buchanan and
Gibsons. Editors). The Williams and Wilkins Co.748-829.
- Ramadan, Shadia E.Z. (1976). Taxonomical and biological
studies on red coloured Streptomyces species, isolated
from Egyptian Soils. M.Sc. Fac. of Scince. Ain Shams,
University.
- Salem, Fatma, A (1982). Studies on antibacterial
antibiotics produced by some Streptomyces isolates
obtained from the Egyptian soil. M.Sc. Thesis. Fac. of
Pharmacy. Cairo University.
- Sanchez, Marroquin, A. (1962). Constancy of characteristics
in the Streptomyces. J. Bacteriol. 83 : 1183 - 1192.
- Schleifer, K. H. and O. Kandler (1972). Peptidoglycan types
of bacterial cell walls and their taxonomic
implication. Bacteriol Rev. 36 : 407 - 477.
- Seidl, P.H.,A.H.Faller, R. Loider and K.H. Schleifer (1980).
Peptidoglycan types and cytochrome patterns of strains
of Oerskovia turbata and O. xanthineolytica. Archiv.
Microbiol. 127 :137 - 178.

Shaw, N. (1974). Lipid composition as a guide to the classification of bacteria. *Adv. Appl. Microbiol.* 17 : 63 - 108.

Shinobu, R. (1958). Physiological and cultural study for the identification of soil Actinomycetes species. *Memories of the Osaka University of the Liberal Arts and Education (Natural Science)* 7 : 1 -76.

Shirling, E. B. and D. Gottlieb (1966). Methods for characterisation of *Streptomyces* species. *Inter. J. Sys. Bacteriol.* 61 : 313 - 340.

Shirling, E.B. and D. Gottlieb (1968). Cooperaative description of type cultures of *Streptomyces*. II. Species descriptions from first study. *International Journal of systematic Bacteriology* 18, 69 - 189.

Shirling, E. B. and Gottlieb (1969). Cooperative description of type culture of *Streptomyces*. IV, species descriptions from the second, third and fourth studies. *Int. J. Syst. Bacteriol.* 19: 391 - 512.

Shirling, E. B. and D. Gottlieb (1970). Report of the International *Streptomyces* Project. Five Years collaborative research. In Prauser (Editor), *The Actinomycetales*, Gustav Fischer Verlag, Jena: 79 - 90.

- Silvestri, L., M. Turri, L. R. Hill and E. Gilardi (1962).
A quantitative approach to the systematics of
Actinomycetales based on overall similarity. In :
(Ainsworth and Sneath, Editors), Microbial
Classification, Symp. Soc. Gen. Microbiol 12 : 333-360.
- Sneaath, P.H.A. (1957). The application of computers to
taxaonomy. J. Gen. Microbiol. 17, 201 - 226.
- Sneath, P.H.A. (1970). Application of numerical taxonomy of
Actinomycetales; problems and perspectives. In: The
Actinomycetales (Edited by H. Prauser) Jena. Gustav
fischer Verlag-: 371 - 378.
- Sneath, P. H. A. (1989). Bacterial nomenclature. Bergey's
Manual of Determinative Bacteriology (Williams and
Wilkins). Baltimore: 2317 - 2321.
- Stackebrandt, E. and C.R. Woese (1981). The evolution of
prokaryotes. In: (Carlile, Collins and Moseley,
Editors) Molecular and Cellular Aspects of Microbial
Evolution. Symp. Soc. Gen. Microbiol. 32 : 1 - 31.
- Sveshnikova, M.A., E.S. Kudrina, T. S. Maximova and T. P.
Preobrazhenskaya (1960). The stability of physiological
properties and their value in the systematic of
Actinomycetes. Mikrobiologiya, 29 : 4 - 11.

- Trejo, W. H. (1970). An evaluation of some concepts and criteria used in the speciation of Streptomycetes. Trans. N. Y. Acad. Sci. Ser. II 32 : 989 - 997.
- Trejo, W. and R.E. Bennett (1963). Streptomyces species comprising the blue spore series. J. Bacteriol. 85 : 676 - 690.
- Tresner, H. D. and E. J. Backus (1963). System of color wheels for Streptomycete taxonomy. Appl. Microbiol. 11 : 335 - 338.
- Tresner, H.D. and F. Danga (1958). Hydrogen sulphide production by Streptomyces as a criterion for species differentiation. J. Bacteriol. 76 : 239 - 244.
- Tresner, H.D., M.C. Davies and E.J. Backus (1961). Electron microscopy of Streptomyces spore morphology and its role in species differentiation. J. Bacteriol. 81:70-80.
- Waksman, S. A. (1919). Cultural studies of species of Actinomycetes. Soil science. 8 : 71 - 215.
- Waksman, S. A. (1959 a). The Actinomycetes. Vol. I, Nature, occurrence and activities. Baltimore. The Williams and Wilkins. U.S.A.

Waksman, S. A. (1959 b). Strain specificity and production of antibiotic substances. X. Characterisation and classification of species within the Streptomyces griseus group. Proceedings of the National Acad. of Sciences of the United States of America. 45:1043-1047.

Waksman, S. A. (1961). The Actinomycetes, Vol. II. Baltimore: Williams and Wilkins.

Waksman, S.A. and A.T. Henrici (1948). Family Actinomycetacea Buchanan and Family Streptomycetacea. Waksman and Henrici In: Bergey's Manual of Determinative Bacteriology 6th edit.: 892 - 928.

Waksman, S.A. and H.A. Lechevalier (1961). The Actinomycetes Vol II., The Williams and Wilkins, U.S.A.

Williams, S.T. and T. Cross (1971). Isolation, purification, cultivation and preservation of Actinomycetes. Methods Microbiol. 4 : 295 - 334.

Williams, S.T. and F.L. Davies (1965). Use of antibiotics for selective isolation and enumeration of Actinomycetes in soil. J. Gen Microbiol. 38 : 251 - 261.

Williams, S.T., M. Goodfellow, G. Alderson, E.M.H. Wellington, P.H.A. Sneath and M.J. Sackin (1983 a). Numerical classification of Streptomyces and related genera. J. Gen. Microbiol. 129: 1743-1813.

Williams, S. T., M. Goodfellow, E. M. H. Wellington, J. C. Vickers, G. Alderson, P. H. A. Sneath, M. L. Sackin and A. M. Mortimer (1983 b). A probability matrix for identification of some Streptomyces. J. Gen. Microbiol. 129 : 1815 - 1830.

Williams, S.T. and E.M. H. Wellington (1980). Micromorphology and fine structure of Actinomycetes. 139 - 165. In: Microbial Classification and Identification. (Goodfellow and Board eds.) Academic Press, London.

Williams, S.T., E.M.H. Wellington, M. Goodfellow, G. Alderson, M. Sackin and P.H.A. Sneath (1981). The genus Streptomyces - a taxonomic engine. Zentralblatt für Bakteriologie, Mikrobiologie und Hygiene (I abteilung) supplement 11 : 47 - 47.

Yassa Ekabl (1977). Studies on biological activities and biochemical of the brown pigmented Streptomyces. Ph.D. Thesis. Fac. Sci. Cairo University.